

Fiyat Listesi 2025



Fiyat Listesi 2025

Yenilikleri gerçekleřtirmek

Daha iyi makineler, yeni pazarlar, yalın üretim ve gelişmiş servis desteęi: Omron Endüstriyel Otomasyon, yıllardır yenilikleri gerçekleřtiriyor.

Bunu sizinle beraber daha yakın çalışarak yapıyoruz, makine ve fabrika otomasyonundaki en son bilgileri sunarak, fikirlerinizin hayata geçmesine destek oluyoruz.

Daha fazla ürün bilgisine “industrial.omron.com.tr” internet sitemizden veya telefonla bizi arayarak ulaşabilirsiniz.

Sipariş:

Tel: +90 (216) 556 51 30

E-Posta: satis@omron.com

Online Destek:

industrial.omron.com.tr

myomron.com

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V600 RFID Reader/Writer											
V780-HMD68-EIP-EU	V780 RFID reader/writer Unit, 250 x 250 x 70 mm (W x H x D), EtherNet/IP, IP54, 24 VDC	3,592.00	EC002998	V78A0028H	4549734218641			AA	AAB	JPN	8517.6200.00
V680 RFID Reader/Writer											
V6805-HMD63-EIP	V6805 RFID okuyucu/yazıcı ünitesi, 50x50x30mm, EtherNet/IP, IP67, 24VDC	1,106.00	EC002998	V68S0028D	4548583561960	#		AA	AAD	JPN	8517.6200.00
V6805-HMD63-ETN	V6805 RFID okuyucu/yazıcı ünitesi, 50x50x30mm, Modbus TCP/IP, IP67, 24VDC	1,229.00	EC002998	V68S0027F	4548583561953	#		AA	AAD	JPN	8517.6200.00
V6805-HMD63-PNT	V6805 RFID okuyucu/yazıcı ünitesi, 50x50x30mm, Profinet, IP67, 24VDC	1,106.00	EC002998	V68S0029B	4548583561977	#		AA	AAD	JPN	8517.6200.00
V6805-HMD64-EIP	V6805 RFID okuyucu/yazıcı ünitesi, 75x75x40mm, EtherNet/IP, IP67, 24VDC	1,441.00	EC002998	V68S0030F	4548583561984	#		AA	AAD	JPN	8517.6200.00
V6805-HMD64-ETN	V6805 ID okuyucu/yazıcı ünitesi, Modbus TCP, IP67, uzun mesafe, 24VDC	1,627.00	EC002998	V68S0003R	4548583407695			AA	AAD	JPN	8517.6200.00
V6805-HMD64-PNT	V6805 RFID okuyucu/yazıcı ünitesi, 75x75x40mm, Profinet, IP67, 24VDC	1,441.00	EC002998	V68S0031D	4548583561991			AA	AAD	JPN	8517.6200.00
V6805-HMD66-EIP	V6805 RFID okuyucu/yazıcı ünitesi, 120x120x40mm, EtherNet/IP, IP67, 24VDC	1,771.00	EC002998	V68S0032B	4548583562004			AA	AAD	JPN	8517.6200.00
V6805-HMD66-ETN	V6805 ID okuyucu/yazıcı ünitesi, Modbus TCP, IP67, uzun mesafe, 24VDC	2,014.00	EC002998	V68S0002M	4548583407688			AA	AAD	JPN	8517.6200.00
V6805-HMD66-PNT	V6805 RFID okuyucu/yazıcı ünitesi, 120x120x40mm, Profinet, IP67, 24VDC	1,771.00	EC002998	V68S0033M	4548583562011			AA	AAD	JPN	8517.6200.00
V680-D1KP52MT	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, round, 8mm diameter x 5mm	42.13	EC002996	V68D1008D	4547648393645	#	10	AA	AAD	JPN	8523.5990.00
V680-D1KP53M	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, round, 10mm diameter x 4.5mm	41.55	EC002996	V68D1015G	4547648616966	#	50	AA	AAD	JPN	8523.5990.00
V680-D1KP54T	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, round, 20mm diameter x 2.7mm	39.18	EC002996	V68D1019M	4547648826693	#	50	AA	AAD	JPN	8523.5990.00
V680-D1KPP6MT	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for flush mounting on metallic surfaces	43.97	EC002996	V68D1010F	4547648393652	#	20	AA	AAD	JPN	8523.5990.00
V680-D1KPP6T	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for flush mounting on non-metallic surfaces	36.14	EC002996	V68D1009B	4547648393669	#		AA	AAD	JPN	8523.5990.00
V6805-D2KF67	V6805 RF Tag, 2 kbytes, 40x40x5, metal olmayan yüzeyler için montaj	52.20	EC002996	V68S0013F	4548583453951	#	20	AA	AAD	JPN	8523.5990.00
V6805-D2KF67M	V6805 RF Tag, 2 kbytes, 40x40x5, metal yüzeyler için montaj	95.45	EC002996	V68S0014D	4548583453968	#	20	AA	AAD	JPN	8523.5990.00
V6805-D8KF67M	V6805 RF Tag, 8 kbytes, 40x40x5 for flush mounting on metallic surface	151.70	EC002996	V68S0016M	4548583453982		10	AA	AAD	JPN	8523.5990.00
V6805-D8KF68	V6805 RF Tag, 8 kbytes, 86x54x10 for flush mounting on nonmetallic surface	197.20	EC002996	V68S0019E	4548583454019		10	AA	AAD	JPN	8523.5990.00
V680-HA63B 5M	V680 Amplifier unit, for 2KB ID Tags, 5m cable	640.00	EC002998	V68H1004M	4547648318518			AA	AAD	JPN	8517.6200.00
V680-H551 2M	V680 Read/Write Antenna, cylindrical type, M12 x 35 mm, standard cable, non-waterproof connector, 2m	321.10	EC002998	V68H1023F	4547648514545	#		AA	AAD	JPN	8517.6200.00
V680-H552-W 2M	V680 Read/Write Antenna, Cylinder type, standard cable with IP67 connector, 2m	290.90	EC002998	V68H1006F	4547648318402			AA	AAD	JPN	8517.6200.00
V680-H563-W 2M	V680 Read/Write Antenna, Square type, 40x53x23mm, standard cable with IP67 connector, 2m	258.00	EC002998	V68H1010D	4547648318457			AA	AAD	JPN	8517.6200.00
V6805-A41 10M	V6805 ID okuyucu/yazıcı Ethernet ve güç kablosu, M12 - RJ45, 10m uzunluk	423.00	EC002997	V68S0009H	4548583408043			AA	AAD	JPN	9031.8080.00
V6805-A41 5M	V6805 ID okuyucu/yazıcı Ethernet ve güç kablosu, M12 - RJ45, 5m uzunluk	371.10	EC002997	V68S0008M	4548583408036	#		AA	AAD	JPN	9031.8080.00
Kontrol Sistemi CP1L/H											
CP1H-X40DR-A	CPU, 100-240 VAC, giriş: 24x 24 VDC + 1x analog, çıkış: 16x röle 2 A, 20K step program kapasitesi, 32K word veri hafızası, USB port	1,286.00	EC000236	CP1W0004C	4547648203579	#		BA	BAB	CHN	8471.4100.00
CP1H-X40DT1-D	CPU, 24 VDC, giriş: 24x 24 VDC + 1x analog, çıkış: 16x transistör PNP, 20K step program kapasitesi, 32K word veri hafızası, USB port	1,286.00	EC000236	CP1W0006M	4547648203593	#		BA	BAB	CHN	8471.4100.00
CP1H-X40DT-D	CPU, 24 VDC, giriş: 24x 24 VDC + 1x analog, çıkış: 16x transistör NPN, 20K step program kapasitesi, 32K word data hafızası, USB port	1,286.00	EC000236	CP1W0005A	4547648203586	#		BA	BAB	CHN	8471.4100.00
CP1H-XA40DR-A	CPU, 100-240 VAC, giriş: 24x 24 VDC + 4x analog, çıkış: 16x röle 2 A + 2x analog, 20K step program kapasitesi, 32K word data hafızası, USB port	1,977.00	EC000236	CP1W0001R	4547648203548	#		BA	BAB	CHN	8471.4100.00
CP1H-XA40DT1-D	CPU, 24 VDC, giriş: 24x 24 VDC +4x analog, çıkış: 16x transistör PNP + 2x analog, 20K step program kapasitesi, 32K word data hafızası, USB port	1,977.00	EC000236	CP1W0003E	4547648203562	#		BA	BAB	CHN	8471.4100.00
CP1H-XA40DT-D	CPU, 24 VDC, giriş: 24x 24 VDC + 4x analog, çıkış: 16x transistör NPN + 2x analog, 20K step program kapasitesi, 32K word veri hafızası, USB port	1,977.00	EC000236	CP1W0002G	4547648203555	#		BA	BAB	CHN	8471.4100.00
CP1L-EL20DR-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x röle çıkış 2A, 2 analog giriş, 5K Step program kapasitesi, 10K Word veri hafızası, 1x Ethernet port	504.50	EC000236	CP1W9211H	4548583751880	#		BA	BAB	NLD	8471.4100.00
CP1L-EL20DT1-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x PNP çıkış 0.3A, 2 analog giriş, 5K Step program kapasitesi, 10K Word veri hafızası, 1x Ethernet port	504.50	EC000236	CP1W9212F	4548583751897	#		BA	BAB	NLD	8471.4100.00
CP1L-EM30DR-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x röle çıkış 2A, 2 analog giriş 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	653.50	EC000236	CP1W9214B	4548583751910	#		BA	BAB	NLD	8471.4100.00
CP1L-EM30DT1-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x PNP çıkış 0.3A, 2 analog giriş 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	653.50	EC000236	CP1W9215M	4548583751927	#		BA	BAB	NLD	8471.4100.00
CP1L-EM30DT-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x NPN çıkış 0.3A, 2 analog giriş 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	653.50	EC000236	CP1W9216R	4548583751934	#		BA	BAB	NLD	8471.4100.00
CP1L-EM40DR-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x röle çıkış 2A, 2 analog giriş 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	814.50	EC000236	CP1W9217G	4548583751941	#		BA	BAB	NLD	8471.4100.00
CP1L-EM40DT1-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x PNP çıkış 0.3A, 2 analog giriş 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	814.50	EC000236	CP1W9218E	4548583751958	#		BA	BAB	NLD	8471.4100.00
CP1L-EM40DT-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x NPN çıkış 0.3A, 2 analog giriş 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	814.50	EC000236	CP1W9219C	4548583751965	#		BA	BAB	NLD	8471.4100.00
CP1L-L10DR-D	CPU, 24 VDC, 6x 24 VDC giriş, 4x röle çıkış 2 A, 5K step program kapasitesi, 10K word veri hafızası	387.80	EC000236	CP1W9227D	4548583764743	#		BA	BAB	NLD	8471.4100.00
CP1L-L10DT1-D	CPU, 24 VDC, 6x 24 VDC giriş, 4x PNP çıkış 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	380.60	EC000236	CP1W9228B	4548583764750	#		BA	BAB	NLD	8471.4100.00
CP1L-L14DR-A	CPU, 100-240 VAC, 8x 24 VDC giriş, 6x röle çıkış 2 A, 5K step program kapasitesi, 10K word veri hafızası	509.00	EC000236	CP1W9231B	4548583764781	#		BA	BAB	NLD	8471.4100.00
CP1L-L14DR-D	CPU, 24 VDC, 8x 24 VDC giriş, 6x röle çıkış 2 A, 5K step program kapasitesi, 10K word veri hafızası	448.10	EC000236	CP1W9232M	4548583764798	#		BA	BAB	NLD	8471.4100.00
CP1L-L14DT1-D	CPU, 24 VDC, 8x 24 VDC giriş, 6x PNP çıkış 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	452.40	EC000236	CP1W9233R	4548583764804	#		BA	BAB	NLD	8471.4100.00
CP1L-L20DR-D	CPU, 100-240 VAC, 12x 24 VDC giriş, 8x röle çıkış 2 A, 5K step program kapasitesi, 10K word veri hafızası	588.50	EC000236	CP1W9236C	4548583764835	#		BA	BAB	NLD	8471.4100.00
CP1L-L20DR-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x röle çıkış 2 A, 5K step program kapasitesi, 10K word veri hafızası	588.50	EC000236	CP1W9237A	4548583764842	#		BA	BAB	NLD	8471.4100.00
CP1L-L20DT1-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x PNP çıkış 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	588.50	EC000236	CP1W9238M	4548583764859	#		BA	BAB	NLD	8471.4100.00
CP1L-M30DR-A	CPU, 100-240 VAC, 18x 24 VDC giriş, 12x röle çıkış 2 A, 10 K step program kapasitesi, 32K word veri hafızası	738.50	EC000236	CP1W9241M	4548583764880	#		BA	BAB	NLD	8471.4100.00
CP1L-M30DR-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x röle çıkış 2 A, 10 K step program, 32K word veri hafızası	738.50	EC000236	CP1W9242H	4548583764897	#		BA	BAB	NLD	8471.4100.00
CP1L-M30DT1-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x PNP çıkış 0.3 A, 10 K step program kapasitesi, 32K word veri hafızası	738.50	EC000236	CP1W9243F	4548583764903	#		BA	BAB	NLD	8471.4100.00
CP1L-M30DT-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x NPN çıkış 0.3A, 10K Step program kapasitesi, 32K Word veri hafızası	738.50	EC000236	CP1W9245B	4548583764927	#		BA	BAB	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP1L-M40DR-A	CPU, 100-240 VAC, 24x 24 VDC giriş, 16x röle çıkış 2 A, 10 K step program kapasitesi, 32K word veri hafızası	855.00	EC000236	CP1W9246M	4548583764934	#		BA	BAB	NLD	8471.4100.00
CP1L-M40DR-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x röle çıkış 2 A, 10 K step program kapasitesi, 32K word veri hafızası	855.00	EC000236	CP1W9247R	4548583764941	#		BA	BAB	NLD	8471.4100.00
CP1L-M40DT1-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x PNP çıkış 0.3 A, 10 K step program kapasitesi, 32K word veri hafızası	855.00	EC000236	CP1W9248G	4548583764958	#		BA	BAB	NLD	8471.4100.00
CP1L-M40DT-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x NPN çıkış 0.3A, 10K Step program kapasitesi, 32K Word veri hafızası	855.00	EC000236	CP1W9250R	4548583764972	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DR-A	CPU, 100-240 VAC, 36x 24 VDC giriş, 24x röle çıkış 2 A, 10 K step program kapasitesi, 32K word veri hafızası	1,093.00	EC000236	CP1W9251G	4548583764989	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DR-D	CPU, 24 VDC, 36x 24 VDC giriş, 24x röle çıkış 2 A, 10 K step program kapasitesi, 32K word veri hafızası	1,093.00	EC000236	CP1W9252E	4548583764996	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DT1-D	CPU, 24 VDC, 36x 24 VDC giriş, 24x PNP çıkış 0.3 A, 10 K step program kapasitesi, 32K word veri sayfası	1,093.00	EC000236	CP1W9253C	4548583765009	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DT-D	CPU, 24 VDC, 36x 24 VDC giriş, 24x NPN çıkış 0.3A, 10K Step program kapasitesi, 32K Word veri hafızası	1,093.00	EC000236	CP1W9255M	4548583765023	#		BA	BAB	NLD	8471.4100.00
Kontrol Sistemi CP1E-E											
CP1E-E10DR-A	CPU, 100-240 VAC, 6 x 24 VDC giriş, 4 x röle çıkış 2 A, 2K step program kapasitesi, 2K word veri hafızası	292.30	EC000236	CP1W0118M	4547648800792	#		BA	BAC	CHN	8471.6070.00
CP1E-E10DR-D	CPU, 24 VDC, 6 x 24 VDC giriş, 4 x röle çıkış 2 A, 2K step program kapasitesi, 2K word veri hafızası	292.30	EC000236	CP1W0121M	4547648800822	#		BA	BAC	CHN	8471.6070.00
CP1E-E10DT1-D	CPU, 24 VDC, 6 x 24 VDC giriş, 4 x PNP transistör çıkış, 2K step program kapasitesi, 2K word veri hafızası	292.30	EC000236	CP1W0123F	4547648800846	#		BA	BAC	CHN	8471.6070.00
Kontrol Sistemi CP1E-N											
CP1E-NA20DT1-D	CPU, 24 VDC, 12 x 24 VDC giriş, 8 x PNP transistör çıkış, 8K step program kapasitesi, 8K word data hafızası, RS-232C port, giriş: 2x analog, çıkış: 1x analog, çözünürlük 1/6,000	1,032.00	EC000236	CP1W0117A	4547648800785	#		BA	BAD	CHN	8471.6070.00
Kontrol Sistemi CS1											
CS1W-BC053	CPU backplane with C200H I/O BUS, 5 I/O slots	443.10	EC000810	CS1W0232M	4536854845666			BA	BAF	CHN	8538.9099.99
CS1W-BC083	CPU backplane with C200H I/O BUS, 8 I/O slots	570.00	EC000810	CS1W0233R	4536854845673			BA	BAF	CHN	8538.9099.99
CS1W-BC103	CPU backplane with C200H I/O BUS, 10 I/O slots	787.00	EC000810	CS1W0234G	4536854845680	#		BA	BAF	CHN	8538.9099.99
CS1W-BI083	Expansion backplane with C200H I/O BUS, 8 I/O slots	761.00	EC000810	CS1W0237A	4536854845710			BA	BAF	CHN	8538.9099.99
CS1W-BI103	Expansion backplane with C200H I/O BUS, 10 I/O slots	942.50	EC000810	CS1W0238M	4536854845727	#		BA	BAF	CHN	8538.9099.99
CS1W-CLK23	Controller Link unit, 2-wire twisted pair, screw connectors	1,272.00	EC001423	CS1W0394G	4547648706674			BA	BAF	CHN	8537.1098.99
CS1W-DRM21-V1	DeviceNet master / slave unit	1,366.00	EC001423	CS1W0399H	4547648708548	#		BA	BAF	CHN	8537.1098.99
CS1W-EIP21	EtherNet/IP unit, 100Base-TX, 1 x RJ45 socket, supports CIP, FINS/UDP and FINS/TCIP	2,350.00	EC001423	CS1W0393R	4547648706650	#		BA	BAF	CHN	8471.6070.00
CS1W-EIP21S	EtherNet/IP unit, 100Base-TX, 1 x RJ45 socket, supports CIP, FINS/UDP and FINS/TCIP	2,306.00	EC001423	CS1W0610E	4549734777339			BA	BAF	CHN	8471.8000.00
CS1W-ETN21	Ethernet unit, 100Base-TX and 10 Base-T, 1 x RJ45 socket, TCP/IP & UDP/IP socket services, FTP, SMTP, FINS	2,569.00	EC001423	CS1W0387D	4547648706568	#		BA	BAF	CHN	8471.6070.00
CS1W-SCB41-V1	Serial communications board, 2 x RS-232C ports, supports protocol macro backup from memory card	744.00	EC001423	CS1W0381E	4547648706490	#		BA	BAF	CHN	8538.9099.99
CS1W-SCB41-V1	Serial communications board, 1 x RS-232C port, 1 x RS422/485 port, supports protocol macro backup from memory card	841.00	EC001423	CS1W0382C	4547648706506	#		BA	BAF	CHN	8538.9099.99
CS1W-SCU21-V1	Serial communications unit, 2 x RS-232C ports, Protocol Macro, Host Link, 1:N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	1,419.00	EC001423	CS1W0383A	4547648706513			BA	BAF	CHN	8537.1098.99
CS1W-SCU31-V1	Serial communication unit, 2x RS-422/485 ports, Protocol Macro, Host Link, 1:N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	1,483.00	EC001423	CS1W0392M	4547648706643			BA	BAF	CHN	8537.1098.99
CS1W-ID211	Dijital giriş ünitesi, 16 x 24 VDC giriş, NPN/PNP	374.30	EC001419	CS1W3000F	4547648096539	#		BA	BAF	CHN	8471.6070.00
CS1W-ID231	Dijital giriş ünitesi, 32 x 24 VDC giriş, NPN/PNP	696.00	EC001419	CS1W3001D	4547648096546	#		BA	BAF	CHN	8471.6070.00
CS1W-ID261	Dijital giriş ünitesi, 64 x 24 VDC giriş, NPN/PNP	1,105.00	EC001419	CS1W3002B	4547648096553	#		BA	BAF	CHN	8471.6070.00
CS1W-OC211	Dijital çıkış ünitesi, 16 x röle çıkış, 2 A, 24 VDC/250 VAC, 2 commons	525.50	EC001419	CS1W3006E	4547648096591	#		BA	BAF	CHN	8471.6070.00
CS1W-OD212	Dijital çıkış ünitesi, 16 x transistör çıkış, PNP with short circuit protection, 0.5 A, 24 VDC	708.00	EC001419	CS1W3008A	4547648096614	#		BA	BAF	CHN	8471.6070.00
CS1W-OD232	Dijital çıkış ünitesi, 32 x transistör çıkış, PNP with short circuit protection, 0.5 A, 24 VDC	1,034.00	EC001419	CS1W3010C	4547648096638	#		BA	BAF	CHN	8471.6070.00
CS1W-OD261	Dijital çıkış ünitesi, 64 x transistör çıkış, NPN, 0.3 A, 12-24 VDC	1,486.00	EC001419	CS1W3011A	4547648096645	#		BA	BAF	CHN	8471.6070.00
CS1W-AD081-V1	Analog giriş ünitesi, 8 x 1 to 5V, 0 to 5V, 0 to 10V, -10 to +10V, 4 to 20mA giriş, 1:4000/8000 çözünürlük	2,368.00	EC001420	CS1W0194D	4536854819711	#		BA	BAF	JPN	8471.6070.00
CS1W-PTS56	İzolasyonlu RTD giriş ünitesi, 8 giriş (Pt100 (JIS, IEC), JPt100), 0.1°C çözünürlük	2,471.00	EC001420	CS1W0301G	4547648086271	#		BA	BAF	JPN	8471.6070.00
CS1W-DA041	Analog çıkış ünitesi, 4 x 4-20mA/1-5V/0-5V/0-10V/-10/+10V çıkış, vidalı terminal, 12 bit çözünürlük	1,561.00	EC001420	CS1W0089A	4536854493584			BA	BAF	JPN	8471.6070.00
CS1W-DA08-C	Analog çıkış ünitesi, 8 x 4-20mA çıkış, vidalı terminal, 12 bit çözünürlük	2,360.00	EC001420	CS1W0088C	4536854493577	#		BA	BAF	JPN	8471.6070.00
CS1W-DA08-V	Analog çıkış ünitesi, 8 x 1-5V/0-5V/0-10V/-10/+10V çıkış, vidalı terminal, 12 bit çözünürlük	2,368.00	EC001420	CS1W0087E	4536854493560	#		BA	BAF	JPN	8471.6070.00
Kontrol Sistemi XW2											
XW2Z-200S-CV	Kablo, RS-232C, 2m, programlama için PLC veya HMI 9-pin port, PC 9-pin port	132.20	EC001681	XW2Z0085H	4536854488191	#		BA	BAJ	JPN	8536.9010.00
XW2Z-200S-V	Kablo, RS-232C, 2m, programlama için PLC veya HMI 9-pin port, PC 9-pin port	125.90	EC001681	XW2Z6011G	4536854230660	#		BA	BAJ	JPN	8536.9010.00
XW2Z-200T	Cable, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 2 m	122.80	EC001681	XW2Z0034C	4536854230226	#		BA	BAJ	JPN	8536.9010.00
XW2Z-500T	Cable, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 5 m	122.10	EC001681	XW2Z0035A	4536854230233	#		BA	BAJ	JPN	8536.9010.00
XW2D-20G6	General-purpose I/O terminal block, MIL20 socket, M3 captive screws, 20 points	51.65	EC002780	XW2D0046D	4549734723121	#		BA	BAJ	JPN	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW2D-34G6	General-purpose I/O terminal block, MIL34 socket, M3 captive screws, 34 points	67.60	EC002780	XW2D0049R	4549734723152			BA	BAJ	JPN	8536.9010.00
XW2D-40G6	Terminal Bloks, 40 point (M3 vidalı)	79.05	EC002780	XW2D0052R	4549734723183	#		BA	BAJ	JPN	8536.9010.00
XW2D-50G6	General-purpose I/O terminal block, MIL50 socket, M3 captive screws, 50 points	72.10	EC002780	XW2D0055C	4549734723213			BA	BAJ	JPN	8536.9010.00
XW2R-J40G-T	DIN-rail mounting terminal block, MIL40 socket, M3 screws, 40 points, general-purpose	79.40	EC002780	XW2R0003C	4548583367326	#		BA	BAJ	JPN	8536.9010.00
XW2G-40G7	Giriş Terminal Blok, CJ1W-CTL41-E (XW2Z-xxxK kablo ile birlikte kullanın)	144.80	EC002780	XW2G0001H	4547648089852	#		BA	BAJ	NLD	8536.9010.00
XW2K-20G-O16A-IN	PLC interface wiring system with push-in plus technology and power supply terminal, 20 points MIL connector, Input, Signal: 0.5 A, Power: 4 A, NPN, 30 VDC, DIN rail horizontal and vertical mounting	85.60	EC002780	XW2K0075R	4549734758116			BA	BAJ	CHN	8536.9010.00
XW2K-20G-O16B-OUT	PLC interface wiring system with push-in plus technology and power supply terminal, 20 points MIL connector, Output, Signal: 0.5 A, Power: 4 A, NPN, 30 VDC, DIN rail horizontal and vertical mounting	85.60	EC002780	XW2K0080E	4549734758161			BA	BAJ	CHN	8536.9010.00
XW2K-20G-T	General purpose interface wiring system with push-in plus technology, 20 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting	48.88	EC002780	XW2K0066M	4549734758024			BA	BAJ	CHN	8536.9010.00
XW2K-34G-T	General purpose interface wiring system with push-in plus technology, 34 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting	64.20	EC002780	XW2K0067H	4549734758031	#		BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32A	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input/Output, 0.5 A, NPN/PNP, 30 VDC, DIN rail horizontal and vertical mounting	73.35	EC002780	XW2K0070H	4549734758062			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32A-IN	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail horizontal and vertical mounting	103.90	EC002780	XW2K0076G	4549734758123			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32B	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input/Output, 0.5 A, NPN/PNP, 30 VDC, DIN rail horizontal and vertical mounting	73.35	EC002780	XW2K0071F	4549734758079			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32B-OUT	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Output, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail horizontal and vertical mounting	103.90	EC002780	XW2K0081C	4549734758178			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32C	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input/Output, 0.5 A, NPN/PNP, 30 VDC, DIN rail horizontal and vertical mounting	73.35	EC002780	XW2K0072D	4549734758086	#		BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32C-IN	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail horizontal and vertical mounting	103.90	EC002780	XW2K0077E	4549734758130			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32C-OUT	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Output, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail horizontal and vertical mounting	103.90	EC002780	XW2K0082A	4549734758185			BA	BAJ	CHN	8536.9010.00
XW2K-40G-T	General purpose interface wiring system with push-in plus technology, 40 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting	76.40	EC002780	XW2K0068F	4549734758048			BA	BAJ	CHN	8536.9010.00
XW2K-50G-T	General purpose interface wiring system with push-in plus technology, 50 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting	88.60	EC002780	XW2K0069D	4549734758055			BA	BAJ	CHN	8536.9010.00
XW2K-COM20	Interface wiring system with push-in plus technology and common terminals , 10 A, 250 VAC/DC, DIN rail horizontal and vertical mounting	85.60	EC002780	XW2K0087B	4549734758239			BA	BAJ	CHN	8536.9010.00
XW2K-COM20N	Interface wiring system with push-in plus technology and common terminals , 10 A, 250 VAC/DC, DIN rail horizontal and vertical mounting	85.60	EC002780	XW2K0086D	4549734758222			BA	BAJ	CHN	8536.9010.00
XW2K-COM20P	Interface wiring system with push-in plus technology and common terminals , 10 A, 250 VAC/DC, DIN rail horizontal and vertical mounting	85.60	EC002780	XW2K0085F	4549734758215			BA	BAJ	CHN	8536.9010.00
XW2Z-0030FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 30 cm	29.84	EC000237	XW2Z0515R	4548583449138			BA	BAJ	CHN	8544.4290.90
XW2Z-0050FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 0.5 m	30.96	EC000237	XW2Z0516G	4548583449145	#		BA	BAJ	CHN	8544.4290.90
XW2Z-0100BF-L	I/O connection cable, unshielded, FCN40 to MIL40, 1 m	63.15	EC000237	XW2Z0467E	4548583448650			BA	BAJ	CHN	8544.4290.90
XW2Z-0100DL-L	I/O connection cable, unshielded, MIL20 to open ends, 1 m	35.06	EC000237	XW2Z0493D	4548583448919	#		BA	BAJ	CHN	8544.4290.90
XW2Z-0100FF-L	I/O bağlantı kablosu, MIL40 to MIL40, L = 100 cm	45.04	EC000237	XW2Z0517E	4548583449152	#		BA	BAJ	CHN	8544.4290.90
XW2Z-0100FH-L02	I/O connection cable, unshielded, MIL40 to 2 x MIL20, 1 m	65.10	EC000237	XW2Z0511F	4548583449091			BA	BAJ	CHN	8544.4290.90
XW2Z-0100FN-L	I/O connection cable, unshielded, MIL40 to open ends, 1 m	42.69	EC000237	XW2Z0522A	4548583449206	#		BA	BAJ	CHN	8544.4290.90
XW2Z-0150FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 1.5 m	77.85	EC000237	XW2Z0518C	4548583449169	#		BA	BAJ	CHN	8544.4290.90
XW2Z-0150FN-L	I/O connection cable, unshielded, MIL40 to open ends, 1.5 m	67.00	EC000237	XW2Z0523M	4548583449213	#		BA	BAJ	CHN	8544.4290.90
XW2Z-0200BN-L	I/O connection cable, unshielded, FCN40 to open ends, 2 m	92.35	EC000237	XW2Z0473M	4548583448711	#		BA	BAJ	CHN	8544.4290.90
XW2Z-0200EF-L	I/O connection cable, unshielded, MIL34 to MIL34, 2 m	45.16	EC000237	XW2Z0504C	4548583449022	#		BA	BAJ	CHN	8544.4290.90
XW2Z-0200FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 2 m	57.75	EC000237	XW2Z0519A	4548583449176	#		BA	BAJ	CHN	8544.4290.90
XW2Z-0200FN-L	I/O connection cable, unshielded, MIL40 to open ends, 2 m	53.05	EC000237	XW2Z0524H	4548583449220	#		BA	BAJ	CHN	8544.4290.90
XW2Z-0300BN-L	I/O connection cable, unshielded, FCN40 to open ends, 3 m	125.20	EC000237	XW2Z0474H	4548583448728			BA	BAJ	CHN	8544.4290.90
XW2Z-0300FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 3 m	77.10	EC000237	XW2Z0520E	4548583449183	#		BA	BAJ	CHN	8544.4290.90
XW2Z-0300FN-L	I/O connection cable, unshielded, MIL40 to open ends, 3 m	47.57	EC000237	XW2Z0526D	4548583449244	#		BA	BAJ	CHN	8544.4290.90
XW2Z-0500DL-L	I/O connection cable, unshielded, MIL20 to open ends, 5 m	79.45	EC000237	XW2Z0497G	4548583448957			BA	BAJ	CHN	8544.4290.90
XW2Z-050B	I/O connection cable, FCN40 to MIL40, 0.5 m	79.45	EC000237	XW2Z3004H	4536854230479	#		BA	BAJ	JPN	8536.9010.00
XW2Z-100A	I/O connection cable, FCN24 to MIL20, 1 m	82.65	EC000237	XW2Z2001H	4536854230370			BA	BAJ	JPN	8536.9010.00
XW2Z-100B	kablo - 40 pin Fujitsu konektör (XW2*-40G*), 1m	112.80	EC000237	XW2Z3001C	4536854230448	#		BA	BAJ	JPN	8536.9010.00
XW2Z-100D	I/O connection cable, FCN40 to 2 x MIL20, 1 m	106.80	EC000237	XW2Z2000E	4536854229909			BA	BAJ	JPN	8536.9010.00
XW2Z-100K	kablo , 40 pin MIL konektör (XW2*-40G*), 1m	72.10	EC000237	XW2Z20165M	4536854792908	#		BA	BAJ	JPN	8536.9010.00
XW2Z-100N	I/O connection cable, MIL40 to 2 x MIL20, 1 m, cross-wired	74.35	EC000237	XW2Z20134M	4536854771613			BA	BAJ	JPN	8536.9010.00
XW2Z-150B	I/O connection cable, FCN40 to MIL40, 1.50 m	87.00	EC000237	XW2Z3009R	4536854230523			BA	BAJ	JPN	8536.9010.00
XW2Z-150K	I/O connection cable, MIL40 to MIL40, 1.5 m	87.00	EC000237	XW2Z20166H	4536854792915	#		BA	BAJ	JPN	8536.9010.00
XW2Z-200A	I/O connection cable, FCN24 to MIL20, 2 m	58.90	EC000237	XW2Z2002F	4536854230387			BA	BAJ	JPN	8536.9010.00
XW2Z-200B	I/O connection cable, FCN40 to MIL40, 2 m	126.70	EC000237	XW2Z3002A	4536854230455	#		BA	BAJ	JPN	8536.9010.00
XW2Z-200D	I/O connection cable, FCN40 to 2 x MIL20, 2 m	115.30	EC000237	XW2Z20004A	4536854229923			BA	BAJ	JPN	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW22-200K	I/O connection cable, MIL40 to MIL40, 2 m	95.00	EC000237	XW220168D	4536854792939	#		BA	BAJ	JPN	8536.9010.00
XW22-300B	I/O connection cable, FCN40 to MIL40, 3 m	135.50	EC000237	XW223003M	4536854230462	#		BA	BAJ	JPN	8536.9010.00
XW22-300K	I/O connection cable, MIL40 to MIL40, 3 m	128.00	EC000237	XW220167F	4536854792922	#		BA	BAJ	JPN	8536.9010.00
XW22-500K	I/O connection cable, MIL40 to MIL40, 5 m	142.70	EC000237	XW220169B	4536854792946	#		BA	BAJ	JPN	8536.9010.00
XW22-C50K	I/O connection cable, MIL40 to MIL40, 0.5 m	91.30	EC000237	XW220111M	4536854633157	#		BA	BAJ	JPN	8536.9010.00
Kontrol Sistemi CJ1 / CJ2											
CJ2H-CPU64	CPU, 50K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	3,398.00	EC000236	CJ2W006D	4547648638630	#		BA	BAK	JPN	8471.4100.00
CJ2H-CPU64-EIP	CPU, Dahilli EtherNet/IP portu, 50K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	4,542.00	EC000236	CJ2W0001C	4547648519113	#		BA	BAK	JPN	8471.6070.00
CJ2H-CPU65	CPU, 100K step program hafızası, 32K word veri hafızası, 32K words x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	4,119.00	EC000236	CJ2W0007B	4547648638647	#		BA	BAK	JPN	8471.4100.00
CJ2H-CPU65-EIP	CPU, Dahilli EtherNet/IP portu, 100K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	4,897.00	EC000236	CJ2W0002A	4547648519120	#		BA	BAK	JPN	8471.6070.00
CJ2H-CPU66-EIP	CPU, Dahilli EtherNet/IP portu, 150K step program hafızası, 32K word veri hafızası, 32K word x 10 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	6,600.00	EC000236	CJ2W0003M	4547648519144	#		BA	BAK	JPN	8537.1098.99
CJ2H-CPU67-EIP	CPU, Dahilli EtherNet/IP portu, 250K step program hafızası, 32K word veri hafızası, 32K word x 15 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	8,490.00	EC000236	CJ2W0004H	4547648519151	#		BA	BAK	JPN	8471.6070.00
CJ2H-CPU68-EIP	CPU, Dahilli EtherNet/IP portu, 400K step program hafızası, 32K word veri hafızası, 32K word x 25 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	10,800.00	EC000236	CJ2W0005F	4547648519168	#		BA	BAK	JPN	8471.6070.00
CJ2M-CPU11	CPU, 5K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	589.50	EC000236	CJ2W9015B	4548583498389	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU12	CPU, 10K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	849.00	EC000236	CJ2W9016M	4548583498396	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU13	CPU, 20K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	1,189.00	EC000236	CJ2W9017R	4548583498402	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU14	CPU, 30K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	1,483.00	EC000236	CJ2W9018G	4548583498419	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU15	CPU, 60K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	1,812.00	EC000236	CJ2W9019E	4548583498426	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU31	CPU, Dahilli EtherNet/IP portu, 5K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2,560 I/O maks., RS-232C/485 için opsiyon kartı, USB program	1,491.00	EC000236	CJ2W9020R	4548583498433	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU32	CPU, Dahilli EtherNet/IP portu, 10K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2,560 I/O maks., RS-232C/485 için opsiyon kartı, USB program	1,604.00	EC000236	CJ2W9021G	4548583498440	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU33	CPU, Dahilli EtherNet/IP portu, 20K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2,560 I/O maks., RS-232C/485 için opsiyon kartı, USB program	1,972.00	EC000236	CJ2W9022E	4548583498457	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU34	CPU, Dahilli EtherNet/IP portu, 30K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C/485 için opsiyon kartı, USB program	2,325.00	EC000236	CJ2W9023C	4548583498464	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU35	CPU, Dahilli EtherNet/IP portu, 60K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C/485 için opsiyon kartı, USB program	2,640.00	EC000236	CJ2W9024A	4548583498471	#		BA	BAK	NLD	8471.4100.00
CJ1W-PA202	Güç kaynağı ünitesi, 100-240 VAC, çıkış kapasitesi: 14 W	279.10	EC000599	CJ1W0057E	4536854806018	#		BA	BAK	JPN	8504.4083.90
CJ1W-PA205C	Güç Kaynağı Ünitesi, 100-240 VAC, çıkış gücü: 25 W, bakım monitörü	514.50	EC000599	CJ1W0174A	4547648156936	#		BA	BAK	JPN	8504.4083.90
CJ1W-PA205R	Güç Kaynağı Ünitesi, 100-240 VAC, çıkış gücü: 25 W, RUN çıkışı	395.60	EC000599	CJ1W0389B	4548583452244	#		BA	BAK	CHN	8504.4083.90
CJ1W-PD022	Güç kaynağı ünitesi, 24 VDC, çıkış kapasitesi: 19.6 W	176.10	EC000599	CJ1W0310H	4547648706117	#		BA	BAK	CHN	8504.4083.90
CJ1W-PD025	Güç kaynağı, 24 VDC, çıkış gücü: 25 W	390.50	EC000599	CJ1W0086R	4536854827761	#		BA	BAK	JPN	8504.4083.90
CJ1W-TC002	Sıcaklık kontrol ünitesi, R/S/K/J/T/L/B Termokupl girişleri, transistör (PNP) çıkış, 4 çevrim	1,228.00	EC001421	CJ1W0032M	4536854740534	#		BA	BAK	JPN	8471.6070.00
CJ1W-TC004	Sıcaklık kontrol ünitesi, R/S/K/J/T/L/B Termokupl girişleri, transistör (PNP) çıkış, 2 çevrim, ısıtıcı yanma algılama fonksiyonu	1,065.00	EC001421	CJ1W0034F	4536854903519	#		BA	BAK	JPN	8471.6070.00
CJ1W-TC102	Sıcaklık kontrol ünitesi, Pt100 RTD giriş, transistör (PNP) çıkış, 4 çevrim	1,189.00	EC001421	CJ1W0036B	4536854740572	#		BA	BAK	JPN	8471.6070.00
CJ1W-TC104	Sıcaklık kontrol ünitesi, Pt100 RTD giriş, transistör (PNP) çıkış, 2 çevrim, ısıtıcı yanma algılama fonksiyonu	1,065.00	EC001421	CJ1W0038R	4536854740596	#		BA	BAK	JPN	8471.6070.00
CJ1W-CLK23	ControllerLink arayüzü	1,165.00	EC001423	CJ1W0278M	4547648597661	#		BA	BAK	CHN	8471.6070.00
CJ1W-CORT21	Kullanıcı tanımlı CAN ünitesi (11 ve 29-bit tanımlayıcı)	1,247.00	EC001423	CJ1W9030B	4547648093477	#		BA	BAK	NLD	8529.1095.00
CJ1W-CRM21	CompoNet CJ1 master ünitesi	849.00	EC001423	CJ1W0324H	4547648708661	#		BA	BAK	CHN	8471.6070.00
CJ1W-DRM21	DeviceNet master/slave ünitesi	1,089.00	EC001423	CJ1W0282R	4547648597197	#		BA	BAK	CHN	8471.6070.00
CJ1W-ECT21	CJ-series EtherCAT Slave ünitesi	1,112.00	EC001423	CJ1W9131G	4548583576568	#		BA	BAK	NLD	8471.8000.00
CJ1W-EIP21S	CJ1 EtherNet/IP ünitesi, 100Base-TX, CIP, FINS/UDP ve FINS/TCP destekler	2,025.00	EC001423	CJ1W0510M	4549734772327	#		BA	BAK	CHN	8471.8000.00
CJ1W-ETN21	Ethernet ünitesi, RJ45 (100Base-TX ve 10 Base-T) konnektör ile (TCP/IP & UDP/IP soket servisleri, FTP, SMTP, FINS)	1,969.00	EC001423	CJ1W0274H	4547648597586	#		BA	BAK	CHN	8471.6070.00
CJ1W-FLN22	FL-Net unit	2,881.00	EC001423	CJ1W0276D	4547648597647	#		BA	BAK	CHN	8471.6070.00
CJ1W-PNT21	ProfiNet master ünitesi	1,434.00	EC001423	CJ1W9076M	4547648476584	#		BA	BAK	NLD	8529.1095.00
CJ1W-PRM21	Profibus-DP Master ünitesi	1,597.00	EC001423	CJ1W9006M	4547648010955	#		BA	BAK	NLD	8529.1095.00
CJ1W-PRT21	Profibus-DP slave ünitesi, 100 word'e kadar giriş çıkış, 180 word maksimum	1,076.00	EC001423	CJ1W9001R	4536854859908	#		BA	BAK	NLD	8529.1095.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP1W-TS001	CP1 Serisi sıcaklık sensörü ek ünite, 2x J/K Termokupl giriş	508.50	EC001420	CP1W9285A	4548583811034	#		BA	BAL	NLD	8471.6070.00
CP1W-TS002	CP1 Serisi sıcaklık sensörü ek ünite, 4x J/K Termokupl giriş	641.00	EC001420	CP1W9286M	4548583811041	#		BA	BAL	NLD	8471.6070.00
CP1W-TS003	CP1 Serisi sıcaklık sensörü ek ünite, 4x J/K Termokupl giriş ya da 2x J/K giriş ve 2 analog giriş	336.60	EC001420	CP1W9284C	4548583811027	#		BA	BAL	NLD	8471.6070.00
CP1W-TS004	CP1 Serisi sıcaklık sensörü ek ünite, 12x J/K Termokupl giriş	554.50	EC001420	CP1W01908	4548583557932	#		BA	BAL	CHN	8471.6070.00
CP1W-TS101	CP1 Serisi sıcaklık sensörü ek ünite, 2x Pt100 giriş	508.50	EC001420	CP1W9287H	4548583811058	#		BA	BAL	NLD	8537.1098.99
CP1W-TS102	CP1 Serisi sıcaklık sensörü ek ünite, 4x Pt100 giriş	641.00	EC001420	CP1W9288F	4548583811065	#		BA	BAL	NLD	8537.1098.99
CP2W-BAT02	CP2-series Battery - Optional	6.24	EC002584	CP2W0060H	4549734752800	#		BA	BAL	JPN	8506.5010.90
CP2W-CIFD1	CP2-series Serial Option board 2 x RS-232 ports	124.30	EC001423	CP2W0040C	4549734542524	#		BA	BAL	CHN	8471.8000.00
CP2W-CIFD2	CP2-series Serial Option board 1 x RS-232, 1 x RS-485 ports	124.30	EC001423	CP2W0041A	4549734542531	#		BA	BAL	CHN	8471.8000.00
CP2W-CIFD3	CP2-series Serial Option board 2 x RS-485 ports	124.30	EC001423	CP2W0042M	4549734542548	#		BA	BAL	CHN	8471.8000.00
Kontrol Sistemi Yazılımı											
SYSMAC-AD201L	Sysmac Studio advanced network license for only single user (permanent license)	3,996.00	EC000809	NXS59035B	4550431075994	#		BA	BAM	NLD	8523.8090.00
SYSMAC-BA201L	Sysmac Studio basic network license for only single user (permanent license)	3,062.00	EC000809	NXS59034D	4550431075987	#		BA	BAM	NLD	8523.8090.00
SYSMAC-DE001L	Sysmac Studio Drive Edition	170.80	EC000809	AA046877F	4548583988262	#		BA	BAM	NLD	8523.8090.00
SYSMAC-HE001L	Sysmac studio, HMI edition	369.70	EC000809	AA042255E	4547648994675	#		BA	BAM	NLD	8523.8090.00
SYSMAC-LE203L	Yalnızca Sysmac Studio Lite lisansı, tek kullanıcı (SYSMAC-SE200D indirmeyi veya kurulum DVD'sini gerektirir, ayrıca satılır)	1,252.00	EC000809	AA046461D	4548583984103	#		BA	BAM	NLD	8523.8090.00
SYSMAC-LE203L	Yalnızca Sysmac Studio Lite lisansı, 3 kullanıcı (SYSMAC-SE200D indirmeyi veya kurulum DVD'sini gerektirir, ayrıca satılır)	2,506.00	EC000809	AA046371E	4548583983205	#		BA	BAM	NLD	8523.8090.00
SYSMAC-LI501L	Sysmac Studio Lite to Sysmac Studio Standard upgrade, 1-user licence only	1,552.00	EC000809	AA046876H	4548583988255	#		BA	BAM	NLD	8523.8090.00
SYSMAC-RTNC0000D	CNC operatörü DVD'si	54.90	EC000809	NXNC0002B	4549734166874	#		BA	BAM	JPN	8523.8090.00
SYSMAC-RTNC0001L	CNC operatörü Ek lisans	1,759.00	EC000809	NXNC0003M	4549734166881	#		BA	BAM	JPN	8523.8090.00
SYSMAC-RTNC0101D	CNC operatörü SDK DVD	3,088.00	EC000809	NXNC0004R	4549734166898	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA401L-64	Sysmac Studio 3D Simulation Option (64 bit) 1 User License	678.00	EC000809	NXS50038H	4549734601375	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA403L-64	Sysmac Studio 3D Simulation Option (64 bit) 3 Users License	2,574.00	EC000809	NXS50039F	4549734601382	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA410L-64	Sysmac Studio 3D Simulation Option (64 bit) 10 Users License	5,150.00	EC000809	NXS50040M	4549734601399	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA430L-64	Sysmac Studio 3D Simulation Option (64 bit) 30 Users License	10,820.00	EC000809	NXS50041H	4549734601405	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA450L-64	Sysmac Studio 3D Simulation Option (64 bit) 50 Users License	14,950.00	EC000809	NXS50042F	4549734601412	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA4XXL-64	Sysmac Studio 3D Simulation Option (64 bit) Site User License	23,180.00	EC000809	NXS50043D	4549734601429	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SE201L	Sysmac Studio lisansı, tek kullanıcı (SYSMAC-SE200D kurulum DVD'si gereklidir, harici olarak tedarik edilebilir)	2,127.00	EC000809	AA034702B	4547648909792	#		BA	BAM	NLD	8523.8090.00
SYSMAC-SE203L	Sysmac Studio lisansı, 3 kullanıcı (SYSMAC-SE200D kurulum DVD'si gereklidir, harici olarak tedarik edilebilir)	4,242.00	EC000809	AA034703M	4547648909808	#		BA	BAM	NLD	8523.8090.00
SYSMAC-SE210L	Sysmac Studio lisansı, 10 kullanıcı (SYSMAC-SE200D kurulum DVD'si gereklidir, harici olarak tedarik edilebilir)	8,495.00	EC000809	AA034704R	4547648909815	#		BA	BAM	NLD	8523.8090.00
SYSMAC-SE2XXL-ED	Sysmac Studio Educational Edition site license	377.90	EC000809	AA043371R	4548583953949	#		BA	BAM	NLD	8523.8090.00
SYSMAC-TA401L	Sysmac Studio Team Option 1 User License	681.50	EC000809	AA052282G	4549734942607	#		BA	BAM	NLD	8523.8090.00
SYSMAC-TA403L	Sysmac Studio Team Option 3 Users License	1,389.00	EC000809	AA052284C	4549734942621	#		BA	BAM	NLD	8523.8090.00
CXONE-AL01-EV4	Tek kullanıcı lisansı, CX-One V4.x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CDs veya DVD, CXOne-CD-EV4, veya CXOne-DVD-EV4 gereklidir)	1,421.00	EC000809	AA030399H	4547648876711	#		BA	BAM	NLD	8523.8090.00
CXONE-AL01-EV4-UP	Tek kullanıcı lisans güncelleme, CX-One V4.x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CDs veya DVD, CXOne-CD-EV4, veya CXOne-DVD-EV4 gereklidir)	439.90	EC000809	AA030405F	4547648876773	#		BA	BAM	NLD	8523.8090.00
CXONE-AL03-EV4	3-kullanıcı lisansı, CX-One V4.x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CDs veya DVD, CXOne-CD-EV4, veya CXOne-DVD-EV4 gereklidir)	2,868.00	EC000809	AA030400E	4547648876728	#		BA	BAM	NLD	8523.8090.00
CXONE-DVD-EV4	CX-One V4.x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), 1x DVD, (CXOne-Alxx-EV4-xx) gereklidir)	21.73	EC000809	AA030412R	4547648876841	#		BA	BAM	NLD	8523.8090.00
CXONE-LT01-EV4	CX-One Lite v4.x yazılımı, Windows 2000/XP/Vista, tek kullanıcı lisansı, (Kurulum için CDs, CXOne-LTCD-EV4 gereklidir), yazılım sadece CPx serisi kompakt PLC desteklemektedir	352.90	EC000809	AA029348H	4547648871129	#		BA	BAM	NLD	8523.8090.00
CXONE-LTCD-EV4	CX-One Lite v4.x yazılımı, Windows 2000/XP/Vista, 2x CDs, (CXOne-LT01-EV4), yazılım sadece CPx serisi kompakt PLC desteklemektedir	28.92	EC000809	AA029349F	4547648871136	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-DEV-SUB-01L	CX-Supervisor V4 Developer package (1 License Soft Activation annual subscription)	397.10	EC001416	WS029148M	4549734752985	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-RUN-ME-01L-V4	CX-Supervisor V4 Machine Edition Runtime (1 License Soft Activation)	1,089.00	EC001416	WS029149H	4549734752992	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-RUN-ME-V4	CX-Supervisor Machine Edition Runtime paketi (USB dongle ile birlikte)	820.00	EC001416	WS029145E	4549734667920	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-RUN-PLUS-01L-V4	CX-Supervisor V4 PLUS Runtime package (1 License Soft Activation)	1,772.00	EC001416	WS029150A	4549734753005	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-RUN-PLUS-V4	CX-Supervisor PLUS Runtime paketi (USB dongle ile birlikte)	1,288.00	EC001416	WS029146C	4549734667937	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-UPGR-V4	CX-Supervisor V4.2 to V4.3 developer upgrade	866.50	EC001416	WS029144G	4549734667913	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-V4	CX-Supervisor Developer package, Requires CX-SUPERVISOR-RUN-ME-V4 or CX-SUPERVISOR-RUN-PLUS-V4 runtime package with USB dongle	820.00	EC001416	WS029143R	4549734667906	#		BA	BAM	NLD	8523.8090.00
CX-COMPLETE-EV1-01L	1 kullanıcı lisansı, PC ve PLC arası, Visual Studio, .NET2003/2005/2008/2010/2013. Developm. languages: VB, .NET, Visual C#	546.00	EC001435	AA032225R	4547648887182	#		BA	BAM	NLD	8523.8090.00
Kontrol Sistemi CP2											
CP2E-E14DR-A	CP2E series compact PLC - Essential Type; 8 DI, 6DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	370.10	EC000236	CP2W0035G	4549734542470	#		BA	BAN	CHN	8471.4100.00
CP2E-E20DR-A	CP2E series compact PLC - Essential Type; 12 DI, 8DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	396.90	EC000236	CP2W0036E	4549734542487	#		BA	BAN	CHN	8471.4100.00
CP2E-E30DR-A	CP2E series compact PLC - Essential Type; 18 DI, 12DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	539.50	EC000236	CP2W0037C	4549734542494	#		BA	BAN	CHN	8471.4100.00
CP2E-E40DR-A	CP2E series compact PLC - Essential Type; 24 DI, 16 DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	623.50	EC000236	CP2W0038A	4549734542500	#		BA	BAN	CHN	8471.4100.00
CP2E-E60DR-A	CP2E series compact PLC - Essential Type; 36 DI, 24DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	752.00	EC000236	CP2W0039M	4549734542517	#	3	BA	BAN	CHN	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP2E-N14DR-A	CP2E series compact PLC - Network type; 8 DI, 6DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	539.50	EC000236	CP2W0001B	4549734542135	#		BA	BAN	CHN	8471.4100.00
CP2E-N14DR-D	CP2E series compact PLC - Network type; 8 DI, 6DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	539.50	EC000236	CP2W0006C	4549734542180	#		BA	BAN	CHN	8471.4100.00
CP2E-N14DT1-D	CP2E series compact PLC - Network type; 8 DI, 6DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	539.50	EC000236	CP2W0021G	4549734542333	#		BA	BAN	CHN	8471.4100.00
CP2E-N20DR-A	CP2E series compact PLC - Network type; 12 DI, 8DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	623.50	EC000236	CP2W0002M	4549734542142	#		BA	BAN	CHN	8471.4100.00
CP2E-N20DR-D	CP2E series compact PLC - Network type; 12 DI, 8DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	623.50	EC000236	CP2W0007A	4549734542197	#		BA	BAN	CHN	8471.4100.00
CP2E-N20DT1-D	CP2E series compact PLC - Network type; 12 DI, 8DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	623.50	EC000236	CP2W0022E	4549734542340	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DR-A	CP2E series compact PLC - Network type; 18 DI, 12DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	752.00	EC000236	CP2W0003R	4549734542159	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DR-D	CP2E series compact PLC - Network type; 18 DI, 12DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	752.00	EC000236	CP2W0008M	4549734542203	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DT1-D	CP2E series compact PLC - Network type; 18 DI, 12DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	752.00	EC000236	CP2W0023C	4549734542357	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DR-A	CP2E series compact PLC - Network type; 24 DI, 16 DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	936.50	EC000236	CP2W0004G	4549734542166	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DR-D	CP2E series compact PLC - Network type; 24 DI, 16 DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	936.50	EC000236	CP2W0009H	4549734542210	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DT1-D	CP2E series compact PLC - Network type; 24 DI, 16 DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	936.50	EC000236	CP2W0024A	4549734542364	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DT-D	CP2E series compact PLC - Network type; 24 DI, 16 DO; NPN output; Power supply 24 VDC; 10 kStep Program memory	936.50	EC000236	CP2W0019E	4549734542319	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DR-A	CP2E series compact PLC - Network type; 36 DI, 24DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	1,191.00	EC000236	CP2W0005E	4549734542173	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DR-D	CP2E series compact PLC - Network type; 36 DI, 24DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	1,191.00	EC000236	CP2W0010A	4549734542227	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DT1-D	CP2E series compact PLC - Network type; 36 DI, 24DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	1,191.00	EC000236	CP2W0025M	4549734542371	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DR-A	CP2E series compact PLC - Standard Type; 18 DI, 12DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	623.50	EC000236	CP2W0026H	4549734542388	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DT1-D	CP2E series compact PLC - Standard Type; 18 DI, 12DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	623.50	EC000236	CP2W0032B	4549734542449	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DT-D	CP2E series compact PLC - Standard Type; 18 DI, 12DO; NPN output; Power supply 24 VDC; 8 kStep Program memory	623.50	EC000236	CP2W0029B	4549734542418	#		BA	BAN	CHN	8471.4100.00
CP2E-S40DR-A	CP2E series compact PLC - Standard Type; 24 DI, 16 DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	752.00	EC000236	CP2W0027F	4549734542395	#		BA	BAN	CHN	8471.4100.00
CP2E-S40DT1-D	CP2E series compact PLC - Standard Type; 24 DI, 16 DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	752.00	EC000236	CP2W0033M	4549734542456	#		BA	BAN	CHN	8471.4100.00
CP2E-S60DR-A	CP2E series compact PLC - Standard Type; 36 DI, 24DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	936.50	EC000236	CP2W0028D	4549734542401	#		BA	BAN	CHN	8471.4100.00
CP2E-S60DT1-D	CP2E series compact PLC - Standard Type; 36 DI, 24DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	936.50	EC000236	CP2W0034R	4549734542463	#		BA	BAN	CHN	8471.4100.00

Diğer Kontrol Sistemleri

W451-05D	5-port enhanced Ethernet switch	410.10	EC000734	W4510007F	4549734712224	#		BA	BAX	JPN	8517.6200.00
HMC-EF583	Flash hafıza kartı, 512MB	1,194.00	EC000192	HMC 1041E	4549734599740	#		BA	BAX	TWN	8523.5110.00
G70A-ZOC16-3 DC24	Output Terminal Block for Relay or SSR, 16-point, for NPN output units	208.90	EC002780	G70A7002H	4548583411821	#		BA	BAX	CHN	8536.9095.00
G70A-ZOC16-4 DC24	Output Terminal Block for Relay or SSR, 16-point, for PNP output units	208.90	EC002780	G70A7003F	4548583411838	#		BA	BAX	CHN	8536.9095.00

Özel Kontrol Sistemleri

CJ1W-F130	Load cell giriş ünitesi, 1 Kanal, high-performance, 10 VDC or 2.5 VDC, max 4x 350 Ohm load cells, vida terminal	5,660.00	EC001422	AA037491G	4547648949613	#		BA	BAY	JPN	8471.6070.00
-----------	---	----------	----------	-----------	---------------	---	--	----	-----	-----	--------------

Kontrol Sistemleri için Aksesuarlar

CP1W-CN221	USB Programlama kablosu, A-tip erkek - B-tip erkek, 1.8 m	13.57	EC001681	AA049340A	4549734914413	#		BA	BAZ	CHN	8544.4290.90
CP1W-CN811	CP1 CPU'dan CP1 Ek ünitelerine uzatma kablosu, 80 cm	111.40	EC002584	CP1W0010H	4547648203630	#		BA	BAZ	CHN	8544.4290.90
CP1W-EXT01	CP1H CPU'dan CJ1W ek ünite adaptörü, CJ sonlandırıcı kapağı dahil	133.90	EC002584	CP1W0011F	4547648203647	#		BA	BAZ	CHN	8473.3080.00
CP1W-ME05M	CP1 hafıza kartı (kullanıcı programı yüklemek/çekmek için)	88.40	EC000192	CP1W0009D	4547648203623	#		BA	BAZ	CHN	8542.3255.00
CP1W-SW806	Input simulation switch board	72.90	EC000238	AA023122R	4536853913489	#		BA	BAZ	NLD	8473.3080.00
CPM2A-BAT01	Battery for CPM2A/CQM1H/CJ1G/CJ1H PLCs	99.00	EC002584	AA043192R	4548583951709	#		BA	BAZ	JPN	8506.5090.90
CPM2C-BAT01	Battery for CPM2C PLCs	82.00	EC002584	CP2C0014M	4536854490033	#		BA	BAZ	JPN	8506.5090.90
CPM2C-CN111	Adapter cable, 0.1m, converts peripheral port into RS-232C port and a peripheral port	192.30	EC001681	CP2C1000F	4547648227148	#		BA	BAZ	CHN	8544.4290.90
CJ1W-BAT01	CJ1M PLC için batarya	71.40	EC002584	AA043073F	4548583950603	#		BA	BAZ	JPN	8506.5090.90
CJ1W-TER01	CJ1 CPU için sonlandırma kapağı, sadece yedek parça olarak gerekir.	142.00	EC002584	CJ1W0006M	4536854716195	#		BA	BAZ	JPN	8471.9000.00
CS1W-CN223	CS1/CJ/NJ ek şase bağlantı kablosu, 2m	325.40	EC002584	CS1W3015D	4547648226837	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN313	CS1/CJ/NJ ek şase bağlantı kablosu, 30cm	144.60	EC002584	CS1W3013H	4547648226813	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN323	CS1/CJ/NJ ek şase bağlantı kablosu, 3m	372.50	EC002584	CS1W3016B	4547648226844	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN523	CS1/CJ/NJ ek şase bağlantı kablosu, 5m	433.80	EC002584	CS1W3017M	4547648226851	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN713	CS1/CJ/NJ ek şase bağlantı kablosu, 70cm	215.90	EC002584	CS1W3014F	4547648226820	#		BA	BAZ	CHN	8544.4290.90
CS1W-BAT01	Battery for CS1 PLCs	67.50	EC002584	AA044063D	4548583960404	#		BA	BAZ	JPN	8506.5090.90
CJ1W-CIF11	RS-485 adaptörü, 2 veya 4 kablo, seri PLC link için doğrudan 9-pin RS-232C portuna bağlanır, RS-485 tarafı vida terminal	220.30	EC001467	CJ1W1000H	4536854855863	#		BA	BAZ	JPN	8471.6070.00
CS1W-CIF31	kablo, PC USB RS-232C çevirici kablo, an Omron Programlama kablosu gerekir	319.50	EC001467	CS1W0255M	4536854935596	#		BA	BAZ	JPN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CS1W-CN114	kablo, 5cm, bağlantı için CQM1-PRO01 CS1/CQM1H/CPM2C	113.20	EC001681	CS1W3035R	4547648227056	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN118	Peripheral-RS232 çevirici	113.20	EC001681	CS1W3032D	4547648227025	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN226	Kablo, 2m, bağlantı için CS1/CQM1H/CPM2C peripheral port to PC 9-pin RS-232C port	162.20	EC001681	CS1W3030H	4547648226998	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN266	Kablo, 6m, bağlantı için CS1/CQM1H/CPM2C peripheral port to PC 9-pin RS-232C port	234.00	EC001681	CS1W3031F	4547648227001	#		BA	BAZ	CHN	8544.4290.90
XSSW-T421-BMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 0.5 m	172.10	EC002599	XSSW0091G	4547648843898	#	10	BA	BAZ	JPN	8544.4290.90
XSSW-T421-CM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 1 m	63.40	EC002599	XSSW0105M	4548583003781	#	10	BA	BAZ	JPN	8544.4290.90
XSSW-T421-CMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 1 m	71.75	EC002599	XSSW0113A	4548583003873	#	10	BA	BAZ	JPN	8544.4290.90
XSSW-T421-DM2-K	EtherCAT kablo, zırhlı, M12 düz erkek/M12 düz, erkek, 2 m	73.50	EC002599	XSSW0106R	4548583003798	#	5	BA	BAZ	JPN	8544.4290.90
XSSW-T421-DMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 2 m	81.35	EC002599	XSSW0079H	4547648832212	#		BA	BAZ	JPN	8544.4290.90
XSSW-T421-DMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 2 m	168.30	EC002599	XSSW0093C	4547648843911	#	5	BA	BAZ	JPN	8544.4290.90
XSSW-T421-EMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 3 m	91.30	EC002599	XSSW0114M	4548583003880	#	5	BA	BAZ	JPN	8544.4290.90
XSSW-T421-GMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 5 m	109.00	EC002599	XSSW0080A	4547648832229	#	2	BA	BAZ	JPN	8544.4290.90
XSSW-T421-GMC-SS	EtherCAT kablo, zırhlı, M12 düz, erkek/RJ45, 5 m	196.10	EC002599	XSSW0413M	4548583869325	#		BA	BAZ	JPN	8544.4290.90
XSSW-T421-GMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 5 m	223.60	EC002599	XSSW0095M	4547648843935	#		BA	BAZ	JPN	8544.4290.90
XSSW-T421-JM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 10 m	165.00	EC002599	XSSW0109C	4548583003835	#		BA	BAZ	JPN	8544.4290.90
XSSW-T421-JMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 10 m	157.90	EC002599	XSSW0115H	4548583003897	#		BA	BAZ	JPN	8544.4290.90
XSSW-T421-JMC-SS	EtherCAT kablo, zırhlı, M12 düz, erkek/RJ45, 10 m	274.00	EC002599	XSSW0414R	4548583869332	#		BA	BAZ	JPN	8544.4290.90
XSSW-T421-JMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 10 m	298.40	EC002599	XSSW0096H	4547648843942	#		BA	BAZ	JPN	8544.4290.90
XSSW-T421-KMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 15 m	192.80	EC002599	XSSW0081M	4547648832236	#		BA	BAZ	JPN	8544.4290.90
XSSW-T421-KMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 15 m	307.60	EC002599	XSSW0097F	4547648843959	#		BA	BAZ	JPN	8544.4290.90
XS6G-T421-1	RJ45 connector assembly (For AWG22 to AWG24)	52.95	EC001121	XS6G0001M	4548583002180	#	16	BA	BAZ	ROU	8544.4290.90
XS6W-5PURBSS100CM-G	Ethernet Cat.5 patch kablo, PUR çift zırhlı (Green), 10 m	84.95	EC002599	XS6W0149F	4550431071330	#		BA	BAZ	VNM	8544.4210.00
XS6W-5PURBSS100CM-G	Ethernet Cat.5 patch kablo, PUR çift zırhlı (Green), 1 m	20.54	EC002599	XS6W0143G	4550431071279	#		BA	BAZ	VNM	8544.4210.00
XS6W-5PURBSS150CM-G	Ethernet Cat.5 patch kablo, PUR çift zırhlı (Green), 15 m	121.40	EC002599	XS6W0150M	4550431071347	#		BA	BAZ	VNM	8544.4210.00
XS6W-5PURBSS200CM-G	Ethernet Cat.5 patch cable, PUR çift zırhlı (Green), 20 m	157.90	EC002599	XS6W0151H	4550431071354	#		BA	BAZ	VNM	8544.4210.00
XS6W-5PURBSS200CM-G	Ethernet Cat.5 patch kablo, PUR çift zırhlı (Green), 2 m	27.80	EC002599	XS6W0145C	4550431071293	#		BA	BAZ	VNM	8544.4210.00
XS6W-5PURBSS300CM-G	Ethernet Cat.5 patch cable, PUR çift zırhlı (Green), 3 m	34.84	EC002599	XS6W0019H	4548583378766	#		BA	BAZ	CHN	8544.4210.00
XS6W-5PURBSS500CM-G	Ethernet Cat.5 patch kablo, PUR çift zırhlı (Green), 5 m	48.84	EC002599	XS6W0147M	4550431071316	#		BA	BAZ	VNM	8544.4210.00
XS6W-5PURBSS50CM-G	Ethernet Cat.5 patch kablo, PUR çift zırhlı (Green), 0.5 m	16.94	EC002599	XS6W0142R	4550431071262	#		BA	BAZ	VNM	8544.4210.00
XS6W-5PURBSS750CM-G	Ethernet Cat.5 patch cable, PUR çift zırhlı (Green), 7.5 m	67.00	EC002599	XS6W0148H	4550431071323	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S100CM-B	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Blue), 10 m	50.85	EC002599	XS6W0115A	4550431070999	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S100CM-G	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Green), 10 m	50.85	EC002599	XS6W0046E	4548583378551	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S100CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 10 m	50.85	EC002599	XS6W0010D	4548583378438	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S100CM-B	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Blue), 1 m	12.31	EC002599	XS6W0109G	4550431070937	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S100CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 1 m	12.31	EC002599	XS6W0121F	4550431071107	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S100CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 1 m	12.31	EC002599	XS6W0133M	4550431071170	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S150CM-B	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Blue), 1.5 m	72.35	EC002599	XS6W0035M	4548583378681	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S150CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 1.5 m	72.35	EC002599	XS6W0128C	4550431071125	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S150CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 1.5 m	72.35	EC002599	XS6W0140B	4550431071248	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S150CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 1.5 m	14.44	EC002599	XS6W0122D	4550431071064	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S150CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 1.5 m	14.42	EC002599	XS6W0134H	4550431071187	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S200CM-B	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Blue), 20 m	93.45	EC002599	XS6W0117H	4550431071019	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S200CM-G	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Green), 20 m	93.45	EC002599	XS6W0129A	4550431071132	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S200CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 20 m	93.45	EC002599	XS6W0012M	4548583378452	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S200CM-B	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Blue), 2 m	16.58	EC002599	XS6W0111R	4550431070951	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S200CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 2 m	16.58	EC002599	XS6W0123B	4550431071071	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S200CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 2 m	16.58	EC002599	XS6W0135F	4550431071194	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S20CM-B	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Blue), 0.2 m	9.22	EC002599	XS6W0106B	4550431070906	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S20CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 0.2 m	9.22	EC002599	XS6W0037F	4548583378469	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S20CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 0.2 m	9.22	EC002599	XS6W0130E	4550431071149	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S300CM-B	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Blue), 3 m	20.83	EC002599	XS6W0112G	4550431070968	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S300CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 3 m	20.83	EC002599	XS6W0124M	4550431071088	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S300CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 3 m	20.83	EC002599	XS6W0136D	4550431071200	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S30CM-B	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Blue), 0.3 m	9.54	EC002599	XS6W0107M	4550431070913	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S30CM-G	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Green), 0.3 m	9.54	EC002599	XS6W0119D	4550431071033	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S30CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 0.3 m	9.74	EC002599	XS6W0131C	4550431071156	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S500CM-B	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Blue), 5 m	29.37	EC002599	XS6W0113E	4550431070975	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S500CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 5 m	29.37	EC002599	XS6W0125R	4550431071095	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S500CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 5 m	29.37	EC002599	XS6W0008B	4548583378414	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S50CM-B	Ethernet Cat.6 patch cable, LSZH double shielding (Blue), 0.5 m	10.18	EC002599	XS6W0108R	4550431070920	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S50CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 0.5 m	10.18	EC002599	XS6W0120H	4550431071040	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S50CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 0.5 m	10.18	EC002599	XS6W0132A	4550431071163	#		BA	BAZ	VNM	8544.4210.00
XS6W-6LSZH85S750CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 7.5 m	40.15	EC002599	XS6W0138M	4550431071224	#		BA	BAZ	VNM	8544.4210.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
X56W-6PURBSS1000CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 10 m	119.80	EC002599	X56W0079A	4549734686044			BA	BAZ	CHN	8544.4210.00
X56W-6PURBSS100CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 1 m	36.24	EC002599	X56W0073B	4549734685986			BA	BAZ	CHN	8544.4210.00
X56W-6PURBSS1500CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 15 m	173.80	EC002599	X56W0080E	4549734686051			BA	BAZ	CHN	8544.4210.00
X56W-6PURBSS150CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 1.5 m	43.07	EC002599	X56W0074M	4549734685993			BA	BAZ	CHN	8544.4210.00
X56W-6PURBSS2000CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 20 m	225.70	EC002599	X56W0163A	4550431071477			BA	BAZ	VNM	8544.4210.00
X56W-6PURBSS200CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 2 m	43.74	EC002599	X56W0075R	4549734686006			BA	BAZ	CHN	8544.4210.00
X56W-6PURBSS200CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.2 m	18.47	EC002599	X56W0070H	4549734685955			BA	BAZ	CHN	8544.4210.00
X56W-6PURBSS300CM-GF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Green Flexible), 3 m	46.48	EC002599	X56W0100C	4550431044525			BA	BAZ	CHN	8544.4210.00
X56W-6PURBSS300CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 3 m	46.48	EC002599	X56W0158E	4550431071422			BA	BAZ	VNM	8544.4210.00
X56W-6PURBSS30CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.3 m	27.34	EC002599	X56W0071F	4549734685962			BA	BAZ	CHN	8544.4210.00
X56W-6PURBSS500CM-GF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Green Flexible), 5 m	67.75	EC002599	X56W0101A	4550431044532			BA	BAZ	CHN	8544.4210.00
X56W-6PURBSS500CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 5 m	67.75	EC002599	X56W0077E	4549734686020			BA	BAZ	CHN	8544.4210.00
X56W-6PURBSS50CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.5 m	30.08	EC002599	X56W0154B	4550431071385			BA	BAZ	VNM	8544.4210.00
X56W-6PURBSS750CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 7.5 m	91.60	EC002599	X56W0160G	4550431071446			BA	BAZ	VNM	8544.4210.00
C200H-BAT09	Battery for CMINH/C200H PLCs	81.40	EC002584	AA043191M	4548583951693	#		BA	BAZ	JPN	8506.5090.90
C500-BAT08	Battery for CQM1 (NOT CQM1H), CK/C500/C1000H/C2000H/CV PLCs & NT/NS HMIs	90.30	EC002584	AA044062F	4548583960398	#		BA	BAZ	JPN	8506.5090.90
HMC-EF183	Flash hafıza kartı, 128MB	259.20	EC000192	HMC 1039C	4549734599726		20	BA	BAZ	TWN	8523.5110.00
CJ-OD507-18P-5	Vida terminal yedeği, 5'li paket	163.10	EC002584	AA018228G	4547648850391	#		BA	BAZ	NLD	8538.9099.99
CJ-WM01-18P-5	Vidasız, kısıklı terminal yedeği, 5'li paket	169.10	EC002584	AA010894M	4536853882853	#		BA	BAZ	NLD	8538.9099.99
C500-CE404	FCN connector, 40 pin, solder type, with right-angle connector cover	58.55	EC002584	3GA56006H	4536854288241	#		BA	BAZ	JPN	8473.3080.00
G70D-VFOM16 24DC	Relay terminal	886.50	EC002780	G70D1010M	4536854490545			BA	BAZ	JPN	8538.9099.99
G7TC-OC16 DC24	Output Terminal Block for NPN output unit, 16 points, Relay coil voltage = 24 V DC	445.40	EC002780	G7TC7019B	4548583411807			BA	BAZ	CHN	8536.4900.99
XWZ2-R100C	I/O connection cable, with shield connection, FCN24 to MIL20 for G70A-ZOC16-3 / G70A-ZIM16-5, 1 m	81.65	EC000237	XWZ28008H	4548583800311			BA	BAZ	JPN	8544.4290.90
XWZ2-R200C	I/O connection cable, with shield connection, FCN24 to MIL20 for G70A-ZOC16-3 / G70A-ZIM16-5, 2 m	103.80	EC000237	XWZ28010M	4548583800335			BA	BAZ	JPN	8544.4290.90
XWZ2-RA200C	I/O bağlantı kablosu, MIL20 - açık uçlu, 2 m, G70V ile uyumlu	125.20	EC000237	XWZ28006A	4548583800298	#		BA	BAZ	JPN	8544.4290.90
XWZ2-R100C-75	I/O connection cable, with shield connection, FCN40 to 2 x MIL20, 1 m / 0.75 m	103.80	EC000237	XWZ28013D	4548583800366			BA	BAZ	JPN	8544.4290.90
XWZ2-R120C-175	I/O connection cable, with shield connection, FCN40 to 2 x MIL20, 2 m / 1.75 m	123.60	EC000237	XWZ28015M	4548583800380			BA	BAZ	JPN	8544.4290.90
XWZ2-R150C	I/O connection cable, MIL20 to MIL20, 0.5 m	101.60	EC000237	XWZ28027D	4548583800502			BA	BAZ	JPN	8544.4290.90
XWZ2-RO100-75-D1	I/O connection cable, with shield connection, MIL40 to 2 x MIL20 for G70V-ZOC16-3, 1 m	117.90	EC000237	XWZ280604M	4549734137478			BA	BAZ	JPN	8544.4290.90
XWZ2-RO100C-75	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70A-ZOC16-3, 1 m / 0.75 m	102.30	EC000237	XWZ28018E	4548583800410		3	BA	BAZ	JPN	8544.4290.90
XWZ2-RO150C-125	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70A-ZOC16-3, 1.5 m / 1.25 m	114.90	EC000237	XWZ28019C	4548583800427		3	BA	BAZ	JPN	8544.4290.90
XWZ2-RO200-175-D1	I/O connection cable, with shield connection, MIL40 to 2 x MIL20 for G70A-ZOC16-3, 0.75 m	206.70	EC000237	XWZ20598A	4549734137416	#		BA	BAZ	JPN	8536.4900.99
XWZ2-RO200C-150	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70A-ZOC16-3, 2 m / 1.5 m	119.30	EC000237	XWZ28150E	4548583801738			BA	BAZ	JPN	8536.4900.99
XWZ2-RO200C-175	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70A-ZOC16-3, 2 m / 1.75 m	123.60	EC000237	XWZ28020C	4548583800434			BA	BAZ	JPN	8544.4290.90
XWZ2-RO50C	I/O connection cable, MIL20 to MIL20 for XWZ*-Z0G* or G70A-ZOC16-3, 0.5 m	101.60	EC000237	XWZ28029M	4548583800526	#		BA	BAZ	JPN	8544.4290.90
XWZ2-RO75-50-D1	I/O connection cable, with shield connection, MIL40 to 2 x MIL20 for G70A-ZOC16-3, 0.75 m	202.70	EC000237	XWZ28033R	4548583800564			BA	BAZ	JPN	8536.4900.99
XWZ2-RY200C	I/O bağlantı kablosu, MIL20 - açık uçlu (çatal ferrüllü), 2 m, G70V ile uyumlu	115.30	EC000237	XWZ28003G	4548583800267			BA	BAZ	JPN	8544.4290.90
İnsan Makine Arabirimi Yazılımı											
NS-NSRCL1	NS-Runtime, NS uygulamaları PC'de çalıştırma, 1 x USB Dongle	1,882.00	EC001435	NSR 0001D	4547648352567	#		BB	BBP	JPN	8523.4990.00
İnsan Makine Arabirimi NB											
NB10W-TW01B	HMI dokunmatik ekran, 10,1 inç WVGA (800 x 480 piksel) TFT renk, Ethernet + USB Host	2,181.00	EC001412	NB109003M	4548583501881	#		BB	BBP	NLD	8531.2040.90
NB3Q-TW00B	HMI dokunmatik ekran, 3,5 inç QVGA (320 x 240 piksel) TFT renk	578.50	EC001412	NB3Q9003D	4548583501805	#		BB	BBP	NLD	8531.2040.90
NB3Q-TW01B	HMI dokunmatik ekran, 3,5 inç QVGA (320 x 240 piksel) TFT renk, Ethernet + USB Host	743.00	EC001412	NB3Q9004B	4548583501812	#		BB	BBP	NLD	8531.2040.90
NB5Q-TW00B	HMI dokunmatik ekran, 5,6 inç QVGA (320 x 234 piksel) TFT renk	709.50	EC001412	NB5Q9003A	4548583501836	#		BB	BBP	NLD	8531.2040.90
NB5Q-TW01B	HMI dokunmatik ekran, 5,6 inç QVGA (320 x 234 piksel) TFT renk, Ethernet + USB Host	872.00	EC001412	NB5Q9004M	4548583501850	#		BB	BBP	NLD	8531.2040.90
NB7W-TW00B	HMI dokunmatik ekran, 7 inç WVGA (800 x 480 piksel) TFT renk	896.00	EC001412	NB7W9003M	4548583501867	#		BB	BBP	NLD	8531.2040.90
NB7W-TW01B	HMI dokunmatik ekran, 7 inç WVGA (800 x 480 piksel) TFT renk, Ethernet + USB Host	1,112.00	EC001412	NB7W9004H	4548583501874	#		BB	BBP	NLD	8531.2040.90
NB10W-KBA04	Accessory HMI, protective sheets for NB10W (5 sheets)	82.75	EC002584	NB100701M	4548583313880	#		BB	BBP	CHN	3919.9080.99
NB3Q-KBA04	Accessory HMI, protective sheets for NB3Q (5 sheets)	29.57	EC002584	NB3Q0701C	4548583313873	#		BB	BBP	CHN	3919.9080.99
NB5Q-KBA04	HMI için Aksesuar,NB5Q için ekran koruyucu (5 parça)	32.65	EC002584	NB5Q0701M	45485833108073	#		BB	BBP	CHN	3919.9080.99
NB7W-KBA04	HMI için Aksesuar,NB7W için ekran koruyucu (5 parça)	54.20	EC002584	NB7W0701R	45485833108097	#		BB	BBP	CHN	3919.9080.99
NB-ATT01	Attachment brackets for NB terminals (10 pcs.)	32.65	EC002584	NB000701F	45485833132771	#		BB	BBP	CHN	8531.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
İnsan Makine Arabirimi NA											
NA5-12W101B-V1	Dokunmatik Ekran, 12.1 inch geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi : Siyah	5,225.00	EC001412	NA579014D	4549734556552	#		BB	BBR	NLD	8531.2040.90
NA5-12W101S-V1	Dokunmatik Ekran, 12.1 inch geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi : Gümüş	5,225.00	EC001412	NA579013F	4549734556545	#		BB	BBR	NLD	8531.2040.90
NA5-15W101B-V1	Dokunmatik Ekran, 15.4 inch geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi : Siyah	5,690.00	EC001412	NA579016M	4549734556576	#		BB	BBR	NLD	8531.2040.90
NA5-15W101S-V1	Dokunmatik Ekran, 15.4 inch geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi : Gümüş	5,690.00	EC001412	NA579015B	4549734556569	#		BB	BBR	NLD	8531.2040.90
NA5-7W001B-V1	Dokunmatik Ekran, 7 inch geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi : Siyah	2,544.00	EC001412	NA579010A	4549734556514	#		BB	BBR	NLD	8531.2040.90
NA5-7W001S-V1	Dokunmatik Ekran, 7 inch geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi : Gümüş	2,544.00	EC001412	NA579009H	4549734556507	#		BB	BBR	NLD	8531.2040.90
NA5-9W001B-V1	Dokunmatik Ekran, 9 inch geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi : Siyah	3,842.00	EC001412	NA579012H	4549734556538	#		BB	BBR	NLD	8531.2040.90
NA5-9W001S-V1	Dokunmatik Ekran, 9 inch geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi : Gümüş	3,842.00	EC001412	NA579011M	4549734556521	#		BB	BBR	NLD	8531.2040.90
NA-12WKBA04	Accessory touch screen (HMI), protective cover sheets for NA5 12" (contains 5 sheets)	237.00	EC002584	NA579702E	4548583531994	#		BB	BBR	NLD	3919.9080.99
NA-15WKBA04	Accessory touch screen (HMI), protective cover sheets for NA5 15" (contains 5 sheets)	402.00	EC002584	NA579703C	4548583532007	#		BB	BBR	NLD	3919.9080.99
NA-7WATW01	High Pressure waterproof attachment for NA5 7"	256.10	EC002584	NA579711D	4548583748118	#		BB	BBR	NLD	8531.9000.00
NA-7WKBA04	Accessory touch screen (HMI), protective cover sheets for NA5 7" (contains 5 sheets)	171.90	EC002584	NA579700R	4548583531970	#		BB	BBR	NLD	3919.9080.99
İnsan Makine Arabirimleri İKnesuarlar											
XWZ2-S002-NL	RS-232C haberleşme kablou PC ile PLC/HMI arası, 2 m	57.55	EC001681	AA043413H	4548583954366	#		BB	BBZ	ITA	8544.4210.00
Uzak I/O DRT (DeviceNet)											
DRT-ID08-1	DeviceNet Dijital giriş ünitesi, 8x 24 VDC giriş, PNP	393.20	EC001599	DRT27012E	4547648218825	#		BF	BFD	CHN	8471.6070.00
DRT-ID16	DeviceNet Dijital giriş ünitesi, 16x 24 VDC giriş, NPN	632.00	EC001599	DRT27000A	4547648209045	#		BF	BFD	CHN	8471.6070.00
DRT-ID16-1	DeviceNet Dijital giriş ünitesi, 16x 24 VDC giriş, PNP	632.00	EC001599	DRT27001M	4547648209052	#		BF	BFD	CHN	8471.6070.00
DRT-ID16TA-1	DeviceNet Dijital giriş ünitesi with 3-tier terminal Blok, 16x 24 VDC PNP giriş	663.50	EC001599	DRT20023B	4536854960772	#		BF	BFD	CHN	8471.6070.00
DRT-OD08-1	DeviceNet Dijital çıkış ünitesi, 8x transistor çıkış, PNP, 0.5 A, 24 VDC	497.80	EC001599	DRT27014A	4547648218849	#		BF	BFD	CHN	8471.6070.00
DRT-OD16	DeviceNet digital output unit, 16 x transistor outputs 0.5 A, 24 VDC, NPN, screw terminal block	615.00	EC001599	DRT27007R	4547648209113	#		BF	BFD	CHN	8471.6070.00
DRT-OD16-1	DeviceNet Dijital çıkış ünitesi, 16x transistor çıkış, PNP, 0.5 A, 24 VDC	615.00	EC001599	DRT27008G	4547648209120	#		BF	BFD	CHN	8471.6070.00
DRT-OD16MLX	DeviceNet digital output unit, 16 x transistor outputs 0.5 A, 24 VDC, NPN, with MIL connector + 10 cm cable	568.00	EC001599	DRT20090R	4547648242615	#		BF	BFD	CHN	8471.6070.00
DRT-ROS16	DeviceNet Dijital çıkış ünitesi, 16x röle çıkış, 3 A	940.00	EC001599	DRT27009E	4547648209137	#		BF	BFD	CHN	8538.9099.99
DRT-MD16TA-1	DeviceNet Dijital I/O ünitesi with 3-tier terminal Blok, 8x 24 VDC PNP giriş & 8x 24 VDC PNP 0.5 A çıkış	663.50	EC001599	DRT20027E	4536854960819	#		BF	BFD	CHN	8471.6070.00
DRT-AD04H	DeviceNet analog giriş ünitesi 4x 0/4-20 mA/ 0/1-5 V/0-10 V giriş, isolated, 1:30,000 çözünürlük	982.00	EC001596	DRT20069M	4547648096737	#		BF	BFD	JPN	8471.6070.00
DRT-TS04P	DeviceNet resistance thermometer giriş ünitesi 4x PT, JPT, PT2, JPT2 giriş	925.00	EC001596	DRT20054B	4547648073530	#		BF	BFD	JPN	8471.6070.00
DRT-TS04T	DeviceNet Termokupl giriş ünitesi, 4x R,S,K,J,T,B,L,E,U,N,W,PLII giriş	955.00	EC001596	DRT20068B	4547648096720	#		BF	BFD	JPN	8471.6070.00
Uzak I/O CRT (CompoNet)											
CRT1-ID08-1	CompoNet IP20 word slave ünitesi, 8x 24 VDC giriş, PNP, vidalı terminal	430.90	EC001599	CRT13069E	4547648571326	#		BF	BFI	JPN	8471.6070.00
CRT1-ID16	CompoNet input unit, 16 x 24 VDC inputs, NPN, screw terminals	505.50	EC001599	CRT13001F	4547648237857	#		BF	BFI	CHN	8471.6070.00
CRT1-ID16-1	CompoNet IP20 word slave ünitesi, 16x 24 VDC giriş, PNP, vidalı terminal	505.50	EC001599	CRT13002D	4547648237864	#		BF	BFI	CHN	8471.6070.00
CRT1-OD08-1	CompoNet output unit, 8 x transistor outputs, PNP, 0.5 A, 24 VDC, screw terminals	508.50	EC001599	CRT13071G	4547648571340	#		BF	BFI	JPN	8471.6070.00
CRT1-OD16	CompoNet output unit, 16 x transistor outputs, NPN, 0.5 A, 24 VDC, screw terminals	505.50	EC001599	CRT13003B	4547648237871	#		BF	BFI	CHN	8471.6070.00
CRT1-OD16-1	CompoNet IP20 word slave ünitesi, 16x transistor çıkış, PNP, 0.5 A, 24 VDC, vidalı terminal	505.50	EC001599	CRT13004M	4547648237888	#		BF	BFI	CHN	8471.6070.00
CRT1-ROS08	CompoNet output unit, 8 x relay outputs 2 A, screw terminals	595.00	EC001599	CRT13090C	4547648571531	#		BF	BFI	JPN	8471.6070.00
CRT1-ROS16	CompoNet output unit, 16 x relay outputs 2 A, screw terminals	876.00	EC001599	CRT13024E	4547648414869	#		BF	BFI	JPN	8471.6070.00
CRT1-MD16-1	CompoNet I/O unit, 8 x 24 VDC inputs PNP & 8 x transistor outputs PNP 0.5 A, screw terminals	568.00	EC001599	CRT13073C	4547648571364	#		BF	BFI	JPN	8471.6070.00
CRT1-AD04	CompoNet IP20 slave ünitesi, 4 nokta analog giriş, 1-5 V, 0-5 V, 0-10 V, -10-10 V, 0-20 mA, 4-20 mA, 1:6000 çözünürlük, vidalı terminal	925.00	EC001596	CRT13005R	4547648237895	#		BF	BFI	CHN	8471.6070.00
CRT1-DA02	CompoNet IP20 word slave ünitesi, 2 nokta analog çıkış, 1-5 V, 0-5 V, 0-10 V, -10-10 V, 1:6000 çözünürlük, vidalı terminal	929.50	EC001596	CRT13006G	4547648237901	#		BF	BFI	CHN	8471.6070.00
Diğer Uzak I/O'lar											
GX-MD1622	EtherCAT digital I/O unit, 8 x inputs + 8 x outputs, PNP, 3-wire	790.00	EC001599	GX 5023E	4547648821773	#		BF	BFX	CHN	8471.6070.00
GX-EC0241	EtherCAT I/O unit, 2 x encoder inputs, line driver	1,274.00	EC001601	GX 5027H	4547648821810	#		BF	BFX	CHN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XWT-ID16-1	DRT2/CRT1 ek ünitesi, 16x 24 VDC giriş, PNP (Max 1 adet DRT2-*/D08(-1)*/D16(-1)/ROS16 veya CRT1-*/D16(-1)/ROS16 ile kullanın)	497.80	EC001599	XWT 7003D	4547648209342	#		BF	BFX	CHN	8471.6070.00
XWT-OD16-1	DRT2/CRT1 ek ünitesi, 16x 24 VDC çıkış, 0.5 A, PNP (Max 1 adet DRT2-*/D08(-1)*/D16(-1)/ROS16 veya CRT1-*/D16(-1)/ROS16 ile birlikte kullanın)	497.80	EC001599	XWT 7008E	4547648209397	#		BF	BFX	CHN	8471.6070.00
Uzak I/O'lar için Aksesuarlar											
GX-JC03	3 portlu EtherCAT switch	318.00	EC000734	GX 5030H	4548583075375	#		BF	BFZ	CHN	8471.8000.00
GX-JC06	6 portlu EtherCAT switch	584.00	EC000734	GX 5031F	4548583075382	#		BF	BFZ	CHN	8471.8000.00
GX-JC06-H	6-port EtherCAT Junction module, 24 VDC power supply, with node switches	602.00	EC000734	GX 5032D	4548583132856	#		BF	BFZ	CHN	8471.8000.00
DCN1-1C	DeviceNet T-branch tap, 1 branch line,vidalı 3 konnektör , Yandan kablo girişi	140.40	EC002584	DCN10003A	4536853181130			BF	BFZ	JPN	8536.9010.00
DCN1-1P	DeviceNet güç tap , 2 konnektör için,sonlandırma direnç ve sigorta	301.50	EC002584	DCN10007D	4536854553288			BF	BFZ	JPN	8536.9010.00
DCN1-3C	DeviceNet T-branch tap, 3 branch line,vidalı 5 konnektör , Yandan kablo girişi	213.30	EC002584	DCN10004M	4536853181147	#		BF	BFZ	JPN	8536.9010.00
DCN1-3NC	DeviceNet T-Branch tap ,3 branch line, 5 paralel kelepçe konnektör, üstten kablo girişi	147.90	EC002584	DCN10016C	4536854895906			BF	BFZ	JPN	8536.9010.00
DCN2-1	DeviceNet IP67 T-branch konnektör (2x dişi, 1x erkek M12)	67.00	EC002584	DCN20001M	4536854446139	#	10	BF	BFZ	JPN	8536.9010.00
DCN4-TB4	CompoNet vida terminal konnektör, M3	24.19	EC002584	DCN40004C	4547648206808	#	10	BF	BFZ	JPN	8503.0099.99
DRS1-T	CompoNet/DeviceNet terminal Blok	14.30	EC002584	DRT11006C	4536853181604	#		BF	BFZ	JPN	8473.3080.00
XW4G-05C4-TF-D	DeviceNet konnektör, paralel vidasız, konnektör yerleşimi ve kablolama aynı yönde	36.56	EC002584	XW4G0002C	4536854936760	#	25	BF	BFZ	DEU	8536.9010.00
XS2W-T421-BM2-SS	Cable with connectors on both cable ends, M12 straight plug (male), M12 straight plug (male), D coded, Ethernet Cat5e Standard cable, IP67, 0.5 m	74.55	EC002599	XS2W1039C	4550431096500			BF	BFZ	JPN	8544.4210.00
XS2W-T421-BMC-SS	Cable with connectors on both cable ends, M12 straight plug (male), RJ45 plug, 4-poles, D coded, Ethernet Cat5e Standard cable, IP67, 0.5 m	107.10	EC002599	XS2W1045H	4550431096562			BF	BFZ	JPN	8544.4210.00
XS2W-T421-CM2-SS	Cable with connectors on both cable ends, M12 straight plug (male), M12 straight plug (male), D coded, Ethernet Cat5e Standard cable, IP67, 1 m	82.90	EC002599	XS2W1040G	4550431096517			BF	BFZ	JPN	8544.4210.00
XS2W-T421-CMC-SS	Cable with connectors on both cable ends, M12 straight plug (male), RJ45 plug, 4-poles, D coded, Ethernet Cat5e Standard cable, IP67, 1 m	113.20	EC002599	XS2W1046F	4550431096579			BF	BFZ	JPN	8544.4210.00
XS2W-T421-DM2-SS	Cable with connectors on both cable ends, M12 straight plug (male), M12 straight plug (male), D coded, Ethernet Cat5e Standard cable, IP67, 2 m	99.60	EC002599	XS2W1041E	4550431096524			BF	BFZ	JPN	8544.4210.00
XS2W-T421-DMC-SS	Cable with connectors on both cable ends, M12 straight plug (male), RJ45 plug, 4-poles, D coded, Ethernet Cat5e Standard cable, IP67, 2 m	122.70	EC002599	XS2W1047D	4550431096586			BF	BFZ	JPN	8544.4210.00
XS2W-T421-EM2-SS	Cable with connectors on both cable ends, M12 straight plug (male), M12 straight plug (male), D coded, Ethernet Cat5e Standard cable, IP67, 3 m	113.20	EC002599	XS2W1042C	4550431096531			BF	BFZ	JPN	8544.4210.00
XS2W-T421-EMC-SS	Cable with connectors on both cable ends, M12 straight plug (male), RJ45 plug, 4-poles, D coded, Ethernet Cat5e Standard cable, IP67, 3 m	135.20	EC002599	XS2W1048B	4550431096593			BF	BFZ	JPN	8544.4210.00
XS2W-T421-GMC-SS	Cable with connectors on both cable ends, M12 straight plug (male), M12 straight plug (male), D coded, Ethernet Cat5e Standard cable, IP67, 5 m	135.90	EC002599	XS2W1043A	4550431096548			BF	BFZ	JPN	8544.4210.00
XS2W-T421-GMC-SS	Cable with connectors on both cable ends, M12 straight plug (male), RJ45 plug, 4-poles, D coded, Ethernet Cat5e Standard cable, IP67, 5 m	162.30	EC002599	XS2W1049M	4550431096609			BF	BFZ	JPN	8544.4210.00
XS2W-T421-JM2-SS	Cable with connectors on both cable ends, M12 straight plug (male), M12 straight plug (male), D coded, Ethernet Cat5e Standard cable, IP67, 10 m	206.30	EC002599	XS2W1044M	4550431096555			BF	BFZ	JPN	8544.4210.00
XS2W-T421-JMC-SS	Cable with connectors on both cable ends, M12 straight plug (male), RJ45 plug, 4-poles, D coded, Ethernet Cat5e Standard cable, IP67, 10 m	228.20	EC002599	XS2W1050D	4550431096616			BF	BFZ	JPN	8544.4210.00
Pano içi TCEJ1											
EJ1N-TC2A-QNHB	Celciux® Pano içi sıcaklık kontrolörü ünitesi, DIN ray montajlı, 2 bölge, Termokupl/Pt100/analogue giriş, 2 x 12 VDC gerilim çıkışı, 2 x 30 VDC, 0.1 A NPN çıkışı, ısıtma, soğutma, ısıtma/soğutma, heater burnout alarm, M3 vida terminali	675.00	EC001446	EJ1N1002C	4547648235310	#		BG	BGA	JPN	9032.1080.90
EJ1N-TC4A-QQ	Celciux® Pano içi sıcaklık kontrolörü ünitesi, DIN ray montajlı, 4 bölge, Termokupl/Pt100/analogue giriş, 4 x 12 VDC gerilim çıkışı, ısıtma, soğutma, ısıtma/soğutma, M3 vida terminali	788.50	EC001446	EJ1N1000G	4547648235297	#		BG	BGA	JPN	9032.1080.90
EJ1N-TC4B-QQ	Celciux® Pano içi sıcaklık kontrolörü ünitesi, DIN ray montajlı, 4 bölge, Termokupl/Pt100/analogue giriş, 4 x 12 VDC gerilim çıkışı, ısıtma, soğutma, ısıtma/soğutma, vidasız terminal	788.50	EC001446	EJ1N1001E	4547648235303	#		BG	BGA	JPN	9032.1080.90
EJ1C-EDUA-NFLK	Celciux® Pano içi sıcaklık kontrolörü sonlandırma ünitesi, 24 VDC beslemeli, 1 x RS-485 (115.2kbps'ye kadar, CompoWay/F ya da MODBUS RTU), 1 x programlama kablosu girişi, M3 vida terminali	172.60	EC000599	EJ1C1000H	4547648235457	#		BG	BGA	JPN	9032.1080.90
EJ1C-EDUC-NFLK	Celciux® In-panel temperature controller end unit, connects up to 16 x basic & high function units, 24 VDC supply, 1 x RS-485 port (115kbps, CompoWay/F, MODBUS RTU), 1 x programming port, removable screw connector blocks	155.10	EC000599	EJ1C1001F	4547648510844	#		BG	BGA	JPN	9032.1080.90
Endüstriyel Röle LY											
LY1 24VDC	Relay, plug-in, 5-pin, SPDT, 15A, 24 VDC	6.75	EC001437	LY1 5013M	4536853605544	#	50	CC	CCA	IDN	8536.4900.99
LY2 100/110VAC	Relay, plug-in, 8-pin, DPDT, 10A, 100/110 VAC	7.72	EC001437	LY2 5008H	4536853611439	#	50	CC	CCA	IDN	8536.4900.99
LY2 110/120VAC	Relay, plug-in, 8-pin, DPDT, 10A, 110/120 VAC	7.72	EC001437	LY2 5009F	4536853611446	#	50	CC	CCA	IDN	8536.4900.99
LY2 12VAC	Relay, plug-in, 8-pin, DPDT, 10A, 12 VAC	7.72	EC001437	LY2 5002R	4536853611378	#	50	CC	CCA	IDN	8536.4900.99
LY2 12VDC	Röle, soketli, 8 pinli, DPDT, 10 A, 12 VDC	7.72	EC001437	LY2 5014B	4536853611491	#	50	CC	CCA	IDN	8536.4900.99
LY2 220/240VAC	Röle, soketli, 8 pinli, DPDT, 10 A, 220/240 VAC	8.35	EC001437	LY2 5012F	4536853611477	#	50	CC	CCA	IDN	8536.4900.99
LY2 24VAC	Röle, soketli, 8 pinli, DPDT, 10 A, 24 VAC	7.72	EC001437	LY2 5003G	4536853611385	#	50	CC	CCA	IDN	8536.4900.99
LY2 24VDC	Röle, soketli, 8 pinli, DPDT, 10 A, 24 VDC	7.72	EC001437	LY2 5015M	4536853611507	#	50	CC	CCA	IDN	8536.4900.99
LY2 48VDC	Röle, soketli, 8 pinli, DPDT, 10 A, 48 VDC	7.72	EC001437	LY2 5017G	4536853611521	#	50	CC	CCA	IDN	8536.4900.99
LY2-0 220/240VAC	Relay, PCB pins, 8-pin, DPDT, 10A, 220/240 VAC	8.35	EC001437	LY205009F	4536853615253	#	50	CC	CCA	IDN	8536.4900.99
LY2-0 24VDC	Relay, PCB pins, 8-pin, DPDT, 10A, 24 VDC	8.19	EC001437	LY205012F	4536853615284	#	50	CC	CCA	IDN	8536.4900.99
LY2-0 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, coil suppression, 24 VDC	16.94	EC001437	LY2 1731E	4536853608477	#	10	CC	CCA	JPN	8536.4900.99
LY2F 220/240VAC	Relay, Flange mount, plug-in, 8-pin, DPDT, 10A, 220/240 VAC	9.08	EC001437	LY2 5031B	4536853611668	#	50	CC	CCA	IDN	8536.4900.99
LY2F 24VAC	Relay, flange mount, plug-in, DPDT, 10 A, 24 VAC	8.38	EC001437	LY2 5024M	4536853611590	#	50	CC	CCA	IDN	8536.4900.99
LY24N 220/240VAC	Röle, soketli, 8 pinli, DPDT, 10 A, LED ve test butonu, 220/240 VAC	10.09	EC001437	LY2 5186F	4536853612702	#	50	CC	CCA	IDN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
LY24N 24VAC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, test button	9.55	EC001437	LY2 5187D	4536853612719	#	50	CC	CCA	IDN	8536.4900.99
LY24N 24VDC	Röle, soketli, 8 pinli, DPDT, 10 A, LED ve test butonu, 24 VDC	9.55	EC001437	LY2 5191B	4536853612757	#	50	CC	CCA	IDN	8536.4900.99
LY2N 100/110VAC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 100/110 VAC	9.27	EC001437	LY2 5155F	4536853612399	#	50	CC	CCA	IDN	8536.4900.99
LY2N 220/240VAC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 220/240 VAC	14.37	EC001437	LY2 5158M	4536853612429	#	50	CC	CCA	IDN	8536.4900.99
LY2N 24VAC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 24 VAC	26.49	EC001437	LY2 5154H	4536853612382	#	50	CC	CCA	IDN	8536.4900.99
LY2N 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 24 VDC	12.74	EC001437	LY2 5161M	4536853612450	#	50	CC	CCA	IDN	8536.4900.99
LY2N-D2 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, coil suppressor	20.71	EC001437	LY2 1852D	4536853608811	#	10	CC	CCA	JPN	8536.4900.99
LY1N-D2 24VDC	Relay, plug-in, 5-pin, SPDT, 15A, LED indicator, coil suppression, 24 VDC	18.59	EC001437	LY1 1543B	4536853604868	#	10	CC	CCA	JPN	8536.4900.99
LY3-0 24VDC	Relay, PCB pin, 11-pin, 3PDT, 10A, 24 VDC	14.89	EC001437	LY305011A	4536853619183	#	20	CC	CCA	IDN	8536.4900.99
LY4 24VDC	Röle, soketli, 14 pinli, 4PDT, 10 A, 24 VDC	14.88	EC001437	LY4 5013A	4536853621131	#	20	CC	CCA	IDN	8536.4900.99
LY4-D 24VDC	Relay, plug-in, 14-pin, 4PDT, 10A, coil suppression, 24 VDC	27.02	EC001437	LY4 1719C	4536853620141	#	10	CC	CCA	JPN	8536.4900.99
LY4N-D2 100/110VDC	Relay, plug-in, 4PDT, 10 A, LED indicator, diode, 100/110 VDC	24.80	EC001437	LY4 2042R	4536853620578	#	10	CC	CCA	JPN	8536.4900.99
LY4N-D2 24VDC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, coil suppressor, 24 VDC	30.23	EC001437	LY4 2035F	4536853620509	#	10	CC	CCA	JPN	8536.4900.99
LY4 100/110VAC	Relay, plug-in, 14-pin, 4PDT, 10A100/110 VAC	14.88	EC001437	LY4 5006R	4536853621063	#	20	CC	CCA	IDN	8536.4900.99
LY4 12VDC	Röle, soketli, 14 pinli, 4PDT, 10 A, 12 VDC	14.88	EC001437	LY4 5012C	4536853621124	#	20	CC	CCA	IDN	8536.4900.99
LY4 230VAC	Röle, soketli, 14 pinli, 4PDT, 10 A, 230 VAC	15.42	EC001437	LY4 5060C	4536853621605	#	20	CC	CCA	IDN	8536.4900.99
LY4 24VAC	Röle, soketli, 14 pinli, 4PDT, 10 A, 24 VAC	14.88	EC001437	LY4 5002F	4536853621025	#	20	CC	CCA	IDN	8536.4900.99
LY4 48VDC	Röle, soketli, 14 pinli, 4PDT, 10 A, 48 VDC	14.88	EC001437	LY4 5016F	4536853621162	#	20	CC	CCA	IDN	8536.4900.99
LY414N 24VDC	Röle, soketli, 14 pinli, 4PDT, 10 A, LED ve test butonu, 24 VDC	16.45	EC001437	LY4 5103M	4536853622039	#	20	CC	CCA	IDN	8536.4900.99
LY4N 100/110VAC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 100/110 VAC	16.45	EC001437	LY4 5069G	4536853621698	#	20	CC	CCA	IDN	8536.4900.99
LY4N 200/220VAC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 200/220 VAC	17.54	EC001437	LY4 5072G	4536853621728	#	20	CC	CCA	IDN	8536.4900.99
LY4N 24VDC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 24 VDC	16.45	EC001437	LY4 5079D	4536853621797	#	20	CC	CCA	IDN	8536.4900.99

Endüstriyel Röle MK-I/S

MKS2P 110VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator	16.75	EC001437	MKS8005M	4547648413046	#	20	CC	CCB	CHN	8536.4900.99
MKS2P 230VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator	13.27	EC001437	MKS8009C	4547648413084	#	20	CC	CCB	CHN	8536.4900.99
MKS2P 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator	12.33	EC001437	MKS8013A	4547648413121	#	20	CC	CCB	CHN	8536.4900.99
MKS2P 110VAC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 110 VAC	12.52	EC001437	MKS8405F	4547648413893	#	20	CC	CCB	CHN	8536.4900.99
MKS2P 12VDC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 12 VDC	14.43	EC001437	MKS8412R	4547648413961	#	20	CC	CCB	CHN	8536.4900.99
MKS2P 230VAC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 230 VAC	13.22	EC001437	MKS8409R	4547648413930	#	20	CC	CCB	CHN	8536.4900.99
MKS2P 24VAC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 24 VAC	12.26	EC001437	MKS8402A	4547648413862	#	20	CC	CCB	CHN	8536.4900.99
MKS2P 24VDC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 24 VDC	12.33	EC001437	MKS8413G	4547648413978	#	20	CC	CCB	CHN	8536.4900.99
MKS2PIN 110VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button	14.15	EC001437	MKS8490M	4547648440868	#	20	CC	CCB	CHN	8536.4900.99
MKS2PIN 12VDC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button	16.74	EC001437	MKS8497H	4547648440936	#	20	CC	CCB	CHN	8536.4900.99
MKS2PIN 230VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button	15.01	EC001437	MKS8494C	4547648440905	#	20	CC	CCB	CHN	8536.4900.99
MKS2PIN 24VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button	16.74	EC001437	MKS8487M	4547648440837	#	20	CC	CCB	CHN	8536.4900.99
MKS2PIN 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators/slatchable test button, 24 VDC	13.94	EC001437	MKS8498F	4547648440943	#	20	CC	CCB	CHN	8536.4900.99
MKS3P-5 110VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	14.20	EC001437	MKS8073E	4547648413725	#	20	CC	CCB	CHN	8536.4900.99
MKS3P-5 230VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	15.31	EC001437	MKS8077H	4547648413763	#	20	CC	CCB	CHN	8536.4900.99
MKS3P-5 24VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	14.05	EC001437	MKS8070M	4547648413695	#	20	CC	CCB	CHN	8536.4900.99
MKS3P-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	13.43	EC001437	MKS8081F	4547648413800	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	14.05	EC001437	MKS8447A	4547648414319	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 110VAC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 110 VAC	13.62	EC001437	MKS8473M	4547648414579	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 110VDC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 110 VDC	15.01	EC001437	MKS8484F	4547648414685	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 12VDC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 12 VDC	13.83	EC001437	MKS8480C	4547648414647	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 230VAC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 230 VAC	14.30	EC001437	MKS8477C	4547648414616	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 240VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	14.05	EC001437	MKS8478A	4547648414623	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 24VAC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 24 VAC	13.76	EC001437	MKS8470F	4547648414548	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 24VDC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 24 VDC	13.70	EC001437	MKS8481A	4547648414654	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 48VDC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 48 VDC	15.06	EC001437	MKS8482M	4547648414661	#	20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 110VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	15.86	EC001437	MKS8558C	4547648441544	#	20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 230VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	16.27	EC001437	MKS8562A	4547648441582	#	20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 24VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	15.70	EC001437	MKS8555R	4547648441513	#	20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	15.61	EC001437	MKS8566D	4547648441629	#	20	CC	CCB	CHN	8536.4900.99
MKS3PIN-D-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button, coil suppression	16.41	EC001437	MKS8741A	4547648443371	#	20	CC	CCB	CHN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Endüstriyel Röle G7 Güç Rölesi											
G7J-2A2B-B 24VDC	Power Relay, DPST-NO/DPST-NC, screw terminal, 24VDC	26.20	EC001437	G7J 4003R	4547648393713	#	20	CC	CCC	CHN	8536.4900.99
G7J-3A1B-B 24VDC	Power relay, W-bracket mounting, 3PST-NO/SPST-NC, 25 A, 24VDC	27.88	EC001437	G7J 1019R	4536853475215	#	20	CC	CCC	JPN	8536.4900.99
G7J-3A1B-P 24VDC	Power relay, PCB mounting, 3PST-NO/SPST-NC, 25 A, 24 VDC	28.99	EC001437	G7J 1003B	4536853475239		20	CC	CCC	JPN	8536.4900.99
G7J-4A-B 24VDC	Power relay, 4PST-NO, screw terminal, 24VDC	33.42	EC001437	G7J 4002M	4547648393706	#	20	CC	CCC	CHN	8536.4900.99
G7J-4A-P 24VDC	Power relay, PCB mounting, 4PST-NO, 25 A, 24 VDC	33.84	EC001437	G7J 1001F	4536853475215	#	20	CC	CCC	JPN	8536.4900.99
G7J-4A-T 200/240VAC	Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 200/240 VAC	33.29	EC001437	G7J 1089M	4536853476090	#	20	CC	CCC	JPN	8536.4900.99
G7J-4A-T 24VDC	Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 24 VDC	32.64	EC001437	G7J 1094F	4536853476144	#	20	CC	CCC	JPN	8536.4900.99
G7Z-2A2B-02Z-R 24VDC	Power relay, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NC aux.,	71.75	EC001437	G7Z 0029M	4548583781191			CC	CCC	JPN	8536.4900.99
G7Z-2A2B-11Z-R 24VDC	Güç rölesi, 40 A DPST-NO, 25 A DPST-NC + 1 A SPST-NO/SPST-NC alarm çıkışı	71.75	EC001437	G7Z 0032M	4548583781221	#		CC	CCC	JPN	8536.4900.99
G7Z-2A2B-20Z-R 24VDC	Power relays, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NO aux.,	71.75	EC001437	G7Z 0034F	4548583781245	#	10	CC	CCC	JPN	8536.4900.99
G7Z-3A1B-02Z-R 24VDC	Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NC aux.,	75.10	EC001437	G7Z 0036B	4548583781269		10	CC	CCC	JPN	8536.4900.99
G7Z-3A1B-11Z-R 24VDC	Güç rölesi, 40 A 3PST-NO, 25 A SPST-NC + 1 A SPST-NO/SPST-NC alarm çıkışı	72.40	EC001437	G7Z 0039G	4548583781290		10	CC	CCC	JPN	8536.4900.99
G7Z-3A1B-20Z-R 12VDC	Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NO aux.,	75.10	EC001437	G7Z 0040M	4548583781306			CC	CCC	JPN	8536.4900.99
G7Z-3A1B-20Z-R 24VDC	Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NO aux.,	72.40	EC001437	G7Z 0041R	4548583781313			CC	CCC	JPN	8536.4900.99
G7Z-4A 24VDC	Power relay, 40 A, 4PST-NO, 24 VDC	93.40	EC001437	G7Z 0020F	4547648298964		10	CC	CCC	JPN	8536.4900.99
G7Z-4A-02Z-R 24VDC	Power relays, 40 A 4PST-NO + 1 A DPST-NC aux.,	73.10	EC001437	G7Z 0043E	4548583781337	#	10	CC	CCC	JPN	8536.4900.99
G7Z-4A-11Z-R 24VDC	Güç rölesi, 40 A 4PST-NO + 1 A SPST-NO/SPST-NC alarm çıkışı	73.10	EC001437	G7Z 5031R	4548583732117	#	10	CC	CCC	JPN	8536.4900.99
G7Z-4A-20Z-R 24VDC	Power relays, 40 A 4PST-NO + 1 A DPST-NO aux.,	73.10	EC001437	G7Z 0046M	4548583781368		10	CC	CCC	JPN	8536.4900.99
P7TF-05	Socket, DIN rail/surface mounting, 5-pin, screw terminals	15.25	EC001456	P7TF3001A	4536854793455		10	CC	CCC	CHN	8536.9095.00
Endüstriyel Röle G2R-S											
G2R-1-S 12VDC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, 12 VDC	5.53	EC001437	G2RN8771M	4536854937149	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-S 230VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech indicator, label facility, 230 VAC	11.08	EC001437	G2RN8777M	4536854936463	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-S 240VAC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, 240 VAC	9.96	EC001437	G2RN8778H	4536854936470		100	CC	CCD	MYS	8536.4900.99
G2R-1-S 24VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech indicator, label facility, 24 VAC	6.61	EC001437	G2RN8774E	4536854936432	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-S 24VDC (S)	Röle, soketli, 5-pin, SPDT, 10 A, mekanik indikatör, 24 VDC	5.39	EC001437	G2RN8772R	4536854937156	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SD 24VDC (S)	Relay, plug-in, SPDT, 10 A, mech. indicator, diode, 24 VDC	7.21	EC001437	G2RN8790G	4536854937177	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SN 110VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	11.59	EC001437	G2RN8784B	4536854936517	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 120VAC (S)	Relay, plug-in, SPDT, 10 A, mech. & LED indicator, 120 VAC	10.43	EC001437	G2RN8785M	4536854936524	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SN 12VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	8.36	EC001437	G2RN8780M	4536854937163	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 230VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	16.06	EC001437	G2RN8787G	4536854936531	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 240VAC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör & LED, 240 VAC	15.04	EC001437	G2RN8786R	4536854936555	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SN 24VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	10.59	EC001437	G2RN8783D	4536854936500	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 24VDC (S)	Röle, soketli, 5-pin, SPDT, 10 A, mekanik indikatör & LED, 24 VDC	8.36	EC001437	G2RN8781H	4536854937170	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SND 12VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, label facility, 12 VDC	10.59	EC001437	G2RN8793A	4536854937194	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SND 24VDC (S)	Röle, soketli, 5-pin, SPDT, 10 A, mekanik indikatör, LED & diyet, 24 VDC	10.59	EC001437	G2RN8794M	4536854937200	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SND 48VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, label facility	10.53	EC001437	G2RN8795H	4536854936616	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SND-AP3 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, label facility, Au-plating	15.56	EC001437	G2RN8869E	4547648000505	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SND1 12VDC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlebilir test switchi, diyet, 12 VDC	12.04	EC001437	G2RN8806G	4536854936722	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SND1 24VDC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlebilir test switchi, diyet, 24 VDC	11.08	EC001437	G2RN8807E	4536854936739	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SND1-AP3 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A gold plate contacts, mech & LED indicators, coil suppressor, lockable test button, label facility	11.08	EC001437	G2RN8958F	4547648047404	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SNI 110VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label facility, 110 AC	11.59	EC001437	G2RN8801F	4536854936678	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SNI 120VAC (S)	Relay, plug-in, SPDT, 10 A, mech. & LED indicator, test button, 120 VAC	11.59	EC001437	G2RN8802D	4536854936685		100	CC	CCD	MYS	8536.4900.99
G2R-1-SNI 12VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label facility	8.48	EC001437	G2RN8797D	4536854936630	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SNI 230VAC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlebilir test switchi, 230 VAC	14.57	EC001437	G2RN8803B	4536854936692	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SNI 24VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label facility	10.59	EC001437	G2RN8800H	4536854936661	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SNI 24VDC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlebilir test switchi, 24 VDC	8.48	EC001437	G2RN8798B	4536854936647	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SNI 48VAC (S)	Relay, plug-in, SPDT, 10 A, mechanical & LED indicator, lockable testbutton, 48 VAC	11.32	EC001437	G2RN9341R	4547648163965		100	CC	CCD	MYS	8536.4900.99
G2R-2-S 12VDC (S)	Röle, soketli, 8 pin, DPDT, 10 A, mekanik indikatör, 12 VDC	6.97	EC001437	G2RN8810E	4536854937217	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-S 230VAC (S)	Relay, plug-in, DPST, 10 A, mechanical indicator, 230 VAC	11.08	EC001437	G2RN8816D	4536854936814	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-S 240VAC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, 240 VAC	14.06	EC001437	G2RN8817B	4536854936821		100	CC	CCD	MYS	8536.4900.99
G2R-2-S 24VAC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, 24 VAC	7.37	EC001437	G2RN8813M	4536854936784	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-S 24VDC (S)	Röle, soketli, 8 pin, DPDT, 5 A, 24 VDC	6.85	EC001437	G2RN8811C	4536854937224	#	10	CC	CCD	MYS	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G2R-2-SD 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech indicators, coil suppressor, label facility	9.15	EC001437	G2RN8829F	4536854936951	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-SN 110VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 110 VAC	12.56	EC001437	G2RN8823G	4536854936883	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SN 110VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 110 VDC	16.58	EC001437	G2RN8939M	4547648001380	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-SN 120VAC (S)	Relay, plug-in, DPDT, 5 A, mech. & LED indicator, 120 VAC	16.06	EC001437	G2RN8824E	4536854936890	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-SN 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 12 VDC	9.01	EC001437	G2RN8819R	4536854936845	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SN 230VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 230 VAC	17.08	EC001437	G2RN8825C	4536854936906	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SN 240VAC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör & LED, 240 VAC	16.06	EC001437	G2RN8826A	4536854936913	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-SN 24VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 24 VAC	14.57	EC001437	G2RN8822R	4536854936876	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SN 24VDC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör & LED, 24 VDC	9.01	EC001437	G2RN8820B	4536854936852	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SN 48VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 48 VAC	13.23	EC001437	G2RN8944F	4547648001441	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-SN 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 48 VDC	9.01	EC001437	G2RN8821M	4536854936869	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-SN-AP3 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, LED indicator	15.56	EC001437	G2RN8879B	4547648000727	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-SND 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility, 12 VDC	12.04	EC001437	G2RN8832F	4536854936982	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-SND 24VDC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, LED & diyot, 24 VDC	12.56	EC001437	G2RN8833D	4536854936999	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SND 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility, 48 VDC	11.59	EC001437	G2RN8834B	4536854937002	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-SND-AP3 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, mech & LED indicators, coil suppressor, label facility	12.56	EC001437	G2RN8870R	4547648000635	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNDI 12VDC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, LED & kilitlenebiler test switchi, diyot, 12 VDC	12.56	EC001437	G2RN8845H	4536854937118	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-SNDI 24VDC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, LED, kilitlenebiler test switchi & diyot, 24 VDC	12.04	EC001437	G2RN8846F	4536854937125	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNDI 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, lockable test button, label facility	12.74	EC001437	G2RN8847D	4536854937132	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-SNDI-AP3 24VDC (S)	Relay, plug-in, 8-pin, SPDT, 5 A, mech & LED indicators, coil suppressor, label test button, Au-plating	16.58	EC001437	G2RN8959D	4547648074711	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 110VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	13.07	EC001437	G2RN8840G	4536854937064	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 120VAC (S)	Relay, plug-in, DPDT, 5 A, mech. & LED indicator, test button, 120 VAC	13.20	EC001437	G2RN8841E	4536854937071	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	13.01	EC001437	G2RN8858M	4547648000390	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility, 12 VDC	9.54	EC001437	G2RN8836R	4536854937026	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 230VAC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, LED, kilitlenebiler test switchi, 230 VAC	19.61	EC001437	G2RN8842C	4536854937088	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 240VAC (S)	Relay, plug-in, DPDT, 5 A, mech. & LED indicator, test button, 240 VAC	16.44	EC001437	G2RN8843A	4536854937095	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	9.54	EC001437	G2RN8839C	4536854937057	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 48VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	9.54	EC001437	G2RN8837G	4536854937033	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	12.56	EC001437	G2RN8859H	4547648000406	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI-AP3 230VAC (S)	Relay, plug-in, DPDT (gold plated), 5 A, mech. & LED indicator, test button, 230 VAC	26.10	EC001437	G2RN8957H	4547648074698	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SNI-AP3 230VAC (S)	Relay, plug-in, SPDT (gold plated), 10 A, mech. & LED indicator, test button, 230 VAC	23.14	EC001437	G2RN8956M	4547648074681	#	100	CC	CCD	MYS	8536.4900.99
Endüstriyel Röle MY-S											
MY2IN1 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility, reversed polarity	8.46	EC001437	MYS 2507B	4536854363320	#	10	CC	CCE	JPN	8536.4900.99
MY2IN1-D2 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil spuessor, lockable push to test button, label facility, 24 VDC	13.75	EC001437	MYS 2517M	4536854363429	#	10	CC	CCE	JPN	8536.4900.99
MY4IN1 100/110VDC (S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, lockable push to test button, label facility, 100/110 VDC	11.15	EC001437	MYS 4509M	4536854364013	#	10	CC	CCE	JPN	8536.4900.99
MY4IN1 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility, reversed polarity	10.07	EC001437	MYS 4507C	4536854363993	#	10	CC	CCE	JPN	8536.4900.99
MY4IN1-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	15.12	EC001437	MYS 4517M	4536854364099	#	10	CC	CCE	JPN	8536.4900.99
MY4IN1-D2 48VDC (S)	Relay, plug-in, 4PDT, 5 A, mech. & LED indicator, test button, diode, 48 VDC (A1 +)	16.26	EC001437	MYS 4518R	4536854364105	#	10	CC	CCE	JPN	8536.4900.99
MY4N1 100/110VDC (S)	Relay, plug-in, 4PDT, 5 A, mech. & LED indicator, 100/110 VDC (A1 +)	11.81	EC001437	MYS 4504R	4536854363962	#	10	CC	CCE	JPN	8536.4900.99
MY4N1 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, label facility, 24 VDC	12.91	EC001437	MYS 4502B	4536854363948	#	10	CC	CCE	JPN	8536.4900.99
MY4N1-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, coil suppressor, label facility, 24 VDC	12.56	EC001437	MYS 4512M	4536854364044	#	10	CC	CCE	JPN	8536.4900.99
MY4Z 220/240VAC (S)	Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5A, mech indicator, label facility, 220/240 VAC	16.26	EC001437	MYS 4705M	4536854364174	#	10	CC	CCE	JPN	8536.4900.99
MY4Z 24VDC (S)	Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5A, mech indicator, label facility, 24 VDC	15.68	EC001437	MYS 4708D	4536854364204	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN 220/240VAC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, test button, 220/240 VDC (A2 +)	15.97	EC001437	MYS 4732G	4536854364440	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN 24VDC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, test button, 24 VDC (A2 +)	15.97	EC001437	MYS 4735A	4536854364471	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	17.62	EC001437	MYS 4755F	4536854364679	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, label facility, 110/120 VAC	19.55	EC001437	MYS 4715G	4536854364273	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN 220/240VAC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, 220/240 VAC	19.55	EC001437	MYS 4716E	4536854364280	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN 24VAC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, 24 VAC	19.55	EC001437	MYS 4713M	4536854364259	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, label facility, 24 VDC	18.46	EC001437	MYS 4719M	4536854364310	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN1-D2 24VDC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, diode, 24 VDC (A1 +)	23.47	EC001437	MYS 4750E	4536854364624	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN-CR 110/120VAC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, RC circuit, 110/120 VAC	23.47	EC001437	MYS 4763G	4536854364754	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN-D2 100/110VDC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, coil suppressor label facility, 100/110 VDC	24.58	EC001437	MYS 4747E	4536854364594	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, coil suppressor label facility, 24 VDC	22.34	EC001437	MYS 4745R	4536854364570	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN-D2 48VDC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, diode, 48 VDC (A2 +)	23.47	EC001437	MYS 4746G	4536854364587	#	10	CC	CCE	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Endüstriyel Röle G2RV											
G2RV-1-S-AP-G 21VDC	Yedek röle, giriş tip, SPDT, 50 mA, G2RV-SR***-AP 24VDC veya 24VAC/DC için	7.33	EC001437	G2RV9019C	4548583793736	#	25	CC	CCF	MYS	8536.4900.99
G2RV-1-S-G 21VDC	Yedek röle, SPDT, 6 A, G2RV-SR*00 24VDC veya 24 VAC/DC için	6.69	EC001437	G2RV9016R	4548583793705	#	25	CC	CCF	MYS	8536.4900.99
G2RV-1-S-G DC11	Yedek röle, SPDT, 6 A, G2RV-SR*00 12 VDC için	6.69	EC001437	G2RV9015M	4548583793699	#	25	CC	CCF	MYS	8536.4900.99
G2RV-1-S-G DC48	Yedek röle, SPDT, 6 A, G2RV-SR*00 48 VAC/DC, 100VAC, 110 VAC, 200VAC veya 230 VAC için	7.00	EC001437	G2RV9017G	4548583793712	#	20	CC	CCF	MYS	8536.4900.99
G2RV-1-S-G 21VDC	Yedek röle, kilitlenebilir test switchli, SPDT, 6 A, G2RV-SR701/501 24VDC veya 24VAC/DC için	7.15	EC001437	G2RV9021E	4548583793750	#	25	CC	CCF	MYS	8536.4900.99
Endüstriyel Röle G2RV-SR											
G2RV-ST500 110VAC	Ince röle & siyah soket, 6 A, SPDT, Push-in Plus terminal, 110 VAC	17.87	EC001437	G2RV8204B	4549734762533	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500 12VDC	Ince röle & siyah soket, 6 A, SPDT, Push-in Plus terminal, 12 VDC	17.16	EC001437	G2RV8207G	4549734762564	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500 230VAC	Ince röle & siyah soket, 6 A, SPDT, Push-in Plus terminal, 230 VAC	17.87	EC001437	G2RV8206R	4549734762557	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500 24VAC/DC	Ince röle & siyah soket, 6 A, SPDT, Push-in Plus terminal, 24 VAC/DC	15.04	EC001437	G2RV8201H	4549734762502	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500 24VDC	Ince röle & siyah soket, 6 A, SPDT, Push-in Plus terminal, 24 VDC	17.16	EC001437	G2RV8208E	4549734762571	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500 48VAC/DC	Ince röle & siyah soket, 6 A, SPDT, Push-in Plus terminal, 48 VAC/DC	18.71	EC001437	G2RV8202F	4549734762519	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500-AP 110VAC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 110 VAC	21.38	EC001437	G2RV8212C	4549734762618	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500-AP 12VDC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 12 VDC	17.05	EC001437	G2RV8215H	4549734762649	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500-AP 230VAC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 230 VAC	21.38	EC001437	G2RV8214M	4549734762632	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500-AP 24VAC/DC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 24 VAC/DC	18.73	EC001437	G2RV8209C	4549734762588	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500-AP 24VDC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 24 VDC	17.05	EC001437	G2RV8216F	4549734762656	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500-AP 48VAC/DC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 48 VAC/DC	18.82	EC001437	G2RV8210G	4549734762595	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST501 24VAC/DC	Ince röle & siyah soket, 6 A, SPDT, Push-in Plus terminal, 24 VAC/DC, Test switch	19.31	EC001437	G2RV8217D	4549734762663	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST501 24VDC	Ince röle & siyah soket, 6 A, SPDT, Push-in Plus terminal, 24 VDC, Test switch	16.08	EC001437	G2RV8218B	4549734762670	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700 110VAC	Ince röle & siyah soket, 6 A, SPDT, vidalı terminal, 110 VAC	17.33	EC001437	G2RV8222M	4549734762717	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700 12VDC	Ince röle & siyah soket, 6 A, SPDT, vidalı terminal, 12 VDC	16.58	EC001437	G2RV8225E	4549734762748	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700 230VAC	Ince röle & siyah soket, 6 A, SPDT, vidalı terminal, 230 VAC	17.33	EC001437	G2RV8224G	4549734762731	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700 24VAC/DC	Ince röle & siyah soket, 6 A, SPDT, vidalı terminal, 24 VAC/DC	16.71	EC001437	G2RV8219M	4549734762687	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700 24VDC	Ince röle & siyah soket, 6 A, SPDT, vidalı terminal, 24 VDC	16.58	EC001437	G2RV8226C	4549734762755	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700 48VAC/DC	Ince röle & siyah soket, 6 A, SPDT, vidalı terminal, 48 VAC/DC	16.68	EC001437	G2RV8220D	4549734762694	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700-AP 110VAC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 110 VAC	21.11	EC001437	G2RV8230A	4549734762793	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700-AP 12VDC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 12 VDC	16.80	EC001437	G2RV8233F	4549734762823	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700-AP 230VAC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 230 VAC	21.11	EC001437	G2RV8232H	4549734762816	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700-AP 24VAC/DC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 24 VAC/DC	19.67	EC001437	G2RV8227A	4549734762762	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700-AP 24VDC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 24 VDC	16.80	EC001437	G2RV8234D	4549734762830	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700-AP 48VAC/DC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 48 VAC/DC	17.46	EC001437	G2RV8228M	4549734762779	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST701 24VAC/DC	Ince röle & siyah soket, 6 A, SPDT, vidalı terminal, 24 VAC/DC, test switch	15.55	EC001437	G2RV8235B	4549734762847	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST701 24VDC	Ince röle & siyah soket, 6 A, SPDT, vidalı terminal, 24 VDC, test switch	18.18	EC001437	G2RV8236M	4549734762854	#	10	CC	CCG	MYS	8536.4900.99
Endüstriyel Röle MY-GS											
MY2-GS-R AC110/120	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical indicator, 110/120 VAC	7.15	EC001437	MY2 5712H	4550431041746	#		CC	CCK	CHN	8536.4900.99
MY2-GS-R AC12	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical indicator, 12 VAC	7.15	EC001437	MY2 5710A	4550431041722	#	10	CC	CCK	CHN	8536.4900.99
MY2-GS-R AC220/240	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical indicator, 220/240 VAC	7.53	EC001437	MY2 5703R	4550431041654	#	10	CC	CCK	CHN	8536.4900.99
MY2-GS-R AC24	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical indicator, 24 VAC	7.15	EC001437	MY2 5700D	4550431041623	#		CC	CCK	CHN	8536.4900.99
MY2-GS-R AC48	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical indicator, 48 VAC	7.15	EC001437	MY2 5711M	4550431041739	#		CC	CCK	CHN	8536.4900.99
MY2-GS-R DC100/110	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical indicator, 100/110 VDC	7.53	EC001437	MY2 5716M	4550431041784	#	2	CC	CCK	CHN	8536.4900.99
MY2-GS-R DC12	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical indicator, 12 VDC	7.15	EC001437	MY2 5714D	4550431041760	#	10	CC	CCK	CHN	8536.4900.99
MY2-GS-R DC24	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical indicator, 24 VDC	7.15	EC001437	MY2 5704G	4550431041661	#	10	CC	CCK	CHN	8536.4900.99
MY2-GS-R DC48	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical indicator, 48 VDC	7.15	EC001437	MY2 5715B	4550431041777	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-CR-GS-R AC110/120	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, Coil Surge Absorption, lockable push test button, 110/120 VAC	15.71	EC001437	MY2 5753E	4550431042156	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-CR-GS-R AC220/240	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, Coil Surge Absorption, lockable push test button, 220/240 VAC	15.71	EC001437	MY2 5755A	4550431042170	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-D2-GS-R DC100/110	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, Coil Surge Absorption, lockable push test button, 100/110 VDC	13.54	EC001437	MY2 5750M	4550431042125	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-D2-GS-R DC12	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, Coil Surge Absorption, lockable push test button, 12 VDC	11.93	EC001437	MY2 5747M	4550431042095	#		CC	CCK	CHN	8536.4900.99
MY2IN-D2-GS-R DC24	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, Coil Surge Absorption, lockable push test button, 24 VDC	11.93	EC001437	MY2 5748R	4550431042101	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS-R AC110/120	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, lockable push test button, 110/120 VAC	8.54	EC001437	MY2 5744F	4550431042064	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS-R AC12	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, lockable push test button, 12 VAC	8.34	EC001437	MY2 5740C	4550431042028	#		CC	CCK	CHN	8536.4900.99
MY2IN-GS-R AC220/240	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, lockable push test button, 220/240 VAC	9.59	EC001437	MY2 5746B	4550431042086	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS-R AC24	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, lockable push test button, 24 VAC	8.34	EC001437	MY2 5741A	4550431042033	#		CC	CCK	CHN	8536.4900.99
MY2IN-GS-R AC48	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, lockable push test button, 48 VAC	8.34	EC001437	MY2 5742M	4550431042040	#		CC	CCK	CHN	8536.4900.99
MY2IN-GS-R DC100/110	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, lockable push test button, 100/110 VDC	9.59	EC001437	MY2 5738A	4550431042002	#		CC	CCK	CHN	8536.4900.99
MY2IN-GS-R DC12	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, lockable push test button, 12 VDC	8.34	EC001437	MY2 5735G	4550431041975	#		CC	CCK	CHN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MY2IN-GS-R DC24	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, lockable push test button, 24 VDC	8.34	EC001437	MY2 5736E	4550431041982	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS-R DC48	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, lockable push test button, 48 VDC	8.54	EC001437	MY2 5737C	4550431041999	#	10	CC	CCK	CHN	8536.4900.99
MY4-GS-R AC110/120	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 100/110 VDC	8.74	EC001437	MY4 5712E	4550431042309	#	10	CC	CCK	CHN	8536.4900.99
MY4-GS-R AC12	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 12 VAC	8.38	EC001437	MY4 5710R	4550431042286	#		CC	CCK	CHN	8536.4900.99
MY4-GS-R AC220/240	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 220/240 VAC	8.89	EC001437	MY4 5703F	4550431042217	#		CC	CCK	CHN	8536.4900.99
MY4-GS-R AC24	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 24 VAC	8.38	EC001437	MY4 5700A	4550431042187	#		CC	CCK	CHN	8536.4900.99
MY4-GS-R AC48	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 48 VAC	8.38	EC001437	MY4 5711G	4550431042293	#	10	CC	CCK	CHN	8536.4900.99
MY4-GS-R DC100/110	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 100/110 VDC	9.20	EC001437	MY4 5716H	4550431042347	#	10	CC	CCK	CHN	8536.4900.99
MY4-GS-R DC24	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 24 VDC	8.38	EC001437	MY4 5704D	4550431042224	#	10	CC	CCK	CHN	8536.4900.99
MY4-GS-R DC48	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 48 VDC	8.74	EC001437	MY4 5715M	4550431042330	#		CC	CCK	CHN	8536.4900.99
MY4IN-CR-GS-R AC110/120	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, Coil Surge Absorption, lockable push test button, 110/120 VAC	21.79	EC001437	MY4 5753B	4550431042712	#		CC	CCK	CHN	8536.4900.99
MY4IN-CR-GS-R AC220/240	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, Coil Surge Absorption, lockable push test button, 220/240 VAC	21.79	EC001437	MY4 5755R	4550431042736	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-D2-GS-R DC24	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, Coil Surge Absorption, lockable push test button, 24 VDC	14.74	EC001437	MY4 5748F	4550431042668	#		CC	CCK	CHN	8536.4900.99
MY4IN-GS-R AC110/120	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 110/120 VAC	9.82	EC001437	MY4 5744C	4550431042620	#		CC	CCK	CHN	8536.4900.99
MY4IN-GS-R AC12	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 12 VAC	9.82	EC001437	MY4 5740M	4550431042583	#		CC	CCK	CHN	8536.4900.99
MY4IN-GS-R AC220/240	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 220/240 VAC	10.87	EC001437	MY4 5746M	4550431042644	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS-R AC24	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 24 VAC	9.82	EC001437	MY4 5741R	4550431042590	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS-R AC48	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 48 VAC	9.82	EC001437	MY4 5742G	4550431042606	#		CC	CCK	CHN	8536.4900.99
MY4IN-GS-R DC100/110	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 100/110 VDC	10.87	EC001437	MY4 5738R	4550431042569	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS-R DC12	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 12 VDC	9.82	EC001437	MY4 5735D	4550431042538	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS-R DC24	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 24 VDC	9.82	EC001437	MY4 5736B	4550431042545	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS-R DC48	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 48 VDC	9.82	EC001437	MY4 5737M	4550431042552	#		CC	CCK	CHN	8536.4900.99
MY4-GS-R DC12	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 12 VDC	8.79	EC001437	MY4 5714A	4550431042323	#	10	CC	CCK	CHN	8536.4900.99
Diğer Endüstriyel Röleler											
MY2Z 24VDC	Relay, plug-in, DPDT (bifurcated), 3 A, mechanical indicator, 24 VDC	14.02	EC001437	MY2 1247G	4536853659035		10	CC	CCX	JPN	8536.4900.99
MY2ZN 220/240VAC	Relay, plug-in, DPDT (bifurcated), 3 A, mech. & LED indicator, 220/240 VAC	17.41	EC001437	MY2 2341M	4536853661069		10	CC	CCX	JPN	8536.4900.99
MY2ZN 24VDC	Relay, plug-in, 8-pin, DPDT, bifurcated contacts, 10A, mech & LED indicators, label facility, 24 VDC	17.19	EC001437	MY2 1282E	4536853659158		10	CC	CCX	JPN	8536.4900.99
MY2ZN-D2 24VDC	Relay, plug-in, 8-pin, DPDT, bifurcated contacts, 10A, mech & LED indicators, coil suppressor, label facility, 24 VDC	24.25	EC001437	MY2 2485H	4536853661243		10	CC	CCX	JPN	8536.4900.99
MY3 100/110VAC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech indicators, label facility, 100/110 VAC	11.87	EC001437	MY3 1004D	4536853665692		10	CC	CCX	JPN	8536.4900.99
MY3 110/120VAC	Relay, plug-in, 11-pin, 3PDT, 5A, mech indicators, label facility, 110/120 VAC	11.87	EC001437	MY3 1788M	4536853666408		10	CC	CCX	JPN	8536.4900.99
MY3 12VDC	Relay, plug-in, 11-pin, 3PDT, 5A, mech indicators, label facility, 12 VDC	12.14	EC001437	MY3 1010R	4536853665722		10	CC	CCX	JPN	8536.4900.99
MY3 200/220VAC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech indicators, label facility, 200/220 VAC	12.41	EC001437	MY3 1007R	4536853665708		10	CC	CCX	JPN	8536.4900.99
MY3 220/240VAC	Relay, plug-in, 11-pin, 3PDT, 5A, mech indicators, label facility, 220/240 VAC	12.41	EC001437	MY3 1789H	4536853666415		10	CC	CCX	JPN	8536.4900.99
MY3 24VAC	Relay, plug-in, 11-pin, 3PDT, 5A, mech indicators, label facility, 24 VAC	11.87	EC001437	MY3 1002H	4536853665678	#	10	CC	CCX	JPN	8536.4900.99
MY3 24VDC	Relay, plug-in, 11-pin, 3PDT, 5A, mech indicators, label facility, 24 VDC	11.87	EC001437	MY3 1011G	4536853665739	#	10	CC	CCX	JPN	8536.4900.99
MY3N 110/120VAC	Relay, plug-in, 11-pin, 3PDT, 5A, mech & LED indicators, label facility, 110/120 VAC	14.57	EC001437	MY3 1800B	4536853666453		6	CC	CCX	JPN	8536.4900.99
MY3N 220/240VAC	Relay, plug-in, 11-pin, 3PDT, 5A, mech & LED indicators, label facility, 220/240 VAC	15.66	EC001437	MY3 1801M	4536853666460		10	CC	CCX	JPN	8536.4900.99
MY3N 24VAC	Relay, plug-in, 11-pin, 3PDT, 5A, mech & LED indicators, label facility, 24 VAC	15.11	EC001437	MY3 1122R	4536853665876		10	CC	CCX	JPN	8536.4900.99
MY3N 24VDC	Relay, plug-in, 11-pin, 3PDT, 5A, mech & LED indicators, label facility, 24 VDC	15.11	EC001437	MY3 1129F	4536853665937	#	10	CC	CCX	JPN	8536.4900.99
MY3N 48VDC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech & LED indicators, label facility, 48 VDC	15.11	EC001437	MY3 1130M	4536853665944		10	CC	CCX	JPN	8536.4900.99
MY3N-D2 12VDC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech & LED indicators, coil suppressor, label facility, 12 VDC	20.42	EC001437	MY3 1379E	4536853666095		10	CC	CCX	JPN	8536.4900.99
MY3N-D2 24VDC	Relay, plug-in, 11-pin, 3PDT, 5A, mech & LED indicators, coil suppressor, label facility, 24 VDC	19.93	EC001437	MY3 1380R	4536853666101		10	CC	CCX	JPN	8536.4900.99
MY2K-02 24VDC	Latching relay, pcb pins, 14-pin, DPDT, 3A, LED indicator	30.67	EC001437	MYK 1202G	4536853654283		10	CC	CCX	JPN	8536.4900.99
MY4H 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed	84.75	EC001437	MYH 1320C	4536853653965		10	CC	CCX	JPN	8536.4900.99
MY4H 12VDC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed	65.80	EC001437	MYH 1013A	4536853653729		10	CC	CCX	JPN	8536.4900.99
MY4H 24VAC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed	66.10	EC001437	MYH 1005M	4536853653699		10	CC	CCX	JPN	8536.4900.99
MY4H 24VDC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed	65.80	EC001437	MYH 1014M	4536853653736	#	10	CC	CCX	JPN	8536.4900.99
MY4ZH 100/110VAC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed	100.90	EC001437	MYH 1036M	4536853653798		10	CC	CCX	JPN	8536.4900.99
MY4ZH 24VDC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed	94.50	EC001437	MYH 1042E	4536853653828		10	CC	CCX	JPN	8536.4900.99
MYQ4 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, 110/120 VAC	20.42	EC001437	MYQ 1408M	4536853655273		10	CC	CCX	JPN	8536.4900.99
MYQ4 220/240VAC	Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, 220/240 VAC	19.93	EC001437	MYQ 1412R	4536853655280		10	CC	CCX	JPN	8536.4900.99
MYQ4 24VDC	Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, 24 VDC	19.36	EC001437	MYQ 1020D	4536853654887	#	10	CC	CCX	JPN	8536.4900.99
MYQ4N 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, with indicator, 110/120 VAC	24.25	EC001437	MYQ 1427G	4536853655365		10	CC	CCX	JPN	8536.4900.99
MYQ4N 220/240VAC	Relay	24.75	EC001437	MYQ 1428E	4536853655372	#	10	CC	CCX	JPN	8536.4900.99
MYQ4N 24VAC	Plastic sealed relay, plug-in, 14-pin, 4PDT, 1 A, with LED, 24 VAC	24.25	EC001437	MYQ 1426R	4536853655358		10	CC	CCX	JPN	8536.4900.99
MYQ4N 24VDC	Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, with indicator, 24 VDC	24.25	EC001437	MYQ 1039E	4536853655020	#	10	CC	CCX	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Endüstriyel Röleler için Aksesuarlar											
Y92B-N100	Heat sink for G3NA-220/420B SSR	48.33	EC002056	Y92B1001B	4536854247149	#	5	CC	CCZ	JPN	8536.4900.99
Y92B-N50	Heat sink for G3NA-205/210B SSR	28.53	EC002056	Y92B1000D	4536854247132	#	10	CC	CCZ	JPN	8536.4900.99
G78-16-P2RF-E	Relay common busbar for 16x P2RF socket base	7.00	EC002586	G78 1005D	4536853484668	#	50	CC	CCZ	JPN	8536.4900.99
P2RV-P3.15T	Accessory for G2RV-ST/G3RV-ST, Insulation Plate, 3 mm width	0.68	EC002586	P2RV8201H	4549734762892	#	10	CC	CCZ	MYS	8536.4900.99
G70V-SID16P	16'lı G/Ç röle terminali, giriş tip, NPN (- common), Push-in Plus terminal, G2RV röleler üzerinde	230.70	EC002780	G70V1001E	4548583798168	#		CC	CCZ	JPN	8536.4900.99
G70V-SID16P-1	16'lı G/Ç röle terminali, giriş tip, PNP (+ common), Push-in Plus terminal, G2RV röleler üzerinde	230.70	EC002780	G70V1000G	4548583798151	#		CC	CCZ	JPN	8536.4900.99
G70V-SID16P-1-C16	16'lı G/Ç röle terminali, giriş tip, PNP (+ common), 16 nokta dahilli bağlantılı, Push-in Plus terminal, G2RV röleler üzerinde	237.00	EC002780	G70V1009M	4549734144438	#		CC	CCZ	JPN	8536.4900.99
G70V-SOC16P	16'lı G/Ç röle terminali, çıkış tip, NPN (+ common), Push-in Plus terminal, G2RV röleler üzerinde	209.80	EC002780	G70V1003A	4548583798182	#		CC	CCZ	JPN	8536.4900.99
G70V-SOC16P-1	16'lı G/Ç röle terminali, çıkış tip, PNP (- common), Push-in Plus terminal, G2RV röleler üzerinde	209.80	EC002780	G70V1002C	4548583798175	#		CC	CCZ	JPN	8536.4900.99
G70V-SOC16P-1-C4	16'lı G/Ç röle terminali, çıkış tip, PNP (- common), 4'er nokta dahilli bağlantılı, Push-in Plus terminal, G2RV röleler üzerinde	196.30	EC002780	G70V1011B	4549734144452	#		CC	CCZ	JPN	8536.4900.99
P2RV-4-100C	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 1m	118.80	EC000237	XW220539F	4548583493346	#		CC	CCZ	JPN	8544.4290.90
P2RV-4-100FC	G2RV interface cable for use between CJ1W-ID231/ID233/ID261 and 4 P2RV-8-I-F modules, 1m	120.30	EC000237	XW220547G	4548583493421	#		CC	CCZ	JPN	8544.4290.90
P2RV-4-100MC	G2RV interface cable for use between CJ1W-ID233/ID262 and 4 P2RV-8-I-F modules, 1m	99.65	EC000237	XW220543D	4548583493384	#		CC	CCZ	JPN	8544.4290.90
P2RV-4-200C	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 2m	163.80	EC000237	XW220540M	4548583493353	#		CC	CCZ	JPN	8544.4290.90
P2RV-4-200FC	G2RV interface cable for use between CJ1W-ID231/ID233/ID261 and 4 P2RV-8-I-F modules, 2m	163.80	EC000237	XW220548E	4548583493438	#		CC	CCZ	JPN	8544.4290.90
P2RV-4-200MC	G2RV interface cable for use between CJ1W-ID233/ID262 and 4 P2RV-8-I-F modules, 2m	136.50	EC000237	XW220544H	4548583493391	#		CC	CCZ	JPN	8544.4290.90
P2RV-4-300C	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 3m	123.30	EC000237	XW220541H	4548583493360	#		CC	CCZ	JPN	8544.4290.90
P2RV-A100C	P2RV-O-F'ye bağlamak için tek taraflı 10 kutuplu IDC konektörü 1 m kablo	35.44	EC000237	XW220551E	4548583493469	#		CC	CCZ	JPN	8538.9099.99
P2RV-A100C-OMR NX	G2RV interface cable for use between NX-OD4256 and P2RV-8-O-F module, 1m	53.00	EC000237	XW220560D	4548583493551	#		CC	CCZ	JPN	8544.4290.90
P2RV-A200C	G2RV interface cable with flying leads for use with P2RV-8-O-F or P2RV-8-I-F module, 2m	35.44	EC000237	XW220552C	4548583493476	#		CC	CCZ	JPN	8538.9099.99
Düşük Gerilim Anahtarlar Elemanları JZMN Motor Koruma											
J7MN-3P-1	Motor koruma şalteri, switch tip, 3 kutup, 0.63-1 A	38.86	EC000074	J7MN9057E	4547648326957	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-10	Motor koruma şalteri, switch tip, 3 kutup, 6-10 A	46.97	EC000074	J7MN9063M	4547648327015	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-13	Motor koruma şalteri, switch tip, 3 kutup, 9-13 A	46.97	EC000074	J7MN9064H	4547648327022	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-17	Motor koruma şalteri, switch tip, 3 kutup, 11-17 A	46.97	EC000074	J7MN9065F	4547648327039	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-1E6	Motor koruma şalteri, switch tip, 3 kutup, 1-1.6 A	43.34	EC000074	J7MN9058C	4547648326964	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-22	Motor koruma şalteri, switch tip, 3 kutup, 14-22 A	46.97	EC000074	J7MN9066D	4547648327046	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-26	Motor koruma şalteri, switch tip, 3 kutup, 18-26 A	46.97	EC000074	J7MN9067B	4547648327053	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-2E5	Motor koruma şalteri, switch tip, 3 kutup, 1.6-2.5 A	43.34	EC000074	J7MN9059A	4547648326971	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-32	Motor koruma şalteri, switch tip, 3 kutup, 22-32 A	51.50	EC000074	J7MN9068M	4547648327060	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-4	Motor koruma şalteri, switch tip, 3 kutup, 2.5-4 A	43.34	EC000074	J7MN9060E	4547648326988	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-6	Motor koruma şalteri, switch tip, 3 kutup, 4-6 A	43.34	EC000074	J7MN9061C	4547648326995	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-8	Motor koruma şalteri, switch tip, 3 kutup, 5-8 A	43.34	EC000074	J7MN9062A	4547648327008	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-E4	Motor koruma şalteri, switch tip, 3 kutup, 0.25-0.4 A	38.86	EC000074	J7MN9055R	4547648326933	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-E63	Motor koruma şalteri, switch tip, 3 kutup, 0.4 A-0.63 A	38.86	EC000074	J7MN9056G	4547648326940	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-1	Motor koruma şalteri, döner switch tip, 3 kutup, 0.63-1 A	48.87	EC000074	J7MN9073G	4547648327114	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-10	Motor koruma şalteri, döner switch tip, 3 kutup, 6-10 A	57.35	EC000074	J7MN9079F	4547648327176	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-13	Motor koruma şalteri, döner switch tip, 3 kutup, 9-13 A	90.15	EC000074	J7MN9080M	4547648327183	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-17	Motor koruma şalteri, döner switch tip, 3 kutup, 11-17 A	58.25	EC000074	J7MN9081H	4547648327190	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-1E6	Motor koruma şalteri, döner switch tip, 3 kutup, 1-1.6 A	62.75	EC000074	J7MN9074E	4547648327121	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-22	Motor koruma şalteri, döner switch tip, 3 kutup, 14-22 A	59.85	EC000074	J7MN9082F	4547648327206	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-26	Motor koruma şalteri, döner switch tip, 3 kutup, 18-26 A	74.50	EC000074	J7MN9083D	4547648327213	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-2E5	Motor koruma şalteri, döner switch tip, 3 kutup, 1.6-2.5 A	49.40	EC000074	J7MN9075C	4547648327138	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-32	Motor koruma şalteri, döner switch tip, 3 kutup, 22-32 A	74.50	EC000074	J7MN9084B	4547648327220	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-4	Motor koruma şalteri, döner switch tip, 3 kutup, 2.5-4 A	56.05	EC000074	J7MN9076A	4547648327145	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-6	Motor koruma şalteri, döner switch tip, 3 kutup, 4-6 A	52.15	EC000074	J7MN9077M	4547648327152	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-8	Motor koruma şalteri, döner switch tip, 3 kutup, 5-8 A	52.15	EC000074	J7MN9078H	4547648327169	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-E25	Motor koruma şalteri, döner switch tip, 3 kutup, 0.16-0.25 A	65.70	EC000074	J7MN9070B	4547648327084	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-E63	Motor koruma şalteri, döner switch tip, 3 kutup, 0.4-0.63 A	45.95	EC000074	J7MN9072R	4547648327107	#		CD	CDA	KOR	8536.4900.99
J7MN-6R-32	Motor koruma şalteri, döner switch tip, 3 kutup, 22-32 A	147.70	EC000074	J7MN9086R	4547648327244	#		CD	CDA	KOR	8536.4900.99
J7MN-6R-40	Motor koruma şalteri, döner switch tip, 3 kutup, 28-40 A	234.20	EC000074	J7MN9087G	4547648327251	#		CD	CDA	KOR	8536.4900.99
J7MN-6R-50	Motor koruma şalteri, döner switch tip, 3 kutup, 34-50 A	246.90	EC000074	J7MN9088E	4547648327268	#		CD	CDA	KOR	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheat)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Düşük Gerilim Anahtarlar Elemanı J7KN Kontaktör											
J7KNA-AR-22 230	Contactör relay, 4-pole, 2M2B, 10 A thermal current/3 A AC-15, 230 VAC	29.37	EC000196	J7KA9088M	4536854851216	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-22 24D	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 2 NA + 2NK, 24 VDC	26.89	EC000196	J7KA9113D	4536854851469	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-22 24VS	Contactör relay, 4-pole, 2M2B, 10 A thermal current/3 A AC-15 with diode suppressor, 24 VDC	30.53	EC000196	J7KA9117G	4536854851506	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-31 24D	Contactör relay, 4-pole, 3M1B, 10A thermal current/3 A AC-15, 24 VDC	22.95	EC000196	J7KA9121E	4536854851544	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-31 24VS	Contactör relay, 4-pole, 3M1B, 10 A thermal current/3 A AC-15 with diode suppressor, 24 VDC	30.53	EC000196	J7KA9125H	4536854851582	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-40 24D	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 4 NA, 24 VDC	29.60	EC000196	J7KA9129M	4536854851629	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-40 24VS	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 4 NA, 24 VDC, diyet koruma	30.53	EC000196	J7KA9133R	4536854851667	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 230	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	18.91	EC000066	J7KA9015D	4536854850486	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VAC	18.87	EC000066	J7KA9010C	4536854850431	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24D	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	27.00	EC000066	J7KA9028F	4536854850615	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24VS	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC, diyet korumalı	30.01	EC000066	J7KA9032D	4536854850653	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01R 24VS	Reversing interlocked pair, 9 A/4 kW + 1B auxiliary on both sides, 230 VAC	66.15	EC000010	J7KA9189D	4547648525664	#		CD	CDB	AUT	8536.4900.99
J7KNA-09-10 110	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 110 VAC	19.01	EC000066	J7KA9003M	4536854850363	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 230	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	18.91	EC000066	J7KA9005G	4536854850387	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	18.91	EC000066	J7KA9000F	4536854850332	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24D	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	27.00	EC000066	J7KA9020M	4536854850530	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24VS	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC, diyet korumalı	30.01	EC000066	J7KA9024C	4536854850578	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-4 230	Contactör, 4-pole, 9A/4kW AC3 (20A AC1), 230 VAC	24.17	EC000066	J7KA9041C	4536854850745	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-4 24D	Contactör, 4-pole, 9A/4kW AC3 (20A AC1), 24 VDC	31.24	EC000066	J7KA9046D	4536854850790	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-01 230	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	23.34	EC000066	J7KA9062F	4536854850950	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-01 24D	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	33.27	EC000066	J7KA9075H	4536854851087	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-01 24VS	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC, diyet korumalı	36.26	EC000066	J7KA9079M	4536854851124	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-01R 24VS	Reversing interlocked pair, 12 A/5.5 kW + 1B auxiliary on both sides, 24 VDC	84.40	EC000010	J7KA9207F	4547648525848	#		CD	CDB	AUT	8536.4900.99
J7KNA-12-10 230	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	23.44	EC000066	J7KA9052R	4536854850851	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-10 24	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	23.34	EC000066	J7KA9047B	4536854850806	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-10 24D	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC, diyet korumalı	33.27	EC000066	J7KA9067G	4536854851001	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-10 24VS	Contactör, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1M auxiliary with diode suppressor, 24 VDC	36.12	EC000066	J7KA9071E	4536854851049	#	10	CD	CDB	AUT	8536.4900.99
J7KN-10D-01 230	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	22.19	EC000066	J7KN9656H	4548583135482	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-01 24	Contactör, 3-pole, 10 A/4 kW AC3 (25 A AC1) + 1B auxiliary, 24 VAC	22.25	EC000066	J7KN9657F	4548583135499	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-01 24D	Contactör, 3-pole, 4 kW; 10 A AC3 (380-415 VAC) + 1 NC aux., 24 VDC	35.06	EC000066	J7KN9658D	4548583135505	#		CD	CDB	AUT	8536.4900.99
J7KN-14D-01 230	Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	23.94	EC000066	J7KN9688F	4548583135802	#		CD	CDB	AUT	8536.4900.99
J7KN-14D-01 24	Contactör, 3-pole, 14 A/5.5 kW AC3 (25 A AC1) + 1B auxiliary, 24 VAC	24.21	EC000066	J7KN9689D	4548583135819	#		CD	CDB	AUT	8536.4900.99
J7KN-14D-01 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	37.36	EC000066	J7KN9690H	4548583135826	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-01 230	Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	35.66	EC000066	J7KN9720C	4548583136120	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-01 24	Contactör, 3-pole, 18 A/7.5 kW AC3 (32 A AC1) + 1B auxiliary, 24 VAC	35.81	EC000066	J7KN9721A	4548583136137	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-01 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	45.99	EC000066	J7KN9722M	4548583136144	#		CD	CDB	AUT	8536.4900.99
J7KN-22D-01 230	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	48.45	EC000066	J7KN9752A	4548583136441	#		CD	CDB	AUT	8536.4900.99
J7KN-22D-01 24	Contactör, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1B auxiliary, 24 VAC	48.61	EC000066	J7KN9753M	4548583136458	#		CD	CDB	AUT	8536.4900.99
J7KN-22D-01 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	55.00	EC000066	J7KN9754H	4548583136465	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-10 110	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 110 VAC	22.17	EC000066	J7KN9664R	4548583135567	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-10 230	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	22.08	EC000066	J7KN9668A	4548583135604	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-10 24	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	22.17	EC000066	J7KN9669M	4548583135611	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-10 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	34.91	EC000066	J7KN9670C	4548583135628	#		CD	CDB	AUT	8536.4900.99
J7KN-14D-10 110	Contactör, 3-pole, 5.5 kW; 14 A AC3 (380-415 VAC) + 1 NO aux., 110 VAC	24.21	EC000066	J7KN9696G	4548583135888	#		CD	CDB	AUT	8536.4900.99
J7KN-14D-10 230	Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	24.06	EC000066	J7KN9700R	4548583135925	#		CD	CDB	AUT	8536.4900.99
J7KN-14D-10 24	Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	24.09	EC000066	J7KN9701G	4548583135932	#		CD	CDB	AUT	8536.4900.99
J7KN-14D-10 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	37.36	EC000066	J7KN9702E	4548583135949	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-10 110	Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 110 VAC	35.66	EC000066	J7KN9728R	4548583136205	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-10 230	Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	35.66	EC000066	J7KN9732G	4548583136243	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-10 24	Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	35.66	EC000066	J7KN9733E	4548583136250	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-10 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	45.99	EC000066	J7KN9734C	4548583136267	#		CD	CDB	AUT	8536.4900.99
J7KN-22D-10 230	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	48.45	EC000066	J7KN9764E	4548583136564	#		CD	CDB	AUT	8536.4900.99
J7KN-22D-10 24	Contactör, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1M auxiliary, 24 VAC	48.61	EC000066	J7KN9765C	4548583136571	#		CD	CDB	AUT	8536.4900.99
J7KN-22D-10 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	55.00	EC000066	J7KN9766A	4548583136588	#		CD	CDB	AUT	8536.4900.99
J7KN-24 230	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 24 A (AC3, 400 VAC), 230 VAC	50.15	EC000066	J7KN9109D	4536854852794	#		CD	CDB	AUT	8536.4900.99
J7KN-24 24	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 24 A (AC3, 400 VAC), 24 VDC	50.15	EC000066	J7KN9104C	4536854852749	#		CD	CDB	AUT	8536.4900.99
J7KN-24 24D	Contactör, 3-pole, 24A/11kW AC-3 (50A AC1), 24 VDC	48.93	EC000066	J7KN9112D	4536854852824	#		CD	CDB	AUT	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J7KN-32 230	Güç kontakörü, motor kontakör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 230 VAC	68.50	EC000066	J7KN9121C	4536854852916	#		CD	CDB	AUT	8536.4900.99
J7KN-32 24	Güç kontakörü, motor kontakör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 24 VAC	68.50	EC000066	J7KN9116G	4536854852862	#		CD	CDB	AUT	8536.4900.99
J7KN-32 24D	Güç kontakörü, motor kontakör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 24 VDC	74.60	EC000066	J7KN9124H	4536854852947	#		CD	CDB	AUT	8536.4900.99
J7KN-40 110	Contactör, 3-pole, 40A/18.5kW AC-3 (80A AC1), 110 VAC	82.95	EC000066	J7KN9131M	4536854853012	#		CD	CDB	AUT	8536.4900.99
J7KN-40 230	Güç kontakörü, motor kontakör, 3 kutup, 18.5 kW, 40 A (AC3, 400 VAC), 230 VAC	82.95	EC000066	J7KN9133G	4536854853036	#		CD	CDB	AUT	8536.4900.99
J7KN-40 24	Contactör, 3-pole, 40 A/18.5 kW AC-3 (80 A AC1), 24 VAC	83.55	EC000066	J7KN9128M	4536854852985	#		CD	CDB	AUT	8536.4900.99
J7KN-40 24D	Güç kontakörü, motor kontakör, 3 kutup, 18.5 kW, 40 A (AC3, 400 VAC), 24 VDC	87.50	EC000066	J7KN9136A	4536854853067	#		CD	CDB	AUT	8536.4900.99
J7KNG-24 24D	Contactör, DC-operated (3VA), 3-pole, 24 A/11 kW AC3	72.50	EC000066	J7KN9472G	4547648206044	#		CD	CDB	AUT	8536.4900.99
J7KNG-32 24D	Contactör, DC-operated (3VA), 3-pole, 32 A/15 kW AC3	103.40	EC000066	J7KN9478F	4547648206105	#		CD	CDB	AUT	8536.4900.99
J7KNG-40 24D	Contactör, DC-operated (3VA), 3-pole, 40 A/18.5 kW AC3	120.50	EC000066	J7KN9484M	4547648206167	#		CD	CDB	AUT	8536.4900.99
J7KN-50 230	Güç kontakörü, motor kontakör, 3 kutup, 22 kW, 50 A (AC3, 400 VAC), 230 VAC	105.10	EC000066	J7KN9145M	4536854853159	#		CD	CDB	AUT	8536.4900.99
J7KN-50 24	Contactör, 3-pole, 50 A/22 kW AC-3 (110 A AC1), 24 VAC	105.10	EC000066	J7KN9140M	4536854853104	#		CD	CDB	AUT	8536.4900.99
J7KN-50 24D	Güç kontakörü, motor kontakör, 3 kutup, 22 kW, 50 A (AC3, 400 VAC), 24 VDC	108.70	EC000066	J7KN9148E	4536854853180	#		CD	CDB	AUT	8536.4900.99
J7KN-62 230	Güç kontakörü, motor kontakör, 3 kutup, 30 kW, 62 A (AC3, 400 VAC), 230 VAC	150.30	EC000066	J7KN9157D	4536854853272	#		CD	CDB	AUT	8536.4900.99
J7KN-62 24D	Güç kontakörü, motor kontakör, 3 kutup, 30 kW, 62 A (AC3, 400 VAC), 24 VDC	148.40	EC000066	J7KN9160D	4536854853302	#		CD	CDB	AUT	8536.4900.99
J7KN-74 230	Güç kontakörü, motor kontakör, 3 kutup, 37 kW, 74 A (AC3, 400 VAC), 230 VAC	173.10	EC000066	J7KN9169H	4536854853395	#		CD	CDB	AUT	8536.4900.99
J7KC-12-01 24VDC	Motor Contactör, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 24 VDC, Contacts: NO 3 NC 1, HxWxD 67.5 x 45 x 46 mm	44.33	EC000066	J7KC5030E	4549734535656	#	10	CD	CDB	JPN	8536.4900.99
J7KCA-22 110VAC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 110 VAC, Contacts: NO 2 NC 2, HxWxD 67.5 x 45 x 46 mm	36.89	EC000196	J7KC5412B	4549734536394			CD	CDB	JPN	8536.4900.99
J7KCA-22 230VAC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 230 VAC, Contacts: NO 2 NC 2, HxWxD 67.5 x 45 x 46 mm	36.89	EC000196	J7KC5424F	4549734536516			CD	CDB	JPN	8536.4900.99
J7KCA-22 24VDC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 2 NC 2, HxWxD 67.5 x 45 x 46 mm	49.40	EC000196	J7KC5445R	4549734536721		10	CD	CDB	JPN	8536.4900.99
J7KCA-22 48VDC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 48 VDC, Contacts: NO 2 NC 2, HxWxD 67.5 x 45 x 46 mm	49.40	EC000196	J7KC5448C	4549734536752		10	CD	CDB	JPN	8536.4900.99
J7KCA-31 24VDC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 3 NC 1, HxWxD 67.5 x 45 x 46 mm	49.40	EC000196	J7KC5444M	4549734536714		10	CD	CDB	JPN	8536.4900.99
J7KCA-40 230VAC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 230 VAC, Contacts: NO 4 NC 0, HxWxD 67.5 x 45 x 46 mm	36.89	EC000196	J7KC5422M	4549734536493			CD	CDB	JPN	8536.4900.99
J7KCA-40 24VDC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 4 NC 0, HxWxD 67.5 x 45 x 46 mm	49.40	EC000196	J7KC5443B	4549734536707		10	CD	CDB	JPN	8536.4900.99
J7KNU-05-4 110	Mikro kontakör, mikro motor kontakör, 4 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 110 VAC	23.70	EC000066	J7KN9816A	4548583772373			CD	CDB	AUT	8536.4900.99
J7KNU-05-4 180	Mikro kontakör, mikro motor kontakör, 4 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 180 VAC	23.70	EC000066	J7KN9817M	4548583772380			CD	CDB	AUT	8536.4900.99
J7KNU-05-4 230	Mikro kontakör, mikro motor kontakör, 4 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 230 VAC	23.70	EC000066	J7KN9818H	4548583772397		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-4 24	Mikro kontakör, mikro motor kontakör, 4 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 24 VAC	23.70	EC000066	J7KN9819F	4548583772403		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-4 48	Mikro kontakör, mikro motor kontakör, 4 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 48 VAC	23.70	EC000066	J7KN9820M	4548583772410			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 110	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 110 VAC	23.70	EC000196	J7KN9804H	4548583765252			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 110D	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 110 VDC	23.70	EC000196	J7KN9805M	4549734134095			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 180	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 180 VAC	23.70	EC000196	J7KN9805F	4548583765269			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 230	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 230 VAC	23.70	EC000196	J7KN9806D	4548583765276		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 24	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 24 VAC	23.70	EC000196	J7KN9807B	4548583765283			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 24D	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 24 VDC	23.70	EC000196	J7KN9822F	4549734134064		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 48	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 48 VAC	23.70	EC000196	J7KN9808M	4548583765290			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 48D	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 48 VDC	23.70	EC000196	J7KN9823D	4549734134071			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 60D	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 60 VDC	23.70	EC000196	J7KN9824B	4549734134088			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 90	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 90 VAC	23.70	EC000196	J7KN9809R	4548583765306			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 110	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 110 VAC	23.70	EC000196	J7KN9798M	4548583765191			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 110D	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 110 VDC	23.70	EC000196	J7KN9829C	4549734134132			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 180	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 180 VAC	23.70	EC000196	J7KN9799H	4548583765207			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 230	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 230 VAC	23.70	EC000196	J7KN9800E	4548583765214		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 24	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 24 VAC	23.70	EC000196	J7KN9801C	4548583765221		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 24D	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 24 VDC	23.70	EC000196	J7KN9826R	4549734134101		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 48	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 48 VAC	23.70	EC000196	J7KN9802A	4548583765238			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 48D	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 48 VDC	23.70	EC000196	J7KN9827G	4549734134118			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 60D	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 60 VDC	23.70	EC000196	J7KN9828E	4549734134125			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 90	Mikro kontakör, yardımcı kontakör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 90 VAC	23.70	EC000196	J7KN9803M	4548583765245			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 110	Mikro kontakör, mikro motor kontakör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 110 VAC	21.34	EC000066	J7KN9786F	4548583765078			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 110D	Mikro kontakör, mikro motor kontakör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 110 VDC	26.55	EC000066	J7KN9833A	4549734134170			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 180	Mikro kontakör, mikro motor kontakör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 180 VAC	21.34	EC000066	J7KN9787D	4548583765085			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 230	Mikro kontakör, mikro motor kontakör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 230 VAC	21.34	EC000066	J7KN9788B	4548583765092			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 24	Mikro kontakör, mikro motor kontakör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 24 VAC	21.34	EC000066	J7KN9789M	4548583765108		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 24D	Mikro kontakör, mikro motor kontakör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 24 VDC	26.55	EC000066	J7KN9830G	4549734134149	#	10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 48	Mikro kontakör, mikro motor kontakör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 48 VAC	21.34	EC000066	J7KN9790D	4548583765115			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 48D	Mikro kontakör, mikro motor kontakör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 48 VDC	26.55	EC000066	J7KN9831E	4549734134156			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 60D	Mikro kontakör, mikro motor kontakör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 60 VDC	26.55	EC000066	J7KN9832C	4549734134163		10	CD	CDB	AUT	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J7KNU-05-01 90	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 90 VAC	21.34	EC000066	J7KN9791B	4548583765122			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 110	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 110 VAC	56.85	EC000010	J7KN9810B	4548583765313			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 110D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 110 VDC	71.15	EC000010	J7KN9841B	4549734134255	5		CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 180	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 180 VAC	56.85	EC000010	J7KN9811M	4548583765320			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 230	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 230 VAC	56.85	EC000010	J7KN9812R	4548583765337	5		CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 24	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 24 VAC	56.85	EC000010	J7KN9813G	4548583765344	5		CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 24D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 24 VDC	71.15	EC000010	J7KN9838B	4549734134224	5		CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 48	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 48 VAC	56.85	EC000010	J7KN9814E	4548583765351	5		CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 48D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 48 VDC	71.15	EC000010	J7KN9839M	4549734134231			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 60D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 60 VDC	71.15	EC000010	J7KN9840D	4549734134248			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 90	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 90 VAC	56.85	EC000010	J7KN9815C	4548583765368			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 110	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 110 VAC	21.34	EC000066	J7KN9792M	4548583765139			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 110D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 110 VDC	26.55	EC000066	J7KN9837D	4549734134217			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 180	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 180 VAC	21.34	EC000066	J7KN9793R	4548583765146			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 230	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 230 VAC	21.34	EC000066	J7KN9794G	4548583765153	10		CD	CDB	AUT	8536.4900.99
J7KNU-05-10 24	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 24 VAC	21.34	EC000066	J7KN9795E	4548583765160	10		CD	CDB	AUT	8536.4900.99
J7KNU-05-10 24D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 24 VDC	26.55	EC000066	J7KN9834M	4549734134187			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 48	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 48 VAC	21.34	EC000066	J7KN9796C	4548583765177	10		CD	CDB	AUT	8536.4900.99
J7KNU-05-10 48D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 48 VDC	26.55	EC000066	J7KN9835H	4549734134194			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 60D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 60 VDC	26.55	EC000066	J7KN9836F	4549734134200	10		CD	CDB	AUT	8536.4900.99
J7KNU-05-10 90	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 90 VAC	21.34	EC000066	J7KN9797A	4548583765184			CD	CDB	AUT	8536.4900.99
J7KNU-05-4 90	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 90 VAC	23.70	EC000066	J7KN9821H	4548583772427			CD	CDB	AUT	8536.4900.99
J75KN-P-1039	Bağlantı adaptörü, J7KNU için 35 mm DIN raya uyumlu	2.10	EC002498	J75K9000A	4549734137188	#	10	CD	CDB	AUT	8536.4900.99
Düşük Gerilim Anahtarlama Elemanları J7TK Termik Akışırıyuk											
J7TKN-A-1E2	Termik röle, 3 kutup, 0.8-1.2 A, manuel reset, J7KNA ile uyumlu	30.88	EC000106	J7TK9071C	4547648205597	#		CD	CDC	AUT	8536.4900.99
J7TKN-A-1E8	Termik röle, 3 kutup, 1.2-1.8 A, manuel reset, J7KNA ile uyumlu	29.22	EC000106	J7TK9072A	4547648205603	#		CD	CDC	AUT	8536.4900.99
J7TKN-A-2E7	Termik röle, 3 kutup, 1.8-2.7 A, manuel reset, J7KNA ile uyumlu	29.24	EC000106	J7TK9073M	4547648205610	#		CD	CDC	AUT	8536.4900.99
J7TKN-A-4	Termik röle, 3 kutup, 2.7-4 A, manuel reset, J7KNA ile uyumlu	29.24	EC000106	J7TK9074H	4547648205627	#		CD	CDC	AUT	8536.4900.99
J7TKN-A-6	Overload relay, 3-pole, 4-6 A, direct mounting on J7KNA or J7KN10-22, manual reset	29.13	EC000106	J7TK9075F	4547648205634	#		CD	CDC	AUT	8536.4900.99
J7TKN-A-9	Overload relay, 3-pole, 6-9 A, direct mounting on J7KNA or J7KN10-22, manual reset	29.13	EC000106	J7TK9076D	4547648205641	#		CD	CDC	AUT	8536.4900.99
J7TKN-A-E6	Termik röle, 3 kutup, 0.4-0.6 A, manuel reset, J7KNA ile uyumlu	30.58	EC000106	J7TK9069A	4547648205573	#		CD	CDC	AUT	8536.4900.99
J7TKN-A-E9	Termik röle, 3 kutup, 0.6-0.9 A, manuel reset, J7KNA ile uyumlu	30.58	EC000106	J7TK9070E	4547648205580	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-11	Termik röle, 3 kutup, 8-11 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	37.94	EC000106	J7TK9027F	4536854854606	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-14	Termik röle, 3 kutup, 10-14 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	37.94	EC000106	J7TK9028D	4536854854613	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-18	Termik röle, 3 kutup, 13-18 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	37.94	EC000106	J7TK9029B	4536854854620	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-1E2	Termik röle, 3 kutup, 0.8-1.2 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	32.18	EC000106	J7TK9021G	4536854854545	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-24	Termik röle, 3 kutup, 17-24 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	37.94	EC000106	J7TK9030F	4536854854637	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-2E7	Termik röle, 3 kutup, 1.8-2.7 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	32.18	EC000106	J7TK9023C	4536854854569	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-32	Overload relay, 3-pole, 23-32 A, direct mounting on J7KN10-40, hand and auto reset	59.20	EC000106	J7TK9031D	4536854854644	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-4	Termik röle, 3 kutup, 2.7-4 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	32.18	EC000106	J7TK9024A	4536854854576	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-6	Termik röle, 3 kutup, 4-6 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	32.18	EC000106	J7TK9025M	4536854854583	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-9	Termik röle, 3 kutup, 6-9 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	32.18	EC000106	J7TK9026H	4536854854590	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-E6	Termik röle, 3 kutup, 0.4-0.6 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	32.18	EC000106	J7TK9019E	4536854854521	#		CD	CDC	AUT	8536.4900.99
J7TKN-C-42	Termik röle, 3 kutup, 28-42 A, manuel ve otomatik reset, J7KN-50/-74 ile uyumlu	60.80	EC000106	J7TK9032B	4536854854651	#		CD	CDC	AUT	8536.4900.99
Diğer Düşük Gerilim Anahtarlama Elemanları											
J73KN-A-11	Yardımcı kontak, 1 NA + 1 NK, önden montaj, J7KNA-AR ile uyumlu	5.70	EC002498	J73K9000D	4536854854736	#	10	CD	CDX	AUT	8536.4900.99
J73KN-A-22	Yardımcı kontak, 2 NA + 2 NK, önden montaj, J7KNA-AR ile uyumlu	9.78	EC002498	J73K9002M	4536854854750	#	10	CD	CDX	AUT	8536.4900.99
J73KN-A-40	Yardımcı kontak, 4 NA, önden montaj, J7KNA-AR ile uyumlu	9.78	EC002498	J73K9003R	4536854854767	#	10	CD	CDX	AUT	8536.4900.99
J73KN-AM-02	Yardımcı kontak, 2 NK, önden montaj, J7KNA ile uyumlu	5.69	EC002498	J73K9005E	4536854854781	#	10	CD	CDX	AUT	8536.4900.99
J73KN-AM-11	Yardımcı kontak, 1 NA + 1 NK, önden montaj, J7KNA ile uyumlu	5.50	EC002498	J73K9004G	4536854854774	#	10	CD	CDX	AUT	8536.4900.99
J73KN-AM-22	Yardımcı kontak, 2 NA + 2 NK, önden montaj, J7KNA ile uyumlu	9.78	EC002498	J73K9006C	4536854854798	#	10	CD	CDX	AUT	8536.4900.99
J73KN-B-01	Yardımcı kontak, 1 NK, 10 A (AC1, 690 VAC), önden montaj, J7KN(G)-10/-115 ile uyumlu	2.93	EC002498	J73K9007A	4536854854804	#	10	CD	CDX	AUT	8536.4900.99
J73KN-B-01A	Yardımcı kontak, 1 NK, 25 A (AC1, 690 VAC), önden montaj, J7KN(G)-10/-115 ile uyumlu	6.88	EC002498	J73K9018G	4547648171366	#	10	CD	CDX	AUT	8536.4900.99
J73KN-B-01U	Auxiliary contact, 1-pole, 1B, front mounting, 10A for J7KN10-74 (EM & LM version)	7.77	EC002498	J73K9024A	4547648192057	#	10	CD	CDX	AUT	8536.4900.99
J73KN-B-10	Yardımcı kontak, 1 NA, 10 A (AC1, 690 VAC), önden montaj, J7KN(G)-10/-115 ile uyumlu	2.93	EC002498	J73K9008M	4536854854811	#	10	CD	CDX	AUT	8536.4900.99
J73KN-B-10A	Yardımcı kontak, 1 NA, 25 A (AC1, 690 VAC), önden montaj, J7KN(G)-10/-115 ile uyumlu	6.88	EC002498	J73K9019E	4547648171373	#	10	CD	CDX	AUT	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J73KN-C-115	Yardımcı kontak, 1 NA + 1 N _K , yandan montaj, J7KN(G)-24/-115 ile uyumlu	8.39	EC002498	J73K9009H	4536854854828	#		CD	CDX	AUT	8536.4900.99
J74KN-B-ML	Mekanik kilit, 2 adet J7KN(G)-10(D)/-40 için	3.93	EC002498	J74K9004M	4536854854903	#		CD	CDX	AUT	8536.4900.99
J74KN-C2-RC230	RC koruma ünitesi, 110-230 VAC/DC, J7KN(G)-10(D)/-74 ile uyumlu	17.31	EC002498	J74K9039C	4548583137905	#	10	CD	CDX	CHN	8536.4900.99
J74KN-C2-RC24	RC koruma ünitesi, 12-48 VAC/DC, J7KN(G)-10(D)/-74 ile uyumlu	16.14	EC002498	J74K9040G	4548583137912	#	10	CD	CDX	CHN	8536.4900.99
J74KN-D-RC 24	RC koruma ünitesi, 12-48 VAC/DC, J7KNA-(AR) ile uyumlu	16.14	EC002498	J74K9018M	4547648044073	#	10	CD	CDX	CZE	8536.4900.99
J74TK-SM	Separate mounting sets for J7TKN-B	5.13	EC002498	J74T9000B	4536854855207	#		CD	CDX	AUT	8536.4900.99
J74-WKR-A	Insulated wiring system, reversing starter connector with coil connector, for J7KNA-09-01R-x(D) and J7KNA-12-01R-x(D)	11.78	EC002498	J74 9006H	4548583313149	#		CD	CDX	CHN	8536.9010.00
J77MN-11F	Yardımcı kontak, 1 NA + 1 N _K , önden montaj, J7MN* <i>R</i> / <i>P</i> ile uyumlu	8.84	EC002498	J77M9000H	4547648327329	#	10	CD	CDX	KOR	8536.4900.99
J77MN-11S	Yardımcı kontak, 1 NA + 1 N _K , yandan montaj, sol, J7MN* <i>R</i> / <i>P</i> ile uyumlu	13.94	EC002498	J77M9004M	4547648327367	#	2	CD	CDX	KOR	8536.4900.99
J77MN-CPM-3-45-2S	3 faz besleme barası, tırnak tip, 45 mm aralıklı, 2 adet J7MN-3P/-3R için	7.12	EC002498	J77M9060A	4548583066472	#	10	CD	CDX	KOR	8536.4900.99
J77MN-CPM-3-45-3S	3 faz besleme barası, tırnak tip, 45 mm aralıklı, 3 adet J7MN-3P/-3R için	9.12	EC002498	J77M9061M	4548583066489	#	10	CD	CDX	KOR	8536.4900.99
J77MN-CPM-3-45-4S	3 faz besleme barası, tırnak tip, 45 mm aralıklı, 4 adet J7MN-3P/-3R için	11.35	EC002498	J77M9062H	4548583066496	#	10	CD	CDX	KOR	8536.4900.99
J77MN-CPM-3-45-5S	3 faz besleme barası, tırnak tip, 45 mm aralıklı, 5 adet J7MN-3P/-3R için	12.11	EC002498	J77M9063F	4548583066502	#	10	CD	CDX	KOR	8536.4900.99
J77MN-DC-3R-115-RY	Door-coupling, red/yellow, with supporting bracket	66.35	EC002498	J77M9050D	4547648694209	#		CD	CDX	KOR	8536.4900.99
J77MN-VKA-3	Bağlantı adaptörü, max. 32 A, mekanik ve elektriksel bağlantı, J7MN-3P/-R ile J7KNA arasında, DIN ray montaj adaptörüne gerek yoktur	5.55	EC002498	J77M9029F	4547648327619	#		CD	CDX	AUT	8536.4900.99
Soket PF											
PF083A-E	Soket, DIN ray montajlı, 8 pinli, vida terminalli	3.98	EC001456	PF 2000A	4547648825917	#	50	CF	CFA	CHN	8536.9095.00
PF085A(N)	Soket, DIN rail/surface mounting, 8-pin, screw terminals	7.33	EC001456	PF 9001H	4536853723064	#		CF	CFA	JPN	8536.4900.99
PF113A-E	Soket, DIN rail/surface mounting, 11-pin, screw terminals (standard)	4.04	EC001456	PF 2002H	4547648825931	#	50	CF	CFA	CHN	8536.9095.00
PF083A-D	Soket, DIN ray montajlı, 8 pinli, vida terminalli	7.54	EC001456	AA056186E	4549734994392	#	10	CF	CFA	HUN	8536.6990.99
PF113A-D	Soket, DIN ray montajlı, 11 pinli, vida terminalli	6.92	EC001456	AA056187C	4549734994408	#	10	CF	CFA	HUN	8536.6990.99
PF113A-N	Soket, DIN rail/surface mounting, 11-pin, screw terminals (IEC/VDE).	9.66	EC001456	AA056188A	4549734994415	#	10	CF	CFA	HUN	8536.6990.99
Soket PTF											
PTF11A	Soket, DIN ray montajlı, 11 pinli, vida terminalli	10.75	EC001456	PT 1263B	4536853724580	#	10	CF	CFB	JPN	8536.9095.00
PTFZ-08-E	Soket, DIN ray montajlı, 8 pinli, vida terminalli	5.27	EC001456	PTFZ0001G	4549734715621	#	10	CF	CFB	CHN	8536.4900.99
PTFZ-14-E	Soket, DIN ray montajlı, 14 pinli, vida terminalli	9.35	EC001456	PTFZ0002E	4549734715638	#	10	CF	CFB	CHN	8536.4900.99
PTF-08-PU	Soket, DIN rail/surface mounting, 8-pin, push-in plus terminals	11.17	EC001456	PT 8100F	4549734556002	#	10	CF	CFB	MYS	8536.4900.99
PTF-08-PU-L	Soket, DIN ray montajlı, 8 pinli, vida terminalli	10.34	EC001456	PT 8101D	4549734556019	#	10	CF	CFB	MYS	8536.4900.99
PTF-14-PU-L	Soket, DIN rail/surface mounting, 14-pin, push-in plus terminals	13.95	EC001456	PT 8102B	4549734556026	#	10	CF	CFB	MYS	8536.4900.99
Soket PY											
PY08-02	Socket, back-connecting, 8-pin, PCB terminals	1.97	EC001456	PY 1276E	4536853725693	#	10	CF	CFC	JPN	8536.9095.00
PY14-02	Soket, 14 pinli, PCB terminal	2.54	EC001456	PY 1265M	4536853725617	#	10	CF	CFC	JPN	8536.9095.00
PY08	Soket, 8 pinli, lehim terminal	1.97	EC001456	PY 1008H	4536853725259	#	10	CF	CFC	JPN	8536.9095.00
PY14	Soket, 14 pinli, lehim terminal	2.54	EC001456	PY 1020G	4536853725334	#	10	CF	CFC	JPN	8536.9095.00
Soket PYE											
PYF08A-N	Soket, DIN ray montajlı, 8 pinli, vida terminalli	5.55	EC001456	PY 6025E	4547648009232	#	50	CF	CFD	CHN	8536.9095.00
PYF11A	Soket, DIN rail/surface mounting, 11-pin, screw terminals	9.93	EC001456	PY 1263C	4536853725594	#	10	CF	CFD	JPN	8536.9095.00
PYF14A-N	Soket, DIN ray montajlı, 14 pinli, vida terminalli	6.16	EC001456	PY 6026C	4547648009256	#	50	CF	CFD	CHN	8536.9095.00
PYFZ-08-E	Soket, DIN rail/surface mounting, 8-pin, screw terminals (standard)	5.82	EC001456	PYFZ0001H	4549734447713	#	50	CF	CFD	CHN	8536.6990.99
PYFZ-14-E	Soket, DIN rail/surface mounting, 14-pin, screw terminals (standard)	8.50	EC001456	PYFZ0002F	4549734447720	#	50	CF	CFD	CHN	8536.6990.99
PYF-08-PU	MY2 için 8 pinli, Push-in Plus terminalli, röle tutuculu, DIN ray/üzey montaj soket	6.66	EC001456	PY 8100G	4549734218375	#	10	CF	CFD	MYS	8536.4900.99
PYF-08-PU-L	MY2 için 8 pinli, Push-in Plus terminalli, DIN ray/üzey montaj soket	6.66	EC001456	PY 8102C	4549734218399	#	10	CF	CFD	MYS	8536.6990.99
PYF-14-PU	MY4 için 14 pinli, Push-in Plus terminalli, röle tutuculu, DIN ray/üzey montaj soket	6.81	EC001456	PY 8101E	4549734218382	#	10	CF	CFD	MYS	8536.4900.99
PYF-14-PU-L	MY4 için 14 pinli, Push-in Plus terminalli, DIN ray/üzey montaj soket	6.81	EC001456	PY 8103A	4549734218405	#	10	CF	CFD	MYS	8536.6990.99
PYF14-ESN-B	Soket, DIN ray montajlı, 14 pinli (8 pinli MY2 rölelere de uygundur), 2/2 seviyeli, vida terminalli (NO/NC kontak terminalleri, ortak uç ve bobin terminallerinden ayrılmıştır)	5.73	EC001456	AA056193H	4549734994460	#	10	CF	CFD	HUN	8536.6990.99
PYF14-ESS-B	Soket, DIN ray montajlı, 14 pinli (8 pinli MY2 rölelere de uygundur), 1/3 seviyeli, vida terminalli (NO/NC kontak terminalleri, ortak uç ve bobin terminallerinden ayrılmıştır)	6.51	EC001456	AA056194F	4549734994477	#	10	CF	CFD	HUN	8536.6990.99

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
PYF08S	Soket, DIN ray montajlı, 8 pinli, vidasız terminal	5.63	EC001456	PY 6000M	4536854750762	#	10	CF	CFD	CHN	8536.9095.00
PYF14S	Soket, DIN ray montajlı, 14 pinli, vidasız terminal	6.75	EC001456	PY 6001H	4536854750786	#	10	CF	CFD	CHN	8536.9095.00
Soket P2RF											
P2RF-05-ESS	Soket, DIN ray montajlı, 5 pinli, vida terminali	6.32	EC001456	P2R 9005M	4549734616140	#	10	CF	CFG	HUN	8536.6990.99
P2RF-08-ESS	Soket, DIN ray montajlı, 8 pinli, vida terminali	5.90	EC001456	P2R 9006R	4549734616157	#	10	CF	CFG	HUN	8536.6990.99
P2RFZ-05-E	Socket, DIN rail/surface mounting, 5-pin, screw terminals	5.59	EC001456	P2R 7001G	4549734578530	#	50	CF	CFG	CHN	8536.6990.99
P2RFZ-08-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals	8.90	EC001456	P2R 7002E	4549734578547	#	50	CF	CFG	CHN	8536.6990.99
P2RF-05-PU	G2R-1-5 için 5 pinli, Push-in Plus terminali, röle tutuculu, DIN ray/yüzey montaj soket	6.38	EC001456	P2R 8100M	4549734218450	#	20	CF	CFG	MYS	8536.4900.99
P2RF-08-PU	G2R-2-5 için 8 pinli, Push-in Plus terminali, röle tutuculu, DIN ray/yüzey montaj soket	6.92	EC001456	P2R 8101R	4549734218467	#	20	CF	CFG	MYS	8536.4900.99
P2RF-05-S	Soket, DIN ray montajlı, 5 pinli, vidasız terminal	6.16	EC001456	P2R 6029A	4536854883453	#	10	CF	CFG	CHN	8536.9095.00
P2RF-08-S	Soket, DIN ray montajlı, 8 pinli, vidasız terminal	9.77	EC001456	P2R 6030E	4536854883460	#	10	CF	CFG	CHN	8536.9095.00
Diğer Soketler											
P2R-057P	Socket, back-connecting, 5-pin, PCB terminals	3.28	EC001456	P2R 6021F	4536854742507	#	10	CF	CFX	CHN	8536.4900.99
P2R-05P	Soket, 5 pinli, PCB terminal	2.32	EC001456	P2R 6028C	4536854742576	#	10	CF	CFX	CHN	8536.9095.00
P2R-087P	Socket, back-connecting, 8-pin, PCB terminals	4.07	EC001456	P2R 6011R	4536854742408	#	10	CF	CFX	CHN	8536.9095.00
P2R-08P	Soket, 8 pinli, PCB terminal	2.87	EC001456	P2R 6027E	4536854742569	#	10	CF	CFX	CHN	8536.9095.00
P2R-05A	Socket, back-connecting, 5-pin, solder terminals	3.09	EC001456	P2R 6000C	4536853726430	#	10	CF	CFX	CHN	8536.4900.99
PT08-0	Socket, back-connecting, 8-pin, PCB terminals	2.17	EC001456	PT 1015M	4536853724399	#	10	CF	CFX	JPN	8536.9095.00
PT14-0	Socket, back-connecting, 14-pin, PCB terminals	4.29	EC001456	PT 1022B	4536853724443	#	10	CF	CFX	JPN	8536.9095.00
11PFA	Socket, DIN rail/surface mounting, 11-pin, screw terminals	10.76	EC001456	PF 1234C	4536853722760	#	20	CF	CFX	JPN	8536.9095.00
14PFA	Socket, DIN rail/surface mounting, 14-pin, screw terminals	13.90	EC001456	PF 1235A	4536853722777	#	20	CF	CFX	JPN	8536.9095.00
8PFA	Socket, DIN rail/surface mounting, 8-pin, screw terminals	6.35	EC001456	PF 1232G	4536853722746	#	20	CF	CFX	JPN	8536.9095.00
8PFA1	Socket, DIN rail/surface mounting, 8-pin, screw terminals	6.69	EC001456	PF 1233E	4536853722753	#	20	CF	CFX	JPN	8536.9095.00
P2CF-08-E	Soket, DIN ray montajlı, 8 pinli, vida terminali	10.59	EC001456	P2CF2109G	4536854821103	#	10	CF	CFX	JPN	8536.4900.99
P2CF-11-E	Soket, DIN ray montajlı, 11 pinli, vida terminali	13.60	EC001456	P2CF2110M	4536854821004	#	10	CF	CFX	JPN	8536.4900.99
P3G-08	Socket, back-connecting, 8-pin, screw terminals	11.38	EC001456	H2C 9102H	4536854821035	#	10	CF	CFX	JPN	8536.6990.99
P3GA-11	Socket, back-connecting, 11-pin, screw terminals	14.47	EC001456	H2C 9110R	4536854821141	#	10	CF	CFX	JPN	8536.6990.99
PLE11-0	Soket, 11 pinli, PCB terminal	4.73	EC001456	PL 1200D	4536853724016	#	10	CF	CFX	JPN	8536.9095.00
PL11	Socket, back-connecting, 11-pin, solder terminals	3.29	EC001456	PL 1006M	4536853723941	#	10	CF	CFX	JPN	8536.9095.00
Özel Soketler											
MS16MOLLE	Thermoplastic release lever for PES 35-50-50/3 socket, relay height 16 mm	0.61	EC002586	AA039981B	8020028144274	#	10	CF	CFY	ITA	8538.9099.99
MS25 MOLLE	Thermoplastic release lever for relay securing for PES 35-50-50/3 socket, relay height 25 mm	0.58	EC002586	AA039982M	8020028144281	#	10	CF	CFY	ITA	8538.9099.99
PES-35	G2R-1 serisi PCB röleler için soket, DIN ray montajlı, 5 pinli, vidalı terminal	4.72	EC001456	AA039986C	8020028273509	#	10	CF	CFY	ITA	8536.6990.99
PES50/3	G2R-2 serisi PCB röleler için soket, DIN ray montajlı, 8 pinli, vidalı terminal	5.65	EC001456	AA039988M	8020028274919	#	10	CF	CFY	ITA	8536.6990.99
TYPE 22	Module with diode, protection against polarity inversion, 6/230 Vdc	2.34	EC002586	AA039992H	8020028142669	#	20	CF	CFY	ITA	8538.9099.99
TYPE 42	Module with diode and Led, protection against polarity inversion plus signalling through Led, 6/24 Vdc	3.80	EC002586	AA039993F	8020028142683	#	20	CF	CFY	ITA	8538.9099.99
TYPE 42B	Module with diode and Led, protection against polarity inversion plus signalling through Led, 24/60 Vdc	3.89	EC002586	AA039994D	8020028144021	#	20	CF	CFY	ITA	8538.9099.99
TYPE 52C	Module with "RC" group, without signalling, arc eliminator circuit, 110/230 Vac	4.80	EC002586	AA039995B	8020028144083	#	20	CF	CFY	ITA	8538.9099.99
TYPE 62C	Module with signalling Led plus varistor, without protection against polarity inversion, possible feeding DC or AC power supply, 6/24 Vac/Vdc	6.08	EC002586	AA039997R	8020028144120	#	20	CF	CFY	ITA	8538.9099.99
TYPE 92C	Module with signalling Led plus varistor, without protection against polarity inversion, possible feeding DC or AC power supply, 110/230 Vac/Vdc	6.02	EC002586	AA039998G	8020028144175	#	20	CF	CFY	ITA	8538.9099.99
Soketler için Aksesuarlar											
P2DN-15.7-100S	Box of short bar for P2RFZ-E, in the box there are 10pcs of short bar, 15.7 mm pitch, 10 pole (10 terminal) and 20pcs of caps, color is blue	28.46	EC002586	P2DN0202D	4549734578486	#	10	CF	CFZ	CHN	8536.6990.99
P2DN-6.8-100S	Box of short bar for P2RFZ-E, in the box there are 10pcs of short bar, 6.8 mm pitch, 10 pole (20 terminal) and 20pcs of caps. Color is blue.	28.46	EC002586	P2DN0201F	4549734578479	#	10	CF	CFZ	CHN	8536.6990.99
P2DN-CP100	Box of 100 caps for P2DN short bar: insulation cap for the short bar cut, blue color	14.87	EC002586	P2DN0303R	4549734578516	#	10	CF	CFZ	CHN	8536.6990.99
P2RM-SB	Socket bridge (for use with P2RF_5)	35.48	EC002586	PYD 4101H	4536854894480	#	10	CF	CFZ	JPN	8536.4900.99
P2RM-SR	Socket bridge (for use with P2RF_5)	36.49	EC002586	PYD 4100M	4536854894473	#	10	CF	CFZ	JPN	8536.4900.99

Item Code	2025 List Price	ETIM Class	Item Code (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
PYDM-08SR			Socket bridge, 2-poles, 19.7 mm length, red, sold in multiples of 50 per package							
PYDN-15.5-080R	55.80	EC002586	PYD 4002M	4536854737145	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-15.5-080S	8.12	EC002586	PYDN0004G	4548583798304	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-15.5-080Y	8.12	EC002586	PYDN0005E	4548583798311	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-15.5-080Y	8.12	EC002586	PYDN0006C	4548583798328	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-31.0-080R	9.42	EC002586	PYDN0001B	4548583798274	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-31.0-080S	9.42	EC002586	PYDN0002M	4548583798281	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-31.0-080Y	9.42	EC002586	PYDN0003R	4548583798298	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.25T-200R	9.51	EC002586	PYDN8201R	4549734762861	#	10	CF	CFZ	MYS	8536.6990.99
PYDN-6.25T-200S	9.51	EC002586	PYDN8202G	4549734762878	#	10	CF	CFZ	MYS	8536.6990.99
PYDN-6.25T-200Y	9.51	EC002586	PYDN8203E	4549734762885	#	10	CF	CFZ	MYS	8536.6990.99
PYDN-7.75-020R	5.27	EC002586	PYDN0007A	4548583798335	#	10	CF	CFZ	JPN	8538.9099.99
PYDN-7.75-020S	5.27	EC002586	PYDN0008M	4548583798342	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-020Y	5.27	EC002586	PYDN0009H	4548583798359	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-030R	6.56	EC002586	PYDN0010A	4548583798366	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-030S	6.56	EC002586	PYDN0011M	4548583798373	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-030Y	6.56	EC002586	PYDN0012H	4548583798380	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-040R	8.12	EC002586	PYDN0013F	4548583798397	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-040S	8.12	EC002586	PYDN0014D	4548583798403	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-040Y	8.12	EC002586	PYDN0015B	4548583798410	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-200R	9.68	EC002586	PYDN0016M	4548583798427	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-200S	9.68	EC002586	PYDN0017R	4548583798434	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-200Y	9.68	EC002586	PYDN0018G	4548583798441	#	10	CF	CFZ	JPN	8536.6990.99
PYC-TR1	2.46	EC002586	AA056192M	4549734994453	#		CF	CFZ	HUN	8538.9099.99
P2CM-ESS	4.73	EC002586	P2R 9004B	4549734616133	#		CF	CFZ	HUN	8536.4900.99
P2CM-S	0.43	EC002586	PYC 6004C	4536854886522	#	50	CF	CFZ	CHN	8536.4900.99
PFC-A1	1.25	EC002586	PFC 1066M	4536853723156	#	200	CF	CFZ	JPN	8536.4900.99
PYC-0	4.19	EC002586	AA056189M	4549734994422	#		CF	CFZ	HUN	8538.9099.99
PYC-35-B	6.40	EC002586	AA056190C	4549734994439	#		CF	CFZ	HUN	8538.9099.99
PYC-A1	0.56	EC002586	PYC 1328B	4536853726171	#	100	CF	CFZ	JPN	8536.4900.99
PYC-E1	0.67	EC002586	PYC 1331B	4536854382406	#	100	CF	CFZ	JPN	8536.4900.99
PYCM-08S	0.43	EC002586	PYC 6000M	4536854750793	#	200	CF	CFZ	CHN	8536.4900.99
PYCM-14S	0.60	EC002586	PYC 6001R	4536854750816	#	50	CF	CFZ	CHN	8536.4900.99
PYC-P	0.35	EC002586	PYC 1000C	4536853726058	#	100	CF	CFZ	JPN	8536.4900.99
PYC-TR	3.59	EC002586	AA056191A	4549734994446	#	10	CF	CFZ	HUN	8538.9099.99
PPF-M	2.81	EC002586	PF 1209B	4536853722715	#	100	CF	CFZ	JPN	8536.4900.99
PPF-S	1.67	EC002848	PF 1227M	4536853722722	#	10	CF	CFZ	JPN	8536.4900.99
PPF-100N	22.60	EC001285	PF 1205M	4536853722692	#	25	CF	CFZ	CHN	8536.4900.99
PPF-100N2	29.02	EC001285	PF 1228R	4536853722739	#		CF	CFZ	CHN	8536.4900.99
PPF-50N	16.32	EC001285	PF 1208D	4536853722708	#		CF	CFZ	CHN	8536.4900.99
R99-04 FOR G5F	1.17	EC002586	RELY2054D	4536853729486	#	100	CF	CFZ	JPN	8536.4900.99
R99-12 FOR G3NA	20.62	EC002586	G3NA1050M	4536854912924	#	10	CF	CFZ	JPN	8536.4900.99
P2RVC-85T-1-5	58.55	EC002780	P2RV5201A	4549734763424	#		CF	CFZ	JPN	8538.9099.99
P2RVC-85T-1-5-1	58.55	EC002780	P2RV5202M	4549734763431	#		CF	CFZ	JPN	8538.9099.99
P2RVC-85T-1-7-1	57.40	EC002780	P2RV5203H	4549734763448	#		CF	CFZ	JPN	8538.9099.99
P2RVC-85T-0-5	59.70	EC002780	P2RV5204F	4549734763455	#		CF	CFZ	JPN	8538.9099.99
P2RVC-85T-0-5-1	59.70	EC002780	P2RV5205D	4549734763462	#		CF	CFZ	JPN	8538.9099.99
P2RVC-85T-0-7-1	59.10	EC002780	P2RV5206B	4549734763479	#		CF	CFZ	JPN	8538.9099.99
Endüstriyel Switch Z15										
Z-15G-B	10.89	EC000030	Z15G1318A	4548583364912	#	20	CG	CGA	IDN	8536.5015.90
Z-15GD	11.98	EC000030	Z15G1325D	4548583364981	#	20	CG	CGA	IDN	8536.5015.90
Z-15GDD5-B	16.29	EC000030	Z15G1326B	4548583364998	#	20	CG	CGA	IDN	8536.5015.90
Z-15GD-B	11.98	EC000030	Z15G1317C	4548583364905	#	20	CG	CGA	IDN	8536.5015.90
Z-15GK35-B	20.11	EC000030	Z15G0002M	4536854263316	#	20	CG	CGA	JPN	8536.5015.90
Z-15GK55	16.84	EC000030	Z15G0034R	4536854263354	#	20	CG	CGA	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Z-15GK55-B	Genel amaçlı basit switch, üstten basmalı (orta OP), SPDT, 15 A, sızdırmaz, vida terminali	17.37	EC000030	Z15G0035G	4536854263361	#	20	CG	CGA	JPN	8536.5015.90
Z-15GL2-B	General purpose basic switch, roller leaf spring, SPDT, 15A, screw terminals	13.50	EC000030	Z15G6009M	4536854266126	#	20	CG	CGA	JPN	8536.5015.90
Z-15GL-B	General-purpose Basic Switch, 15A, Leaf spring, screw terminal	12.45	EC000030	Z15G6001E	4536854266065	#	20	CG	CGA	JPN	8536.5015.90
Z-15GM2-B	General purpose basic switch, reverse hinge roller lever, SPDT, 15A	11.99	EC000030	Z15G8015F	4536854268427	#	20	CG	CGA	JPN	8536.5015.90
Z-15GM-B	General purpose basic switch, reverse hinge roller lever, SPDT, 15A	11.98	EC000030	Z15G8003B	4536854268366	#	20	CG	CGA	JPN	8536.5015.90
Z-15GNJ55-B	General purpose basic switch, flexible rod, SPDT, 15A, drip-proof	24.49	EC000030	Z15G5001M	4536854266003	#	10	CG	CGA	JPN	8536.5015.90
Z-15GQ	Genel amaçlı basit switch, panel montajlı üstten basmalı (orta OP), SPDT, 15 A, lehim terminal	13.93	EC000030	Z15G1322M	4548583364950	#	20	CG	CGA	IDN	8536.5015.90
Z-15GQ21	Genel amaçlı basit switch, panel montajlı zıt makaralı üstten basmalı, SPDT, 15 A, lehim terminal	19.04	EC000030	Z15G4018R	4536854265174	#	20	CG	CGA	JPN	8536.5015.90
Z-15GQ21-B	Genel amaçlı basit switch, panel montajlı zıt makaralı üstten basmalı, SPDT, 15 A, vida terminali	19.04	EC000030	Z15G4054E	4536854265419	#	20	CG	CGA	JPN	8536.5015.90
Z-15GQ22	Genel amaçlı basit switch, panel montajlı makaralı üstten basmalı, SPDT, 15 A, lehim terminal	18.48	EC000030	Z15G1323H	4548583364967	#	20	CG	CGA	IDN	8536.5015.90
Z-15GQ2255-B	General purpose basic switch, panel mount roller plunger, SPDT, 15A, drip proof, screw terminals	26.61	EC000030	Z15G4268H	4536854265983	#	20	CG	CGA	JPN	8536.5015.90
Z-15GQ22A55-B5V	General-purpose Basic Switch, 15A, panel mount roller plunger, drip-proof, screw terminal with terminal cover	35.80	EC000030	Z15G1103M	4536854264016	#	20	CG	CGA	JPN	8536.5015.90
Z-15GQ22-B	Genel amaçlı basit switch, panel montajlı makaralı üstten basmalı, SPDT, 15 A, vida terminali	19.04	EC000030	Z15G1316E	4548583364899	#	20	CG	CGA	IDN	8536.5015.90
Z-15GQ55-B	General purpose basic switch, panel mount plunger, SPDT, 15A, drip-proof	21.73	EC000030	Z15G4264E	4536854265945	#	20	CG	CGA	JPN	8536.5015.90
Z-15GQ8-B	General purpose basic switch, high operating force, panel mount plunger, SPDT, 15A	18.48	EC000030	Z15G4058H	4536854265433	#	20	CG	CGA	JPN	8536.5015.90
Z-15GQ-B	Genel amaçlı basit switch, panel montajlı üstten basmalı (orta OP), SPDT, 15 A, vida terminali	15.21	EC000030	Z15G1314R	4548583364875	#	20	CG	CGA	IDN	8536.5015.90
Z-15GQ-B7-K	General purpose basic switch, panel mount plunger (medium OP), SPDT, 15A, screw terminals	16.61	EC000030	Z15G9572B	4536854269325	#	20	CG	CGA	JPN	8536.5015.90
Z-15GS-B	Genel amaçlı basit switch, ince tip üstten basmalı, SPDT, 15 , vida terminali	13.05	EC000030	Z15G2001C	4536854264559	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW	Genel amaçlı basit switch, levye kol (Düşük OF), SPDT, 15 A, lehim terminal	10.35	EC000030	Z15G1320C	4548583364936	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW2	Genel amaçlı basit switch, makaralı levye kol, SPDT, 15 A, lehim terminal	10.89	EC000030	Z15G1321A	4548583364943	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW21-B	General purpose basic switch, short hinge lever, SPDT, 15A	9.79	EC000030	Z15G7043F	4536854266553	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW22	Genel amaçlı basit switch, makaralı kısa levye kol, SPDT, 15 A, lehim terminal	10.89	EC000030	Z15G1319M	4548583364929	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW2255	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip-proof	15.21	EC000030	Z15G7099A	4536854266805	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW2255-B	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip proof, screw terminals	14.70	EC000030	Z15G1327M	4548583365001	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW2277	Genel amaçlı basit switch, tek yönlü makaralı kısa levye kol, SPDT, 15 A, lehim terminal	14.15	EC000030	Z15G7149A	4536854266904	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW2277-B	Genel amaçlı basit switch, tek yönlü makaralı kısa levye kol, (Düşük OF), SPDT, 15 A, vida terminali	14.70	EC000030	Z15G1309B	4548583364820	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW22A55-B5V	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip proof, screw terminals with terminal cover	32.55	EC000030	Z15G1092A	4536854263934	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW22-B	Genel amaçlı basit switch, makaralı kısa levye kol, SPDT, 15 A, vida terminali	10.89	EC000030	Z15G1301G	4548583364745	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW255	General purpose basic switch, hinge roller lever, SPDT, 15A, drip-proof	12.53	EC000030	Z15G7236F	4536854267130	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW255-B	General purpose basic switch, hinge roller lever, SPDT, 15A, drip-proof, screw terminal	16.29	EC000030	Z15G7237D	4536854267147	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW2-B	Genel amaçlı basit switch, makaralı levye kol, SPDT, 15 A, vida terminali	10.89	EC000030	Z15G1302E	4548583364752	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW4	General purpose basic switch, low force hinge lever, SPDT, 15A	10.35	EC000030	Z15G7417B	4536854267482	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW4A55-B	General purpose basic switch, long hinge lever, SPDT, 15A, drip proof, screw terminals	16.84	EC000030	Z15G7434B	4536854267581	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW4-B	General purpose basic switch, low force hinge lever, SPDT, 15A	10.35	EC000030	Z15G7418M	4536854267499	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW55	General purpose basic switch, hinge lever (low OF), SPDT, 15A, drip proof, solder terminals	10.89	EC000030	Z15G1328R	4548583365018	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW55-B	General purpose basic switch, hinge lever, SPDT, 15A, drip-proof	15.21	EC000030	Z15G7568C	4536854267826	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW-B	Genel amaçlı basit switch, levye kol (Düşük OF), SPDT, 15 A, vida terminali	10.35	EC000030	Z15G1303C	4548583364769	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW-B7-K	General purpose basic switch, hinge lever (low OF), SPDT, 15A, screw terminals	18.02	EC000030	Z15G1313M	4548583364868	#	20	CG	CGA	IDN	8536.5015.90
Z-15HNJ55-B	General purpose basic switch, flexible rod (steel), SPDT, high sensitive, drip proof, screw terminals	28.41	EC000030	Z15H5001D	4536854270505	#	10	CG	CGA	JPN	8536.5015.90
Z-15HW24	General purpose basic switch, hinge lever, SPDT, high sensitive	13.76	EC000030	Z15H7078C	4536854270871	#	10	CG	CGA	JPN	8536.5015.90
Z-15HW24-B	General purpose basic switch, hinge lever, SPDT, high sensitive, screw terminal	13.61	EC000030	Z15H7079A	4536854270888	#	10	CG	CGA	JPN	8536.5015.90
Z-15HW78	General purpose basic switch, wire hinge lever, SPDT, 15A	14.89	EC000030	Z15H7243C	4536854271298	#	10	CG	CGA	JPN	8536.5015.90
Z-15HW78-B	General purpose basic switch, wire hinge lever, SPDT, 15A, screw terminal	14.70	EC000030	Z15H7244A	4536854271304	#	10	CG	CGA	JPN	8536.5015.90

Endüstriyel Switch D4MC

D4MC-1000	Kapalı switch, levye kol, SPDT, 10 A	20.73	EC000030	D4MC1001D	4536853225490	#	10	CG	CGB	JPN	8536.5015.90
D4MC-2000	Kapalı switch, makaralı levye kol, SPDT, 10 A	21.34	EC000030	D4MC9500A	4536853226510	#	10	CG	CGB	JPN	8536.5015.90
D4MC-2020	Kapalı switch, makaralı orta uzunlukta levye kol, SPDT, 10 A	20.23	EC000030	D4MC2001M	4536853225650	#	10	CG	CGB	JPN	8536.5015.90
D4MC-3030	Enclosed switch, 1-way, short hinge roller lever, SPDT, 10 A	23.88	EC000030	D4MC3001E	4536853225933	#	10	CG	CGB	JPN	8536.5015.90
D4MC-5000	Kapalı switch, panel montajlı üstten basmalı, SPDT, 10 A	26.43	EC000030	D4MC5001F	4536853225995	#	10	CG	CGB	JPN	8536.5015.90
D4MC-5020	Kapalı switch, panel montajlı makaralı üstten basmalı, SPDT, 10 A	29.22	EC000030	D4MC5020B	4536853226114	#	10	CG	CGB	JPN	8536.5015.90
D4MC-5040	Kapalı switch, panel montajlı geçiş makaralı üstten basmalı, SPDT, 10 A	29.50	EC000030	D4MC5039C	4536853226244	#	10	CG	CGB	JPN	8536.5015.90

Endüstriyel Switch WL

WL-1A100	WL series limit switch replacement roller lever	10.27	EC002594	WL 9100D	4536854171215	#		CG	CGC	JPN	9032.9000.90
WL-1H2100	Operating Head and lever for Adjustable Roller Lever Limit Switch	37.00	EC001483	WL 9153E	4536854171536	#	10	CG	CGC	JPN	9032.9000.90
WL-2A100	Replacement actuator for WL series limit switch: adjustable roller lever, standard roller	13.09	EC002594	WL 9103R	4536854171246	#		CG	CGC	JPN	9032.9000.90
WL-9H100-N	WL-N series limit switch replacement head with coil spring lever	28.98	EC001483	WLN 1220M	4548583547872	#	10	CG	CGC	JPN	9032.9000.90
WL-9H300-N	Head set for WLNJ-2	49.44	EC001483	WLN 1225M	4548583547926	#	5	CG	CGC	JPN	9032.9000.90
WLC A12-2NG-N	Limit switch, ayarlanabilir makaralı kol: R25 - 89 mm, pretravel 15±5°, overtravel 90°, DPDB, Pg13.5 Topraklama terminali	136.00	EC000030	WLN 0025B	4548583477520	#		CG	CGC	JPN	8536.5015.90
WLC A12-G-N	Limit switch, ayarlanabilir makaralı kol: R25 - 89 mm, pretravel 15±5°, DPDB, Pg13.5 Topraklama terminali	82.10	EC000030	WLN 0370G	4548583485198	#		CG	CGC	CHN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
WLCA12-THG-N	Limit switch, ayarlanabilir makaralı kol: R25 - 89 mm, pretravel 15±5°, DPDB, Sıcaklığa dayanıklı: +5°C - +120°C, Pg13.5 Topraklama terminali	157.30	EC000030	WLN 0058R	4548583477858	#		CG	CGC	JPN	8536.5015.90
WLCA12-Y-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, DPDB, M20 with ground terminal	71.40	EC000030	WLN 0062G	4548583477896	#		CG	CGC	JPN	8536.5015.90
WLCA2-2G-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, Overtravel 90°, DPDB, Pg13.5 with ground terminal	87.90	EC000030	WLN 0080E	4548583478077	#		CG	CGC	JPN	8536.5015.90
WLCA2-2NG-N	Limit switch, makaralı kol: R38 mm, pretravel 15±5°, overtravel 90°, DPDB, Pg13.5 Topraklama terminali	104.00	EC000030	WLN 0088M	4548583478152	#		CG	CGC	JPN	8536.5015.90
WLCA2-G	Limit switch, standard roller lever, DPDB, 10A	77.15	EC000030	WL 1013F	4536854160745	#		CG	CGC	JPN	8536.5015.90
WLCA2-G1-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, DPDB, G1/2 with ground terminal	66.70	EC000030	WLN 0129A	4548583478565	#		CG	CGC	JPN	8536.5015.90
WLCA2-G-N	Limit switch, makaralı kol: R38 mm, pretravel 15±5°, DPDB, Pg13.5 Topraklama terminali	77.15	EC000030	WLN 0384G	4548583485334	#		CG	CGC	CHN	8536.5015.90
WLCA2-THG-N	Limit switch, makaralı kol: R38 mm, pretravel 15±5°, DPDB, Sıcaklığa dayanıklı: +5°C - +120°C, Pg13.5 Topraklama terminali	107.50	EC000030	WLN 0159C	4548583478862	#		CG	CGC	JPN	8536.5015.90
WLCA2-Y-N	Limit switch, adjustable roller lever: standard, DPDB, M20 with ground terminal	69.00	EC000030	WLN 0391M	4548583485402	#		CG	CGC	CHN	8536.5015.90
WLCA32-41G-N	Limit switch, lock fork roller lever, DPDB, 10A	97.15	EC000030	WLN 1153M	4548583543478	#		CG	CGC	CHN	8536.5015.90
WLCA32-43G-N	Limit switch, çatal kol, DPDB, 10 A	97.70	EC000030	WLN 1157B	4548583543515	#		CG	CGC	CHN	8536.5015.90
WLCA4-G1-LD-N	Limit switch, roller lever, DPDB, LED, G1/2 with ground terminal	158.40	EC000030	WLN 0171B	4548583478985	#		CG	CGC	JPN	8536.5015.90
WLCL-G-N	Limit switch, ayarlanabilir çubuk kol: 25 - 140 mm, pretravel 15±5°, DPDB, Pg13.5 Topraklama terminali	80.45	EC000030	WLN 0395B	4548583485440	#		CG	CGC	CHN	8536.5015.90
WLD18-G-N	Limit switch, üstten basmalı, DPDB, G1/2 Topraklama terminali	68.70	EC000030	WLN 1160B	4548583543546	#		CG	CGC	CHN	8536.5015.90
WLD28-G-N	Limit switch, roller top plunger, DPDB, 10A, Pg13.5 with ground terminal	72.75	EC000030	WLN 1167M	4548583543614	#		CG	CGC	CHN	8536.5015.90
WLD2-G	Limit switch, üstten basmalı, makaralı, DPDB, 10 A	68.70	EC000030	WL 4004C	4536854167027	#		CG	CGC	JPN	8536.5015.90
WLG2-G1LD	Limit switch, adjustable roller lever, pretravel 10°+2/-1°, DPDB, LED, G1/2 With ground terminal	198.80	EC000030	WL 0065C	4536854158773	#		CG	CGC	JPN	8536.5015.90
WLG2-LDF5-DGJ503	Limit switch, roller lever: overtravel, high-sensitivity, LED indicator, DPDB, 10A, spatter proof, pre-wired connector	131.40	EC000030	WL 1454R	4536854940071	#		CG	CGC	JPN	8536.5015.90
WLNJ-2G-N	Limit switch, flexible rod coil spring resin rod, DPDB, 10A	77.15	EC000030	WLN 1178E	4548583543720	#		CG	CGC	CHN	8536.5007.00
WLNJ-G1-N	Limit switch, Flexible rod, pretravel 20±10 mm, DPDB, G1/2 with ground terminal	58.35	EC000030	WLN 1047R	4548583542419	#		CG	CGC	JPN	8536.5007.00
WLNJ-G-N	Limit switch, esnek bobin yaylı, pretravel 20±10 dkm, DPDB, Pg13.5 Topraklama terminali	57.30	EC000030	WLN 1186F	4548583543805	#		CG	CGC	CHN	8536.5007.00
WLNJ-S2G-N	Limit switch, Flexible rod: Steel wire pretravel 20±10 mm, DPDB, Pg13.5 with ground terminal	67.00	EC000030	WLN 1189M	4548583543836	#		CG	CGC	CHN	8536.5007.00
WLNJ-Y-N	Limit switch, Flexible rod: Coil spring, pretravel 15±5°, DPDB, M20 with ground terminal	64.10	EC000030	WLN 1196C	4548583543904	#		CG	CGC	CHN	8536.5007.00

Endüstriyel Switch ZC

ZC-D55	Enclosed basic switch, plunger, SPDT, 15A	36.78	EC000030	ZC551000G	4536854251061	#	10	CG	CGD	JPN	8536.5015.90
ZC-N2255	Enclosed basic switch, Sealed roller plunger, SPDT, 15A	55.75	EC000030	ZC556000D	4536854252907	#	10	CG	CGD	JPN	8536.5015.90
ZC-Q2155	Kapalı basit switch, panel montajlı geçiş makaralı üstten basmalı, SPDT, 15 A	43.74	EC000030	ZC553000H	4536854251436	#	10	CG	CGD	JPN	8536.5015.90
ZC-Q2255	Kapalı basit switch, panel montajlı makaralı üstten basmalı, SPDT, 15 A	44.23	EC000030	ZC554000C	4536854252365	#	10	CG	CGD	JPN	8536.5015.90
ZC-Q55	Kapalı basit switch, panel montajlı üstten basmalı, SPDT, 15 A	42.59	EC000030	ZC552000B	4536854251276	#	10	CG	CGD	JPN	8536.5015.90
ZC-W155	Enclosed basic switch, hinge lever, SPDT, 15A	33.92	EC000030	ZC557101D	4536854253249	#	10	CG	CGD	JPN	8536.5015.90
ZC-W2155	Enclosed basic switch, hinge roller lever, SPDT, 15A	36.03	EC000030	ZC557401C	4536854253416	#		CG	CGD	JPN	8536.5015.90
ZC-W255	Enclosed basic switch, short hinge roller lever, SPDT, 15A	36.03	EC000030	ZC557400E	4536854253409	#	10	CG	CGD	JPN	8536.5015.90

Endüstriyel Switch ZE/ZV

ZE-N22-2G	Enclosed switch, sealed roller plunger, SPDT, 15A	97.70	EC000030	ZE 6005M	4536854255151	#		CG	CGE	JPN	8536.5015.90
ZE-N-2G	Kapalı switch, üstten basmalı, SPDT, 15 A	52.75	EC000030	ZE 5003R	4536854255038	#		CG	CGE	JPN	8536.5015.90
ZE-NA2-2G	Kapalı switch, makaralı kol, SPDT, 15 A	66.20	EC000030	ZE 7002A	4536854255229	#		CG	CGE	JPN	8536.5015.90
ZE-Q21-2G	Kapalı switch, zıt makaralı üstten basmalı, SPDT, 15 A	57.40	EC000030	ZE 2002D	4536854254840	#		CG	CGE	JPN	8536.5015.90
ZE-Q22-2G	Kapalı switch, makaralı üstten basmalı, SPDT, 15 A	56.90	EC000030	ZE 9519R	4536854255496	#		CG	CGE	JPN	8536.5015.90
ZE-Q-2G	Kapalı switch, üstten basmalı, SPDT, 15 A	51.80	EC000030	ZE 1002R	4536854254789	#		CG	CGE	JPN	8536.5015.90
ZE-QA2-2G	Enclosed switch, roller arm lever, SPDT, 15A	57.95	EC000030	ZE 3002M	4536854254932	#		CG	CGE	JPN	8536.5015.90

Endüstriyel Switch D4C

D4C-1201	Kompak kapalı limit switch, üstten basmalı, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	63.45	EC000030	D4CN1201B	4536853210052	#		CG	CGF	JPN	8536.5015.90
D4C-1202	Kompak kapalı limit switch, makaralı üstten basmalı, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF yağa dayanıklı kablolu	63.05	EC000030	D4CN1202M	4536853210069	#		CG	CGF	JPN	8536.5015.90
D4C-1203	Compact enclosed limit switch, cross roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	67.60	EC000030	D4CN1203R	4536853210076	#		CG	CGF	JPN	8536.5015.90
D4C-1220	Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	81.40	EC000030	D4CN1220R	4536853210113	#		CG	CGF	JPN	8536.5015.90
D4C-1224	Compact enclosed limit switch, roller lever (high sensitivity), 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	83.85	EC000030	D4CN1224A	4536853210151	#		CG	CGF	JPN	8536.5015.90
D4C-1231	Compact enclosed limit switch, sealed pin plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	77.90	EC000030	D4CN1231D	4536853210182	#		CG	CGF	JPN	8536.5015.90
D4C-1232	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	81.40	EC000030	D4CN1232B	4536853210199	#		CG	CGF	JPN	8536.5015.90
D4C-1233	Compact enclosed limit switch, Sealed crossroller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	79.60	EC000030	D4CN1233M	4536853210205	#		CG	CGF	JPN	8536.5015.90
D4C-1250	Compact enclosed limit switch, plastic rod, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	80.45	EC000030	D4CN1250M	4536853210243	#		CG	CGF	JPN	8536.5015.90
D4C-1332	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oil-resistant cable	93.50	EC000030	D4CN1332R	4536853210342	#		CG	CGF	JPN	8536.5015.90
D4C-1G01 5M	Compact enclosed limit switch	126.70	EC000030	D4CN0236M	4547648734493	#		CG	CGF	JPN	8536.5015.90
D4C-3202	Compact enclosed limit switch, roller plunger, 4 A 30 VDC, 3m VCTF oil-resistant cable	70.10	EC000030	D4CN3202A	4536853212865	#		CG	CGF	JPN	8536.5015.90
D4C-3260	Compact enclosed limit switch, centre roller lever plunger, 4 A 30 VDC, 3m VCTF oil-resistant cable	94.70	EC000030	D4CN3260R	4536853213060	#		CG	CGF	JPN	8536.5015.90
D4C-3324	Compact enclosed limit switch, Roller lever high sensitivity, 4 A 30 VDC, 5m VCTF oil-resistant cable	101.00	EC000030	D4CN3324R	4536853213152	#		CG	CGF	JPN	8536.5015.90
D4C-4332	Compact enclosed limit switch, sealed roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 5m VCTF oil-resistant cable	92.00	EC000030	D4CN4332E	4536853214203	#		CG	CGF	JPN	8536.5015.90
D4C-6403	Compact enclosed limit switch	83.25	EC000030	D4CN6403R	4536853215682	#		CG	CGF	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4CC-3002	Compact limit switch, connector type, 1 A 30 VDC, roller plunger	83.45	EC000030	D4CC3002M	4536853208417	#		CG	CGF	JPN	8536.5015.90
D4CC-3024	Compact limit switch, connector type, 1 A 30 VDC, high sensitivity roller lever	92.40	EC000030	D4CC3024M	4536853208448	#		CG	CGF	JPN	8536.5015.90
D4CC-3032	Compact limit switch, connector type, 1 A 30 VDC, Sealed roller plunger	95.85	EC000030	D4CC3032A	4536853208479			CG	CGF	JPN	8536.5015.90
D4CC-3050	Compact limit switch, connector type, 1 A 125 VAC, plastic rod	112.90	EC000030	D4CC3050M	4536853208523			CG	CGF	JPN	8536.5015.90
D4CC-4002	Compact limit switch, connector type, 1 A 30 VDC, roller plunger	94.90	EC000030	D4CC4002E	4536853208561	#		CG	CGF	JPN	8536.5015.90
D4CC-4024	Compact limit switch, connector type, 1 A 30 VDC,	99.75	EC000030	D4CC4024F	4536853208592			CG	CGF	JPN	8536.5015.90
D4CC-4032	Compact limit switch, connector type, 1 A 30 VDC, LED, Sealed roller plunger	97.60	EC000030	D4CC4032G	4536853208622			CG	CGF	JPN	8536.5015.90
Endüstriyel Switch HL											
HL-5000G	Limit switch, makaralı kol, Topraklama terminalli	54.20	EC000030	HL5 5418G	4548583439153	#		CG	CGH	CHN	8536.5015.90
HL-5030G	Limit switch, ayarlanabilir makaralı kol, Topraklama terminalli	55.75	EC000030	HL5 5420R	4548583439177	#		CG	CGH	CHN	8536.5015.90
HL-5050G	Limit switch, ayarlanabilir çubuk kol, Topraklama terminalli	55.40	EC000030	HL5 5422E	4548583439191	#		CG	CGH	CHN	8536.5015.90
HL-5100G	Limit switch, korumalı üstten basmalı, Topraklama terminalli	61.40	EC000030	HL5 5424A	4548583439214			CG	CGH	CHN	8536.5015.90
HL-5200G	Limit switch, korumalı makaralı üstten basmalı, Topraklama terminalli	64.65	EC000030	HL5 5426H	4548583439238	#		CG	CGH	CHN	8536.5015.90
HL-5300G	Limit switch, bobin yaylı, Topraklama terminalli	64.60	EC000030	HL5 5428D	4548583439252	#		CG	CGH	CHN	8536.5015.90
Endüstriyel Switch SHL											
SHL-D55	Subminiature enclosed switch, plunger actuator	39.38	EC000030	SHLN2100A	4536853780425	#	10	CG	CGI	JPN	8536.5015.90
SHL-D55-01	Subminiature enclosed switch, plunger actuator, 0.1A micro load	48.57	EC000030	SHLN0100M	4536853779016	#	10	CG	CGI	JPN	8536.5015.90
SHL-Q2155	Enclosed switch, panel mount across roller plunger, SPDT,10A	44.01	EC000030	SHLN2300D	4536853780821	#	10	CG	CGI	JPN	8536.5015.90
SHL-Q2155-01	Enclosed switch, panel mount across roller plunger, SPDT,10A micro voltage	46.42	EC000030	SHLN3000C	4536853779450			CG	CGI	JPN	8536.5015.90
SHL-Q2255	Enclosed switch, panel mount roller plunger, SPDT,10A	45.15	EC000030	SHLN2400M	4536853781002	#	10	CG	CGI	JPN	8536.5015.90
SHL-Q2255-01	Enclosed switch, panel mount roller plunger, SPDT,10A micro voltage	45.98	EC000030	SHLN0400M	4536853779627	#	10	CG	CGI	JPN	8536.5015.90
SHL-Q55	Subminiature enclosed switch, panel mount plunger	40.15	EC000030	SHLN2200H	4536853780623	#	5	CG	CGI	JPN	8536.5015.90
SHL-W155	Enclosed switch, hinge lever, SPDT, 10A	40.72	EC000030	SHLN3001R	4536853781637	#	10	CG	CGI	JPN	8536.5015.90
SHL-W2155	Enclosed switch, hinge roller lever, SPDT, 10A	40.76	EC000030	SHLN3003E	4536853781651	#	10	CG	CGI	JPN	8536.5015.90
SHL-W255	Enclosed switch, short hinge roller lever, SPDT, 10A	38.82	EC000030	SHLN2800F	4536853781408	#	10	CG	CGI	JPN	8536.5015.90
Endüstriyel Switch A22											
A22NZ-2BL-NBA	Selector A22NZ 022, 2 position, NON-Lighted, bezel PLASTIC, AUTO RESET ON LEFT, COLOR BLACK	6.51	EC000222	A2270414R	4548583715608		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-01AA	Selector A22NZ 022, Key type S, 2 position, bezel plastic, MANUAL, RELEASE position ALL	14.03	EC000222	A2270613C	4548583717596	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-01BA	Selector A22NZ 022, Key type S, 2 position, bezel plastic, MANUAL, RELEASE position LEFT	21.08	EC000222	A2270614A	4548583717602	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-NBA	Selector A22NZ 022, 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR BLACK	6.51	EC000222	A2270402E	4548583715486	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-NRA	Selector A22NZ 022, 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR RED	6.52	EC000222	A2270397E	4548583715431			CG	CGK	TWN	8536.5015.90
A22NZ-2MM-01BA	Selector A22NZ 022, Key type S, 2 position, bezel brushed M, MANUAL, RELEASE position LEFT	18.08	EC000222	A2270618D	4548583717640		20	CG	CGK	TWN	8536.5015.90
A22NZ-2MM-NBA	Selector A22NZ 022, 2 position, NON-Lighted, bezel brushed metal, MANUAL, COLOR BLACK	4.99	EC000222	A2270426B	4548583715721		10	CG	CGK	TWN	8536.5015.90
A22NZ-3BB-NBA	Selector A22NZ 022, 3 position, NON-Lighted, bezel PLASTIC, AUTO RESET ON L/R, COLOR BLACK	6.77	EC000222	A2270510B	4548583716568	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-3BM-NBA	Selector A22NZ 022, 3 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR BLACK	6.77	EC000222	A2270474B	4548583716209	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-3MM-NBA	Selector A22NZ 022, 3 position, NON-Lighted, bezel brushed metal, MANUAL, COLOR BLACK	4.69	EC000222	A2270522F	4548583716681		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NAA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque BLUE,	4.70	EC000221	A2270041M	4548583711877		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NGA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque GREEN,	4.70	EC000221	A2270038M	4548583711846		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NRA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque RED,	4.70	EC000221	A2270037B	4548583711839		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NWA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque WHITE,	4.70	EC000221	A2270040B	4548583711860			CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NYA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque YELLOW,	4.70	EC000221	A2270039R	4548583711853			CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NBA	Pushbutton A22NZ 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque BLACK,	5.20	EC000221	A2270060G	4548583712065			CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NGA	Pushbutton A22NZ 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque GREEN,	4.70	EC000221	A2270056R	4548583712027		10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NRA	Pushbutton A22NZ 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque RED,	4.70	EC000221	A2270055M	4548583712010		10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NAA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque BLUE,	5.20	EC000221	A2270005D	4548583711518	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NBA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque BLACK,	5.20	EC000221	A2270006B	4548583711525	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NGA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque GREEN,	5.20	EC000221	A2270002M	4548583711488	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NRA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque RED,	5.42	EC000221	A2270001A	4548583711471	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NWA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque WHITE,	5.42	EC000221	A2270004F	4548583711501		10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NYA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque YELLOW,	5.22	EC000221	A2270003H	4548583711495	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NAA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque BLUE,	5.35	EC000221	A2270077A	4548583712232	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NBA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque BLACK,	5.37	EC000221	A2270078M	4548583712249		10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NWA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque WHITE,	5.35	EC000221	A2270076C	4548583712225		20	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-TGA	Selector A22NZ 022, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR GREEN	6.53	EC000222	A2270404A	4548583715509	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-TRA	Selector A22NZ 022, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR RED	6.53	EC000222	A2270403C	4548583715493		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-TWA	Selector A22NZ 022, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR WHITE	6.53	EC000222	A2270406H	4548583715523			CG	CGK	TWN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A22NZ-2BM-TYA	Selector A22NZ Ø22, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR YELLOW	4.69	EC000222	A2270405M	4548583715516			CG	CGK	TWN	8536.5015.90
A22NZ-2MM-TGA	Selector A22NZ Ø22, 2 position, Lighted, bezel brushed M, MANUAL, COLOR GREEN	4.99	EC000222	A2270428R	4548583715745	4		CG	CGK	TWN	8536.5015.90
A22NZ-2MM-TYA	Selector A22NZ Ø22, 2 position, Lighted, bezel brushed M, MANUAL, COLOR YELLOW	5.95	EC000222	A2270429G	4548583715752			CG	CGK	TWN	8536.5015.90
A22NZ-3BB-TYA	Selector A22NZ Ø22, 3 position, Lighted, bezel PLASTIC, AUTO RESET ON L/R, COLOR YELLOW	6.77	EC000222	A2270513G	4548583716599	4		CG	CGK	TWN	8536.5015.90
A22NZ-3BM-TGA	Selector A22NZ Ø22, 3 position, Lighted, bezel PLASTIC, MANUAL, COLOR GREEN	7.37	EC000222	A2270476R	4548583716223	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-3BM-TRA	Selector A22NZ Ø22, 3 position, Lighted, bezel PLASTIC, MANUAL, COLOR RED	7.37	EC000222	A2270475M	4548583716216	10		CG	CGK	TWN	8536.5015.90
A22NZ-3BM-TYA	Selector A22NZ Ø22, 3 position, Lighted, bezel PLASTIC, MANUAL, COLOR YELLOW	7.37	EC000222	A2270477G	4548583716230			CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TAA	Pushbutton A22NZ Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED	4.70	EC000221	A2270047M	4548583711938	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-3BB-TGA	Pushbutton A22NZ Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED	4.70	EC000221	A2270044E	4548583711907	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TRA	Pushbutton A22NZ Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent RED, LIGHTED	4.70	EC000221	A2270043G	4548583711891	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TWA	Pushbutton A22NZ Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent WHITE, LIGHTED	4.75	EC000221	A2270046A	4548583711921	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TYA	Pushbutton A22NZ Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED	4.75	EC000221	A2270045C	4548583711914	10		CG	CGK	TWN	8536.5015.90
A22NZ-BMM-TRA	Pushbutton A22NZ Ø22, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Transparent RED, LIGHTED	4.52	EC000221	A2270061E	4548583712072	20		CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TAA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED	3.29	EC000221	A2270011R	4548583711570	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TGA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED	3.29	EC000221	A2270008R	4548583711549	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TRA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent RED, LIGHTED	3.29	EC000221	A2270007M	4548583711532	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TWA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent WHITE, LIGHTED	3.29	EC000221	A2270010M	4548583711563	10		CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TYA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED	3.29	EC000221	A2270009G	4548583711556	10		CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TAA	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED	5.37	EC000221	A2270083F	4548583712294	20		CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TRA	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent RED, LIGHTED	5.37	EC000221	A2270079H	4548583712256	10		CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TYA	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED	5.37	EC000221	A2270081M	4548583712270	10		CG	CGK	TWN	8536.5015.90
A22-01	Contact block, SPST-NC, general-purpose load	5.02	EC000041	A22 0050H	4536854356452	#	50	CG	CGK	JPN	8536.5015.90
A22-01S	Contact block, SPST-NC, microload	18.25	EC000041	A22 0105R	4536854452475			CG	CGK	JPN	8536.5015.90
A22-02	Contact block, DPST-NC, general-purpose load	14.18	EC000041	A22 0107E	4536854453397	#	30	CG	CGK	JPN	8536.5015.90
A22-10	Contact block, SPST-NO, general-purpose load	5.02	EC000041	A22 0051F	4536854356469	#	50	CG	CGK	JPN	8536.5015.90
A22-20	Contact block, DPST-NO, general-purpose load	14.18	EC000041	A22 0108C	4536854453403	30		CG	CGK	JPN	8536.5015.90
A22NZ-L-AC	Pushbutton accessory A22NZ, Blue LED Lamp 24 VAC/DC	4.64	EC002498	A2270678H	4548583718241	#	50	CG	CGK	TWN	8536.5015.90
A22NZ-L-AE	Pushbutton accessory A22NZ, Blue LED Lamp 200/220/230 VAC	4.64	EC002498	A2270690G	4548583718364	50		CG	CGK	TWN	8536.5015.90
A22NZ-L-GB	Pushbutton accessory A22NZ, Green LED Lamp 12 VAC/DC	5.75	EC002498	A2270670B	4548583718166			CG	CGK	TWN	8536.5015.90
A22NZ-L-GC	Pushbutton accessory A22NZ, Green LED Lamp 24 VAC/DC	4.64	EC002498	A2270676A	4548583718227	#	50	CG	CGK	TWN	8536.5015.90
A22NZ-L-GD	Pushbutton accessory A22NZ, Green LED Lamp 100/110/120 VAC	4.64	EC002498	A2270682F	4548583718289			CG	CGK	TWN	8536.5015.90
A22NZ-L-GE	Pushbutton accessory A22NZ, Green LED Lamp 200/220/230 VAC	5.25	EC002498	A2270688E	4548583718340	50		CG	CGK	TWN	8536.5015.90
A22NZ-L-OC	Pushbutton accessory A22NZ, Orange LED Lamp 24 VAC/DC	4.64	EC002498	A2270680M	4548583718265	50		CG	CGK	TWN	8536.5015.90
A22NZ-L-OE	Pushbutton accessory A22NZ, Orange LED Lamp 200/220/230 VAC	4.64	EC002498	A2270692C	4548583718388	50		CG	CGK	TWN	8536.5015.90
A22NZ-L-RC	Pushbutton accessory A22NZ, Red LED Lamp 24 VAC/DC	4.64	EC002498	A2270675C	4548583718210	#	50	CG	CGK	TWN	8536.5015.90
A22NZ-L-RE	Pushbutton accessory A22NZ, Red LED Lamp 200/220/230 VAC	4.86	EC002498	A2270687G	4548583718333	50		CG	CGK	TWN	8536.5015.90
A22NZ-L-WA	Pushbutton accessory A22NZ, White LED Lamp 6 VDC	4.86	EC002498	A2270667B	4548583718135			CG	CGK	TWN	8536.5015.90
A22NZ-L-WC	Pushbutton accessory A22NZ, White LED Lamp 24 VAC/DC	5.08	EC002498	A2270679F	4548583718258	#	50	CG	CGK	TWN	8536.5015.90
A22NZ-L-WD	Pushbutton accessory A22NZ, White LED Lamp 100/110/120 VAC	4.64	EC002498	A2270685M	4548583718319	30		CG	CGK	TWN	8536.5015.90
A22NZ-L-WE	Pushbutton accessory A22NZ, White LED Lamp 200/220/230 VAC	5.24	EC002498	A2270691E	4548583718371	50		CG	CGK	TWN	8536.5015.90
A22NZ-L-YC	Pushbutton accessory A22NZ, Yellow LED Lamp 24 VAC/DC	4.64	EC002498	A2270677M	4548583718234	#	50	CG	CGK	TWN	8536.5015.90
A22NZ-L-YE	Pushbutton accessory A22NZ, Yellow LED Lamp 200/220/230 VAC	4.86	EC002498	A2270689C	4548583718357	50		CG	CGK	TWN	8536.5015.90
A22NZ-S-G1A	Pushbutton A22NZ, Contact Block SPST-NO (blue)	3.70	EC000041	A2270655R	4548583718012	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-S-G1B	Pushbutton A22NZ, Contact Block SPST-NC (orange)	3.70	EC000041	A2270656G	4548583718029	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-S-P1A	A22N Kontak blokkan, SPST-NO, push-in terminali	7.04	EC000041	A2275001R	4548583920903	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-S-P1B	A22N Kontak blokkan, SPST-NC, push-in terminali	7.04	EC000041	A2275002G	4548583920910	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-S-P2A	A22N Kontak blokkan, DPST-NO, push-in terminali	13.67	EC000041	A2275003E	4548583920927	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-S-P2B	A22N kontak blokkan, DPST-NC, push-in terminali	13.53	EC000041	A2275004C	4548583920934	20		CG	CGK	TWN	8536.5015.90
A22NZ-S-P2C	A22N Kontak blokkan, SPST-NO + SPST-NC, push-in terminali	18.13	EC000041	A2275005A	4548583920941	20		CG	CGK	TWN	8536.5015.90
A22NZ-T-B	Pushbutton accessory A22NZ, Lighting Unit 12 VAC/VDC	4.24	EC000204	A2270658C	4548583718043			CG	CGK	TWN	8536.5015.90
A22NZ-T-C	Pushbutton accessory A22NZ, Lighting Unit 24 VAC/VDC	3.59	EC000204	A2270659A	4548583718050	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-T-CP	A22N Aydınlatma Ünitesi, 24 VAC / DC, push-in terminali	6.81	EC000204	A2275008F	4548583920972	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-T-D	Pushbutton accessory A22NZ, Lighting Unit 100/110/120 VAC	4.24	EC000204	A2270660E	4548583718067			CG	CGK	TWN	8536.5015.90
A22NZ-T-E	Pushbutton accessory A22NZ, Lighting Unit 200/220/230 VAC	4.24	EC000204	A2270661C	4548583718074	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-T-EP	A22N Aydınlatma Ünitesi, 200/220/230/240 VAC, push-in terminali	12.30	EC000204	A2275010H	4548583920996	20		CG	CGK	TWN	8536.5015.90
A22-TN	Lamp socket, direct lighting	2.95	EC000204	A22 0087G	4536854408274	#	50	CG	CGK	JPN	8536.5015.90

Endüstriyel Switch A16

A16L-AG	Pushbutton, illuminated, square, IP40, green	4.22	EC001072	A16 2026B	4536853010096	10		CG	CGL	JPN	8536.5015.90
A16L-JG	Pushbutton, illuminated, rectangular, IP40, green	4.09	EC001072	A16 2032G	4536853010157	10		CG	CGL	JPN	8536.5015.90
A16L-JGY	Pushbutton, illuminated, rectangular, IP40, green for LED only	4.09	EC001072	A16 2033E	4536853010164	10		CG	CGL	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A16L-JR	Pushbutton, illuminated, rectangular, IP40, red	4.09	EC001072	A16 2034C	4536853010171	#	10	CG	CGL	JPN	8536.5015.90
A16L-JW	Pushbutton, illuminated, rectangular, IP40, white	4.09	EC001072	A16 2035A	4536853010188	#	10	CG	CGL	JPN	8536.5015.90
A16SL-JA	Pushbutton, illuminated, rectangular, IP65, blue	5.51	EC001072	A16 2013M	4536853009960	#	10	CG	CGL	JPN	8536.5015.90
A16SL-JB	Pushbutton, illuminated, rectangular, IP65, black	5.40	EC001072	A16 2005M	4536853009885	#	10	CG	CGL	JPN	8536.5015.90
A16SL-JG	Pushbutton, illuminated, rectangular, IP65, green	5.51	EC001072	A16 2014R	4536853009977	#	10	CG	CGL	JPN	8536.5015.90
A16SL-JGY	Pushbutton, illuminated, rectangular, IP65, green for LED only	4.20	EC001072	A16 2015G	4536853009984	#	10	CG	CGL	JPN	8536.5015.90
A16SL-JR	Pushbutton, illuminated, rectangular, IP65, red	5.51	EC001072	A16 2016E	4536853009991	#	10	CG	CGL	JPN	8536.5015.90
A16SL-JW	Pushbutton, illuminated, rectangular, IP65, white	5.51	EC001072	A16 2017C	4536853010003	#	10	CG	CGL	JPN	8536.5015.90
A16SL-JY	Pushbutton, illuminated, rectangular, IP65, yellow	5.51	EC001072	A16 2018A	4536853010010	#	10	CG	CGL	JPN	8536.5015.90
A16SL-TY	Pushbutton, illuminated, round, IP65, yellow	5.40	EC001072	A16 2024F	4536853010072	#	10	CG	CGL	JPN	8536.5015.90
A16-CAM	IP40 case for pushbutton unit, square, momentary or indicator	4.43	EC000221	A16 1002M	4536853009731	#	5	CG	CGL	JPN	8536.5015.90
A16-CJA	IP40 case for pushbutton unit, rectangular, latching	5.55	EC000221	A16 1003H	4536853009748	#	50	CG	CGL	JPN	8536.5015.90
A16-CJM	IP40 case for pushbutton unit, rectangular, momentary or indicator	4.43	EC000221	A16 1004F	4536853009755	#	50	CG	CGL	JPN	8536.5015.90
A16-CTA	IP40 case for pushbutton unit, round, latching	5.55	EC000221	A16 1005D	4536853009762	#	50	CG	CGL	JPN	8536.5015.90
A16-CTM	IP40 case for pushbutton unit, round, momentary or indicator	4.43	EC000221	A16 1006B	4536853009779	#	50	CG	CGL	JPN	8536.5015.90
A165-CAA	IP65 case for pushbutton unit, square, latching	7.78	EC000221	A16 1007M	4536853009786	#	50	CG	CGL	JPN	8536.5015.90
A165-CAM	IP65 case for pushbutton unit, square, momentary or indicator	5.62	EC000221	A16 1008R	4536853009793	#	50	CG	CGL	JPN	8536.5015.90
A165-CJA	IP65 case for pushbutton unit, rectangular, latching	7.78	EC000221	A16 1009G	4536853009809	#	50	CG	CGL	JPN	8536.5015.90
A165-CJM	IP65 case for pushbutton unit, rectangular, momentary or indicator	6.23	EC000221	A16 1010M	4536853009816	#	50	CG	CGL	JPN	8536.5015.90
A165-CTM	IP65 case for pushbutton unit, round, momentary or indicator	5.62	EC000221	A16 1012G	4536853009830	#	50	CG	CGL	JPN	8536.5015.90
A16-1	Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230VAC), solder terminal	7.89	EC000041	A16 3001B	4536853010263	#	50	CG	CGL	JPN	8536.5015.90
A16-2	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), solder terminal	12.40	EC000041	A16 3002M	4536853010270	#	50	CG	CGL	JPN	8536.5015.90
A1655-A2M	Selector switch, non-illuminated, lever type, square, 2 notches, maintained, IP65	24.14	EC000222	A1652002D	4536854345654	#	30	CG	CGL	JPN	8536.5015.90
A1655-A3M	Selector switch, non-illuminated, lever type, square, 3 notches, maintained, IP65	24.14	EC000222	A1652005R	4536854345685	#	30	CG	CGL	JPN	8536.5015.90
A1655-J2M	Selector switch, non-illuminated, lever type, rectangular, 2 notches, maintained, IP65	23.55	EC000222	A1652008C	4536854345715	#	10	CG	CGL	JPN	8536.5015.90
A1655-J3M	Selector switch, non-illuminated, lever type, rectangular, 3 notches, maintained, IP65	24.14	EC000222	A1652011C	4536854345746	#	30	CG	CGL	JPN	8536.5015.90
A1655-T2M	Selector switch, non-illuminated, lever type, round, 2 notches, maintained, IP65	25.82	EC000222	A1652014H	4536854345777	#	30	CG	CGL	JPN	8536.5015.90
A165K-T2ML	Selector switch, round, key-type, 2 notches, maintained, IP65, key release left side only	48.58	EC000222	A16K2021M	4536854345081	#	30	CG	CGL	JPN	8536.5015.90
A165-2N-1	Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, solder terminal	7.86	EC000041	A1653003H	4536854346385	#	50	CG	CGL	JPN	8536.5015.90
A165-2N-1L	Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position illuminated selector switch, solder terminal	7.86	EC000041	A1653004F	4536854346392	#	50	CG	CGL	JPN	8536.5015.90
A165-2N-2	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, solder terminal	13.50	EC002498	A1653005D	4536854346408	#	50	CG	CGL	JPN	8536.5015.90
A165-2N-2L	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, release in left position, solder terminal	12.40	EC000041	A1653006B	4536854346415	#	50	CG	CGL	JPN	8536.5015.90
A165-2N-2P	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, PCB terminal	59.85	EC000041	A1653014C	4536854375330	#	50	CG	CGL	JPN	8536.5015.90
A165-3N-2	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 3 position selector switch, solder terminal	10.21	EC002498	A1653009G	4536854346446	#	50	CG	CGL	JPN	8536.5015.90
A1655-A2M-2	Selector switch complete, dia. 16 mm, non-illuminated, lever type, square, 2 notches, manual reset, IP65, DPDT contact block, solder terminal	28.60	EC001029	A1657007B	4536854346521	#	5	CG	CGL	JPN	8536.5015.90
A1655-J2M-2	Knob-type selector switch, 16mm mounting, non illuminated, rectangular, 2 position, manual reset, DPDT	29.14	EC001029	A1657012R	4536854346576	#	5	CG	CGL	JPN	8536.5015.90
A1655-T2M-1	Selector switch complete, dia. 16 mm, non-illuminated, lever type, round, 2 notches, manual reset, IP65, SPDT contact block, solder terminal	24.55	EC001029	A1657016A	4536854346613	#	5	CG	CGL	JPN	8536.5015.90
A1655-T2M-2	Selector switch complete, dia. 16 mm, non-illuminated, lever type, round, 2 notches, manual reset, IP65, DPDT contact block, solder terminal	28.60	EC001029	A1657017M	4536854346620	#	5	CG	CGL	JPN	8536.5015.90
A1655-T3M-2	Selector switch complete, dia. 16 mm, non-illuminated, lever type, round, 3 notches, manual reset, IP65, DPDT contact block, solder terminal	28.60	EC001029	A1657018H	4536854346637	#	5	CG	CGL	JPN	8536.5015.90
A16-12DY	LED, 12 VDC, yellow	5.60	EC002498	A16 0005R	4536853009618	#	100	CG	CGL	JPN	8536.5015.90
A16-24DA	LED, 24 VDC, blue	8.55	EC002498	A16 0021M	4536854355714	#	20	CG	CGL	JPN	8536.5015.90
A16-24DG	LED, 24 VDC, green	8.77	EC002498	A16 0007E	4536853009632	#	100	CG	CGL	JPN	8536.5015.90
A16-24DR	LED, 24 VDC, red	8.07	EC002498	A16 0008C	4536853009649	#	100	CG	CGL	JPN	8536.5015.90
A16-24DSG	LED, 24 VDC, green, superbright	8.55	EC002498	A16 0025C	4536854589089	#	18	CG	CGL	JPN	8536.5015.90
A16-24DSR	LED, 24 VDC, red, superbright	8.55	EC002498	A16 0026A	4536854589096	#	18	CG	CGL	JPN	8536.5015.90
A16-24DSW	LED, 24 VDC, white, superbright	7.35	EC002498	A16 0027M	4536854589102	#	30	CG	CGL	JPN	8536.5015.90
A16-24DSY	LED, 24 VDC, yellow, superbright	8.55	EC002498	A16 0028H	4536854589119	#	20	CG	CGL	JPN	8536.5015.90
A16-24DW	LED, 24 VDC, white	9.90	EC002498	A16 0009A	4536853009656	#	100	CG	CGL	JPN	8536.5015.90
A16-24DY	LED, 24 VDC, yellow	8.55	EC002498	A16 0010E	4536853009663	#	100	CG	CGL	JPN	8536.5015.90
A165K-KEY	Spare key for A165K switches	8.03	EC002024	A16K0001E	4536854480225	#	5	CG	CGL	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Diger Endüstriyel Switchler											
DZ-10GW-1B	Basic switch, hinge lever, 10 A, DPDT, screw terminals	27.88	EC000030	DZ 8002C	4536853181994		20	CG	CGX	JPN	8536.5015.90
DZ-10GW2-1B	Basic switch, hinge roller lever, 10 A, DPDT, screw terminals	29.81	EC000030	DZ 8005H	4536853182021		10	CG	CGX	JPN	8536.5015.90
DZ-10GW22-1B	Basic switch, short hinge roller lever, 10 A, DPDT, screw terminals	27.88	EC000030	DZ 8008B	4536853182052	#	20	CG	CGX	JPN	8536.5015.90
TZ-1GV	High temperature basic switch, hinge lever, 1 A	261.30	EC000030	TZ 4000H	4536854126833	#	20	CG	CGX	JPN	8536.5015.90
X-10GM-B	Basic switch, general purpose, reverse hinge lever, 10A, screw terminals	23.36	EC000030	X10G8002A	4536854245558		20	CG	CGX	JPN	8536.5015.90
X-10GQ22-B	Basic switch, panel mount roller plunger, SPDT, 10A	20.36	EC000030	X10G5009B	4536854244636		20	CG	CGX	JPN	8536.5015.90
X-10GW22-B	Basic switch, general purpose, short hinge roller lever, 10A, screw terminals	17.27	EC000030	X10G7035B	4536854245084	#	20	CG	CGX	JPN	8536.5015.90
Z-10FM22Y-B	General purpose basic switch, reverse short hinge roller lever, 10A split contact, screw terminals	29.14	EC000030	Z10F8011M	4536854262173			CG	CGX	JPN	8536.5015.90
Z-10FQ22Y-B	General purpose basic switch, panel mount roller plunger, 10A split contact, screw terminals	37.56	EC000030	Z10F4012G	4536854261886		20	CG	CGX	JPN	8536.5015.90
AP-B	Screw Terminal Use (Phenol Resin) for Z15 switch	0.68	EC002594	AP 2000F	4536853004736	#	20	CG	CGX	JPN	8536.5015.90
AP-Z	Soldering or Screw Terminal Use (Vinyl Chloride) for Z15 switch	4.18	EC002594	AP 8000R	4536853004880	#	20	CG	CGX	JPN	8536.5015.90
D4A-1101N	Limit switch, double-pole, double-break, without indicator, standard roller lever	157.30	EC000030	D4AN1101R	4536853200633	#		CG	CGX	JPN	8536.5015.90
D4A-2501N	Limit switch, four-pole, double-break, without indicator, top roller plunger	250.10	EC000030	D4AN2501M	4536853201401			CG	CGX	JPN	8536.5015.90
D4A-4918N	Limit switch, four-pole, double-break, centre neutral, without indicator, roller lever	285.40	EC000030	D4AN4918M	4536853202460			CG	CGX	JPN	8536.5015.90
D4A-A00	Replacement lever, roller lever type	31.09	EC002594	D4A 5001A	4536853198121	#		CG	CGX	JPN	8536.5015.90
D4A-C00	Replacement lever, adjustable roller lever type	35.62	EC002594	D4A 5200F	4536853198268			CG	CGX	JPN	8536.5015.90
D4E-1A10N	Limit switch, slim sealed, connector type, general purpose, roller plunger	57.35	EC000030	D4EN0002M	4536853222949	#	10	CG	CGX	JPN	8536.5015.90
D4E-1A20N	Limit switch, slim sealed, screw terminal, general purpose, roller plunger	62.65	EC000030	D4EN0003H	4536853222956	#	10	CG	CGX	JPN	8536.5015.90
D4E-1B10N	Limit switch, slim sealed, connector type, general purpose, cross roller plunger	57.35	EC000030	D4EN0006B	4536853222987	#	10	CG	CGX	JPN	8536.5015.90
D4E-1B20N	Limit switch, slim sealed, screw terminal, general purpose, cross roller plunger	67.55	EC000030	D4EN0007M	4536853222994	#	10	CG	CGX	JPN	8536.5015.90
D4E-1C10N	Limit switch, slim sealed, connector type, general purpose, plunger	64.30	EC000030	D4EN0010M	4536853223021		10	CG	CGX	JPN	8536.5015.90
D4E-1C20N	Limit switch, slim sealed, screw terminal, general purpose, plunger	51.20	EC000030	D4EN0011R	4536853223038			CG	CGX	JPN	8536.5015.90
D4E-1D10N	Limit switch, slim sealed, connector type, general purpose, sealed roller plunger	96.50	EC000030	D4EN0100M	4536853223410	#	10	CG	CGX	JPN	8536.5015.90
D4E-1D20N	Limit switch, slim sealed, screw terminal, general purpose, sealed roller plunger	100.80	EC000030	D4EN1018A	4536853223830	#	10	CG	CGX	JPN	8536.5015.90
D4E-1E10N	Limit switch, slim sealed, connector type, general purpose, sealed cross roller plunger	116.80	EC000030	D4EN1054H	4536853224073	#	10	CG	CGX	JPN	8536.5015.90
D4E-1G20N	Limit switch, slim sealed, screw terminal, general purpose, roller lever	63.25	EC000030	D4EN0015A	4536853223076	#	10	CG	CGX	JPN	8536.5015.90
D4ER-1A21N	Limit switch, slim sealed, screw terminal, general purpose, roller plunger, right-hand, pre-cabled, oil-resistant	77.45	EC000030	D4ER0001M	4548583868571	#	2	CG	CGX	JPN	8536.5015.90
D4ER-1L21N	Limit switch, slim sealed, screw terminal, general purpose, long roller lever, right-hand, pre-cabled, oil-resistant	94.55	EC000030	D4ER0025G	4548583868816		2	CG	CGX	JPN	8536.5015.90
VB-6121E	https://industrial.omron.com.tr/tr/home	675.00	EC000030	VBN 6126D	4548583113237			CG	CGX	JPN	8536.5015.90
D5A-1100	Limit switch	159.40	EC000030	D5A 1100F	4536853227272	#		CG	CGX	JPN	8536.5015.90
D5A-3200	Limit switch	186.70	EC000030	D5A 3200C	4536853227364	#		CG	CGX	JPN	8536.5015.90
D5A-3300	High-precision switch	201.30	EC000030	D5A 3300M	4536853227425			CG	CGX	JPN	8536.5015.90
D5A-8514	Limit switch, high precision, top plunger	470.70	EC000030	D5A 8514M	4536853227609			CG	CGX	JPN	8536.5015.90
D5A-9515	Limit switch, High-precision Switch for Detecting Micron-unit Displacement, Bevel plunger, IP67, pre-wired connector 5 m	281.30	EC000030	D5A 9515C	4536853227661			CG	CGX	JPN	8536.5015.90
D5B-1013	Limit switch	84.50	EC000030	D5B 1013E	4536853227692	#		CG	CGX	JPN	8536.5015.90
D5B-1023	Limit switch	98.30	EC000030	D5B 1023B	4536853227722	#		CG	CGX	JPN	8536.5015.90
D5B-1511	Tactile Limit switch, M10 body, short spring wobble stick actuator, 1m prewired	83.45	EC000030	D5B 1511M	4536853227746	#		CG	CGX	JPN	8536.5015.90
D5B-1513	Limit switch	84.10	EC000030	D5B 1513G	4536853227753	#		CG	CGX	JPN	8536.5015.90
D5B-1515	Tactile Limit switch, M10 body, short spring wobble stick actuator, 5m prewired	91.25	EC000030	D5B 1515C	4536853227760	#		CG	CGX	JPN	8536.5015.90
D5B-1533	Tactile Limit switch, M10 body, long spring wobble stick actuator, 3m prewired	84.50	EC000030	D5B 1533A	4536853227784	#		CG	CGX	JPN	8536.5015.90
D5B-5011	Tactile Limit switch, M5 body, hemispheric actuator, 1 m prewired	77.45	EC000030	D5B 5011M	4536853227807	#		CG	CGX	JPN	8536.5015.90
D5B-5013	Tactile Limit switch, M5 body, hemispheric actuator, 3m prewired	83.45	EC000030	D5B 5013G	4536853227814	#		CG	CGX	JPN	8536.5015.90
D5B-8013	Limit switch	96.75	EC000030	D5B 8013C	4536853227913	#		CG	CGX	JPN	8536.5015.90
Özel Endüstriyel Switchler											
M2BJ-B24	Panel mount buzzer, intermittent/continuous sound, 12-24 VAC/DC supply	37.67	EC001026	M2BJ9180A	4536853684693	#	10	CG	CGY	JPN	8536.5015.90
M2BJ-BH24D	Panel mount buzzer, intermittent/continuous (high pitched) high sound, 12-24 VAC/DC supply	62.75	EC001026	M2BJ9194A	4536853684822	#	10	CG	CGY	JPN	8536.5015.90
M16-0	Solder terminal socket for use with M16 range of indicators	1.59	EC002498	M16 3001D	4536854350689	#	20	CG	CGY	JPN	8536.5015.90
M22N-BC-TGA-GC	Indicator M22N flat etched, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 24 VDC	16.76	EC000272	A2260113G	4548583711198		10	CG	CGY	TWN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
M22N-BC-TGA-GC-P	M22N Gösterge, Plastik yassı yüzeyli, Yeşil, Yeşil, 24 V, push-in terminali	2041	EC000272	A2265113D	4549734088077		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TGA-GE	Indicator M22N flat etched, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 200-240 VAC	21.20	EC000272	A2260115C	4548583711211		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TGA-GE-P	M22N Indicator, Plastic flat etched, Green, Green, 220/230/240 V AC, push-in terminal	23.03	EC000272	A2265115M	4549734088091		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TOA-OC	Indicator M22N flat etched, cap color orange, LED orange, LED voltage 24 VDC	16.76	EC000272	A2260138B	4548583711440		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TOA-OE	Indicator M22N flat etched, cap color orange, LED orange, LED voltage 200-240 VAC	21.20	EC000272	A2260140D	4548583711464		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TRA-RC	Indicator M22N flat etched, CAP COLOR RED, LED RED, LED VOLTAGE 24 VDC	18.87	EC000272	A2260108M	4548583711143		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TRA-RC-P	M22N Göstergesi, Plastik yassı kazınmış, Kırmızı, Kırmızı, 24 V, push-in terminali	2041	EC000272	A2265108H	4549734088022		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TRA-RE	Indicator M22N flat etched, CAP COLOR RED, LED RED, LED VOLTAGE 200-240 VAC	16.05	EC000272	A2260110B	4548583711167		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TRA-RE-P	M22N Indicator, Plastic flat etched, Red, Red, 220/230/240 V AC, push-in terminal	22.37	EC000272	A2265110M	4549734088046		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TWA-WC	Indicator M22N flat etched, CAP COLOR WHITE, LED WHITE, LED VOLTAGE 24 VDC	16.76	EC000272	A2260123D	4548583711127		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TWA-WC-P	M22N Göstergesi, Plastik yassı fırınlanmış, Beyaz, Beyaz, 24 V, push-in terminali	2041	EC000272	A2265123A	4549734088176		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TWA-WE-P	M22N Gösterge, Plastik yassı fırınlanmış, Beyaz, Beyaz, 220/230/240 V AC, push-in terminal	23.13	EC000272	A2265125H	4549734088190		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YC	Indicator M22N flat etched, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 24 VDC	16.76	EC000272	A2260118H	4548583711242		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YC-P	M22N Indicator, Plastic flat etched, Yellow, Yellow, 24 V, push-in terminal	2093	EC000272	A2265118E	4549734088121		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YD	Indicator M22N flat etched, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 100-120 VAC	16.05	EC000272	A2260119F	4548583711259		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YE	Indicator M22N flat etched, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 200-240 VAC	16.05	EC000272	A2260120M	4548583711266		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YE-P	M22N Indicator, Plastic flat etched, Yellow, Yellow, 220/230/240 V AC, push-in terminal	22.37	EC000272	A2265120G	4549734088145		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GC	Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 24 VDC	16.95	EC000272	A2260008D	4548583710146	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GC-P	M22N Gösterge, Plastik düz, Yeşil, Yeşil, 24 V, push-in terminali	2041	EC000272	A2265008A	4549734087025		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GD	Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 100-120 VAC	19.64	EC000272	A2260009B	4548583710153		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GE	Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 200-240 VAC	21.20	EC000272	A2260010F	4548583710160		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GE-P	M22N Indicator, Plastic flat, Green, Green, 220/230/240 V AC, push-in terminal	23.03	EC000272	A2265010C	4549734087049		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TRA-RC	Indicator M22N flat, CAP COLOR RED, LED RED, LED VOLTAGE 24 VDC	18.41	EC000272	A2260003C	4548583710092	#	5	CG	CGY	TWN	8536.5015.90
M22N-BN-TRA-RC-P	M22N Göstergesi, Plastik düz, Kırmızı, Kırmızı, 24 V, push-in terminali	2041	EC000272	A2265003M	4549734086974	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TRA-RE	Indicator M22N flat, CAP COLOR RED, LED RED, LED VOLTAGE 200-240 VAC	16.01	EC000272	A2260005M	4548583710115		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TRA-RE-P	M22N Indicator, Plastic flat, Red, Red, 220/230/240 V AC, push-in terminal	22.37	EC000272	A2265005G	4549734086998		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TWA-WC	Indicator M22N flat, CAP COLOR WHITE, LED WHITE, LED VOLTAGE 24 VDC	17.04	EC000272	A2260018A	4548583710245	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TWA-WC-P	M22N Gösterge, Plastik düz, Beyaz, Beyaz, 24 V, giriş terminali	2041	EC000272	A2265018R	4549734087124	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TWA-WE	Indicator M22N flat, CAP COLOR WHITE, LED WHITE, LED VOLTAGE 200-240 VAC	16.01	EC000272	A2260020C	4548583710269		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TWA-WE-P	M22N Göstergesi, Plastik düz, Beyaz, Beyaz, 220/230/240 V AC, push-in terminali	23.13	EC000272	A2265020M	4549734087148		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YC	Indicator M22N flat, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 24 VDC	16.95	EC000272	A2260013M	4548583710191	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YC-P	M22N Indicator, Plastic flat, Yellow, Yellow, 24 V, push-in terminal	14.49	EC000272	A2265013H	4549734087070		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YE	Indicator M22N flat, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 200-240 VAC	16.01	EC000272	A2260015G	4548583710214		2	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YE-P	M22N Indicator, Plastic flat, Yellow, Yellow, 220/230/240 V AC, push-in terminal	22.37	EC000272	A2265015D	4549734087094		10	CG	CGY	TWN	8536.5015.90
A3CT-7011	Round switch unit, SPST-NO + SPST-NC, 1 A (125 VAC) / 0.5 A (230 VAC), solder terminal, momentary	16.41		A3CT7001C	4536853048006	#	10	CG	CGY	JPN	8536.5015.90
A3CT-7021	Round switch unit, SPST-NO + SPST-NC, 1 A (125 VAC) / 0.5 A (230 VAC), solder terminal, alternate	14.36		A3CT7002A	4536853048013	#	10	CG	CGY	JPN	8536.5015.90
Endüstriyel Switchler için Aksesuarlar											
APB-PG	Terminal cover for Z15 switch, plastic	3.18	EC002594	AA009076E	4536853899103	#	100	CG	CGZ	ITA	8544.4290.90
A16Z-3004	Tightening tool	11.75	EC002498	A16 6114G	4536854540950			CG	CGZ	JPN	8536.5015.90
A16Z-5070	Yellow E-stop name plate	5.02	EC000624	A16 6115E	4536854540981	#	10	CG	CGZ	JPN	8536.5015.90
A16Z-5080	Switch and lamp extractor	5.02	EC002024	A16 9002C	4536854381386		20	CG	CGZ	JPN	8536.5015.90
A16ZJ-5050	Switch Guard, For rectangular models	7.81	EC000202	A16 6055H	4536854540080		25	CG	CGZ	JPN	8536.5015.90
A22-3200	Mounting latch, momentary models	1.86	EC002498	A22 0052D	4536854356476	#	10	CG	CGZ	JPN	8536.5015.90
A22NZ-A-301	Pushbutton accessory A22NZ, Tightening Wrench	22.34	EC002032	A2270693A	4548583718395			CG	CGZ	TWN	8536.5015.90
A22NZ-A-302	Pushbutton accessory A22NZ, LED Lamp Extractor	4.42	EC002032	A2270694M	4548583718401		20	CG	CGZ	TWN	8536.5015.90
A22NZ-A-303	Pushbutton accessory A22NZ, Protective Cover	4.42	EC002040	A2270695H	4548583718418			CG	CGZ	TWN	8536.5015.90
A22NZ-A-401	Pushbutton accessory A22NZ Ø22, plastic Hole Plug	5.38	EC002023	A2270696F	4548583718425			CG	CGZ	TWN	8536.5015.90
A22NZ-A-50103	Pushbutton accessory A22NZ Ø22, Small Legend Plate Frame	4.42	EC001032	A2270700H	4548583718463	#	20	CG	CGZ	TWN	8536.5015.90
A22NZ-A-50501	Pushbutton accessory A22NZ Ø22, Lock Ring	4.42	EC002024	A2270702D	4548583718487		50	CG	CGZ	TWN	8536.5015.90
A22NZ-A-51103	Pushbutton accessory A22NZ Ø22, Large Legend Plate Frame	4.42	EC001032	A2270701F	4548583718470	#	20	CG	CGZ	TWN	8536.5015.90
A22NZ-A-B01Y	Pushbutton accessory A22NZ Ø22, Control Box	11.96	EC000200	A2270699M	4548583718456	#		CG	CGZ	TWN	8536.5015.90
A22NZ-A-B101	Pushbutton accessory A22NZ 22 dia. 1 hole control box, also for double-contact push-in plus terminal	16.25	EC000200	A2270979E	4549734695770			CG	CGZ	TWN	8536.5015.90
A22NZ-A-C01	Pushbutton accessory A22NZ, Reinforcement Plate	4.58	EC002024	A2270704M	4548583718500		20	CG	CGZ	TWN	8536.5015.90
A22NZ-H-01	Pushbutton accessory A22NZ, Mounting Collar	3.76	EC002024	A2270662A	4548583718081	#	20	CG	CGZ	TWN	8536.5015.90
A22NZ-H-02	E-Stop, İtme Montajı mandali,	6.39	EC002498	A2275021C	4549734144896	#	20	CG	CGZ	TWN	8536.5015.90
A22NZ-K-01	Pushbutton accessory A22NZ, Key	13.48	EC002024	A2270703B	4548583718494		20	CG	CGZ	TWN	8536.5015.90
A22Z-3466-1	Legend plate, emergency stop, 60mm dia, round, yellow	6.76	EC000624	A22 0053B	4536854356483	#	50	CG	CGZ	JPN	8536.5015.90
A22Z-3905	Tightening wrench	19.44	EC002032	A22 0058C	4536854356537		20	CG	CGZ	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A2ZZ-B101	Control box enclosure, one hole	33.47	EC000200	A22 0060E	4536854375415	#		CG	CGZ	JPN	8536.5015.90
A2ZZ-B101Y	Control box enclosure, one hole, yellow, for emergency stop	36.83	EC000200	A22 0061C	4536854375422	#		CG	CGZ	JPN	8536.5015.90
A2ZZ-B102	Control box enclosure, two holes	35.05	EC000200	A22 0062A	4536854375439	#		CG	CGZ	JPN	8536.5015.90
A2ZZ-B103	Control box enclosure, three holes	42.56	EC000200	A22 0063M	4536854375446	#		CG	CGZ	JPN	8536.5015.90

Solid State Röle G3N

G3NA-205B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 5 A, 264 VAC max	37.09	EC002055	G3NA7103H	4549734591126		10	CI	CIC	CHN	8536.4900.99
G3NA-205B-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 5 A, maks. 264 VAC	26.87	EC002055	G3NA7016C	4548583569638	#	10	CI	CIC	CHN	8536.4900.99
G3NA-210B-UTU 100-240VAC	Solid state relay, phototriac, 10 A, 5 to 24 VDC input voltage	36.51	EC002055	G3NA7104F	4549734591133	#		CI	CIC	CHN	8536.4900.99
G3NA-210B-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 10 A, maks. 264 VAC	30.65	EC002055	G3NA7019H	4536854807954	#	10	CI	CIC	CHN	8536.4900.99
G3NA-220B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 20 A, 264 VAC max	43.53	EC002055	G3NA7105D	4549734591140	#		CI	CIC	CHN	8536.4900.99
G3NA-220B-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 20 A, maks. 264 VAC	39.35	EC002055	G3NA7022H	4536854808012	#	10	CI	CIC	CHN	8536.4900.99
G3NA-225B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 25 A, 264 VAC max	42.49	EC002055	G3NA7106B	4549734591157	#		CI	CIC	CHN	8536.4900.99
G3NA-225B-UTU 5-24VDC	Solid-state röle, yüzey montajlı, tek faz, 25 A, maks. 264 VAC	35.31	EC002055	G3NA7622F	4548583523418	#	10	CI	CIC	CHN	8536.4900.99
G3NA-240B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 40 A, 264 VAC max	79.85	EC002055	G3NA7107M	4549734591164	#	10	CI	CIC	CHN	8536.4900.99
G3NA-240B-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 40 A, maks. 264 VAC	71.85	EC002055	G3NA7028G	4547648573580	#	10	CI	CIC	CHN	8536.4900.99
G3NA-250B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 50 A, 264 VAC max	85.90	EC002055	G3NA7109G	4549734591188	#		CI	CIC	CHN	8536.4900.99
G3NA-250B-UTU 5-24VDC	Solid state relay, surface mounting, 1-pole, 50 A, 264 VAC max	81.85	EC002055	G3NA7108R	4549734591171	#	10	CI	CIC	CHN	8536.4900.99
G3NA-275B-UTU-2 100-240VAC	Solid state relay, surface mounting, 1-pole, 75 A, 264 VAC max	95.85	EC002055	G3NA7111R	4549734591201	#		CI	CIC	CHN	8536.4900.99
G3NA-275B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 75 A, maks. 264 VAC	88.05	EC002055	G3NA7110M	4549734591195	#	10	CI	CIC	CHN	8536.4900.99
G3NA-290B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 90 A, maks. 264 VAC	93.60	EC002055	G3NA7112G	4549734591218	#	10	CI	CIC	CHN	8536.4900.99
G3NA-410B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 10 A, 528 VAC max	80.05	EC002055	G3NA7115A	4549734591249	#		CI	CIC	CHN	8536.4900.99
G3NA-410B-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 10 A, maks. 528 VAC	72.50	EC002055	G3NA7114C	4549734591232	#	10	CI	CIC	CHN	8536.4900.99
G3NA-425B-UTU-2 100-240VAC	Solid state relay, surface mounting, 1-pole, 25 A, 528 VAC max	90.80	EC002055	G3NA7118F	4549734591270	#	10	CI	CIC	CHN	8536.4900.99
G3NA-425B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 25 A, maks. 528 VAC	78.45	EC002055	G3NA7064C	4548583045514	#	10	CI	CIC	CHN	8536.4900.99
G3NA-450B-UTU-2 100-240VAC	Solid state relay, surface mounting, 1-pole, 50 A, 528 VAC max	99.05	EC002055	G3NA7121F	4549734591300	#	10	CI	CIC	CHN	8536.4900.99
G3NA-450B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 50 A, maks. 528 VAC	103.20	EC002055	G3NA7068F	4548583045538	#	10	CI	CIC	CHN	8536.4900.99
G3NA-475B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 75 A, maks. 528 VAC	106.00	EC002055	G3NA7122D	4549734591317	#	10	CI	CIC	CHN	8536.4900.99
G3NA-490B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 90 A, maks. 528 VAC	127.30	EC002055	G3NA7124M	4549734591331	#		CI	CIC	CHN	8536.4900.99
G3NA-D210B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 10 A, 220 VDC max	66.95	EC002055	G3NA7127E	4549734591362	#	10	CI	CIC	CHN	8536.4900.99
G3NA-D210B-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 10 A, maks. 220 VDC	61.80	EC002055	G3NA7126G	4549734591355	#		CI	CIC	CHN	8536.4900.99
G3NE-220T-US 24VDC	Compact SSR, 20A, 264 VAC max, zero cross over	29.59	EC002055	G3NE1100R	4536854921360	#	10	CI	CIC	JPN	8536.4900.99
G3PH-5075B 5-24VDC	Solid state röle, yüzey montajlı, maks. yük akımı: 75 A, 180-480 VAC	802.00	EC002055	G3PH1004F	4548583055605	#		CI	CIC	JPN	8536.4900.99
G3PH-S150B 5-24VDC	Solid state röle, yüzey montajlı, maks. yük akımı: 150 A, 180-480 VAC	1,204.00	EC002055	G3PH1005D	4548583055612	#		CI	CIC	JPN	8536.4900.99
G3PH-S150BL 5-24VDC	Solid State Relay, surface mounting, max. load: 150 A, 180-480 VAC, w/o zero cross	1,135.00	EC002055	G3PH1011R	4548583076242	#		CI	CIC	JPN	8536.4900.99

Solid State Röle G3PA

G3PA-240B-VD 5-24VDC	Solid state röle, DIN ray/yüzey montajlı, tek faz, 40 A, maks. 264 VAC	114.70	EC002055	G3PA4002D	4536854864407	#	10	CI	CID	CHN	8536.4900.99
G3PA-260B-VD 5-24VDC	Solid state röle, DIN ray/yüzey montajlı, tek faz, 60 A, maks. 264 VAC	165.90	EC002055	G3PA4003B	4536854864414	#		CI	CID	CHN	8536.4900.99
G3PA-420B-VD 12-24VDC	Solid state röle, DIN ray/yüzey montajlı, tek faz, 20 A, maks. 440 VAC	113.50	EC002055	G3PA4004M	4536854864568	#	10	CI	CID	CHN	8536.4900.99
G3PA-420B-VD-2 12-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 20 A, 440 VAC max	146.70	EC002055	G3PA1061C	4536854487217	#		CI	CID	JPN	8536.4900.99
G3PA-430B-VD 12-24VDC	Solid state röle, DIN ray/yüzey montajlı, tek faz, 30 A, maks. 440 VAC	184.90	EC002055	G3PA4005R	4536854864575	#	10	CI	CID	CHN	8536.4900.99
G3PA-430B-VD-2 12-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 30 A, 440 VAC max	247.60	EC002055	G3PA1063M	4536854515484	#	10	CI	CID	JPN	8536.4900.99

Solid State Röle G3PW

G3PW-A220EC-C-FLK	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, sabit akım tipi, 20 A, 100-240 VAC, vidasız terminalli, RS-485 haberleşme	596.00	EC002055	G3PW1030F	4550431096845	#		CI	CIE	JPN	8536.4900.99
G3PW-A220EC-S-FLK	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, sabit akım tipi, 20 A, 100-240 VAC, vida terminalli, RS-485 haberleşme	591.50	EC002055	G3PW1033M	4550431096876	#		CI	CIE	JPN	8536.4900.99
G3PW-A220EU-C	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, standart tip, 20 A, 100-240 VAC, vidasız terminalli	514.50	EC002055	G3PW1024A	4550431096784	#		CI	CIE	JPN	8536.4900.99
G3PW-A220EU-S	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, standart tip, 20 A, 100-240 VAC, vida terminalli	509.50	EC002055	G3PW1027F	4550431096814	#		CI	CIE	JPN	8536.4900.99
G3PW-A245EC-C-FLK	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, sabit akım tipi, 45 A, 100-240 VAC, vidasız terminalli, RS-485 haberleşme	765.50	EC002055	G3PW1031D	4550431096852	#		CI	CIE	JPN	8536.4900.99
G3PW-A245EC-S-FLK	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, sabit akım tipi, 45 A, 100-240 VAC, vida terminalli, RS-485 haberleşme	760.50	EC002055	G3PW1034R	4550431096883	#		CI	CIE	JPN	8536.4900.99
G3PW-A245EU-C	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, standart tip, 45 A, 100-240 VAC, vidasız terminalli	674.00	EC002055	G3PW1025M	4550431096791	#		CI	CIE	JPN	8536.4900.99
G3PW-A245EU-S	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, standart tip, 45 A, 100-240 VAC, vida terminalli	669.50	EC002055	G3PW1028D	4550431096821	#		CI	CIE	JPN	8536.4900.99
G3PW-A260EC-C-FLK	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, sabit akım tipi, 60 A, 100-240 VAC, vidasız terminalli, RS-485 haberleşme	822.00	EC002055	G3PW1032B	4550431096869	#		CI	CIE	JPN	8536.4900.99
G3PW-A260EC-S-FLK	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, sabit akım tipi, 60 A, 100-240 VAC, vida terminalli, RS-485 haberleşme	817.50	EC002055	G3PW1035G	4550431096890	#		CI	CIE	JPN	8536.4900.99
G3PW-A260EU-C	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, standart tip, 60 A, 100-240 VAC, vidasız terminalli	724.50	EC002055	G3PW1026H	4550431096807	#		CI	CIE	JPN	8536.4900.99
G3PW-A260EU-S	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, standart tip, 60 A, 100-240 VAC, vida terminalli	728.00	EC002055	G3PW1029B	4550431096838	#		CI	CIE	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Solid State Röle G3PB											
G3PE-215B 12-24VDC	Solid state röle, tek faz, DIN ray montajlı, 15 A, maks. 264 VAC	59.90	EC002055	G3PE4001D	4547648524896	#	10	CI	CIG	CHN	8536.4900.99
G3PE-215B-3N 12-24VDC	Solid-State relay, 3-pole, DIN-track mounting, 15A, 264VAC max	216.40	EC002055	G3PE2037D	4548583409958	#		CI	CIG	JPN	8536.4900.99
G3PE-225B 12-24VDC	Solid state röle, tek faz, DIN ray montajlı, 25 A, maks. 264 VAC	68.70	EC002055	G3PE4002B	4547648524902	#	10	CI	CIG	CHN	8536.4900.99
G3PE-225B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 25A, 264VAC max	177.60	EC002055	G3PE2018H	4548583409767	#		CI	CIG	JPN	8536.4900.99
G3PE-225B-3N 12-24VDC	Solid-State relay, 3-pole, DIN-track mounting, 25A, 264VAC max	275.70	EC002055	G3PE2038B	4548583409965	#		CI	CIG	JPN	8536.4900.99
G3PE-225BL 12-24VDC	Solid-state relay, 1 phase, 25A 100-240Vac, with heat sink, DIN rail mount, non zero cross switching function	65.90	EC002055	G3PE4006E	4547648524940	#	10	CI	CIG	CHN	8536.4900.99
G3PE-235B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 35 A, maks. 264 VAC	80.20	EC002055	G3PE2003M	4548583409613	#	10	CI	CIG	JPN	8536.4900.99
G3PE-245B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 45 A, maks. 264 VAC	100.50	EC002055	G3PE2004H	4548583409620	#	10	CI	CIG	JPN	8536.4900.99
G3PE-515B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 15 A, maks. 528 VAC	96.95	EC002055	G3PE2009R	4548583409675	#		CI	CIG	JPN	8536.4900.99
G3PE-515B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 15A, 528VAC max	194.50	EC002055	G3PE2041B	4548583409996	#		CI	CIG	JPN	8536.4900.99
G3PE-515B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 15A, 528VAC max	241.20	EC002055	G3PE2029C	4548583409873	#		CI	CIG	JPN	8536.4900.99
G3PE-515B-3N 12-24VDC	Solid state röle, 3 faz, DIN-ray montajlı, 15 A, maks. 528 VAC	233.40	EC002055	G3PE2045E	4548583410039	#		CI	CIG	JPN	8536.4900.99
G3PE-525B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 25 A, maks. 528 VAC	102.60	EC002055	G3PE2010B	4548583409682	#	10	CI	CIG	JPN	8536.4900.99
G3PE-525B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 25A, 528VAC max	173.60	EC002055	G3PE2026R	4548583409842	#		CI	CIG	JPN	8536.4900.99
G3PE-525B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 25A, 528VAC max	208.10	EC002055	G3PE2042M	4548583410008	#		CI	CIG	JPN	8536.4900.99
G3PE-525B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 25A, 528VAC max	287.00	EC002055	G3PE2030G	4548583409880	#		CI	CIG	JPN	8536.4900.99
G3PE-525B-3N 12-24VDC	Solid state röle, 3 faz, DIN-ray montajlı, 25 A, maks. 528 VAC	287.00	EC002055	G3PE2046C	4548583410046	#		CI	CIG	JPN	8536.4900.99
G3PE-535B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 35 A, maks. 528 VAC	116.30	EC002055	G3PE2011M	4548583409699	#	10	CI	CIG	JPN	8536.4900.99
G3PE-535B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 35A, 528VAC max	344.80	EC002055	G3PE2031E	4548583409897	#		CI	CIG	JPN	8536.4900.99
G3PE-535B-3N 12-24VDC	Solid state röle, 3 faz, DIN-ray montajlı, 35 A, maks. 528 VAC	344.80	EC002055	G3PE2047A	4548583410053	#		CI	CIG	JPN	8536.4900.99
G3PE-545B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 45 A, maks. 528 VAC	118.50	EC002055	G3PE2012R	4548583409705	#	10	CI	CIG	JPN	8536.4900.99
G3PE-545B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 35A, 528VAC max	281.50	EC002055	G3PE2044G	4548583410022	#		CI	CIG	JPN	8536.4900.99
G3PE-545B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 45A, 528VAC max	326.90	EC002055	G3PE2032C	4548583409903	#		CI	CIG	JPN	8536.4900.99
G3PE-545B-3N 12-24VDC	Solid state röle, 3 faz, DIN-ray montajlı, 45 A, maks. 528 VAC	374.90	EC002055	G3PE2048M	4548583410060	#	5	CI	CIG	JPN	8536.4900.99
Solid State Röle G3R											
G3RV-202S 24VDC	Yedek, AC tip, solid state röle, 2 A, 24 VDC	27.86	EC002055	G3RV1002C	4547648741071	#		CI	CIH	JPN	8536.4900.99
G3RV-D035L 24VDC	Yedek, DC tip, solid state röle, 3 A, 24 VDC	24.63	EC002055	G3RV1008B	4547648741132	#	20	CI	CIH	JPN	8536.4900.99
G3R-IAZRI5N-UTU 100-240VAC	Solid state relay	32.06	EC002055	G3R 1124H	4536854686887	#	20	CI	CIH	JPN	8536.4900.99
G3R-IDZRI5N-UTU 12-24VDC	Solid state relay (input), plug-in, 0,1-100 mA (4-32 VDC), high-speed (1 kHz), 12-24 VDC	29.03	EC002055	G3R 1126D	4536853418625	#	20	CI	CIH	JPN	8536.4900.99
G3R-IDZRI5N-UTU 5VDC	SSR (input), plug-in, 0,1-100 mA (4-32 VDC), high-speed (1 kHz), 5 VDC	26.99	EC002055	G3R 1125F	4536854686894	#	12	CI	CIH	JPN	8536.4900.99
G3R-OA2025N-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 75-264 VAC	27.98	EC002055	G3R 1129R	4536853418632	#	20	CI	CIH	JPN	8536.4900.99
G3R-OA2025Z2N-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 75-264 VAC	27.98	EC002055	G3R 1130B	4536853418649	#	20	CI	CIH	JPN	8536.4900.99
G3R-OD2015N-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 1.5A, 48-200VDC	32.79	EC002055	G3R 1132R	4536853418663	#	10	CI	CIH	JPN	8536.4900.99
G3R-ODX025N-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 4-60 VDC	31.76	EC002055	G3R 1131M	4536853418656	#	20	CI	CIH	JPN	8536.4900.99
Solid State Röle G3RV-SR											
G3RV-ST500-D-H 24VAC/DC	Slimline SSR 6 mm, incl. socket, High Speed Switching type, operate time 3 ms release time 21 ms, AC/DC output MOSFET, 3 A, Push-in plus terminals, 24 VAC/DC	51.15	EC002055	G3RV5251F	4549734763400	#		CI	CIK	JPN	8536.4900.99
G3RV-ST500-D-H 24VDC	Slimline SSR 6 mm, incl. socket, High Speed Switching type, operate time 0.2 ms release time 0.4 ms, DC output MOSFET, 3 A, Push-in plus terminals, 24 DC	50.40	EC002055	G3RV5249D	4549734763387	#		CI	CIK	JPN	8536.4900.99
G3RV-ST700-D 12VDC	İnce solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 12 VDC	47.16	EC002055	G3RV5247H	4549734763363	#		CI	CIK	JPN	8536.4900.99
G3RV-ST700-D-H 24VAC/DC	Slimline SSR 6 mm, incl. socket, High Speed Switching type, operate time 3 ms release time 21 ms, AC/DC output MOSFET, 3 A, Screw terminals, 24 VAC/DC	51.90	EC002055	G3RV5252D	4549734763417	#		CI	CIK	JPN	8536.4900.99
G3RV-ST700-D-H 24VDC	Slimline SSR 6 mm, incl. socket, High Speed Switching type, operate time 0.2 ms release time 0.4 ms, DC output MOSFET, 3 A, Screw terminals, 24 DC	49.08	EC002055	G3RV5250H	4549734763394	#	10	CI	CIK	JPN	8536.4900.99
G3RV-ST500-A 110VAC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 110 VAC	54.65	EC002055	G3RV5204D	4549734762939	#	10	CI	CIK	JPN	8536.4900.99
G3RV-ST500-A 12VDC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 12 VDC	47.89	EC002055	G3RV5207R	4549734762960	#		CI	CIK	JPN	8536.4900.99
G3RV-ST500-A 230VAC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 230 VAC	55.45	EC002055	G3RV5206M	4549734762953	#	10	CI	CIK	JPN	8536.4900.99
G3RV-ST500-A 24VAC/DC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 24 VAC/DC	47.22	EC002055	G3RV5201M	4549734762908	#	10	CI	CIK	JPN	8536.4900.99
G3RV-ST500-A 24VDC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 24 VDC	47.22	EC002055	G3RV5208G	4549734762977	#	10	CI	CIK	JPN	8536.4900.99
G3RV-ST500-A 48VAC/DC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 48 VAC/DC	48.42	EC002055	G3RV5202H	4549734762915	#		CI	CIK	JPN	8536.4900.99
G3RV-ST500-A 110VAC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 110V AC, Non Zero-cross	57.70	EC002055	G3RV5212E	4549734763011	#		CI	CIK	JPN	8536.4900.99
G3RV-ST500-AL 12VDC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 12V DC, Non Zero-cross	51.10	EC002055	G3RV5215M	4549734763042	#	10	CI	CIK	JPN	8536.4900.99
G3RV-ST500-AL 230VAC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 230V AC, Non Zero-cross	58.00	EC002055	G3RV5214A	4549734763035	#	10	CI	CIK	JPN	8536.4900.99
G3RV-ST500-AL 24VAC/DC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 24V AC/DC, Non Zero-cross	47.71	EC002055	G3RV5209E	4549734762984	#		CI	CIK	JPN	8536.4900.99
G3RV-ST500-AL 24VDC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 24V DC, Non Zero-cross	50.45	EC002055	G3RV5216H	4549734763059	#	10	CI	CIK	JPN	8536.4900.99
G3RV-ST500-AL 48VAC/DC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 48V AC/DC, Non Zero-cross	51.65	EC002055	G3RV5210R	4549734762991	#		CI	CIK	JPN	8536.4900.99
G3RV-ST500-D 110VAC	İnce solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 110 VAC	60.95	EC002055	G3RV5220F	4549734763097	#	10	CI	CIK	JPN	8536.4900.99
G3RV-ST500-D 12VDC	İnce solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 12 VDC	47.62	EC002055	G3RV5223M	4549734763127	#		CI	CIK	JPN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
G3RV-ST500-D 230VAC	İnce solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 230 VAC	60.95	EC002055	G3RV5222B	4549734763110				CI	CIK	JPN	8536.4900.99
G3RV-ST500-D 24VAC/DC	İnce solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 48 VAC/DC	49.21	EC002055	G3RV5217F	4549734763066	#	10	CI	CIK	JPN	8536.4900.99	
G3RV-ST500-D 24VDC	İnce solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 24 VDC	46.42	EC002055	G3RV5224R	4549734763134	#	10	CI	CIK	JPN	8536.4900.99	
G3RV-ST500-D 48VAC/DC	İnce solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 48 VAC/DC	49.21	EC002055	G3RV5218D	4549734763073			CI	CIK	JPN	8536.4900.99	
G3RV-ST700-A 110VAC	İnce solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 110 VAC	53.35	EC002055	G3RV5228A	4549734763172		10	CI	CIK	JPN	8536.4900.99	
G3RV-ST700-A 12VDC	İnce solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 12 VDC	47.89	EC002055	G3RV5231A	4549734763202		10	CI	CIK	JPN	8536.4900.99	
G3RV-ST700-A 230VAC	İnce solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 230 VAC	54.40	EC002055	G3RV5230C	4549734763196		10	CI	CIK	JPN	8536.4900.99	
G3RV-ST700-A 24VAC/DC	İnce solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 24 VAC/DC	47.08	EC002055	G3RV5225G	4549734763141	#	10	CI	CIK	JPN	8536.4900.99	
G3RV-ST700-A 24VDC	İnce solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 24 VDC	45.83	EC002055	G3RV5232M	4549734763219			CI	CIK	JPN	8536.4900.99	
G3RV-ST700-A 48VAC/DC	İnce solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 48 VAC/DC	48.39	EC002055	G3RV5226E	4549734763158			CI	CIK	JPN	8536.4900.99	
G3RV-ST700-AL 110VAC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 110V AC, Non Zero-cross	56.30	EC002055	G3RV5236B	4549734763257		10	CI	CIK	JPN	8536.4900.99	
G3RV-ST700-AL 12VDC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 12V DC, Non Zero-cross	49.10	EC002055	G3RV5239G	4549734763288		10	CI	CIK	JPN	8536.4900.99	
G3RV-ST700-AL 230VAC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 230V AC, Non Zero-cross	56.30	EC002055	G3RV5238R	4549734763271		10	CI	CIK	JPN	8536.4900.99	
G3RV-ST700-AL 24VAC/DC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 24V AC/DC, Non Zero-cross	47.64	EC002055	G3RV5233H	4549734763226		10	CI	CIK	JPN	8536.4900.99	
G3RV-ST700-AL 24VDC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 24V DC, Non Zero-cross	48.49	EC002055	G3RV5240M	4549734763295			CI	CIK	JPN	8536.4900.99	
G3RV-ST700-AL 48VAC/DC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 48V AC/DC, Non Zero-cross	51.35	EC002055	G3RV5234F	4549734763233		10	CI	CIK	JPN	8536.4900.99	
G3RV-ST700-D 110VAC	İnce solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 110 VAC	53.40	EC002055	G3RV5244C	4549734763332		10	CI	CIK	JPN	8536.4900.99	
G3RV-ST700-D 230VAC	İnce solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 230 VAC	53.40	EC002055	G3RV5246M	4549734763356		10	CI	CIK	JPN	8536.4900.99	
G3RV-ST700-D 24VAC/DC	İnce solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 24 VAC/DC	47.74	EC002055	G3RV5241R	4549734763301	#		CI	CIK	JPN	8536.4900.99	
G3RV-ST700-D 24VDC	İnce solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 24 VDC	45.29	EC002055	G3RV5248F	4549734763370	#	10	CI	CIK	JPN	8536.4900.99	
G3RV-ST700-D 48VAC/DC	İnce solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 48 VAC/DC	48.63	EC002055	G3RV5242G	4549734763318		10	CI	CIK	JPN	8536.4900.99	

Solid State Röle G3PJ

G3PJ-215B DC12-24	Solid state röle, 1 faz, 15 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	59.25	EC002055	G3PJ2001E	4548583783331	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-215B-PU DC12-24	Solid state röle, 1 faz, 15 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	66.80	EC002055	G3PJ2101A	4548583783379	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-225B DC12-24	Solid state röle, 1 faz, 25 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	73.40	EC002055	G3PJ2002C	4548583783348	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-225B-PU DC12-24	Solid state röle, 1 faz, 25 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	80.40	EC002055	G3PJ2102M	4548583783386	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-515B DC12-24	Solid state röle, 1 faz, 15 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	91.80	EC002055	G3PJ2011B	4548583783355	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-515B-PU DC12-24	Solid state röle, 1 faz, 15 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	99.45	EC002055	G3PJ2111R	4548583783393	#		CI	CIL	JPN	8536.4900.99
G3PJ-525B DC12-24	Solid state röle, 1 faz, 25 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	106.50	EC002055	G3PJ2012M	4548583783362	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-525B-PU DC12-24	Solid state röle, 1 faz, 25 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	113.20	EC002055	G3PJ2112G	4548583783409	#	10	CI	CIL	JPN	8536.4900.99

Diğer Solid State Röleler

G3H-2035N-VD 5-24VDC	Solid state relay, 200VAC, 3A, plug-in, LED indicator	44.12	EC002055	G3H 1045M	4536854920172		10	CI	CIX	JPN	8536.4900.99
----------------------	---	-------	----------	-----------	---------------	--	----	----	-----	-----	--------------

Solid State Röleler için Aksesuarlar

G32A-A40-VD 5-24VDC	Yedek kartuş G3PA-240B 5-24 VDC için, sadece 'VD' kodu olanlarla uyumludur.	86.80	EC002055	G32 5005A	4536854866722	#	10	CI	CIZ	CHN	8536.4900.99
G32A-A420-VD 12-24VDC	Yedek kartuş G3PA-420B-VD 12-24 VDC ile uyumludur.	128.80	EC002055	G32 5011F	4536854866784	#	10	CI	CIZ	CHN	8536.4900.99
G32A-A420-VD-2 12-24VDC	Replacement cartridge for G3PA-420B SSR, suitable for 'VD' versions only	127.50	EC002055	G32 1060B	4536854511608			CI	CIZ	JPN	8536.4900.99
G32A-A430-VD 12-24VDC	Yedek kartuş G3PA-430B-VD 12-24 VDC ile uyumludur.	152.30	EC002055	G32 5012D	4536854866791		10	CI	CIZ	CHN	8536.4900.99
G32A-A430-VD-2 12-24VDC	Replacement cartridge for G3PA-430B SSR, suitable for 'VD' versions only	202.30	EC002055	G32 1061M	4536854515491			CI	CIZ	JPN	8536.4900.99
G32A-A60-VD 5-24VDC	Yedek kartuş G3PA-260B 5-24 VDC için, sadece 'VD' kodu olanlarla uyumludur.	142.10	EC002055	G32 5006M	4536854866739	#		CI	CIZ	CHN	8536.4900.99
G32A-EA AC100-240	Cycle controller for use with SSR's	146.30	EC002586	G32 1074R	4550431096906	#		CI	CIZ	JPN	8536.4900.99

Vidalı Terminal Bloğu

XWSG-510-1.1-1	Topraklama klemensi, 10 mm ² , sarı-yeşil, vidalı, 1 giriş-1 çıkış	4.20	EC000901	XWST0012F	4548583794320	#	50	CL	CLA	DEU	8536.9010.00
XWSG-516-1.1-1	Topraklama klemensi, 16 mm ² , sarı-yeşil, vidalı, 1 giriş-1 çıkış	6.30	EC000901	XWST0015M	4548583794351	#	50	CL	CLA	DEU	8536.9010.00
XWSG-525-1.1-1	Topraklama klemensi, 2.5 mm ² , sarı-yeşil, vidalı, 1 giriş-1 çıkış	2.25	EC000901	XWST0003G	4548583794238	#	100	CL	CLA	DEU	8536.9010.00
XWSG-535-1.1-1	Topraklama klemensi, 35 mm ² , sarı-yeşil, vidalı, 1 giriş-1 çıkış	8.95	EC000901	XWST0018E	4548583794382		20	CL	CLA	DEU	8536.9010.00
XWSG-540-1.1-1	Topraklama klemensi, 4.0 mm ² , sarı-yeşil, vidalı, 1 giriş-1 çıkış	2.35	EC000901	XWST0006A	4548583794269	#	100	CL	CLA	DEU	8536.9010.00
XWSG-560-1.1-1	Topraklama klemensi, 6.0 mm ² , sarı-yeşil, vidalı, 1 giriş-1 çıkış	3.25	EC000901	XWST0009F	4548583794290	#	100	CL	CLA	DEU	8536.9010.00
XWST-510-1.1-1	Geçiş klemensi, 10 mm ² , koyu gri, vidalı, 1 giriş-1 çıkış	1.71	EC000897	XWST0010M	4548583794306	#	50	CL	CLA	DEU	8536.9010.00
XWST-510-1.1-1BL	Geçiş klemensi, 10 mm ² , mavimsi, vidalı, 1 giriş-1 çıkış	1.71	EC000897	XWST0011H	4548583794313		50	CL	CLA	DEU	8536.9010.00
XWST-516-1.1-1	Geçiş klemensi, 16 mm ² , koyu gri, vidalı, 1 giriş-1 çıkış	2.25	EC000897	XWST0013D	4548583794337	#	50	CL	CLA	DEU	8536.9010.00
XWST-516-1.1-1BL	Geçiş klemensi, 16 mm ² , mavimsi, vidalı, 1 giriş-1 çıkış	2.25	EC000897	XWST0014B	4548583794344		50	CL	CLA	DEU	8536.9010.00
XWST-52.5-1.1-1	Geçiş klemensi, 2.5 mm ² , koyu gri, vidalı, 1 giriş-1 çıkış	0.61	EC000897	XWST0001M	4548583794214	#	100	CL	CLA	DEU	8536.9010.00
XWST-52.5-1.1-1BL	Geçiş klemensi, 2.5 mm ² , mavimsi, vidalı, 1 giriş-1 çıkış	0.61	EC000897	XWST0002R	4548583794221	#	100	CL	CLA	DEU	8536.9010.00
XWST-535-1.1-1	Geçiş klemensi, 35 mm ² , koyu gri, vidalı, 1 giriş-1 çıkış	4.83	EC000897	XWST0016R	4548583794368		20	CL	CLA	DEU	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XWST-S35-1.1-1BL	Geçiş klemensi, 35 mm ² , mavi, vidalı, 1 giriş-1 çıkış	4.83	EC000897	XWST0017G	4548583794375		20	CL	CLA	DEU	8536.9010.00
XWST-S40-1.1-1	Geçiş klemensi, 4.0 mm ² , koyu gri, vidalı, 1 giriş-1 çıkış	0.82	EC000897	XWST0004E	4548583794245	#	100	CL	CLA	DEU	8536.9010.00
XWST-S40-1.1-1BL	Geçiş klemensi, 4.0 mm ² , mavi, vidalı, 1 giriş-1 çıkış	0.82	EC000897	XWST0005C	4548583794252	#	100	CL	CLA	DEU	8536.9010.00
XWST-S60-1.1-1	Geçiş klemensi, 6.0 mm ² , koyu gri, vidalı, 1 giriş-1 çıkış	1.13	EC000897	XWST0007M	4548583794276	#	100	CL	CLA	DEU	8536.9010.00
XWST-S60-1.1-1BL	Geçiş klemensi, 6.0 mm ² , mavi, vidalı, 1 giriş-1 çıkış	1.13	EC000897	XWST0008H	4548583794283		100	CL	CLA	DEU	8536.9010.00
XWSG-S40-2-2-1	Topraklama klemensi, 4.0 mm ² , sarı-yeşil, vidalı, 2 giriş-2 çıkış	4.89	EC000901	XWST0029M	4548583794498		100	CL	CLA	DEU	8536.9010.00
XWST-S25-1.1-1-2	Geçiş klemensi, 2.5 mm ² , siyah, koyu gri, 2 katlı	2.27	EC000897	XWST0033R	4548583794535	#	100	CL	CLA	CHN	8536.9010.00
XWST-S40-1.1-2	Geçiş klemensi, 4.0 mm ² , siyah, vidalı, 2 katlı	2.50	EC000897	XWST0035E	4548583794559	#	100	CL	CLA	DEU	8536.9010.00
XWST-S40-2-2-1	Geçiş klemensi, 4.0 mm ² , koyu gri, vidalı, 2 giriş-2 çıkış	2.01	EC000897	XWST0027D	4548583794474	#	100	CL	CLA	DEU	8536.9010.00
XWST-S40-2-2-1BL	Geçiş klemensi, 4.0 mm ² , mavi, vidalı, 2 giriş-2 çıkış	2.01	EC000897	XWST0028B	4548583794481		100	CL	CLA	DEU	8536.9010.00
XWST-S40-FU5	Sigortalı (5x20, 5x25, 5x30), 4.0 mm ² , koyu gri, vidalı	4.62	EC000899	XWST0030D	4548583794504	#	50	CL	CLA	DEU	8536.9010.00
XWST-S40-FU6	Sigortalı (6.3x32), 4.0 mm ² , koyu gri, vidalı	5.93	EC000899	XWST0031B	4548583794511	#	50	CL	CLA	DEU	8536.9010.00
Push-in Plus(Yaylı)Terminal Bloğu											
XWSG-P15-1.1-1	Topraklama klemensi, 1.5 mm ² , sarı-yeşil, Push-in Plus, 1 giriş-1 çıkış	1.74	EC000901	XWST0114R	4548583796324		5	CL	CLB	CHN	8536.9010.00
XWSG-P15-1.1-2	Topraklama klemensi, 1.5 mm ² , sarı-yeşil, Push-in Plus, 2 katlı	3.33	EC000901	XWST0115G	4548583796331	#	50	CL	CLB	CHN	8536.9010.00
XWSG-P15-1.2-1	Topraklama klemensi, 1.5 mm ² , sarı-yeşil, Push-in Plus, 1 giriş-2 çıkış	2.09	EC000901	XWST0116E	4548583796348			CL	CLB	CHN	8536.9010.00
XWSG-P25-1.1-1	Topraklama klemensi, 2.5 mm ² , sarı-yeşil, Push-in Plus, 1 giriş-1 çıkış	1.91	EC000901	XWST0118A	4548583796362	#	50	CL	CLB	CHN	8536.9010.00
XWSG-P40-1.1-1	Topraklama klemensi, 4.0 mm ² , sarı-yeşil, Push-in Plus, 1 giriş-1 çıkış	2.00	EC000901	XWST0119M	4548583796379	#	50	CL	CLB	CHN	8536.9010.00
XWST-P15-1.1-1	Geçiş klemensi, 1.5 mm ² , koyu gri, Push-in Plus, 1 giriş-1 çıkış	0.72	EC000897	XWST0102E	4548583796201	#	50	CL	CLB	CHN	8536.9010.00
XWST-P15-1.1-2	Geçiş klemensi, 1.5 mm ² , koyu gri, Push-in Plus, 2 katlı	1.56	EC000897	XWST0103C	4548583796218	#	50	CL	CLB	CHN	8536.9010.00
XWST-P15-1.1-2BL	Geçiş klemensi, 1.5 mm ² , mavi, Push-in Plus, 2 katlı	1.56	EC000897	XWST0109B	4548583796270		50	CL	CLB	CHN	8536.9010.00
XWST-P15-1.2-1	Geçiş klemensi, 1.5 mm ² , koyu gri, Push-in Plus, 1 giriş-2 çıkış	1.03	EC000897	XWST0104A	4548583796225	#	50	CL	CLB	CHN	8536.9010.00
XWST-P15-2-2-1	Geçiş klemensi, 1.5 mm ² , koyu gri, Push-in Plus, 2 giriş-2 çıkış	1.11	EC000897	XWST0105M	4548583796232	#	50	CL	CLB	CHN	8536.9010.00
XWST-P15-2-2-1BL	Geçiş klemensi, 1.5 mm ² , mavi, Push-in Plus, 2 giriş-2 çıkış	1.11	EC000897	XWST0111D	4548583796294		50	CL	CLB	CHN	8536.9010.00
XWST-P25-1.1-1	Geçiş klemensi, 2.5 mm ² , koyu gri, Push-in Plus, 1 giriş-1 çıkış	0.81	EC000897	XWST0106H	4548583796249	#	50	CL	CLB	CHN	8536.9010.00
XWST-P25-1.1-1BL	Geçiş klemensi, 2.5 mm ² , mavi, Push-in Plus, 1 giriş-1 çıkış	0.82	EC000897	XWST0112B	4548583796300	#	50	CL	CLB	CHN	8536.9010.00
XWST-P40-1.1-1	Geçiş klemensi, 4.0 mm ² , koyu gri, Push-in Plus, 1 giriş-1 çıkış	0.88	EC000897	XWST0107F	4548583796256	#	50	CL	CLB	CHN	8536.9010.00
XWSG-P25-2-2-1	Topraklama klemensi, 2.5 mm ² , sarı-yeşil, Push-in Plus, 2 giriş-2 çıkış	2.04	EC000901	XWST0119A	4549734137898		50	CL	CLB	CHN	8536.9010.00
XWST-P25-1.1-2	Geçiş klemensi, 2.5 mm ² , koyu gri, Push-in Plus, 2 katlı	2.69	EC000897	XWST0180G	4549734137751	#	50	CL	CLB	CHN	8536.9010.00
XWST-P25-1.2-1	Geçiş klemensi, 2.5 mm ² , koyu gri, Push-in Plus, 1 giriş-2 çıkış	1.33	EC000897	XWST0181E	4549734137768	#	50	CL	CLB	CHN	8536.9010.00
XWST-P25-2-2-1	Geçiş klemensi, 2.5 mm ² , koyu gri, Push-in Plus, 2 giriş-2 çıkış	1.57	EC000897	XWST0182C	4549734137775	#	50	CL	CLB	CHN	8536.9010.00
XWST-P40-2-2-1	Geçiş klemensi, 4.0 mm ² , koyu gri, Push-in Plus, 2 giriş-2 çıkış	1.61	EC000897	XWST0188B	4549734137836		50	CL	CLB	CHN	8536.9010.00
Vidalı Terminal Bloğu Aksesuar											
XWSS-S25-10	Köprü aparatı, 2.5 mm ² vidalı klemens ile uyumlu, 10 bacaklı, sarı	3.77	EC000489	XWST0042H	4548583794627	#	20	CL	CLC	DEU	8536.9010.00
XWSS-S40-10	Köprü aparatı, 4.0 mm ² vidalı klemens ile uyumlu, 10 bacaklı, sarı	3.98	EC000489	XWST0047R	4548583794672	#	20	CL	CLC	DEU	8536.9010.00
XWSS-S60-2	Köprü aparatı, 6.0 mm ² vidalı klemens ile uyumlu, 2 bacaklı, sarı	0.93	EC000489	XWST0048G	4548583794689		10	CL	CLC	DEU	8536.9010.00
XWSZ-S25SPT	Ayrırcı, 2.5 mm ² , 4.0 mm ² , 6.0 mm ² ve 10 mm ² , vidalı klemens ile uyumlu	0.57	EC000886	XWST0065G	4548583794856	#	10	CL	CLC	DEU	8536.9010.00
XWSE-S16	Kapak, 16 mm ² , 1 giriş-1 çıkış, vidalı klemens ile uyumlu	0.77	EC000886	XWST0060F	4548583794801		10	CL	CLC	DEU	8536.9010.00
XWSE-S25	Kapak, 2.5 mm ² , 4.0 mm ² , 6.0 mm ² ve 10 mm ² , 1 giriş-1 çıkış, vidalı klemens ile uyumlu	0.44	EC000886	XWST0059B	4548583794795	#	10	CL	CLC	DEU	8536.9010.00
XWSE-S25N	Kapak, 2.5 mm ² , 2 katlı, vidalı klemens ile uyumlu	0.77	EC000886	XWST0064R	4548583794849	#	10	CL	CLC	DEU	8536.9010.00
XWSE-S40-1.1-2	Kapak, 4.0 mm ² , 2 katlı, vidalı klemens ile uyumlu	0.61	EC000886	XWST0063M	4548583794832		10	CL	CLC	DEU	8536.9010.00
XWSE-S40-1.2-1	Kapak, 4.0 mm ² , 1 giriş-2 çıkış, vidalı klemens ile uyumlu	0.57	EC000886	XWST0061D	4548583794818		10	CL	CLC	DEU	8536.9010.00
Yaylı Terminal Bloğu Aksesuar											
XWSS-P15-10BL	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, mavi	4.37	EC000489	XWST0139D	4548583796577	#	20	CL	CLD	CHN	8536.9010.00
XWSS-P15-10RD	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, kırmızı	4.37	EC000489	XWST0124F	4548583796423	#	20	CL	CLD	CHN	8536.9010.00
XWSS-P15-10YL	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, sarı	4.37	EC000489	XWST0154H	4548583796720	#	20	CL	CLD	CHN	8536.9010.00
XWSS-P15-2RD	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 2 bacaklı, kırmızı	0.80	EC000489	XWST0120C	4548583796386		50	CL	CLD	CHN	8536.9010.00
XWSS-P15-5BL	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 5 bacaklı, mavi	1.84	EC000489	XWST0138F	4548583796560	#	5	CL	CLD	CHN	8536.9010.00
XWSS-P15-5RD	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 5 bacaklı, kırmızı	1.84	EC000489	XWST0123H	4548583796416	#	50	CL	CLD	CHN	8536.9010.00
XWSS-P25-10BL	Köprü aparatı, 2.5 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, mavi	4.37	EC000489	XWST0144M	4548583796621	#	20	CL	CLD	CHN	8536.9010.00
XWSS-P25-10RD	Köprü aparatı, 2.5 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, kırmızı	4.37	EC000489	XWST0129G	4548583796478	#	20	CL	CLD	CHN	8536.9010.00
XWSS-P25-10YL	Köprü aparatı, 2.5 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, sarı	4.37	EC000489	XWST0159R	4548583796775	#	20	CL	CLD	CHN	8536.9010.00
XWSS-P25-2RD	Köprü aparatı, 2.5 mm ² Push-in Plus klemens ile uyumlu, 2 bacaklı, kırmızı	0.91	EC000489	XWST0125D	4548583796430	#	50	CL	CLD	CHN	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW55-P2.5-3RD	Köprü aparatı, 2,5 mm ² Push-in Plus klemens ile uyumlu, 3 bacaklı, kırmızı	1.19	EC000489	XW5T0126B	4548583796447		50	CL	CLD	CHN	8536.9010.00
XW55-P2.5-4RD	Köprü aparatı, 2,5 mm ² Push-in Plus klemens ile uyumlu, 4 bacaklı, kırmızı	1.41	EC000489	XW5T0127M	4548583796454		50	CL	CLD	CHN	8536.9010.00
XW55-P2.5-5RD	Köprü aparatı, 2,5 mm ² Push-in Plus klemens ile uyumlu, 5 bacaklı, kırmızı	1.63	EC000489	XW5T0128R	4548583796461	#		CL	CLD	CHN	8536.9010.00
XW55-P4.0-10RD	Köprü aparatı, 4,0 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, kırmızı	4.53	EC000489	XW5T0134C	4548583796522		20	CL	CLD	CHN	8536.9010.00
XW55-P4.0-10YL	Köprü aparatı, 4,0 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, sarı	4.53	EC000489	XW5T0164E	4548583796829		20	CL	CLD	CHN	8536.9010.00
XW55-P4.0-2BL	Köprü aparatı, 4,0 mm ² Push-in Plus klemens ile uyumlu, 2 bacaklı, mavi	1.06	EC000489	XW5T0145R	4548583796638		50	CL	CLD	CHN	8536.9010.00
XW55-P4.0-5BL	Köprü aparatı, 4,0 mm ² Push-in Plus klemens ile uyumlu, 5 bacaklı, mavi	2.12	EC000489	XW5T0148C	4548583796669		50	CL	CLD	CHN	8536.9010.00
XW55-P4.0-5RD	Köprü aparatı, 4,0 mm ² Push-in Plus klemens ile uyumlu, 5 bacaklı, kırmızı	2.12	EC000489	XW5T0133E	4548583796515			CL	CLD	CHN	8536.9010.00
XW5E-P1.5-1.1-1	Kapak, 1,5 mm ² , 1 giriş-1 çıkış, Push-in Plus klemens ile uyumlu	0.35	EC000886	XW5T0165C	4548583796836	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P1.5-1.1-2	Kapak, 1,5 mm ² , iki katlı, Push-in Plus klemens ile uyumlu	0.36	EC000886	XW5T0166A	4548583796843	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P1.5-2.2-1	Kapak, 1,5 mm ² , 2 giriş-2 çıkış, Push-in Plus klemens ile uyumlu	0.35	EC000886	XW5T0168H	4548583796867	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P2.5-1.1-1	Kapak, 2,5 mm ² , 1 giriş-1 çıkış, Push-in Plus klemens ile uyumlu	0.36	EC000886	XW5T0169F	4548583796874	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P2.5-1.1-2	Kapak, 2,5 mm ² , iki katlı, Push-in Plus klemens ile uyumlu	0.67	EC000886	XW5T0198M	4549734137935	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P2.5-2.2-1	Kapak, 2,5 mm ² , 2 giriş-2 çıkış, Push-in Plus klemens ile uyumlu	0.68	EC000886	XW5T0200E	4549734137959		50	CL	CLD	CHN	8536.9010.00
XW5E-P4.0-1.1-1	Kapak, 4,0 mm ² , 1 giriş-1 çıkış, Push-in Plus klemens ile uyumlu	0.36	EC000886	XW5T0170M	4548583796881	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P4.0-2.2-1	Kapak, 4,0 mm ² , 2 giriş-2 çıkış, Push-in Plus klemens ile uyumlu	0.68	EC000886	XW5T0203M	4549734137980		50	CL	CLD	CHN	8536.9010.00
XWSZ-EP12	Durdurucu, 6 mm	4.27	EC000886	XW5T0171H	4548583796898	#	3	CL	CLD	CHN	8536.9010.00
XWSZ-EP6	Durdurucu, 12 mm	0.67	EC000886	XW5T0172F	4548583796904	#	50	CL	CLD	CHN	8536.9010.00
XWSZ-P2.5LB1	Yazılmamış plastik etiket, 2,5 mm ² Push-in Plus klemens ile uyumlu, 72 adet, önden takılır	33.63	EC000761	XW5T0175M	4548583796935		5	CL	CLD	POL	8536.9010.00
Sayıcı H7EC/R/T											
H7EC-N	Toplam Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 8 hane, 30cps/1kcps, gerilmisiz giriş, gri kasa	95.00	EC002300	H7E 8000H	4548583755635	#	10	DA	DAA	IDN	9029.1000.90
H7EC-N-B	Toplam sayacı, 1 / 32DIN (48 x 24 mm), kendi kendine çalışan, LCD, 8 basamaklı, 30cps / 1kcps, no-V girişi, siyah kutu	95.00	EC002300	H7E 8001F	4548583755642	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NFV	Toplam Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 8 hane, 20cps, VAC/DC giriş, gri kasa	138.10	EC002300	H7E 8006G	4548583755697	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NFV-B	Toplam sayacı, 1 / 32DIN (48 x 24 mm), kendinden güç, LCD, 8 basamaklı, 20cps, VAC / DC girişi, siyah kutu	155.50	EC002300	H7E 8007E	4548583755703	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NV	Toplam Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 8 hane, 30cps/1kcps, VDC giriş, gri kasa	98.25	EC002300	H7E 8002D	4548583755659	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NV-B	Toplam sayıcı, 1 / 32DIN (48 x 24 mm), kendi kendine çalışan, LCD, 8 basamaklı, 30cps / 1kcps, VDC girişi, siyah kutu	99.90	EC002300	H7E 8003B	4548583755666	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NV-BH	Toplam sayacı, 1 / 32DIN (48 x 24 mm), kendinden güç, arka aydınlatmalı LCD, 8 basamaklı, 30cps / 1kcps, VDC girişi, siyah kutu	105.30	EC002300	H7E 8005R	4548583755680	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NV-H	Toplam Sayıcı, DIN 48x24 mm, dahili pilli, arka ışıklı LCD, 8 hane, 30cps/1kcps, VDC giriş, gri kasa	105.80	EC002300	H7E 8004M	4548583755673	#	10	DA	DAA	IDN	9029.1000.90
H7ER-NV	Takometre, DIN 48x24 mm, dahili pilli, LCD, 4 hane, 1/60 ppr, VDC giriş, gri kasa	112.90	EC002294	H7E 8012A	4548583755758		10	DA	DAA	IDN	9029.1000.90
H7ER-NV1	Takometre, DIN 48x24 mm, dahili pilli, LCD, 5 hane, 1/60 ppr, VDC giriş, gri kasa	112.90	EC002294	H7E 8016D	4548583755796	#	10	DA	DAA	IDN	9029.1000.90
H7ET-N	Zaman Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 7 hane, 999999.9h / 3999d23.9h, gerilmisiz giriş, gri kasa	97.90	EC001641	H7E 8020B	4548583755833	#	10	DA	DAA	IDN	9029.1000.90
H7ET-N1	Zaman Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 7 hane, 999h59m59s / 9999h59.9m, gerilmisiz giriş, gri kasa	115.10	EC001641	H7E 8022R	4548583755857	#	10	DA	DAA	IDN	9029.1000.90
H7ET-N1-B	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999h59m59s / 9999h59.9m, no-V input, black case	101.80	EC001641	H7E 8023G	4548583755864	#	10	DA	DAA	IDN	9029.1000.90
H7ET-N-B	Zaman sayacı, 1 / 32DIN (48 x 24 mm), kendinden güç, LCD, 7 haneli, 999999.9h / 3999d23.9h, no-V giriş, siyah kutu	101.80	EC001641	H7E 8021M	4548583755840	#	10	DA	DAA	IDN	9029.1000.90
H7ET-NFV	Zaman Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 7 hane, 999999.9h / 3999d23.9h, VAC/DC giriş, gri kasa	151.50	EC001641	H7E 8032F	4548583755956	#	10	DA	DAA	IDN	9029.1000.90
H7ET-NFV-B	Zaman Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 7 hane, 999h59m59s / 9999h59.9m, VAC/DC giriş, gri kasa	148.60	EC001641	H7E 8034B	4548583755970	#	10	DA	DAA	IDN	9029.1000.90
H7ET-NFV1	Zaman sayacı, 1 / 32DIN (48 x 24 mm), kendinden güç, LCD, 7 basamaklı, 999999.9h / 3999d23.9h, VAC / DC girişi, siyah kutu	142.00	EC001641	H7E 8033D	4548583755963	#	10	DA	DAA	IDN	9029.1000.90
H7ET-NV	Zaman Sayıcı, 1/32DIN (48 x 24mm), dahili pilli, LCD, 7 hane, 999999.9h / 3999d23.9h, VDC giriş, gri kasa	101.40	EC001641	H7E 8024E	4548583755871	#	10	DA	DAA	IDN	9029.1000.90
H7ET-NV1	Zaman Sayıcı, 1/32DIN (48 x 24mm), dahili pilli, LCD, 7 hane, 999h59m59s / 9999h59.9m, VDC giriş, gri kasa	123.00	EC001641	H7E 8028H	4548583755918	#	10	DA	DAA	IDN	9029.1000.90
H7ET-NV-B	Zaman sayacı, 1 / 32DIN (48 x 24 mm), kendinden güç, LCD, 7 basamaklı, 999999.9h / 3999d23.9h, VDC girişi, siyah kutu	106.50	EC001641	H7E 8025C	4548583755888	#	10	DA	DAA	IDN	9029.1000.90
H7ET-NV-H	Zaman Sayıcı, 1/32DIN (48 x 24mm), dahili pilli, arka ışıklı LCD, 7 hane, 999999.9h / 3999d23.9h, VDC giriş, gri kasa	107.90	EC001641	H7E 8026A	4548583755895		10	DA	DAA	IDN	9029.1000.90
Sayıcı H7CX											
H7CC-A	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	325.00	EC002300	H7CC7009B	4549734670043	#		DA	DAE	CHN	9029.1000.90
H7CC-A11	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	325.00	EC002300	H7CC7002E	4549734670005	#		DA	DAE	CHN	9029.1000.90
H7CC-A11D	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.00	EC002300	H7CC7004A	4549734670029	#		DA	DAE	CHN	9029.1000.90
H7CC-A11S	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	325.00	EC002300	H7CC7003C	4549734670012			DA	DAE	CHN	9029.1000.90
H7CC-A11SD	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.00	EC002300	H7CC7005M	4549734670036			DA	DAE	CHN	9029.1000.90
H7CC-A8	Digital counter, plug-in, 8-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	332.20	EC002300	H7CC7060B	4549734670180			DA	DAE	CHN	9029.1000.90
H7CC-A8D	Digital counter, plug-in, 8-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	332.20	EC002300	H7CC7061M	4549734670197			DA	DAE	CHN	9029.1000.90
H7CC-AD	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.00	EC002300	H7CC7011D	4549734670067	#		DA	DAE	CHN	9029.1000.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H7CC-AS	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	325.00	EC002300	H7CC7010F	4549734670050			DA	DAE	CHN	9029.1000.90
H7CC-ASD	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.00	EC002300	H7CC7012B	4549734670074	#		DA	DAE	CHN	9029.1000.90
H7CC-AU	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPDT relay & SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	368.20	EC002300	H7CC7024F	4549734670128	#		DA	DAE	CHN	9029.1000.90
H7CC-AUD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPDT relay & SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	368.20	EC002300	H7CC7025D	4549734670135	#		DA	DAE	CHN	9029.1000.90
H7CC-AW	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPST & SPDT relay output, 100-240 VAC supply, 12 VDC aux. supply	368.20	EC002300	H7CC7017C	4549734670081	#		DA	DAE	CHN	9029.1000.90
H7CC-AWD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPST & SPDT relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	368.20	EC002300	H7CC7019M	4549734670104	#		DA	DAE	CHN	9029.1000.90
H7CC-AWS	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, DPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	368.20	EC002300	H7CC7018A	4549734670098			DA	DAE	CHN	9029.1000.90
H7CC-AWSD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, DPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	368.20	EC002300	H7CC7020C	4549734670111	#		DA	DAE	CHN	9029.1000.90
H7CC-R11	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	368.20	EC002294	H7CC7049A	4549734670152			DA	DAE	CHN	9029.1000.90
H7CC-R11D	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	368.20	EC002294	H7CC7050E	4549734670109			DA	DAE	CHN	9029.1000.90
H7CC-R11W	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT & SPST relay output, 100-240 VAC supply, 12 VDC aux. supply	368.20	EC002294	H7CC7055F	4549734670166			DA	DAE	CHN	9029.1000.90
H7CC-R11WD	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT & SPST output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	368.20	EC002294	H7CC7056D	4549734670173			DA	DAE	CHN	9029.1000.90
<u>Diğer Sayıcılar</u>											
H7BX-A	Counter, DIN 72x72 mm, digital, multifunction, preset to 1-stage, SPST-NO, 3 A	723.50	EC002300	H7BX0001C	4547648453615	#		DA	DAX	CHN	9029.1000.90
H7BX-AD1	Counter, DIN 72x72 mm, digital, multifunction, preset to 1-stage, SPST-NO, 3 A	723.50	EC002300	H7BX0003M	4547648453639			DA	DAX	CHN	9029.1000.90
H7BX-AW	Counter, DIN 72x72 mm, digital, multifunction, preset to 2-stage, SPST-NO, 3 A	774.50	EC002300	H7BX0002A	4547648453622	#		DA	DAX	CHN	9029.1000.90
H7BX-AWD1	Counter, DIN 72x72 mm, digital, multifunction, preset to 2-stage, SPST-NO, 3 A	774.50	EC002300	H7BX0004H	4547648453646			DA	DAX	CHN	9029.1000.90
<u>Sayıçılar için Aksesuarlar</u>											
Y92F-35	Flush panel mounting adapter for H7E	6.87	EC002295	Y92F2013M	4536854819872	#	10	DA	DAZ	JPN	8536.4900.99
Y92F-75	Flush mounting adapter for H7E, panel cut-out 45.3x26mm	5.51	EC002295	H7E 9001A	4536853531324	#	10	DA	DAZ	JPN	8536.4900.99
Y92F-77B	Flush panel mounting adapter for H7E	4.68	EC002295	H7E 9006B	4536854478239			DA	DAZ	JPN	8536.4900.99
Y92F-91	DIN rail mounting base for H8PS rotary positioner	37.37	EC002295	H8PS9002D	4536853532529	#		DA	DAZ	JPN	8544.4999.00
Y92S-36	Battery for H7E-N	16.74	EC002295	H7E 9004F	4536854478277			DA	DAZ	JPN	8536.4900.99
Y92S-41-200	Output cable, free wire ends, 2m long (1pc required for 16 output, 2pcs required for 32 output)	110.30	EC002295	H8PS9003B	4547648043861	#		DA	DAZ	JPN	8544.4999.00
<u>İzleme Ürünü 61E</u>											
61F-LS-CP08-ARA	Floaless level switch, plug-in, high functionality type, adjustable sensitivity, advanced operation, 8 pins, relay output, 100-240 VAC	104.50	EC001447	61FC0019R	4549734726214	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP08-ARB	Floaless level switch, plug-in, high functionality type, adjustable sensitivity, advanced operation, 8 pins, relay output, 24 VAC	104.50	EC001447	61FC0018M	4549734726207	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP08-NRA	Floaless level switch, plug-in, standard type, 8 pins, relay output, 100-240 VAC	92.15	EC001447	61FC0003B	4549734697125	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP08-SRA	Floaless level switch, plug-in, high functionality type, adjustable sensitivity, sequential operation, 8 pins, relay output, 100-240 VAC	104.50	EC001447	61FC0005R	4549734697149	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP08-SRB	Floaless level switch, plug-in, high functionality type, adjustable sensitivity, sequential operation, 8 pins, relay output, 24 VAC	104.50	EC001447	61FC0006G	4549734697156	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP11-ARA	Floaless level switch, plug-in, high functionality type, adjustable sensitivity, advanced operation, 11 pins, relay output, 100-240 VAC	129.10	EC001447	61FC0017B	4549734726191	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP11-BRC	Floaless level switch, plug-in, DC power supply type, 11 pins, relay output, 24 VDC, adjustable sensitivity, (requires PF113A-E socket)	169.60	EC001447	61FC0008C	4549734697170	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP11-BTC	Floaless level switch, plug-in, DC power supply type, 11 pins, transistor output, 24 VDC, adjustable sensitivity, (requires PF113A-E socket)	169.60	EC001447	61FC0007E	4549734697163	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP11-NE	Floaless level switch, plug-in, adjustable sensitivity, one level, 100-240 VAC	153.50	EC001447	61FC0016D	4549734697255	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP11-NRA	Floaless level switch, plug-in, standard type, 11 pins, relay output, 100-240 VAC	116.80	EC001447	61FC0002D	4549734697118	#	10	DB	DBA	JPN	9032.1080.90
61F-LS-CP11-SRA	Floaless level switch, plug-in, high functionality type, adjustable sensitivity, sequential operation, 11 pins, relay output, 100-240 VAC	129.10	EC001447	61FC0004M	4549734697132	#		DB	DBA	JPN	9032.1080.90
61F-WL-CP08-NRA	Water Leak Detector, plug-in, 8 pins, relay output, 100-240 VAC	116.80	EC001447	61FC0010E	4549734697194	#		DB	DBA	JPN	9032.1080.90
61F-WL-CP11-NRA	Water Leak Detector, plug-in, 11 pins, relay output, 100-240 VAC	129.10	EC001447	61FC0009A	4549734697187	#		DB	DBA	JPN	9032.1080.90
<u>İzleme Ürünü K7L</u>											
K7L-AT50	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 250 kOhm - 50 MOhm, bej kasa	327.70	EC001447	K7L 1001G	4536854465079	#		DB	DBB	JPN	9031.9000.00
K7L-AT50B	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 250 kOhm - 50 MOhm, siyah kasa	364.50	EC001447	K7L 3000M	4548583792883	#		DB	DBB	JPN	9031.9000.00
K7L-AT50D	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 250 kOhm - 50 MOhm, sensör anıza tespiti, bej kasa	395.70	EC001447	K7L 1002E	4536854616099	#		DB	DBB	JPN	9031.9000.00
K7L-UB	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 1 MOhm, uzak mesafelerde kablolarla, siyah kasa	380.00	EC001447	K7L 3002F	4548583792890	#		DB	DBB	JPN	9031.9000.00
<u>İzleme Ürünü K8AK</u>											
K8AK-AS1 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 100-240 VAC	44.77	EC001440	K8AK0001A	4548583402225	#		DB	DBK	CHN	9031.9000.00
K8AK-AS1 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 24VAC/DC	46.72	EC001440	K8AK0002M	4548583402232	#		DB	DBK	CHN	9031.9000.00
K8AK-AS2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 8A AC ya da DC, 1 SPDT, 100-240 VAC	48.66	EC001440	K8AK0003H	4548583402249	#		DB	DBK	CHN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K8AK-AS2 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 8A AC ya da DC, 1 SPDT, 24VAC/DC	50.60	EC001440	K8AK0004F	4548583402256	#		DB	DBK	CHN	9031.9000.00
K8AK-AS3 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 100-240 VAC	53.75	EC001440	K8AK0005D	4548583402263	#		DB	DBK	CHN	9031.9000.00
K8AK-AS3 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 24VAC/DC	53.75	EC001440	K8AK0006B	4548583402270	#		DB	DBK	CHN	9031.9000.00
K8AK-VS2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 100-240 VAC	40.04	EC001438	K8AK0013E	4548583402348	#		DB	DBK	CHN	9031.9000.00
K8AK-VS2 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 24VAC/DC	40.04	EC001438	K8AK0014C	4548583402355	#		DB	DBK	CHN	9031.9000.00
K8AK-VS3 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 100-240 VAC	42.09	EC001438	K8AK0015A	4548583402362	#		DB	DBK	CHN	9031.9000.00
K8AK-VS3 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 24VAC/DC	42.09	EC001438	K8AK0016M	4548583402379	#		DB	DBK	CHN	9031.9000.00
K8AK-WW2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 2 SPDT, 100-240 VAC	40.18	EC001438	K8AK0017H	4548583402386	#		DB	DBK	CHN	9031.9000.00
K8AK-WW2 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 2 SPDT, 24VAC/DC	40.04	EC001438	K8AK0018F	4548583402393	#		DB	DBK	CHN	9031.9000.00
K8AK-WW3 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 2 SPDT, 100-240 VAC	42.09	EC001438	K8AK0019D	4548583402409	#		DB	DBK	CHN	9031.9000.00
K8AK-WW3 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 2 SPDT, 24VAC/DC	42.09	EC001438	K8AK0020H	4548583402416	#		DB	DBK	CHN	9031.9000.00
K8AK-PA1	İzleme rölesi 22.5mm genişlik, 3 faz, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 3 faz 4 kablo, 115 - 240V AC, 1 SPDT	36.54	EC001441	K8AK0022D	4548583402430	#		DB	DBK	CHN	9031.9000.00
K8AK-PA2	İzleme rölesi 22.5mm genişlik, 3 faz, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 3 faz 4 kablo, 220 - 480V AC, 1 SPDT	38.48	EC001441	K8AK0023B	4548583402447	#		DB	DBK	CHN	9031.9000.00
K8AK-PH1	İzleme rölesi 22.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 DPDT	31.15	EC001441	K8AK0021F	4548583402423	#		DB	DBK	CHN	9031.9000.00
K8AK-PM1	İzleme rölesi 22.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 3 faz 4 kablo, 115 - 240V AC, 2 SPDT	43.68	EC001441	K8AK0024M	4548583402454	#		DB	DBK	CHN	9031.9000.00
K8AK-PM2	İzleme rölesi 22.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 3 faz 4 kablo, 220 - 480V AC, 2 SPDT	50.35	EC001441	K8AK0025R	4548583402461	#		DB	DBK	CHN	9031.9000.00
K8AK-PW2	İzleme rölesi 22.5mm genişlik, 3 faz, aşırı ve düşük gerilim, 220 - 480 V AC, 2 SPDT	49.82	EC001441	K8AK0027E	4548583402485	#		DB	DBK	CHN	9031.9000.00
K8AK-LS1 100-240VAC	İzleme rölesi 22.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 100-240 VAC	31.29	EC001447	K8AK0028C	4548583402492	#		DB	DBK	CHN	9031.9000.00
K8AK-LS1 24VAC/DC	İzleme rölesi 22.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 24VAC/DC	31.89	EC001447	K8AK0029A	4548583402508	#		DB	DBK	CHN	9031.9000.00
K8AK-PT1 100-240VAC	İzleme rölesi 22.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, motor sıcaklık koruması, termistör girişi, 100 - 240 VAC, 1 SPDT	45.40	EC001446	K8AK0037B	4548583506657	#		DB	DBK	CHN	9031.9000.00
K8AK-TH115 100-240VAC	İzleme rölesi 22.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 100-240 VAC	70.90	EC001446	K8AK0030E	4548583402515	#		DB	DBK	CHN	9031.9000.00
K8AK-TH115 24VAC/DC	İzleme rölesi 22.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 24VAC/DC	70.90	EC001446	K8AK0031C	4548583402522	#		DB	DBK	CHN	9031.9000.00
K8AK-TH125 100-240VAC	İzleme rölesi 22.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 100-240 VAC	70.90	EC001446	K8AK0032A	4548583402539	#		DB	DBK	CHN	9031.9000.00
K8AK-TH125 24VAC/DC	İzleme rölesi 22.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 24VAC/DC	70.90	EC001446	K8AK0033M	4548583402546	#		DB	DBK	CHN	9031.9000.00
K8AK-TS1 100-240VAC	İzleme rölesi 22.5mm genişlik, motor sıcaklık koruması, termistör girişi, 100 - 240 VAC, 1 SPDT	27.82	EC001446	K8AK0035F	4548583506633	#		DB	DBK	CHN	9031.9000.00
K8AK-TS1 24VAC/DC	İzleme rölesi 22.5mm genişlik, 3 faz, motor sıcaklık koruması, termistör girişi, 24 VAC/VDC, 1 SPDT	27.76	EC001446	K8AK0036D	4548583506640	#		DB	DBK	CHN	9031.9000.00
İzleme Ürünü K8DS											
K8DS-PA2	İzleme rölesi 17.5mm genişlik, 3 faz, gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT	31.86	EC001441	K8DS0007A	4548583481589	#		DB	DBS	CHN	9031.9000.00
K8DS-PH1	İzleme rölesi 17.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 SPDT	28.31	EC001441	K8DS0001B	4548583402553	#		DB	DBS	CHN	9031.9000.00
K8DS-PM2	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 400 VAC, 1 SPDT	38.51	EC001441	K8DS0005E	4548583481565	#		DB	DBS	CHN	9031.9000.00
K8DS-PU2	İzleme rölesi 17.5mm genişlik, 3 faz, düşük gerilim, faz sırası hatası ve faz kaybı, gerilim asimetrisi, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT	38.51	EC001441	K8DS0003R	4548583481541	#		DB	DBS	CHN	9031.9000.00
K8DS-PZ2	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT	52.85	EC001441	K8DS0009H	4548583508286	#		DB	DBS	CHN	9031.9000.00
İzleme Ürünü K8DT											
K8DT-AS1CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	53.00	EC001440	K8DT0001G	4548583773455	#		DB	DBT	CHN	9031.9000.00
K8DT-AS1CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	53.00	EC001440	K8DT0007F	4548583773516	#		DB	DBT	CHN	9031.9000.00
K8DT-AS1TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	53.00	EC001440	K8DT0004A	4548583773486	#		DB	DBT	CHN	9031.9000.00
K8DT-AS1TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	53.00	EC001440	K8DT0010F	4548583773547	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	54.90	EC001440	K8DT0002E	4548583773462	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	54.90	EC001440	K8DT0008D	4548583773523	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	54.90	EC001440	K8DT0005M	4548583773493	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	54.90	EC001440	K8DT0011D	4548583773554	#		DB	DBT	CHN	9031.9000.00
K8DT-AS3CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 100-240 VAC, Push-in Plus terminal	56.75	EC001440	K8DT0003C	4548583773479	#		DB	DBT	CHN	9031.9000.00
K8DT-AS3CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 24VAC/DC, Push-in Plus terminal	56.75	EC001440	K8DT0009B	4548583773530	#		DB	DBT	CHN	9031.9000.00
K8DT-AS3TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 100-240 VAC, Push-in Plus terminal	56.75	EC001440	K8DT0006H	4548583773509	#		DB	DBT	CHN	9031.9000.00
K8DT-AS3TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 24VAC/DC, Push-in Plus terminal	56.75	EC001440	K8DT0012B	4548583773561	#		DB	DBT	CHN	9031.9000.00
K8DT-AW1CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	56.75	EC001440	K8DT0013M	4548583773578	#		DB	DBT	CHN	9031.9000.00
K8DT-AW1CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	56.75	EC001440	K8DT0019M	4548583773639	#		DB	DBT	CHN	9031.9000.00
K8DT-AW1TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	56.75	EC001440	K8DT0016E	4548583773608	#		DB	DBT	CHN	9031.9000.00
K8DT-AW1TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	56.75	EC001440	K8DT0022M	4548583773660	#		DB	DBT	CHN	9031.9000.00
K8DT-AW2CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	58.65	EC001440	K8DT0014R	4548583773585	#		DB	DBT	CHN	9031.9000.00
K8DT-AW2CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	58.65	EC001440	K8DT0020C	4548583773646	#		DB	DBT	CHN	9031.9000.00
K8DT-AW2TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	58.65	EC001440	K8DT0017C	4548583773615	#		DB	DBT	CHN	9031.9000.00
K8DT-AW2TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	58.65	EC001440	K8DT0023H	4548583773677	#		DB	DBT	CHN	9031.9000.00
K8DT-AW3CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 100-240 VAC, Push-in Plus terminal	60.55	EC001440	K8DT0015G	4548583773592	#		DB	DBT	CHN	9031.9000.00
K8DT-AW3CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 24VAC/DC, Push-in Plus terminal	60.55	EC001440	K8DT0021A	4548583773653	#		DB	DBT	CHN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K8DT-AW3TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 100-240 VAC, Push-in Plus terminal	60.55	EC001440	K8DT0018A	4548583773622			DB	DBT	CHN	9031.9000.00
K8DT-AW3TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 24VAC/DC, Push-in Plus terminal	60.55	EC001440	K8DT0024F	4548583773684			DB	DBT	CHN	9031.9000.00
K8DT-V52CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	51.05	EC001438	K8DT0025D	4548583773691			DB	DBT	CHN	9031.9000.00
K8DT-V52CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	52.55	EC001438	K8DT0029G	4548583773738			DB	DBT	CHN	9031.9000.00
K8DT-V52TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	51.05	EC001438	K8DT0027M	4548583773714			DB	DBT	CHN	9031.9000.00
K8DT-V52TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	51.05	EC001438	K8DT0031R	4548583773752			DB	DBT	CHN	9031.9000.00
K8DT-V53CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	53.00	EC001438	K8DT0026B	4548583773707			DB	DBT	CHN	9031.9000.00
K8DT-V53CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	53.00	EC001438	K8DT0030M	4548583773745			DB	DBT	CHN	9031.9000.00
K8DT-V53TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	53.00	EC001438	K8DT0028R	4548583773721			DB	DBT	CHN	9031.9000.00
K8DT-V53TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	53.00	EC001438	K8DT0032G	4548583773769			DB	DBT	CHN	9031.9000.00
K8DT-VW2CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	54.90	EC001438	K8DT0033E	4548583773776			DB	DBT	CHN	9031.9000.00
K8DT-VW2CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	54.90	EC001438	K8DT0037H	4548583773813			DB	DBT	CHN	9031.9000.00
K8DT-VW2TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	54.90	EC001438	K8DT0035A	4548583773790			DB	DBT	CHN	9031.9000.00
K8DT-VW2TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	54.90	EC001438	K8DT0039D	4548583773837			DB	DBT	CHN	9031.9000.00
K8DT-VW3CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	56.75	EC001438	K8DT0034C	4548583773783			DB	DBT	CHN	9031.9000.00
K8DT-VW3CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	58.40	EC001438	K8DT0038F	4548583773820			DB	DBT	CHN	9031.9000.00
K8DT-VW3TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	56.75	EC001438	K8DT0036M	4548583773806			DB	DBT	CHN	9031.9000.00
K8DT-VW3TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	56.75	EC001438	K8DT0040H	4548583773844			DB	DBT	CHN	9031.9000.00
K8DT-PH1CN	İzleme rölesi 17.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 SPDT, Push-in Plus terminal	37.81	EC001441	K8DT0041F	4548583773851	#		DB	DBT	CHN	9031.9000.00
K8DT-PH1TN	İzleme rölesi 17.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 transistör, Push-in Plus terminal	37.81	EC001441	K8DT0042D	4548583773868			DB	DBT	CHN	9031.9000.00
K8DT-PM1CN	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, faz sırası hatası ve kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 SPDT, Push-in Plus terminal	49.17	EC001441	K8DT0043B	4548583773875			DB	DBT	CHN	9031.9000.00
K8DT-PM1TN	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, faz sırası hatası ve kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 transistör, Push-in Plus terminal	49.63	EC001441	K8DT0045R	4548583773899			DB	DBT	CHN	9031.9000.00
K8DT-PM2CN	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 400 VAC, 1 SPDT, Push-in Plus terminal	49.17	EC001441	K8DT0044M	4548583773882	#		DB	DBT	CHN	9031.9000.00
K8DT-PM2TN	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 400 VAC, 1 transistör, Push-in Plus terminal	49.63	EC001441	K8DT0046G	4548583773905			DB	DBT	CHN	9031.9000.00
K8DT-PZ1CN	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 SPDT, Push-in Plus terminal	45.79	EC001441	K8DT0047E	4548583773912			DB	DBT	CHN	9031.9000.00
K8DT-PZ1TN	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 transistör, Push-in Plus terminal	45.79	EC001441	K8DT0049A	4548583773936			DB	DBT	CHN	9031.9000.00
K8DT-PZ2CN	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT, Push-in Plus terminal	53.55	EC001441	K8DT0048C	4548583773929			DB	DBT	CHN	9031.9000.00
K8DT-PZ2TN	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 transistör, Push-in Plus terminal	53.00	EC001441	K8DT0050E	4548583773943			DB	DBT	CHN	9031.9000.00
K8DT-LS1CA	İzleme rölesi 17.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 100-240 VAC, Push-in Plus terminal	49.17	EC001447	K8DT0051C	4548583773950	#		DB	DBT	CHN	9031.9000.00
K8DT-LS1CD	İzleme rölesi 17.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 24VAC/DC, Push-in Plus terminal	49.17	EC001447	K8DT0053M	4548583773974	#		DB	DBT	CHN	9031.9000.00
K8DT-LS1TA	İzleme rölesi 17.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 transistör, 100-240 VAC, Push-in Plus terminal	49.63	EC001447	K8DT0052A	4548583773967			DB	DBT	CHN	9031.9000.00
K8DT-LS1TD	İzleme rölesi 17.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 transistör, 24VAC/DC, Push-in Plus terminal	49.17	EC001447	K8DT0054H	4548583773981	#		DB	DBT	CHN	9031.9000.00
K8DT-TH1CA	İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 100-240 VAC, Push-in Plus terminal	68.15	EC001446	K8DT0055F	4548583773998	#		DB	DBT	CHN	9031.9000.00
K8DT-TH1CD	İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 24VAC/DC, Push-in Plus terminal	68.15	EC001446	K8DT0059R	4548583774032	#		DB	DBT	CHN	9031.9000.00
K8DT-TH1TA	İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 transistör, 100-240 VAC, Push-in Plus terminal	68.15	EC001446	K8DT0057B	4548583774018			DB	DBT	CHN	9031.9000.00
K8DT-TH1TD	İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 transistör, 24VAC/DC, Push-in Plus terminal	68.15	EC001446	K8DT0061M	4548583774056			DB	DBT	CHN	9031.9000.00
K8DT-TH2CA	İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 100-240 VAC, Push-in Plus terminal	68.15	EC001446	K8DT0056D	4548583774001			DB	DBT	CHN	9031.9000.00
K8DT-TH2CD	İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 24VAC/DC, Push-in Plus terminal	68.15	EC001446	K8DT0060B	4548583774049			DB	DBT	CHN	9031.9000.00
K8DT-TH2TA	İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 transistör, 100-240 VAC, Push-in Plus terminal	68.15	EC001446	K8DT0058M	4548583774025			DB	DBT	CHN	9031.9000.00
K8DT-TH2TD	İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 transistör, 24VAC/DC, Push-in Plus terminal	68.15	EC001446	K8DT0062R	4548583774063			DB	DBT	CHN	9031.9000.00

Diğer İzleme Ürünleri

F03-16PE 10M	Floatless level controller accessory	324.50	EC002586	F03 1 169D	4549734593687	#		DB	DBX	JPN	9032.1080.90
F03-16PE 25M	Electrode band, stainless steel with polyethylene cover	996.50	EC002586	F03 1 172D	4549734593717			DB	DBX	JPN	9032.1080.90
F03-16PE 2M	Electrode band, stainless steel with polyethylene cover	77.35	EC002586	F03 1 167H	4549734593663			DB	DBX	JPN	9032.1080.90
F03-16PE 5M	Sensing band sticker, polyethylene, greater durability and condensation resistance.	190.60	EC002586	F03 1 168F	4549734593670	#		DB	DBX	JPN	9032.1080.90
F03-16PS	Floatless level controller accessory, liquid leakage point sensor, polyethylene, outer sheath:PVC, inner sheath:Fluoroplastic, SUS304 electrode material	115.50	EC002586	F03 1 131G	4547648088015	#		DB	DBX	JPN	9032.1080.90
F03-16PS-F	Point Sensor, electrodes have fluoroplastic coating to resist chemicals.	155.60	EC002586	F03 1 132E	4547648088022			DB	DBX	JPN	9032.1080.90
F03-16SFC-5M	Liquid Leakage Sensing Band (with color indication), 5m length, Greater flexibility and enables visual confirmation when the inner color appears	308.60	EC002586	F03 1 1146E	4547648143882	#		DB	DBX	JPN	9032.1080.90

İzleme Ürünleri İçin Aksesuarlar

K8AC-CT200L	KBAK-A*3 için 200 A akım transformörü	82.00	EC002048	K8AC0016D	4547648140492	#		DB	DBZ	JPN	9031.9000.00
F03-26PEN	Mounting bracket and sticker, sensing band sticker, Used for F03-16PE (screws).	37.40	EC002586	F03 1086H	4536854513411		30	DB	DBZ	JPN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F03-26PES	Mounting bracket and sticker, sensing band sticker, Used for F03-16PE (adhesive tape).	56.00	EC002586	F03 1099M	4536854718342	#	10	DB	DBZ	JPN	9032.1080.90
BF-1	Electrode holder, 1-pole electrode, standard type (150°C), liquid with low specific resistance	34.79	EC002586	BF 1001H	4536853143343	#		DB	DBZ	JPN	9032.1080.90
BF-5	Electrode holder, 5 way, standard type (150°C)	122.00	EC002586	BF 1005M	4536853143381	#		DB	DBZ	JPN	9032.1080.90
BS-1	Electrode holder, 1-pol electrode, for high pressure or high temperature applications (250°C), 1.96Mpa	66.25	EC002586	BS 1001E	4536853143695	#	10	DB	DBZ	JPN	9032.1080.90
F03-01 SUS201	Sıvı seviye elektrodu, paslanmaz çelik, SUS201, 1 m, 6 mm çap, ek yapılabılır, kesilebilir	12.40	EC002586	F03 1004C	4536853384531	#	100	DB	DBZ	JPN	9032.1080.90
F03-01 SUS316	Sıvı seviye elektrodu, paslanmaz çelik, SUS316, 1 m, 6 mm çap, ek yapılabılır, kesilebilir	24.71	EC002586	F03 1006M	4536853384548	#	25	DB	DBZ	JPN	9032.1080.90
F03-02 SUS201	Electrode connecting nut	3.11	EC002586	F03 1010H	4536853384586	#		DB	DBZ	JPN	8538.9099.99
F03-02 SUS316	Electrode lock nut, with 1 number of parts in an set	5.17	EC002586	F03 1011F	4536853384593	#	15	DB	DBZ	JPN	8538.9099.99
F03-03 SUS316	Electrode lock nut, with 2 number of parts in an set	1.60	EC002586	F03 1016G	4536853384647	#	20	DB	DBZ	JPN	8538.9099.99
F03-11	Floatless level controller accessory	38.42	EC002586	F03 1027B	4536853384739	#		DB	DBZ	JPN	8538.9099.99
F03-12	PS Electrode Holder Mounting Plate	20.72	EC002586	F03 1028M	4536853384746	#		DB	DBZ	JPN	8538.9099.99
F03-14 1P	Electrode separator, 1 electrode, ceramic, 250°C max, 15g	2.74	EC002586	F03 1030B	4536853384760	#	10	DB	DBZ	JPN	8538.9099.99
F03-14 3P	Electrode separator, 3 electrodes, ceramic, 250°C max, 30g	3.88	EC002586	F03 1031M	4536853384777	#	10	DB	DBZ	JPN	8538.9099.99
F03-14 5P	Electrode separator, 5 way	5.16	EC002586	F03 1101E	4536853385132	#	10	DB	DBZ	JPN	8538.9099.99
F03-20	Terminal block, liquid leakage sensor	152.40	EC002586	F03 1071M	4536854479267	#		DB	DBZ	JPN	9032.1080.90
F03-20T	Floatless level controller accessory	64.55	EC002586	F03 1097C	4536854616129	#		DB	DBZ	JPN	9032.1080.90
F03-31	Floatless level controller accessory	16.82	EC002586	F03 1041H	4536853384876	#	10	DB	DBZ	JPN	8538.9099.99
PS-31 SUS304 1000MM	Sıvı seviye röleleri için elektrot, 1 m uzunluk, istenilen uzunlukta kesilebilir	46.79	EC002586	PS 1005D	4536853724153	#	20	DB	DBZ	JPN	9032.1080.90
PS-31 SUS304 300MM	Electrode set, holder & electrodes, 0.3 m length, 4 mm diameter, non-extendable	42.61	EC002586	PS 1006B	4536853724160	#		DB	DBZ	JPN	9032.1080.90
PS-3S	3'lü elektrot tutucusu	36.45	EC002586	PS 2001G	4547648047791	#		DB	DBZ	CHN	9032.1080.90
PS-4S	Electrode holder, 4 way	42.61	EC002586	PS 2003C	4547648047814	#		DB	DBZ	CHN	9032.1080.90
PS-5S	Electrode holder, 5 way	47.68	EC002586	PS 2005M	4547648047838	#		DB	DBZ	CHN	9032.1080.90
Panel İndikatörleri K3MA											
K3MA-F-A2 100-240VAC	Frekans/Oran metre, DIN 96x48 mm, pulse giriş, 2NO röle çıkış, 100-240 VAC	363.20	EC002301	K3MA3103F	4547648238793	#		DC	DCA	CHN	9031.9000.00
K3MA-F-A2 24VAC/DC	Frekans/Oran metre, DIN 96x48 mm, pulse giriş, 2NO röle çıkış, 24 VAC/DC	359.20	EC002301	K3MA3104D	4547648238809	#		DC	DCA	CHN	9031.9000.00
K3MA-J 100-240VAC	Process meter, DIN 96x48mm, colour change display, DC voltage/ current input	343.10	EC002301	K3MA1101R	4547648238694	#		DC	DCA	CHN	9031.9000.00
K3MA-J 24VAC/DC	Process meter, DIN 96x48mm, colour change display, DC voltage/ current input	313.60	EC002301	K3MA1102G	4547648238700	#		DC	DCA	CHN	9031.9000.00
K3MA-J-A2 100-240VAC	Proses metre, DIN 96x48 mm, DC gerilim/ akım giriş, 2NO röle çıkış, 100-240 VAC	345.90	EC002301	K3MA1103E	4547648238717	#		DC	DCA	CHN	9031.9000.00
K3MA-J-A2 24VAC/DC	Proses metre, DIN 96x48 mm, DC gerilim/ akım giriş, 2NO röle çıkış, 24 VAC/DC	329.90	EC002301	K3MA1104C	4547648238724	#		DC	DCA	CHN	9031.9000.00
K3MA-L-C 100-240VAC	Sıcaklık metre, DIN 96x48 mm, Termokupl/ RTD giriş, 1C/O röle çıkış, 100-240 VAC	345.70	EC002301	K3MA2103M	4547648238755	#		DC	DCA	CHN	9031.9000.00
K3MA-L-C 24VAC/DC	Sıcaklık metre, DIN 96x48 mm, Termokupl/ RTD giriş, 1C/O röle çıkış, 24 VAC/DC	329.90	EC002301	K3MA2104R	4547648238762	#		DC	DCA	CHN	9031.9000.00
Panel İndikatörleri K3GN											
K3GN-NDC 24VDC	Dijital panel metre, DIN48x24mm, DC gerilim/akım + NPN giriş, 2x röle çıkışı	371.00	EC002301	K3GN1101H	4547648238328	#		DC	DCC	CHN	9031.9000.00
K3GN-NDC-FLK 24VDC	Dijital panel metre, DIN48x24mm, DC gerilim/akım + NPN giriş, 2x röle çıkışı, RS-485 haberleşme	435.10	EC002301	K3GN1105M	4547648238366	#		DC	DCC	CHN	9031.9000.00
K3GN-PDC 24VDC	Dijital panel metre, DIN 48x24 mm, DC gerilim/akım + PNP giriş, 2x röle çıkışı	371.70	EC002301	K3GN1103D	4547648238342	#		DC	DCC	CHN	9031.9000.00
K3GN-PDT2 24VDC	Dijital panel metre, DIN 48x24 mm, DC gerilim/akım + PNP giriş, 3x PNP transistör çıkışı	333.70	EC002301	K3GN1104B	4547648238359	#		DC	DCC	CHN	9031.9000.00
Panel İndikatörleri K3HB											
K3HB-CNB 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Yukarı/Aşağı saymak için pulse, 30Hz - 50kHz gerilimsiz, gerilim ya da NPN açık kolektör, 100-240 VAC	590.50	EC002301	K3HB7001D	4547648109864	#		DC	DCD	JPN	9031.9000.00
K3HB-HTA 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Sıcaklık sensörü girişi , PT100,K, J, T, E, L, U, N, R, S, B, W, 100-240 VAC	788.50	EC002301	K3HB4001H	4547648022651	#		DC	DCD	JPN	9031.9000.00
K3HB-HTA 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Sıcaklık sensörü girişi, PT100,K, J, T, E, L, U, N, R, S, B, W, 24 VAC/VDC	781.00	EC002301	K3HB4002F	4547648022668	#		DC	DCD	JPN	9031.9000.00
K3HB-RNB 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Döner pulse/Oran indikatörü, 30Hz - 50kHz gerilimsiz, gerilim ya da NPN açık kolektör, 100-240 VAC	590.50	EC002301	K3HB5001C	4547648109789	#		DC	DCD	JPN	9031.9000.00
K3HB-RNB 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Rotary pulse/Rate indicator, 30Hz to 50kHz No voltage, voltage or NPN open collector, 24 VAC/VDC supply	608.50	EC002301	K3HB5002A	4547648109796	#		DC	DCD	JPN	9031.9000.00
K3HB-RPB 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Döner pulse/Oran indikatörü, 30Hz - 50kHz gerilimsiz, gerilim ya da PNP açık kolektör, 24 VAC/VDC	577.00	EC002301	K3HB5004H	4547648109819	#		DC	DCD	JPN	9031.9000.00
K3HB-SSD 24VAC/DC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Lineer sensör indikatörü, DC Proses girişi, 0 - 5v, 1 - 5V, -5 - +5V, -10 - +10V, 0 - 20mA ya da 4 - 20mA, 24 VAC/DC, saniyede 2000 sinyal yakalama özelliği	1,117.00	EC002301	K3HB1002M	4547648008501	#		DC	DCD	JPN	9031.9000.00
K3HB-VLC 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Load cell girişi (DC Düşük gerilim girişi), 0.00 - 19.999mV/0.000 - 19.999mV/100.00 - 199.99mV, 100-240 VAC	586.00	EC002301	K3HB3001B	4547648022477	#		DC	DCD	JPN	9031.9000.00
K3HB-VLC 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Load cell girişi (DC Düşük gerilim girişi), 0.00 - 19.999mV/0.000 - 19.999mV/100.00 - 199.99mV, 24 VAC/DC	586.00	EC002301	K3HB3002M	4547648022484	#		DC	DCD	JPN	9031.9000.00
K3HB-XAA 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), AC akım girişi, 0-19.999mA - 0-10 A, 100-240 VAC	663.50	EC002301	K3HB2007F	4547648021814	#		DC	DCD	JPN	9031.9000.00
K3HB-XAD 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC akım girişi ±199.99mA ve 4.000 - 20.000mA, 100-240 VAC	572.00	EC002301	K3HB2003C	4547648021777	#		DC	DCD	JPN	9031.9000.00
K3HB-XAD 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC akım girişi ±199.99mA ve 4.000 - 20.000mA, 24 VAC/VDC	604.50	EC002301	K3HB2004A	4547648021784	#		DC	DCD	JPN	9031.9000.00
K3HB-XVA 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), AC gerilim girişi, 0.0 - 400.0 V - 0.0000 - 1.999 V, 100-240 VAC	663.50	EC002301	K3HB2005M	4547648021791	#		DC	DCD	JPN	9031.9000.00
K3HB-XVD 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC gerilim girişi ±199.99V ve 1.0000 - 5.0000V, 24 VAC/VDC	594.50	EC002301	K3HB2002E	4547648021760	#		DC	DCD	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<u>Diğer Panel İndikatörleri</u>											
K33-A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, 12 VDC 80mA sensör güç kaynağı,	69.90	EC002295	K33 1002B	4536854951220			DC	DCX	JPN	9031.9000.00
K33-B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, 10 VDC 100mA sensör güç kaynağı,	71.80	EC002295	K33 1004R	4547648022842	#		DC	DCX	JPN	9031.9000.00
K33-CPA	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, 1 röle (PASS) SPDT ve 12 VDC 80mA sensör güç kaynağı	83.55	EC002295	K33 1001D	4536854951213			DC	DCX	JPN	9031.9000.00
K33-CPB	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, 1 röle (PASS) SPDT ve 10 VDC 100mA sensör güç kaynağı	87.10	EC002295	K33 1003M	4547648022835	#		DC	DCX	JPN	9031.9000.00
K33-FLK3A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, RS-485 haberleşme ve 10 VDC 100mA sensör güç kaynağı	150.40	EC002295	K33 1011A	4547648022910	#		DC	DCX	JPN	9031.9000.00
K33-FLK3B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, RS-485 haberleşme ve 10 VDC 100mA sensör güç kaynağı	177.50	EC002295	K33 1012M	4547648022927			DC	DCX	JPN	9031.9000.00
K33-LIA	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, Lineer DC (0)4-20mA çıkış ve 12 VDC 80mA sensör güç kaynağı	283.40	EC002295	K33 1005G	4547648022859	#		DC	DCX	JPN	9031.9000.00
K33-LIB	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, Lineer DC (0)4-20mA çıkış ve 12 VDC 80mA sensör güç kaynağı	320.10	EC002295	K33 1006E	4547648022866	#		DC	DCX	JPN	9031.9000.00
K33-L2A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, Lineer DC(0)1-5V ya da 0 - 10V çıkış ve 12 VDC 80mA sensör güç kaynağı	283.40	EC002295	K33 1007C	4547648022873			DC	DCX	JPN	9031.9000.00
K33-L2B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, Lineer DC(0)1-5V ya da 0 - 10V çıkış ve 12 VDC 80mA sensör güç kaynağı	333.70	EC002295	K33 1008A	4547648022880	#		DC	DCX	JPN	9031.9000.00
K34-C1	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir, 2 röle çıkışı (H/L) SPDT	100.80	EC002295	K34 1001H	4536854927195	#		DC	DCX	JPN	9031.9000.00
K34-C2	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir, 4 röle çıkışı (HH/H/L/L) SPNO	127.40	EC002295	K34 1002F	4536854927201	#		DC	DCX	JPN	9031.9000.00
K34-T1	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir, 5 NPN açık kollektör çıkışı (HH/H/PASS/L/L)	117.40	EC002295	K34 1003D	4536854927218			DC	DCX	JPN	9031.9000.00
K35-1	Opsiyon kartı (Slot D), K3N modelleriyle uyumlu değildir, NPN açık kollektör, event giriş, 5 noktalı, M3 terminal bloğu	89.95	EC002295	K35 1001A	4536854927232	#		DC	DCX	JPN	9031.9000.00
K35-3	Opsiyon kartı (Slot D), K3N modelleriyle uyumlu değildir, PNP açık kollektör, event giriş, 5 noktalı M3 terminal bloğu	109.50	EC002295	K35 1003H	4536854927249	#		DC	DCX	JPN	9031.9000.00
K32-49HC	Hard cover for use with 96x48mm panel meter	9.15	EC002295	K32 1001M	4536853597092			DC	DCX	JPN	9031.9000.00
K32-49SC	Splash-proof soft cover for use with 96x48mm panel meter	31.36	EC002295	K32 2028H	4536853597153			DC	DCX	JPN	9031.9000.00
<u>Güç Kaynağı SBVS</u>											
S8VS-0150S	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 10 W, 5 VDC, 2.0 A output	138.70	EC002540	S8VS0156M	4547648711555	#		DD	DDH	CHN	8504.4083.90
S8VS-01512	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 15 W, 12 VDC, 1.2 A output	138.70	EC002540	S8VS0157H	4547648711562	#		DD	DDH	CHN	8504.4083.90
S8VS-01524	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 15 W, 24 VDC, 0.65 A output	138.70	EC002540	S8VS0158F	4547648711579	#		DD	DDH	CHN	8504.4083.90
S8VS-0300S	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 20 W, 5 VDC, 4 A output	175.10	EC002540	S8VS0159D	4547648711586			DD	DDH	CHN	8504.4083.90
S8VS-03012	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 30 W, 12 VDC, 2.5 A output	176.50	EC002540	S8VS0160H	4547648711593	#		DD	DDH	CHN	8504.4083.90
S8VS-03024	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 30 W, 24 VDC, 1.3 A output	176.50	EC002540	S8VS0161F	4547648711609	#		DD	DDH	CHN	8504.4083.90
S8VS-06024	Power supply, 60 W, 100-240 VAC input, 24 VDC, 2.5 A output, DIN rail mounting, basic model	241.90	EC002540	S8VS0068G	4547648419352	#		DD	DDH	CHN	8504.4083.90
S8VS-06024A	Güç kaynağı, 60 W, 100-240 VAC giriş, 24 VDC, 2.5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	327.50	EC002540	S8VS0118G	4547648639927	#		DD	DDH	CHN	8504.4083.90
S8VS-06024B	Güç kaynağı, 60 W, 100-240 VAC giriş, 24 VDC, 2.5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	263.00	EC002540	S8VS0120R	4547648639941	#		DD	DDH	CHN	8504.4083.90
S8VS-09024	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, basic model	316.10	EC002540	S8VS0069E	4547648419369	#		DD	DDH	CHN	8504.4083.90
S8VS-09024AP	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	372.20	EC002540	S8VS0130F	4547648640046	#		DD	DDH	CHN	8504.4083.90
S8VS-12024	Power supply, 120 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, basic model	379.40	EC002540	S8VS0070R	4547648419376	#		DD	DDH	CHN	8504.4083.90
S8VS-12024A	Güç kaynağı, 120 W, 100-240 VAC giriş, 24 VDC, 5.0 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	474.80	EC002540	S8VS0122E	4547648639965	#		DD	DDH	CHN	8504.4083.90
S8VS-12024AP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, digital display with running voltage and current, peak current, and forecast monitoring function with settable alarm point	385.30	EC002540	S8VS0132B	4547648640060	#		DD	DDH	CHN	8504.4083.90
S8VS-12024B	Güç kaynağı, 120 W, 100-240 VAC giriş, 24 VDC, 5.0 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	437.40	EC002540	S8VS0123C	4547648639972	#		DD	DDH	CHN	8504.4083.90
S8VS-12024BP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	427.60	EC002540	S8VS0133M	4547648640077	#		DD	DDH	CHN	8504.4083.90
S8VS-18024	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, basic model	529.50	EC002540	S8VS0071G	4547648419383	#		DD	DDH	CHN	8504.4083.90
S8VS-18024A	Güç kaynağı, 180 W, 100-240 VAC giriş, 24 VDC, 7.5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	625.00	EC002540	S8VS0126H	4547648640008	#		DD	DDH	CHN	8504.4083.90
S8VS-18024AP	Power supply, 180W, 100-240VAC input, 24VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	671.50	EC002540	S8VS0134R	4547648640084	#		DD	DDH	CHN	8504.4083.90
S8VS-18024BE	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function	470.40	EC002540	S8VS1139E	4548583020221			DD	DDH	CHN	8504.4083.90
S8VS-24024	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, basic model	659.50	EC002540	S8VS0072E	4547648419390	#		DD	DDH	CHN	8504.4083.90
S8VS-24024A	Güç kaynağı, 240 W, 100-240 VAC giriş, 24 VDC, 10.0 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	801.00	EC002540	S8VS0124A	4547648639989	#		DD	DDH	CHN	8504.4083.90
S8VS-24024AP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, digital display running voltage and current, peak current, and forecast monitoring function with settable alarm point	770.50	EC002540	S8VS0128D	4547648640022	#		DD	DDH	CHN	8504.4083.90
S8VS-24024B	Güç kaynağı, 240 W, 100-240 VAC giriş, 24 VDC, 10.0 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	662.50	EC002540	S8VS0125M	4547648639996	#		DD	DDH	CHN	8504.4083.90
S8VS-24024BP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	671.50	EC002540	S8VS0129B	4547648640039			DD	DDH	CHN	8504.4083.90
S8VS-48024A	Güç kaynağı, 480 W, 100-240 VAC giriş, 24 VDC, 20.0 A çıkış, DIN ray montaj, NPN/PNP alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	816.50	EC002540	S8VS0167E	4547648711661	#		DD	DDH	CHN	8504.4083.90
S8AS-24006	Power supply, 240W, 24VDC, 6 branch output	2,143.00	EC002540	S8AS0007M	4547648711289			DD	DDH	CHN	8504.4083.90
S8AS-48008	Power supply, 480W, 24VDC, 8 branch output	2,558.00	EC002540	S8AS0010M	4547648711319			DD	DDH	CHN	8504.4083.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Güç Kaynağı S8VK-G											
S8VK-G01505	Kitap tipi güç kaynağı, PRO, 15 W, 5VDC, 3 A, DIN ray montaj	38.78	EC002540	S8VK1000C	4548583357648	#		DD	DDL	CHN	8504.4083.90
S8VK-G01512	Kitap tipi güç kaynağı, PRO, 15 W, 12 VDC, 1.2A, DIN ray montaj	37.71	EC002540	S8VK1001A	4548583357655	#		DD	DDL	CHN	8504.4083.90
S8VK-G01524	Kitap tipi güç kaynağı, PRO, 15 W, 24VDC, 0.65 A, DIN ray montaj	38.84	EC002540	S8VK1002M	4548583357662	#		DD	DDL	CHN	8504.4083.90
S8VK-G03005	Kitap tipi güç kaynağı, PRO, 30 W, 5VDC, 5 A, DIN ray montaj	48.18	EC002540	S8VK1003H	4548583357679	#		DD	DDL	CHN	8504.4083.90
S8VK-G03012	Kitap tipi güç kaynağı, PRO, 30 W, 12 VDC, 2.5 A, DIN ray montaj	46.49	EC002540	S8VK1004F	4548583357686	#		DD	DDL	CHN	8504.4083.90
S8VK-G03024	Kitap tipi güç kaynağı, PRO, 30 W, 24VDC, 1.3A, DIN ray montaj	46.49	EC002540	S8VK1005D	4548583357693	#		DD	DDL	CHN	8504.4083.90
S8VK-G06012	Kitap tipi güç kaynağı, PRO, 60 W, 12 VDC, 4.5 A, DIN ray montaj	54.20	EC002540	S8VK1006B	4548583357709	#		DD	DDL	CHN	8504.4083.90
S8VK-G06024	Kitap tipi güç kaynağı, PRO, 60 W, 24VDC, 2.5 A, DIN ray montaj	54.20	EC002540	S8VK1007M	4548583357716	#		DD	DDL	CHN	8504.4083.90
S8VK-G12024	Kitap tipi güç kaynağı, PRO, 120 W, 24VDC, 5 A, DIN ray montaj	82.25	EC002540	S8VK1008R	4548583357723	#		DD	DDL	CHN	8504.4083.90
S8VK-G24024	Kitap tipi güç kaynağı, PRO, 240 W, 24VDC, 10 A, DIN ray montaj	137.80	EC002540	S8VK1009G	4548583357730	#		DD	DDL	CHN	8504.4083.90
S8VK-G24048	Kitap tipi güç kaynağı, PRO, 240 W, 48VDC, 5 A, DIN ray montaj	137.80	EC002540	S8VK1010M	4548583357747	#		DD	DDL	CHN	8504.4083.90
S8VK-G48024	Kitap tipi güç kaynağı, PRO, 480 W, 24VDC, 20A, DIN ray montaj	191.40	EC002540	S8VK1011R	4548583357754	#		DD	DDL	CHN	8504.4083.90
S8VK-G48048	Kitap tipi güç kaynağı, PRO, 480 W, 48VDC, 10 A, DIN ray montaj	191.40	EC002540	S8VK1012G	4548583357761	#		DD	DDL	CHN	8504.4083.90
Güç Kaynağı S8VK-C											
S8VK-C06024	Kitap tipi güç kaynağı, LITE, 60 W, 24VDC, 2.5 A, DIN ray montaj	34.80	EC002540	S8VK2000R	4548583357907	#		DD	DDM	CHN	8504.4083.90
S8VK-C12024	Kitap tipi güç kaynağı, LITE, 120 W, 24VDC, 5 A, DIN ray montaj	50.35	EC002540	S8VK2001G	4548583357914	#		DD	DDM	CHN	8504.4083.90
S8VK-C24024	Kitap tipi güç kaynağı, LITE, 240 W, 24VDC, 10 A, DIN ray montaj	90.30	EC002540	S8VK2002E	4548583357921	#	2	DD	DDM	CHN	8504.4083.90
S8VK-C48024	Kitap tipi güç kaynağı, LITE, 480 W, 24VDC, 20A, DIN ray montaj	158.60	EC002540	S8VK2003C	4548583357938	#		DD	DDM	CHN	8504.4083.90
Güç Kaynağı S8VK-S											
S8VK-S03024	Kitap tipi güç kaynağı, PRO, 30 W, 24VDC, 1.3 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, sıvı geçirmez	49.80	EC002540	S8VK5004H	4549734134620	#		DD	DDN	CHN	8504.4083.90
S8VK-S06024	Kitap tipi güç kaynağı, PRO, 60 W, 24VDC, 2.5 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, sıvı geçirmez	58.40	EC002540	S8VK5000E	4548583761117	#		DD	DDN	CHN	8504.4083.90
S8VK-S12024	Kitap tipi güç kaynağı, PRO, 120 W, 24VDC, 5 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, sıvı geçirmez	84.30	EC002540	S8VK5001C	4548583761124	#		DD	DDN	CHN	8504.4083.90
S8VK-S24024	Kitap tipi güç kaynağı, PRO, 240 W, 24VDC, 10 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, düşük gerilim alarm çıkışı, sıvı geçirmez	163.80	EC002540	S8VK5002A	4548583761131	#		DD	DDN	CHN	8504.4083.90
S8VK-S48024	Kitap tipi güç kaynağı, PRO, 480 W, 24VDC, 20A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, düşük gerilim alarm çıkışı, sıvı geçirmez	250.10	EC002540	S8VK5003M	4548583761148	#		DD	DDN	CHN	8504.4083.90
Güç Kaynağı S8VK accessory											
S82Y-VK10F	Front-mounting bracket for S8VK (120, 240 and 480 W models)	12.84	EC002498	S82Y3000M	4548583415911	#	100	DD	DDO	JPN	8504.4083.90
S82Y-VK90F	Front-mounting bracket for S8VK-T (480 W and 960 W models)	35.88	EC002498	S82Y3007H	4549734674379	#		DD	DDO	CHN	8504.4083.90
S8VK-R10	Yedekleme ünitesi, PRO PLUS (giriş 5-30VDC, çıkış 10 A)	52.95	EC002498	S8VK4000M	4548583425613	#		DD	DDO	CHN	8504.4083.90
S8VK-R20	Yedekleme ünitesi, PRO PLUS (giriş 10-60VDC, çıkış 20 A)	79.75	EC002498	S8VK4001H	4548583425620	#		DD	DDO	CHN	8504.4083.90
S8V-NFS203	Noise filter accessory power supply, 250 VAC/DC rated voltage, 3 A rated current, DIN-rail mounting, Push-in terminal	43.98	EC002025	S8V 0002E	4549734175876	#		DD	DDO	VNM	8529.9097.00
S8V-NFS206	Noise filter accessory power supply, 250 VAC/DC rated voltage, 6 A rated current, DIN-rail mounting, Push-in terminal	46.13	EC002025	S8V 0001G	4549734172707	#		DD	DDO	VNM	8529.9097.00
Güç Kaynağı S8FS											
S8FS-C01505J	Güç kaynağı, LITE, 15 W, 100-240 VAC giriş, 5 VDC, 3.0 A çıkış, DIN ray montaj seçeneği	15.25	EC002540	S8FS0048F	4548583751286	#		DD	DDP	CHN	8504.4083.90
S8FS-C01512J	Güç kaynağı, LITE, 15 W, 100-240 VAC giriş, 12 VDC, 1.3 A çıkış, DIN ray montaj seçeneği	15.25	EC002540	S8FS0049D	4548583751293	#		DD	DDP	CHN	8504.4083.90
S8FS-C01524J	Güç kaynağı, LITE, 15 W, 100-240 VAC giriş, 24 VDC, 0.7 A çıkış, DIN ray montaj seçeneği	15.25	EC002540	S8FS0051F	4548583751316	#		DD	DDP	CHN	8504.4083.90
S8FS-C02512	Güç kaynağı, LITE, 25 W, 100-240 VAC giriş, 12 VDC, 2.1 A çıkış, yüzey montaj seçeneği	17.39	EC002540	S8FS0006M	4548583741522	#		DD	DDP	CHN	8504.4083.90
S8FS-C02524	Güç kaynağı, LITE, 25 W, 100-240 VAC giriş, 24 VDC, 1.1 A çıkış, yüzey montaj seçeneği	17.39	EC002540	S8FS0008G	4548583741546	#		DD	DDP	CHN	8504.4083.90
S8FS-C02524J	Güç kaynağı, LITE, 25 W, 100-240 VAC giriş, 24 VDC, 1.1 A çıkış, DIN ray montaj seçeneği	17.39	EC002540	S8FS0056G	4548583751361	#		DD	DDP	CHN	8504.4083.90
S8FS-C03512J	Güç kaynağı, LITE, 35 W, 100-240 VAC giriş, 12 VDC, 3.0 A çıkış, DIN ray montaj seçeneği	18.71	EC002540	S8FS0059A	4548583751392	#		DD	DDP	CHN	8504.4083.90
S8FS-C03524	Güç kaynağı, LITE, 35 W, 100-240 VAC giriş, 24 VDC, 1.5 A çıkış, yüzey montaj seçeneği	18.71	EC002540	S8FS0012E	4548583741584	#		DD	DDP	CHN	8504.4083.90
S8FS-C03524J	Güç kaynağı, LITE, 35 W, 100-240 VAC giriş, 24 VDC, 1.5 A çıkış, DIN ray montaj seçeneği	18.71	EC002540	S8FS0061C	4548583751415	#		DD	DDP	CHN	8504.4083.90
S8FS-C05012	Güç kaynağı, LITE, 50 W, 100-240 VAC giriş, 12 VDC, 4.2 A çıkış, yüzey montaj seçeneği	20.87	EC002540	S8FS0014A	4548583741607	#		DD	DDP	CHN	8504.4083.90
S8FS-C05012J	Güç kaynağı, LITE, 50 W, 100-240 VAC giriş, 12 VDC, 4.2 A çıkış, DIN ray montaj seçeneği	20.87	EC002540	S8FS0064H	4548583751446	#		DD	DDP	CHN	8504.4083.90
S8FS-C05024	Güç kaynağı, LITE, 50 W, 100-240 VAC giriş, 24 VDC, 2.2 A çıkış, yüzey montaj seçeneği	20.87	EC002540	S8FS0016H	4548583741621	#		DD	DDP	CHN	8504.4083.90
S8FS-C05024J	Güç kaynağı, LITE, 50 W, 100-240 VAC giriş, 24 VDC, 2.2 A çıkış, DIN ray montaj seçeneği	20.87	EC002540	S8FS0066D	4548583751460	#		DD	DDP	CHN	8504.4083.90
S8FS-C07512	Güç kaynağı, LITE, 75 W, 100-240 VAC giriş, 12 VDC, 6.2 A çıkış, yüzey montaj seçeneği	26.09	EC002540	S8FS0019B	4548583741652	#		DD	DDP	CHN	8504.4083.90
S8FS-C10012	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 8.5 A çıkış, yüzey montaj seçeneği	28.22	EC002540	S8FS0024R	4548583741706	#		DD	DDP	CHN	8504.4083.90
S8FS-C10012J	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 8.5 A çıkış, DIN ray montaj seçeneği	28.22	EC002540	S8FS0074E	4548583751545	#		DD	DDP	CHN	8504.4083.90
S8FS-C10024	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 4.5 A çıkış, yüzey montaj seçeneği	28.22	EC002540	S8FS0026E	4548583741720	#		DD	DDP	CHN	8504.4083.90
S8FS-C10024J	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 4.5 A çıkış, DIN ray montaj seçeneği	28.22	EC002540	S8FS0076A	4548583751569	#		DD	DDP	CHN	8504.4083.90
S8FS-C15012	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 12.5 A çıkış, yüzey montaj seçeneği	32.57	EC002540	S8FS0030C	4548583741768	#		DD	DDP	CHN	8504.4083.90
S8FS-C15024	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 6.5 A çıkış, yüzey montaj seçeneği	32.57	EC002540	S8FS0032M	4548583741782	#		DD	DDP	CHN	8504.4083.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
S8FS-C15024J	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 6.5 A çıkış, DIN ray montaj seçeneği	32.57	EC002540	S8FS0083D	4548583751637	#		DD	DDP	CHN	8504.4083.90
S8FS-C20012	Güç kaynağı, LITE, 200 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 17.0 A çıkış, yüzey montaj seçeneği	47.74	EC002540	S8FS0036B	4548583741829			DD	DDP	CHN	8504.4083.90
S8FS-C20024	Güç kaynağı, LITE, 200 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 8.8 A çıkış, yüzey montaj seçeneği	47.74	EC002540	S8FS0037M	4548583741836			DD	DDP	CHN	8504.4083.90
S8FS-C20024J	Güç kaynağı, LITE, 200 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 8.8 A çıkış, DIN ray montaj seçeneği	47.74	EC002540	S8FS0088E	4548583751682			DD	DDP	CHN	8504.4083.90
S8FS-C35012	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 29.0 A çıkış, yüzey montaj seçeneği	69.60	EC002540	S8FS0041R	4548583741874			DD	DDP	CHN	8504.4083.90
S8FS-C35012J	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 29.0 A çıkış, DIN ray montaj seçeneği	69.60	EC002540	S8FS0092C	4548583751729			DD	DDP	CHN	8504.4083.90
S8FS-C35024	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 29.0 A çıkış, yüzey montaj seçeneği	69.60	EC002540	S8FS0042G	4548583741881	#		DD	DDP	CHN	8504.4083.90
S8FS-C35024J	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 29.0 A çıkış, DIN ray montaj seçeneği	69.60	EC002540	S8FS0093A	4548583751736	#		DD	DDP	CHN	8504.4083.90
S8FS-C35048	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 48 VDC, 9.7 A çıkış, yüzey montaj seçeneği	69.60	EC002540	S8FS0044C	4548583741904			DD	DDP	CHN	8504.4083.90
S8FS-C35048J	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 48 VDC, 9.7 A çıkış, DIN ray montaj seçeneği	69.60	EC002540	S8FS0095H	4548583751750	#		DD	DDP	CHN	8504.4083.90
S8FS-G01505CD	Güç kaynağı, 15 W, 100-240 VAC giriş, 5 VDC, 3 A çıkış, DIN ray montaj	54.00	EC002540	S8FS2001M	4549734104333	#		DD	DDP	CHN	8504.4083.90
S8FS-G01512CD	Güç kaynağı, 15 W, 100-240 VAC giriş, 12 VDC, 1.3 A çıkış, DIN ray montaj	54.00	EC002540	S8FS2003G	4549734104357	#		DD	DDP	CHN	8504.4083.90
S8FS-G01524CD	Güç kaynağı, 15 W, 100-240 VAC giriş, 24 VDC, 0.65 A çıkış, DIN ray montaj	54.00	EC002540	S8FS2007M	4549734104395	#		DD	DDP	CHN	8504.4083.90
S8FS-G03012CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 12 VDC, 3 A çıkış, DIN ray montaj	66.25	EC002540	S8FS2013D	4549734104456	#		DD	DDP	CHN	8504.4083.90
S8FS-G03015CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 15 VDC, 2.4 A çıkış, DIN ray montaj	66.25	EC002540	S8FS2015M	4549734104470	#		DD	DDP	CHN	8504.4083.90
S8FS-G03024CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 24 VDC, 1.5 A çıkış, DIN ray montaj	66.25	EC002540	S8FS2017G	4549734104494	#		DD	DDP	CHN	8504.4083.90
S8FS-G05005CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 5 VDC, 8 A çıkış, DIN ray montaj	83.55	EC002540	S8FS2021E	4549734104531	#		DD	DDP	CHN	8504.4083.90
S8FS-G05012CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 12 VDC, 4.3 A çıkış, DIN ray montaj	83.55	EC002540	S8FS2023A	4549734104555	#		DD	DDP	CHN	8504.4083.90
S8FS-G05015CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 15 VDC, 3.5 A çıkış, DIN ray montaj	83.55	EC002540	S8FS2025H	4549734104579	#		DD	DDP	CHN	8504.4083.90
S8FS-G05024CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 24 VDC, 2.2 A çıkış, DIN ray montaj	83.55	EC002540	S8FS2027D	4549734104593	#		DD	DDP	CHN	8504.4083.90
S8FS-G10012CD	Güç kaynağı, 100 W, 100-240 VAC giriş, 12 VDC, 8.5 A çıkış, DIN ray montaj	109.90	EC002540	S8FS2033R	4549734104654	#		DD	DDP	CHN	8504.4083.90
S8FS-G10024C-500	Power Supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, direct mounting, without EAC certification	104.60	EC002540	S8FS4036D	4549734761895	#		DD	DDP	JPN	8504.4083.90
S8FS-G10024CD-500	Power Supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, DIN-rail mounting, without EAC certification	109.90	EC002540	S8FS4037B	4549734761901	#		DD	DDP	JPN	8504.4083.90
S8FS-G15005CD	Güç kaynağı, 150 W, 100-240 VAC giriş, 5 VDC, 21 A çıkış, DIN ray montaj	135.70	EC002540	S8FS2045B	4549734104777	#		DD	DDP	CHN	8504.4083.90
S8FS-G15012CD	Güç kaynağı, 150 W, 100-240 VAC giriş, 12 VDC, 13 A çıkış, DIN ray montaj	135.70	EC002540	S8FS2047R	4549734104791	#		DD	DDP	CHN	8504.4083.90
S8FS-G15015CD	Güç kaynağı, 150 W, 100-240 VAC giriş, 15 VDC, 10 A çıkış, DIN ray montaj	135.70	EC002540	S8FS2049E	4549734104814	#		DD	DDP	CHN	8504.4083.90
S8FS-G15024C-500	Power Supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, direct mounting, without EAC certification	130.70	EC002540	S8FS4050M	4549734761918	#		DD	DDP	JPN	8504.4083.90
S8FS-G15024CD-500	Power Supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, DIN-rail mounting, without EAC certification	135.70	EC002540	S8FS4051H	4549734761925	#		DD	DDP	JPN	8504.4083.90
S8FS-G15048CD	Güç kaynağı, 150 W, 100-240 VAC giriş, 48 VDC, 3.3 A çıkış, DIN ray montaj	135.70	EC002540	S8FS2059B	4549734104913	#		DD	DDP	CHN	8504.4083.90
S8FS-G30012CD	Güç kaynağı, 300 W, 100-240 VAC giriş, 12 VDC, 25 A çıkış, DIN ray montaj	249.30	EC002540	S8FS2061D	4549734104937	#		DD	DDP	CHN	8504.4083.90
S8FS-G30024C-500	Power supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, without EAC certification	244.20	EC002540	S8FS4064M	4549734761932	#		DD	DDP	JPN	8504.4083.90
S8FS-G30024CD-500	Power Supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, DIN-rail mounting, without EAC certification	249.30	EC002540	S8FS4065H	4549734761949	#		DD	DDP	JPN	8504.4083.90
S8FS-G60012CD	Güç kaynağı, 600 W, 100-240 VAC giriş, 12 VDC, 50 A çıkış, DIN ray montaj	397.40	EC002540	S8FS2073H	4549734105057	#		DD	DDP	CHN	8504.4083.90
S8FS-G60024C-500	Power supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, without EAC certification	391.70	EC002540	S8FS4080A	4549734761956	#		DD	DDP	JPN	8504.4083.90
S8FS-G60024CD-500	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, DIN-rail mounting, without EAC certification	397.40	EC002540	S8FS4081M	4549734761963	#		DD	DDP	JPN	8504.4083.90
S8FS-G60048CD	Güç kaynağı, 600 W, 100-240 VAC giriş, 48 VDC, 13 A çıkış, DIN ray montaj	397.40	EC002540	S8FS2089D	4549734105217	#		DD	DDP	CHN	8504.4083.90

Güç Kaynağı S8VK-T

S8VK-T12024	Kitap tipi güç kaynağı, PRO, 3 faz, 120 W, 24VDC, 5 A, DIN ray montaj	100.80	EC002540	S8VK3000D	4548583357983	#		DD	DDQ	CHN	8504.4083.90
S8VK-T12024-400	Coated version, Book type power supply, Pro, Three-phase, 120 W, 24VDC, 5A, DIN rail mounting	116.20	EC002540	S8VK3200G	4548583721234	#		DD	DDQ	CHN	8504.4083.90
S8VK-T24024	Kitap tipi güç kaynağı, PRO, 3 faz, 240 W, 24VDC, 10 A, DIN ray montaj	151.50	EC002540	S8VK3001B	4548583357990	#		DD	DDQ	CHN	8504.4083.90
S8VK-T24024-400	Coated version, Book type power supply, Pro, Three-phase, 240 W, 24VDC, 10A, DIN rail mounting	150.00	EC002540	S8VK3201E	4548583564589	#		DD	DDQ	CHN	8504.4083.90
S8VK-T48024	Kitap tipi güç kaynağı, PRO, 3 faz, 480 W, 24VDC, 20A, DIN ray montaj	279.80	EC002540	S8VK3002M	4548583358003	#		DD	DDQ	CHN	8504.4083.90
S8VK-T48024-400	Coated version, Book type power supply, Pro, Three-phase, 480 W, 24VDC, 20A, DIN rail mounting	319.10	EC002540	S8VK3202C	4548583564596	#		DD	DDQ	CHN	8504.4083.90
S8VK-T96024	Kitap tipi güç kaynağı, PRO, 3 faz, 960 W, 24VDC, 40A, DIN ray montaj	376.80	EC002540	S8VK3003R	4548583358010	#		DD	DDQ	CHN	8504.4083.90
S8VK-T96024-400	Coated version, Book type power supply, Pro, Three-phase, 960 W, 24VDC, 40A, DIN rail mounting	419.30	EC002540	S8VK3203A	4548583564602	#		DD	DDQ	CHN	8504.4083.90
S8VK-WA20224-SPI	Single-phase power supply, 2000 W, 24 VDC, 85 A, DIN rail mounting	1,064.00	EC002540	S8VK7005G	4549734785723	#		DD	DDQ	CHN	8504.4083.90
S8VK-WA20248-SPI	Single-phase power supply, 2000 W, 48 VDC, 45 A, DIN rail mounting	1,064.00	EC002540	S8VK7007C	4549734785747	#		DD	DDQ	CHN	8504.4083.90
S8VK-WA24024	3-phase power supply, 240 W, 24 VDC, 10 A, DIN rail mounting	314.40	EC002540	S8VK7001D	4549734449083		3	DD	DDQ	CHN	8504.4083.90
S8VK-WA48024	3-phase power supply, 480 W, 24 VDC, 20 A, DIN rail mounting	428.80	EC002540	S8VK7002B	4549734449090	#	3	DD	DDQ	CHN	8504.4083.90
S8VK-WA96024	3-phase power supply, 960 W, 24 VDC, 40 A, DIN rail mounting	644.00	EC002540	S8VK7003M	4549734449106	#		DD	DDQ	CHN	8504.4083.90
S8VK-WB24024	3-phase power supply, 400 VAC, 240 W, 24 VDC, 10 A, DIN rail mounting	265.00	EC002540	S8VK7051M	4549734674799	#		DD	DDQ	CHN	8504.4083.90
S8VK-WB24048	3-phase power supply, 400 VAC, 240 W, 48 VDC, 5 A, DIN rail mounting	265.00	EC002540	S8VK7054E	4549734674829	#		DD	DDQ	CHN	8504.4083.90
S8VK-WB48024	3-phase power supply, 400 VAC, 480 W, 24 VDC, 20 A, DIN rail mounting	376.40	EC002540	S8VK7052R	4549734674805	#		DD	DDQ	CHN	8504.4083.90
S8VK-WB48048	3-phase power supply, 400 VAC, 480 W, 48 VDC, 10 A, DIN rail mounting	376.40	EC002540	S8VK7055C	4549734674836	#		DD	DDQ	CHN	8504.4083.90
S8VK-WB96024	3-phase power supply, 400 VAC, 960 W, 24 VDC, 40 A, DIN rail mounting	544.00	EC002540	S8VK7053G	4549734674812	#		DD	DDQ	CHN	8504.4083.90
S8VK-WB96048	3-phase power supply, 400 VAC, 960 W, 48 VDC, 20 A, DIN rail mounting	544.00	EC002540	S8VK7056A	4549734674843	#		DD	DDQ	CHN	8504.4083.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Güç Kaynağı S8VK-X											
S8VK-X06024-EIP	Book type power supply, 60 W, 24 VDC, 2.5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	175.60	EC002540	S8VK6006M	4549734172776			DD	DDR	CHN	8504.4083.90
S8VK-X09024A-EIP	Book type power supply, 90 W, 24 VDC, 3.75 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	237.60	EC002540	S8VK6000M	4549734172714	#		DD	DDR	CHN	8504.4083.90
S8VK-X1 2024A-EIP	Book type power supply, 120 W, 24 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	261.20	EC002540	S8VK6001R	4549734172721	#		DD	DDR	CHN	8504.4083.90
S8VK-X1 2024A-EIP	Book type power supply, 120 W, 24 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	221.70	EC002540	S8VK6008F	4549734172790	#		DD	DDR	CHN	8504.4083.90
S8VK-X24024A-EIP	Book type power supply, 240 W, 24 VDC, 10 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	375.50	EC002540	S8VK6002G	4549734172738	#		DD	DDR	CHN	8504.4083.90
S8VK-X24024-EIP	Book type power supply, 240 W, 24 VDC, 10 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	336.40	EC002540	S8VK6009D	4549734172806	#		DD	DDR	CHN	8504.4083.90
S8VK-X48024A-EIP	Book type power supply, 480 W, 24 VDC, 20 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	494.40	EC002540	S8VK6003E	4549734172745	#		DD	DDR	CHN	8504.4083.90
S8VK-X48024-EIP	Book type power supply, 480 W, 24 VDC, 20 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	455.00	EC002540	S8VK6010H	4549734172813	#		DD	DDR	CHN	8504.4083.90
S8V Elektronik Sigorta											
S8V-CP0424	Electronic circuit breaker, 4 channels, max. 10 A per channel, 24 VDC	195.30	EC002498	S8V 1003R	4549734494106	#		DD	DDT	DEU	8536.2010.90
S8V-CP0424S	Electronic circuit breaker, 4 channels, 3.8 A per channel, 24 VDC, UL class 2	221.80	EC002498	S8V 1004G	4549734494113	#		DD	DDT	DEU	8536.2010.90
S8V-CP0824	Electronic circuit breaker, 8 channels, max. 10 A per channel, 24 VDC	334.80	EC002498	S8V 1005E	4549734494120	#		DD	DDT	DEU	8536.2010.90
Diğer Güç Kaynağı											
S8JX-P30024N	Power supply, 300 W, 100/240 VAC input, 24 VDC, 14 A output	522.00	EC002540	S8JX1048F	4548583103696	#		DD	DDX	CHN	8504.4083.90
S8JX-P60024N	Power supply, 600 W, 100-240 VAC input, 24 VDC, 27 A output	835.50	EC002540	S8JX1051F	4548583103726	#		DD	DDX	CHN	8504.4083.90
S8T-DCBU-02	DC backup block for S8TS PSU of 500 ms at an output current of 2.5A	275.80	EC002498	S8T 0006M	4547648711401			DD	DDX	CHN	8504.4083.90
S8M-CP04	Çoklu devre koruyucu, maks. giriş akımı: 17 A, 4 x 4.0 A her çıkış için, kollara ayırmak için ideal, 24 VDC	414.30	EC002498	S8M 0007B	4547648711371	#		DD	DDX	CHN	8504.4083.90
Güç Kaynağı İçin Aksesuarlar											
S82Y-FSC015DIN	Mounting bracket, DIN-rail, 15W	4.19	EC002498	S82Y0024A	4548583758049	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC050DIN	Mounting bracket, DIN-rail, 35W, 50W	4.19	EC002498	S82Y0026H	4548583758063	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC150DIN	Mounting bracket, DIN-rail, 75W, 100W, 150W	4.19	EC002498	S82Y0027F	4548583758070	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC350DIN	Mounting bracket, DIN-rail, 75W, 200W, 350W	4.19	EC002498	S82Y0028D	4548583758087	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC-C7	Terminal Cover for upper terminal, 100W, 150W	1.41	EC002498	S82Y0037C	4548583758179			DD	DDZ	CHN	8504.9090.00
Programlanabilir Röleler için Aksesuarlar											
ZEN-CIF01	PC-Zen arasında bağlantıyı sağlayan 2 m kablo	231.30	EC001423	ZEN 3000A	4547648391016			DE	DEZ	CHN	8536.5080.90
Sıcaklık & Proses E5C2											
E5C2-R20J 100-240VAC 0-200	Basic Temp. Controller, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, J-Thermocouple, 0-200deg, 100-240V AC	149.40	EC001446	E5C26021C	4548583418264			DF	DFD	CHN	9032.1080.90
E5C2-R20J 100-240VAC 0-400	Basic Temp. Controller, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, J-Thermocouple, 0-400deg, 100-240V AC	121.40	EC001446	E5C26023M	4548583418288	#		DF	DFD	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-1200	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, K-Thermocouple, 0-1200deg, 100-240V AC	135.30	EC001446	E5C26008F	4548583418134	#		DF	DFD	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-200	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, K-Thermocouple, 0-200deg, 100-240V AC	149.10	EC001446	E5C26002G	4548583418073			DF	DFD	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-400	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, K-Thermocouple, 0-400deg, 100-240V AC	151.10	EC001446	E5C26004C	4548583418097	#		DF	DFD	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-600	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, K-Thermocouple, 0-600deg, 100-240V AC	151.10	EC001446	E5C26005A	4548583418103	#		DF	DFD	CHN	9032.1080.90
E5C2-R20P-D 100-240VAC 0-100	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 0-100deg, 100-240V AC	151.40	EC001446	E5C26019A	4548583418240	#		DF	DFD	CHN	9032.1080.90
E5C2-R20P-D 100-240VAC 0-200	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 0-200deg, 100-240V AC	156.50	EC001446	E5C26027B	4548583418325	#		DF	DFD	CHN	9032.1080.90
E5C2-R20P-D 100-240VAC 0-300	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 0-300deg, 100-240V AC	151.10	EC001446	E5C26028M	4548583418332	#		DF	DFD	CHN	9032.1080.90
E5C2-R20P-D 100-240VAC -50-50	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, -50-50deg, 100-240V AC	156.50	EC001446	E5C26024H	4548583418295			DF	DFD	CHN	9032.1080.90
Sıcaklık & Proses Termo Sensör											
E52-ELP4-50-2-A	Temperature sensor, Pro, smooth tube, PT100, class B, dia 4, 50, AISI 316, pre-wired with open cable ends 2m	42.99	EC002081	AA038019D	4547648954815	#		DF	DFL	ITA	8544.4993.90
E52-ELP5-100-2-A	Temperature sensor, Lite, smooth tube, PT100, class B, dia 5, 100mm, 3045S, pre-wired with cable end shoes 2m	33.84	EC002081	AA038099B	4547648955591	#		DF	DFL	ITA	8544.4993.90
E52-ELP6-100-2-A	Temperature sensor, Pro, smooth tube, PT100, class B, dia 6, 100, SUS 304, pre-wired with open cable ends 2m	41.28	EC002081	AA038020H	4547648954822	#		DF	DFL	ITA	8544.4993.90
E52-ELP6-50-2-A	Temperature sensor, Lite, smooth tube, PT100, class B, dia 6, 50mm, 3045S, pre-wired with cable end shoes 2m	41.28	EC002081	AA038100M	4547648955607	#		DF	DFL	ITA	8544.4993.90
E52-ELTJ6-100-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, J, dia 6, 100mm, 3045S, pre-wired with cable end shoes 2m	25.68	EC002081	AA038009G	4547648954716	#		DF	DFL	ITA	8544.4993.90
E52-ELTK6-100-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, K, dia 6, 100mm, 3045S, pre-wired with cable end shoes 2m	28.19	EC002081	AA038017H	4547648954792			DF	DFL	ITA	8544.4993.90
E52-EP3-250-2-B	Temperature sensor, Pro, smooth tube, PT100, class B, dia 3mm, 250mm, AISI 316, pre-wired with open cable ends 2m	120.30	EC002081	AA037939M	4547648954013			DF	DFL	ITA	8544.4993.90
E52-EP6-100-2-B	Temperature sensor, Pro, smooth tube, PT100, class B, dia 6, 100mm, AISI 316, pre-wired with open cable ends 2m	49.47	EC002081	AA037947A	4547648954099	#	5	DF	DFL	ITA	8544.4993.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E52-EP6-35-2-BG1/4G-B	Temperature sensor, Pro, bajonet mounting, PT100, class B, dia 6, 35mm, AISI 316, pre-wired with open cable ends 2m	74.75	EC002081	AA037949H	4547648954112		10	DF	DFL	ITA	8544.4993.90
E52-EPE2-B	Temperature sensor, Pro Plus, Environmental temp, PT100, class B, PVC, enclosed screw terminals	107.60	EC002081	AA037951M	4547648954136			DF	DFL	ITA	8544.4993.90
E52-ETJ1-B	Temperature sensor, Pro Plus, Surface temp, Thermocouple, J, dia 10, dia 4mm screw hole, Cu-Stg, pre-wired with open cable ends	29.96	EC002081	AA037945E	4547648954075	#		DF	DFL	ITA	8544.4993.90
E52-ETK3-100-2-A	Temperature sensor, Pro, smooth tube, Thermocouple, K, dia 3, 100mm, INCONEL 600, pre-wired with cable end shoes 2m	59.70	EC002081	AA038013E	4547648954754	#		DF	DFL	ITA	8544.4993.90
E52-P20C-N D=8	Temp. Sensor, Enclosed terminals, PT100 class B, -200-450deg, dia. 3.2mm, 200mm, SUS 304	291.30	EC002081	E52P8088D	4548583324510			DF	DFL	JPN	9032.1080.90
E51B 10-70C	Kızılötesi sıcaklık sensörü, 10 - 70°C	492.40	EC002081	E51B1000A	4547648047654			DF	DFL	JPN	9032.1080.90
E51B 140-260C	Kızılötesi sıcaklık sensörü, 140 - 260°C	506.00	EC002081	E51B1003F	4547648047685			DF	DFL	JPN	9032.1080.90
E51B 60-120C	Kızılötesi sıcaklık sensörü, 60 - 120°C	497.00	EC002081	E51B1001M	4547648047661	#		DF	DFL	JPN	9032.1080.90
E51C-A40	Kızılötesi sıcaklık sensörü, M18, 0 - 400°C	957.50	EC002081	E51C1000F	4547648644242	#		DF	DFL	JPN	9032.1080.90

Sıcaklık & Proses E5CS-V

E5CB-Q1P 100-240 VAC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD girişi, 1 alarm çıkışı, 100-240 VAC	179.00	EC001446	E5CB0006G	4548583012882	#		DF	DFM	CHN	9032.1080.90
E5CB-Q1PD 24VAC/DC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD girişi, 1 alarm çıkışı, 24 VAC/DC	179.00	EC001446	E5CB0008C	4548583012905	#		DF	DFM	CHN	9032.1080.90
E5CB-Q1TC 100-240 VAC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, termokupl girişi, 1 alarm çıkışı, 100-240 VAC	179.00	EC001446	E5CB0005R	4548583012875	#		DF	DFM	CHN	9032.1080.90
E5CB-Q1TC 24VAC/DC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, termokupl girişi, 1 alarm çıkışı, 24 VAC/DC	179.00	EC001446	E5CB0007E	4548583012899	#		DF	DFM	CHN	9032.1080.90
E5CB-R1P 100-240 VAC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD girişi, 1 alarm çıkışı, 100-240 VAC	179.00	EC001446	E5CB0002D	4548583012844	#		DF	DFM	CHN	9032.1080.90
E5CB-R1PD 24VAC/DC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD girişi, 1 alarm çıkışı, 24 VAC/DC	179.00	EC001446	E5CB0004M	4548583012868	#		DF	DFM	CHN	9032.1080.90
E5CB-R1TC 100-240 VAC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, termokupl girişi, 1 alarm çıkışı, 100-240 VAC	179.00	EC001446	E5CB0001F	4548583012820	#		DF	DFM	CHN	9032.1080.90
E5CB-R1TC 24VAC/DC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, termokupl girişi, 1 alarm çıkışı, 24 VAC/DC	179.00	EC001446	E5CB0003B	4548583012851	#		DF	DFM	CHN	9032.1080.90

Sıcaklık & Proses E5AN-H

E5AN-HAA2HBM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm, 2 x OUT option, 2 x Aux OUT, 1 x HT Burnout SSR fail, 2 Event I/Ps, option unit, Terminal cov., 100-240V AC	638.50	EC001446	E5AN7200E	4547648451826	#		DF	DFN	CHN	9032.1080.90
------------------------------	--	--------	----------	-----------	---------------	---	--	----	-----	-----	--------------

Sıcaklık & Proses E5EN-H

E5EN-HAA2HBM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm, 2 x OUT option, 2 x Aux OUT, 1 x HT Burnout SSR fail, 2 Event I/Ps, option unit, 100-240V AC	697.00	EC001446	E5EN7200M	4547648453424	#		DF	DFO	CHN	9032.1080.90
E5EN-HAA2HBM-500 24VAC/DC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm, 2 x OUT option, 2 x Aux OUT, 1 x HT Burnout SSR fail, 2 Event I/Ps, option unit, 24V AC/DC	714.50	EC001446	E5EN7208E	4547648453509	#		DF	DFO	CHN	9032.1080.90
E5EN-HAA2HBFM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm, 2 x OUT option, 2 x Aux OUT, HT Burnout SSR fail, 3Phs, Event I/P & Transf. OUT, option unit, 100-240V AC	776.00	EC001446	E5EN7202F	4547648453448	#		DF	DFO	CHN	9032.1080.90

Sıcaklık & Proses E5CN-H

E5CN-HC2M-500 100-240 VAC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Current OUT, 2 x Aux OUT, option unit, 100-240V AC	502.50	EC001446	E5CN7202R	4547648452724	#		DF	DFP	CHN	9032.1080.90
E5CN-HC2MD-500 24VAC/DC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Current OUT, 2 x Aux OUT, option unit, 24V AC/DC	543.00	EC001446	E5CN7206A	4547648452762	#		DF	DFP	CHN	9032.1080.90
E5CN-HQ2M-500 100-240 VAC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Pulsed voltage OUT, 2 x Aux OUT, option unit, 100-240V AC	436.50	EC001446	E5CN7201M	4547648452717	#		DF	DFP	CHN	9032.1080.90
E5CN-HQ2MD-500 24VAC/DC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Pulsed voltage OUT, 2 x Aux OUT, option unit, 24V AC/DC	436.50	EC001446	E5CN7205C	4547648452755	#		DF	DFP	CHN	9032.1080.90
E5CN-HR2M-500 100-240 VAC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Relay Out, 2 x Aux OUT, option unit, 100-240V AC	436.90	EC001446	E5CN7200B	4547648452700	#		DF	DFP	CHN	9032.1080.90
E5CN-HR2MD-500 24VAC/DC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Relay Out, 2 x Aux OUT, option unit, 24V AC/DC	438.90	EC001446	E5CN7204E	4547648452748	#		DF	DFP	CHN	9032.1080.90
E5CN-HV2M-500 100-240 VAC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Linear Voltg. OUT, 2 x Aux OUT, option unit, 100-240V AC	543.00	EC001446	E5CN7203G	4547648452731	#		DF	DFP	CHN	9032.1080.90
E5CN-HV2MD-500 24VAC/DC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Linear Voltg. OUT, 2 x Aux OUT, option unit, 24V AC/DC	543.00	EC001446	E5CN7207M	4547648452779	#		DF	DFP	CHN	9032.1080.90

Sıcaklık & Proses E5 C

E5DC-CX2ASM-000	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 0-20/4-20mA akım çıkışı, 2 alarm çıkışı, 100-240 VAC	205.80	EC001446	E5DC1016H	4548583422223			DF	DFQ	CHN	9032.1080.90
E5DC-CX2DSM-000	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 0-20/4-20mA akım çıkışı, 2 alarm çıkışı, 24 VAC/DC	205.80	EC001446	E5DC1017F	4548583422230			DF	DFQ	CHN	9032.1080.90
E5DC-CX2DSM-015	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 0-20/4-20mA akım çıkışı, 2 alarm çıkışı, RS-485 haberleşme, 24 VAC/DC	238.80	EC001446	E5DC1021D	4548583422278			DF	DFQ	CHN	9032.1080.90
E5DC-QX0DSM-015	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC gerilim çıkışı, alarm çıkışı yok, RS-485 haberleşme, 24 VAC/DC	146.00	EC001446	E5DC1013C	4548583422193	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX2ASM-000	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC gerilim çıkışı, alarm çıkışı yok, 100-240 VAC	133.70	EC001446	E5DC1008G	4548583422148	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX2ASM-002	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC gerilim çıkışı, 2 alarm çıkışı, RS-485 haberleşme, ısıtıcı yanma SSR arıza, 100-240 VAC	185.90	EC001446	E5DC1010R	4548583422162	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX2DSM-000	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC gerilim çıkışı, alarm çıkışı yok, 24 VAC/DC	133.70	EC001446	E5DC1009E	4548583422155	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX2DSM-002	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC gerilim çıkışı, 2 alarm çıkışı, RS-485 haberleşme, ısıtıcı yanma SSR arıza, 24 VAC/DC	185.90	EC001446	E5DC1011G	4548583422179	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX0DSM-015	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, alarm çıkışı yok, RS-485 haberleşme, 24 VAC/DC	146.00	EC001446	E5DC1005B	4548583422117	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX2ASM-000	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, 2 alarm çıkışı, 100-240 VAC	133.70	EC001446	E5DC1000A	4548583422063	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX2DSM-000	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, 2 alarm çıkışı, 24 VAC/DC	133.70	EC001446	E5DC1001M	4548583422070	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX2DSM-002	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, 2 alarm çıkışı, RS-485 haberleşme, ısıtıcı yanma SSR arıza, 24 VAC/DC	185.90	EC001446	E5DC1003F	4548583422094	#		DF	DFQ	CHN	9032.1080.90
E5CC-CQ3ASM-000	Temp. controller, PRO, 1/16DIN(48x48mm), 1 x 0/4-20mA curr. OUT, 1 x 12 VDC pulse OUT, 3 x AUX Rel. OUT, uni. I/P, 100-240 VAC	271.30	EC001446	E5CC3546R	4549734266857			DF	DFQ	IDN	9032.1020.90
E5CC-CX3ASM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 100-240 VAC	271.60	EC001446	E5CC3536A	4549734266758	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3ASM-004	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, RS-485, 100-240 VAC	392.00	EC001446	E5CC3544B	4549734266833	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3ASM-006	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, transfer çıkışı, 100-240 VAC	370.50	EC001446	E5CC3540M	4549734266796	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 24 VAC/DC	271.60	EC001446	E5CC3537M	4549734266765	#		DF	DFQ	IDN	9032.1020.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5CC-CX3DSM-004	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 0-20/4-20mA akım çıkışı,3 alarm çıkışı,2 event girişi,RS-485,24 VAC/DC	345.30	EC001446	E5CC3545M	4549734266840	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-005	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 0-20/4-20mA akım çıkışı,3 alarm çıkışı,4 event girişi,24 VAC/DC	308.90	EC001446	E5CC3539F	4549734266789	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-006	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 0-20/4-20mA akım çıkışı,3 alarm çıkışı,2 event girişi,transfer çıkışı,24 VAC/DC	370.50	EC001446	E5CC3541H	4549734266802	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-007	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 0-20/4-20mA akım çıkışı,3 alarm çıkışı,2 event girişi,uzaaktan set değeri,24 VAC/DC	348.40	EC001446	E5CC3543D	4549734266826	#		DF	DFQ	IDN	9032.1020.90
E5CC-QQ3AS5M-000	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),2 x 12 VDC gerilim çıkışı,3 alarm çıkışı,100-240 VAC	199.80	EC001446	E5CC3524H	4549734266635	#		DF	DFQ	IDN	9032.1020.90
E5CC-QQ3DSM-000	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),2 x 12 VDC gerilim çıkışı,3 alarm çıkışı,24 VAC/DC	199.80	EC001446	E5CC3525F	4549734266642	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX2AS5M-000	Temp. Contr.,1/16 DIN (48x48mm),1 x 12VDC pulse OUT,2 AUX,No cov.,100-240VAC	180.00	EC001446	E5CC4036E	4549734267335	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3AS5M-000	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,100-240 VAC	185.30	EC001446	E5CC3512D	4549734266512	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3AS5M-001	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,2 event girişi,sıttıcı yanma SSR arıza,100-240 VAC	222.30	EC001446	E5CC3514M	4549734266536	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3AS5M-003	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,RS-485 haberleşme, 3 faz ısıttıcı alarmı,100-240 VAC	271.60	EC001446	E5CC3516G	4549734266550	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3AS5M-005	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,4 event girişi,100-240 VAC	222.30	EC001446	E5CC3518C	4549734266574	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3DSM-000	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,24 VAC/DC	185.30	EC001446	E5CC3513B	4549734266529	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3DSM-001	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,2 event girişi,sıttıcı yanma SSR arıza,24 VAC/DC	222.30	EC001446	E5CC3515R	4549734266543	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3DSM-003	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,RS-485 haberleşme, 3 fa ısıttıcı alarmı,24 VAC/DC	277.30	EC001446	E5CC3517E	4549734266567	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3DSM-005	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,4 event girişi,24 VAC/DC	222.30	EC001446	E5CC3519A	4549734266581	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3DSM-007	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,2 event girişi,uzaaktan set değeri,24 VAC/DC	259.80	EC001446	E5CC3523M	4549734266628	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX2AS5M-000	Temp. Contr.,1/16 DIN (48x48mm),1 x REL. OUT,2 AUX,No cov.,100-240VAC	156.00	EC001446	E5CC4002M	4549734266994	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3AS5M-000	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,100-240 VAC	185.30	EC001446	E5CC3500M	4549734266390	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3AS5M-001	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,2 event girişi,sıttıcı yanma SSR arıza,100-240 VAC	222.30	EC001446	E5CC3502G	4549734266413	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3AS5M-003	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,RS-485 haberleşme,3 faz ısıttıcı alarmı,100-240 VAC	271.60	EC001446	E5CC3504C	4549734266437	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3AS5M-005	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,4 event girişi,100-240 VAC	222.30	EC001446	E5CC3506M	4549734266451	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3AS5M-006	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,2 event girişi,transfer çıkışı,100-240 VAC	259.80	EC001446	E5CC3508F	4549734266475	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3DSM-000	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,24 VAC/DC	185.30	EC001446	E5CC3501R	4549734266406	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3DSM-001	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,2 event girişi,sıttıcı yanma SSR arıza,24 VAC/DC	222.30	EC001446	E5CC3503E	4549734266420	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3DSM-003	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,RS-485 haberleşme,3 faz ısıttıcı alarmı,24 VAC/DC	277.30	EC001446	E5CC3505A	4549734266444	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3DSM-005	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,4 event girişi,24 VAC/DC	222.30	EC001446	E5CC3507H	4549734266468	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3DSM-006	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,2 event girişi,transfer çıkışı,24 VAC/DC	259.80	EC001446	E5CC3509D	4549734266482	#		DF	DFQ	IDN	9032.1020.90
E5AC-CX4AS5M-000	Sicaklik kontrolörü; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş,4 alarm çıkışı; 1 x 0-20/4-20mA akım çıkışı;100-240 VAC	406.50	EC001446	E5AC3040M	4548583350236	#		DF	DFQ	CHN	9032.1080.90
E5AC-CX4AS5M-001	Sicaklik kontrolörü, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş,4 alarm çıkışı;100-240 VAC	292.80	EC001446	E5AC3008G	4548583349919	#		DF	DFQ	CHN	9032.1080.90
E5AC-RR4AS5M-000	Sicaklik kontrolörü, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş,4 alarm çıkışı,2 röle çıkışı,100-240 VAC	315.90	EC001446	E5AC3016H	4548583349995	#		DF	DFQ	CHN	9032.1080.90
E5AC-RX4AS5M-000	Sicaklik kontrolörü, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş,4 alarm çıkışı,1 röle çıkışı,100-240 VAC	304.90	EC001446	E5AC3000A	4548583349834	#		DF	DFQ	CHN	9032.1080.90
E5AC-RX4AS5M-010	Sicaklik kontrolörü, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş,4 alarm çıkışı,1 röle çıkışı,4 event girişi,sıttıcı yanma SSR arıza,100-240 VAC	359.20	EC001446	E5AC3004D	4548583349872	#		DF	DFQ	CHN	9032.1080.90
E5AC-RX4DSM-000	Sicaklik kontrolörü, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş,4 alarm çıkışı,1 röle çıkışı,24 VAC/DC	304.90	EC001446	E5AC3001M	4548583349841	#		DF	DFQ	CHN	9032.1080.90
E5EC-CQ4DSM-011	Temp. controller, PRO, 1/8 DIN (96x48 mm), 1x0/4-20 mA curr. OUT,1 x 12 VDC pulse OUT, 4 AUX, EVT. I/P 6, SSR fail det./1-PH, Transf. OUT, 24 VAC/DC	409.20	EC001446	E5EC3073A	4548583367180	#		DF	DFQ	CHN	9032.1080.90
E5EC-CX4AS5M-000	Sicaklik kontrolörü, PRO, 1/8 DIN (96x48mm),1x0-20/4-20mA akım çıkışı,4 alarm çıkışı,100-240 VAC	355.20	EC001446	E5EC3040E	4548583091900	#		DF	DFQ	CHN	9032.1080.90
E5EC-CX4AS5M-004	Sicaklik kontrolörü, PRO, 1/8 DIN (96x48mm),1x0-20/4-20mA akım çıkışı,4 alarm çıkışı,2 event girişi,RS-485 haberleşme,100-240 VAC	435.30	EC001446	E5EC3042A	4548583091924	#		DF	DFQ	CHN	9032.1080.90
E5EC-PR4AS5M-000	Sicaklik kontrolörü, PRO, 1/8 DIN (96x48mm),2 x röle çıkışı (oransal vana kontrolü için),4 alarm çıkışı,100-240 VAC	439.20	EC001446	E5EC3060M	4548583351073	#		DF	DFQ	CHN	9032.1080.90
E5EC-PR4AS5M-004	Sicaklik kontrolörü, PRO, 1/8 DIN (96x48mm),2 x röle çıkışı (oransal vana kontrolü için),4 alarm çıkışı,2 event girişi,RS-485 haberleşme,100-240 VAC	493.80	EC001446	E5EC3061H	4548583351080	#		DF	DFQ	CHN	9032.1080.90
E5EC-PR4AS5M-014	Sicaklik kontrolörü, PRO, 1/8 DIN (96x48mm),2 x röle çıkışı (oransal vana kontrolü için),4 alarm çıkışı,4 event girişi,RS-485 haberleşme, uzaaktan set değeri,100-240 VAC	627.50	EC001446	E5EC3062F	4548583351097	#		DF	DFQ	CHN	9032.1080.90
E5EC-QR4AS5M-000	Sicaklik kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,1 x röle çıkışı,4 alarm çıkışı,100-240 VAC	269.30	EC001446	E5EC3032D	4548583091825	#		DF	DFQ	CHN	9032.1080.90
E5EC-QX4AS5M-000	Sicaklik kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,4 alarm çıkışı,100-240 VAC	247.20	EC001446	E5EC3008A	4548583091580	#		DF	DFQ	CHN	9032.1080.90
E5EC-QX4AS5M-010	Sicaklik kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,4 alarm çıkışı,4 event girişi, ısıttıcı yanma SSR arıza,100-240 VAC	307.80	EC001446	E5EC3012M	4548583091627	#		DF	DFQ	CHN	9032.1080.90
E5EC-RR4AS5M-000	Sicaklik kontrolörü, PRO, 1/8 DIN (96x48mm),2 x röle çıkışı,4 alarm çıkışı,100-240 VAC	269.30	EC001446	E5EC3016B	4548583091665	#		DF	DFQ	CHN	9032.1080.90
E5EC-RX4AS5M-000	Sicaklik kontrolörü, PRO, 1/8 DIN (96x48mm),1 x röle çıkışı,4 alarm çıkışı,100-240 VAC	259.80	EC001446	E5EC3000F	4548583091504	#		DF	DFQ	CHN	9032.1080.90
E5EC-RX4AS5M-011	Sicaklik kontrolörü, PRO, 1/8 DIN (96x48mm),1 x röle çıkışı,4 alarm çıkışı,6 event girişi, uzaaktan set değeri, ısıttıcı yanma SSR arıza, transfer çıkışı,100-240 VAC	439.20	EC001446	E5EC3006E	4548583091566	#		DF	DFQ	CHN	9032.1080.90
E5EC-RX4DSM-000	Sicaklik kontrolörü, PRO, 1/8 DIN (96x48mm),1 x röle çıkışı,4 alarm çıkışı,24 VAC/DC	259.80	EC001446	E5EC3001D	4548583091511	#		DF	DFQ	CHN	9032.1080.90
E5GC-QX1A6M-000	Temp. controller PRO,1/32 DIN (24x48mm),screw terminals,1 AUX,1 x 12 VDC pulse OUT,100-240 VAC	241.90	EC001446	E5GC1036C	4548583505124	#		DF	DFQ	CHN	9032.1080.90
E5GC-QX1ACM-000	Temp. controller PRO,1/32 DIN (24x48mm), screwless terminals,1 AUX,1 x 12 VDC pulse OUT,100-240 VAC	247.60	EC001446	E5GC1038M	4548583505148	#		DF	DFQ	CHN	9032.1080.90
E5GC-QX1DCM-000	Temp. controller PRO,1/32 DIN (24x48mm), screwless terminals,1 AUX,1 x 12 VDC pulse OUT,24V AC/DC	247.60	EC001446	E5GC1039H	4548583505155	#		DF	DFQ	CHN	9032.1080.90
E5GC-QX2AGM-000	Temp. controller PRO,1/32 DIN (24x48mm), screwless terminals,2 AUX,1 x 12 VDC pulse OUT,100-240 VAC	268.90	EC001446	E5GC1042H	4548583505186	#		DF	DFQ	CHN	9032.1080.90
E5GC-QX2DCM-000	Temp. controller PRO,1/32 DIN (24x48mm), screwless terminals,2 AUX,1 x 12 VDC pulse OUT,24V AC/DC	268.90	EC001446	E5GC1043F	4548583505193	#		DF	DFQ	CHN	9032.1080.90
E5GC-RX1ACM-000	Temp. controller PRO,1/32 DIN (24x48mm), screwless terminals,1 AUX,1 x relay OUT,100-240 VAC	235.50	EC001446	E5GC1006A	4548583504820	#		DF	DFQ	CHN	9032.1080.90
E5GC-RX1DCM-000	Temp. controller PRO,1/32 DIN (24x48mm), screwless terminals,1 AUX,1 x relay OUT,24V AC/DC	228.00	EC001446	E5GC1007M	4548583504837	#		DF	DFQ	CHN	9032.1080.90
E5CC-CX2DUM-000	Temp. controller, PRO, 1/16 DIN (48x48mm),Plugin-type,2 AUX,1x0/4-20mA curr. OUT,24V AC/DC	393.40	EC001446	E5CC1181M	4548583466746	#		DF	DFQ	CHN	9032.1080.90
E5CC-QX2AUM-000	Temp. controller, PRO, 1/16 DIN (48x48mm),Plugin-type,2 AUX,1 x 12 VDC pulse OUT,100-240 VAC	181.60	EC001446	E5CC1174H	4548583466678	#		DF	DFQ	CHN	9032.1080.90
E5CC-RW2AUM-000	Temp. controller, PRO, 1/16 DIN (48x48mm),Plugin-type,2 AUX,SPDT Rel.,100-240 VAC	157.10	EC001446	E5CC1168C	4548583466616	#		DF	DFQ	CHN	9032.1080.90
E5CC-RW2DUM-000	Temp. controller, PRO, 1/16 DIN (48x48mm),Plugin-type,2 AUX,SPDT Rel.,24V AC/DC	166.60	EC001446	E5CC1169A	4548583466623	#		DF	DFQ	CHN	9032.1080.90
E5CC-QX2ABM-000	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,2 alarm çıkışı,100-240 VAC, Push-in Plus terminal	192.30	EC001446	E5CC1192F	4548583762343	#		DF	DFQ	CHN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5CC-QX2DBM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,2 alarm çıkışı,24 VAC/DC, Push-in Plus terminal	192.30	EC001446	E5CC1193D	4548583762350	#		DF	DFQ	CHN	9032.1080.90
E5CC-QX2DBM-004	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,2 alarm çıkışı,2 event girişi,RS-485 haberleşme,24 VAC/DC, Push-in Plus terminal	264.50	EC001446	E5CC1199C	4548583762411	#		DF	DFQ	CHN	9032.1080.90
E5CC-RX2ABM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,2 alarm çıkışı,100-240 VAC, Push-in Plus terminal	192.30	EC001446	E5CC1182R	4548583762244	#		DF	DFQ	CHN	9032.1080.90
E5CC-RX2DBM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,2 alarm çıkışı,24 VAC/DC, Push-in Plus terminal	192.30	EC001446	E5CC1183G	4548583762251	#		DF	DFQ	CHN	9032.1080.90
E5EC-RX4ABM-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 röle çıkışı,4 alarm çıkışı,100-240 VAC, Push-in Plus terminal	265.70	EC001446	E5EC1198B	4548583762565	#		DF	DFQ	CHN	9032.1080.90
E5AC-TQX4A5M-008	Programlanabilir sıcaklık kontrolörü, PRO, 1/4 DIN (96x96mm),4 alarm çıkışı,1 x 12 VDC gerilim çıkışı,2 event girişi,ısıtıcı yanma SSR arıza,RS-485,100-240 VAC	383.20	EC001446	E5AC5510A	4548583470774	#		DF	DFQ	CHN	9032.1080.90
E5CC-TRX3D5M-000	Temp. controller,PRO,1/16 DIN (48x48mm),Progr.,3 AUX,1 x Relay OUT,24V AC/DC	226.30	EC001446	E5CC5501M	4548583472921	#		DF	DFQ	CHN	9032.1080.90
E5EC-TCQ4A5M-000	Temp. controller, PRO, 1/8 DIN (96x48mm),Progr.,4 AUX,1x0/4-20mA curr./1 x 12 VDC pulse OUT,100-240 VAC	298.70	EC001446	E5EC5562R	4548583475595	#		DF	DFQ	CHN	9032.1080.90
Sıcaklık & Proses E5_D											
E5CD-RX2A6M-001	Yeni nesil dijital sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 kontrol röle çıkışı, 2 alarm röle çıkışı, 2 event girişi, ısıtıcı yanma SSR arıza algılama, 100-240 VAC	260.80	EC001446	E5CD1001M	4549734126212	#		DF	DFR	CHN	9032.1080.90
Sıcaklık & Proses'ler için Aksesuarlar											
E53-C3N	Output unit for ESA/EN-H, 4-20 mA linear output	98.20	EC002586	E53 5015D	4547648476881	#		DF	DFZ	JPN	9032.1080.90
E53-Q	Output unit for ESA/E J/K/X, 40mA 12VDC, NPN	35.67	EC002586	E53 5003M	4536853362522	#		DF	DFZ	JPN	9032.1080.90
E53-Q4	Output unit for ESA/E J/K, 20mA, 24VDC, PNP	31.49	EC002586	E53 5006E	4536853362553	#		DF	DFZ	JPN	9032.1080.90
E53-R	Output unit for ESA/E J/K/X, SPST-NO, 5A relay	14.73	EC002586	E53 5001D	4536853362508	#		DF	DFZ	JPN	9032.1080.90
E53-RN	Output unit for ESA/EN-H, relay output	15.41	EC002586	E53 5019G	4547648488488	#		DF	DFZ	JPN	9032.1080.90
E53-V34N	Output unit for ESA/EN-H, 0-10 V linear output	98.50	EC002586	E53 5017M	4547648476904	#		DF	DFZ	JPN	9032.1080.90
E53-CNBN2	E5CN-H option board- Event inputs, **only compatible with new E5CN-H models**	41.47	EC002586	E53 8252H	4547648463478	#		DF	DFZ	CHN	9032.1080.90
E53-CN01N2	E5CN-H option board- RS-232C communications, **only compatible with new E5CN-H models**	87.65	EC002586	E53 8270F	4547648463607	#		DF	DFZ	CHN	9032.1080.90
E53-CN03N2	E5CN-H option board- RS-485 communications, **only compatible with new E5CN-H models**	87.35	EC002586	E53 8253F	4547648463485	#		DF	DFZ	CHN	9032.1080.90
E53-EN03	Communication unit for ESA/EK/AN/EN, RS-485	124.20	EC002586	E53 8110F	4547648142410	#		DF	DFZ	JPN	9032.1080.90
E53-COV17	Terminal cover	7.79	EC002586	E53 8051G	4547648476072	#		DF	DFZ	CHN	8536.4900.99
E53-CNBFN2	E5CN-H plug-in option card, event input & transfer output	212.00	EC002586	E53 8268D	4547648463584	#		DF	DFZ	CHN	9032.1080.90
EST2-2C-MV4	CX-Thermo yazılımı ile programlama (E5_C, E5_D, E5_N (version 5 & 6), ESZN ve CelciX (EJ1))	189.50	EC000809	EST21004A	4547648504447	#		DF	DFZ	JPN	9032.1080.90
E54-CT1	5.8 mm iç çaplı akım transformatörü	40.60	EC002048	E54 9002H	4536853363079	#		DF	DFZ	JPN	9032.1080.90
E54-CT3	12.0 mm iç çaplı akım transformatörü	72.75	EC002048	E54 9003F	4536853363086	#		DF	DFZ	JPN	9032.1080.90
E53-COV19	E5CB Terminal cover	18.29	EC002586	E53 8056H	4547648841894	#		DF	DFZ	CHN	3926.9097.90
E58-CIFQ1	E5_N ve CelciX (EJ1) için USB programlama kablosu	481.30	EC000310	E58 1002R	4547648103459	#		DF	DFZ	JPN	9032.1080.90
E58-CIFQ2	E5CB, E5_C, E5_D için USB programlama kablosu	425.70	EC000310	E58 1003G	4548583020627	#		DF	DFZ	JPN	9032.1080.90
E58-CIFQ2-E	Kolay ön yüzey USB kablo aparatı (E5CB, E5CC, E5CD ile kullanılamaz)	141.70	EC000310	E58 1004E	4548583097667	#		DF	DFZ	CHN	9032.9000.90
Y92F-45	Panel adaptor, 48x48 device into 67x67 hole	51.50	EC002586	Y92F2009A	4536854618567	#		DF	DFZ	JPN	9032.1080.90
Y92F-52	DIN mounting adapter for E5CC	21.81	EC002586	E53 6026E	4548583318373	#		DF	DFZ	CHN	9032.1080.90
Zaman Rölesi H3CR											
H3CR-A 100-240VAC/100-125VDC	Zaman rölesi, soketli, 11 pinli, DIN 48x48 mm, multifonksiyonlu, 0.05 s-300 saat, DPDT, 5 A, 100-240 VAC, 100-125VDC	74.70	EC001439	H3CR8090D	4548583553262	#		DG	DGB	IDN	8536.4900.99
H3CR-A AC24-48/DC12-48	Zaman rölesi, soketli, 11 pinli, DIN 48x48 mm, multifonksiyonlu, 0.05 s-300 saat, DPDT, 5 A, 24-48VAC, 12-48VDC	74.70	EC001439	H3CR8091B	4548583553279	#		DG	DGB	IDN	8536.4900.99
H3CR-A-301 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), multifunction, 0.1s-600h, DPDT, 5 A	73.05	EC001439	H3CR8102A	4548583553361	#		DG	DGB	IDN	8536.4900.99
H3CR-A-301 AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), multifunction, 0.1s-600h, DPDT, 5 A	73.05	EC001439	H3CR8103M	4548583553378	#		DG	DGB	IDN	8536.4900.99
H3CR-A8 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A	73.05	EC001439	H3CR8095E	4548583553316	#		DG	DGB	IDN	8536.4900.99
H3CR-A8 AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A	73.05	EC001439	H3CR8096C	4548583553323	#		DG	DGB	IDN	8536.4900.99
H3CR-A8-301 100-240VAC/DC100DC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.1s-600h, DPDT, 5 A	73.05	EC001439	H3CR8104H	4548583553385	#		DG	DGB	IDN	8536.4900.99
H3CR-A8-301 24-48VAC/12-48VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.1s-600h, DPDT, 5 A	73.05	EC001439	H3CR8105F	4548583553392	#		DG	DGB	IDN	8536.4900.99
H3CR-A8E 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT (inc. inst.), 5 A	91.10	EC001439	H3CR8097A	4548583553330	#		DG	DGB	IDN	8536.4900.99
H3CR-A8E 24-48VAC/DC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT (inc. inst.), 5 A	95.05	EC001439	H3CR8098M	4548583553347	#		DG	DGB	IDN	8536.4900.99
H3CR-A8S AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A	77.00	EC001439	H3CR8099H	4548583553354	#		DG	DGB	IDN	8536.4900.99
H3CR-AP 100-240VAC/100-125VDC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm),voltage input, multifunction, 0.05s-300h, DPDT, 5 A	88.40	EC001439	H3CR8092M	4548583553286	#		DG	DGB	IDN	8536.4900.99
H3CR-AP AC24-48/DC12-48	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm),voltage input, multifunction, 0.05s-300h, DPDT, 5 A	77.55	EC001439	H3CR8093R	4548583553293	#		DG	DGB	IDN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H3CR-AS AC24-48/DC12-48	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), voltage input, multifunction, 0.05s-300h, Transistor output (NPN/PNP universal)	70.80	EC001439	H3CR8094G	4548583553309	#		DG	DGB	IDN	8536.4900.99
H3CR-F 100-240VAC/100-125VDC	Zaman rölesi, soketli, 11 pinli, 1/16DIN (48x48mm), çift zamanlı (ikiz) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 100-240 VAC, 100-125VDC	119.20	EC001439	H3CR8011D	4548583552845	#		DG	DGB	IDN	8536.4900.99
H3CR-F AC24-48/DC12-48	Zaman rölesi, soketli, 11 pinli, 1/16DIN (48x48mm), çift zamanlı (ikiz) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 24-48VAC, 12-48VDC	117.80	EC001439	H3CR8012B	4548583552852	#		DG	DGB	IDN	8536.4900.99
H3CR-F8 100-240VAC/100-125VDC	Zaman rölesi, soketli, 8 pinli, 1/16DIN (48x48mm), çift zamanlı (ikiz) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 100-240 VAC, 100-125VDC	116.60	EC001439	H3CR8003C	4548583552807	#		DG	DGB	IDN	8536.4900.99
H3CR-F8 24-48VAC/12-48VDC	Zaman rölesi, soketli, 8 pinli, 1/16DIN (48x48mm), çift zamanlı (ikiz) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 24-48VAC, 12-48VDC	116.60	EC001439	H3CR8004A	4548583552814	#		DG	DGB	IDN	8536.4900.99
H3CR-F8N 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48x48mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 100-240 VAC, 100-125VDC	116.10	EC001439	H3CR8007F	4548583552821	#		DG	DGB	IDN	8536.4900.99
H3CR-F8N AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48x48mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 24-48VAC, 12-48VDC	81.45	EC001439	H3CR8008D	4548583552838	#		DG	DGB	IDN	8536.4900.99
H3CR-FN 100-240VAC/100-125VDC	Timer, plug-in, 11-pin, 1/16DIN (48x48mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 100-240 VAC, 100-125VDC	119.20	EC001439	H3CR8015G	4548583552869	#		DG	DGB	IDN	8536.4900.99
H3CR-G8EL 100-120VAC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), star-delta-delay, 0.5-120s, SPST-NO instantaneous, SPST-NO time-limit , 5 A, 100-120 VAC	125.90	EC001439	H3CR8021A	4548583552906	#		DG	DGB	IDN	8536.4900.99
H3CR-G8EL AC200-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), star-delta-delay, 0.5-120s, SPST-NO instantaneous, SPST-NO time-limit , 5 A, 200-240 VAC	119.70	EC001439	H3CR8022M	4548583552913	#		DG	DGB	IDN	8536.4900.99
H3CR-G8L AC200-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), star-delta-delay, 0.5-120s, DPST-NO, 5 A, 200-240 VAC	109.00	EC001439	H3CR8020C	4548583552890	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L 100-120VAC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	130.20	EC001439	H3CR8027M	4548583552968	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L 200-240VAC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	109.90	EC001439	H3CR8028R	4548583552975	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L 200-240VAC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	109.90	EC001439	H3CR8033E	4548583553026	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L 24VAC/DC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	113.60	EC001439	H3CR8029G	4548583552982	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L 24VAC/DC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	107.70	EC001439	H3CR8034C	4548583553033	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L AC200-240 M	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	148.90	EC001439	H3CR8048C	4548583553170	#		DG	DGB	IDN	8536.4900.99

Zaman Rölesi H3DK

H3DK-F 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, çift zamanlı (ikiz), flicker on & off-delay, 0.1 sn-12 saat, SPDT, 5 A, 24-240 VAC/DC	82.45	EC001439	H3DK6006R	4548583745001	#		DG	DGD	IDN	9107.0000.90
H3DK-G 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, yıldız-üçgen, 1-120 sn, DPDT, 5 A, 24-240 VAC/DC	82.45	EC001439	H3DK6007G	4548583745018	#		DG	DGD	IDN	9107.0000.90
H3DK-GE 240-440VAC	Timer, DIN rail mounting, 22.5mm, star-delta-delay, 1-120s, DPDT, 5 A, 240-440 VAC	82.45	EC001439	H3DK0021M	4548583002418	#		DG	DGB	CHN	9107.0000.90
H3DK-HBL 24-48VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 24 VAC/DC	82.45	EC001439	H3DK6008E	4548583745025	#		DG	DGD	IDN	9107.0000.90
H3DK-HBS 24-48VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 24 VAC/DC	82.45	EC001439	H3DK6009C	4548583745032	#		DG	DGD	IDN	9107.0000.90
H3DK-HCS 100-120VAC	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 100-120 VAC	82.45	EC001439	H3DK6011E	4548583745056	#		DG	DGD	IDN	9107.0000.90
H3DK-HDL AC200-240V	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 200-230 VAC	82.45	EC001439	H3DK6012C	4548583745063	#		DG	DGD	IDN	9107.0000.90
H3DK-HDS AC200-240V	Timer, DIN rail mounting, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 200-240 VAC	82.45	EC001439	H3DK6013A	4548583745070	#		DG	DGD	IDN	9107.0000.90
H3DK-M1 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 8 mod off-delay dahil, gerilim girişi, 24 - 240 VAC/DC	59.65	EC001439	H3DK6001H	4548583744967	#		DG	DGD	IDN	9107.0000.90
H3DK-M1A DC12	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 1 output relay, 12 VDC	59.65	EC001439	H3DK6014M	4548583745087	#		DG	DGD	IDN	9107.0000.90
H3DK-M2 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 8 mod off-delay dahil, gerilim girişi, 24 - 240 VAC/DC	59.65	EC001439	H3DK6002F	4548583744974	#		DG	DGD	IDN	9107.0000.90
H3DK-M2A DC12	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 2 output relays, 12 VDC	63.00	EC001439	H3DK6015H	4548583745094	#		DG	DGD	IDN	9107.0000.90
H3DK-S1 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 4 mod, 1 çıkış röle, 24 - 240 VAC/DC	41.31	EC001439	H3DK6003D	4548583744981	#		DG	DGD	IDN	9107.0000.90
H3DK-S2 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 4 mod, 2 çıkış röle, 24 - 240 VAC/DC	47.83	EC001439	H3DK6004B	4548583744998	#		DG	DGD	IDN	9107.0000.90

Zaman Rölesi H3DS

H3DS-AL AC/DC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 h, SPDT, 5 A, 'Smart Dial' lockable settings, no-input available, A single operating mode, screw terminal type	53.05	EC001439	H3DS8009D	4548583753006	#		DG	DGE	IDN	8536.4900.99
H3DS-ALC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 saat, SPDT, 5 A, kilitlenebilir ayar mekanizması, vidasız terminal, tek çalışma modu	50.85	EC001439	H3DS8003E	4548583752948	#		DG	DGE	IDN	8536.4900.99
H3DS-FL	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, ikiz on & off-delay, 0.1 s-12 saat, SPDT, 5 A, kilitlenebilir ayar mekanizması, vidalı terminal tipi	86.05	EC001439	H3DS8000M	4548583752917	#		DG	DGE	IDN	9107.0000.90
H3DS-FLC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, ikiz on & off-delay, 0.1 s-12 saat, SPDT, 5 A, kilitlenebilir ayar mekanizması, vidasız terminal	96.30	EC001439	H3DS8006M	4548583752979	#		DG	DGE	IDN	9107.0000.90
H3DS-GL	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, yıldız-üçgen, 1 -120 s, DPST-NO, 5 A, kilitlenebilir ayar mekanizması, vidalı terminal tipi	86.05	EC001439	H3DS8002G	4548583752931	#		DG	DGE	IDN	8536.4900.99
H3DS-ML AC/DC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/VDC, on-delay, 0.1 s-120 saat, SCR çıkışlı 0.7 A, 2 lablolu in-line yük bağlantısı, kilitlenebilir ayar mekanizması, vidasız terminal	65.55	EC001439	H3DS8011F	4548583753020	#		DG	DGE	IDN	8536.4900.99
H3DS-MLC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, multifonksiyonlu, 0.1 s-120 h, SPDT, 5 A, kilitlenebilir ayar mekanizması, vidasız terminal	60.70	EC001439	H3DS8005A	4548583752962	#		DG	DGE	IDN	8536.4900.99
H3DS-SL AC/DC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/VDC, on-delay, 0.1 s-120 saat, SCR çıkışlı 0.7 A, 2 lablolu in-line yük bağlantısı, kilitlenebilir ayar mekanizması	60.25	EC001439	H3DS8010H	4548583753013	#		DG	DGE	IDN	8536.4900.99
H3DS-SLC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, yıldız-üçgen, 1 -120 s, DPST-NO, 5 A, kilitlenebilir ayar mekanizması, vidalı terminal tipi	56.70	EC001439	H3DS8004C	4548583752955	#		DG	DGE	IDN	8536.4900.99
H3DS-XL	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/VDC, on-delay, 0.1 s-120 saat, SCR çıkışlı 0.7 A, 2 lablolu in-line yük bağlantısı, kilitlenebilir ayar mekanizması	45.49	EC001439	H3DS8001R	4548583752924	#		DG	DGE	IDN	8536.4900.99

Zaman Rölesi H3Y

H3Y-2 AC200-230 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	72.40	EC001439	H3Y 6003M	4548583753068	#		DG	DGG	IDN	8536.4900.99
H3Y-2 AC200-230 30M	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 30 Minutes, Surface/DIN-track mounting (with socket)	73.75	EC001439	H3Y 6010B	4548583753136	#		DG	DGG	IDN	8536.4900.99
H3Y-2 AC200-230 30S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	66.35	EC001439	H3Y 6004H	4548583753075	#	10	DG	DGG	IDN	8536.4900.99
H3Y-2 AC24 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 3 A, 24 VAC Supply, 0.5 - 10 Seconds	57.20	EC001439	H3Y 1038E	4547648114226	#		DG	DGG	CHN	8536.4900.99
H3Y-2 DC24 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	59.35	EC001439	H3Y 6055B	4548583753587	#	10	DG	DGG	IDN	8536.4900.99
H3Y-2 DC24 30S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	82.25	EC001439	H3Y 6056M	4548583753594	#		DG	DGG	IDN	8536.4900.99
H3Y-2 DC24 5S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 5 Seconds, Surface/DIN-track mounting (with socket)	57.95	EC001439	H3Y 6054D	4548583753570	#	10	DG	DGG	IDN	8536.4900.99
H3Y-4 DC24 10S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	92.80	EC001439	H3Y 6178H	4548583754812	#	10	DG	DGG	IDN	8536.4900.99
H3Y-4 DC24 30S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	64.20	EC001439	H3Y 6179F	4548583754829	#	10	DG	DGG	IDN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H3YN-2 100-120VAC	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 100-120 VAC, bej kasa	62.60	EC001439	H3YN8001G	4548583755307	#	10	DG	DGG	IDN	8536.4900.99
H3YN-2 AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 200-230 VAC, bej kasa	64.00	EC001439	H3YN8000R	4548583755291	#	10	DG	DGG	IDN	8536.4900.99
H3YN-2 AC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 24 VAC, bej kasa	60.30	EC001439	H3YN8002E	4548583755314	#	10	DG	DGG	IDN	8536.4900.99
H3YN-2 DC12	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 12 VDC, bej kasa	58.65	EC001439	H3YN8007F	4548583755369	#	10	DG	DGG	IDN	8536.4900.99
H3YN-2 DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 24 VDC, bej kasa	58.40	EC001439	H3YN8006H	4548583755352	#	10	DG	DGG	IDN	8536.4900.99
H3YN-2 DC48	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 48 VDC, bej kasa	69.40	EC001439	H3YN8005M	4548583755345	#	10	DG	DGG	IDN	8536.4900.99
H3YN-21 AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 200-230 VAC, bej kasa	75.65	EC001439	H3YN8008D	4548583755376	#	10	DG	DGG	IDN	8536.4900.99
H3YN-21 AC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 24 VAC, bej kasa	77.00	EC001439	H3YN8010F	4548583755390	#	10	DG	DGG	IDN	8536.4900.99
H3YN-21 DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 24 VDC, bej kasa	67.85	EC001439	H3YN8014R	4548583755437	#	10	DG	DGG	IDN	8536.4900.99
H3YN-21-B AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 200-230 VAC, bobin tarafı üstte, siyah kasa	77.05	EC001439	H3YN1109M	4548583780934			DG	DGG	CHN	8536.4900.99
H3YN-21-B AC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 24 VAC, bobin tarafı üstte, siyah kasa	71.15	EC001439	H3YN1110D	4548583780941			DG	DGG	CHN	8536.4900.99
H3YN-21-B DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 24 VDC, bobin tarafı üstte, siyah kasa	68.80	EC001439	H3YN1112M	4548583780965			DG	DGG	CHN	8536.4900.99
H3YN-2-B AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 200-230 VAC, bobin tarafı üstte, siyah kasa	77.05	EC001439	H3YN1101E	4548583780859	#	10	DG	DGG	CHN	8536.4900.99
H3YN-2-B AC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 24 VAC, bobin tarafı üstte, siyah kasa	71.15	EC001439	H3YN1102C	4548583780866	#	10	DG	DGG	CHN	8536.4900.99
H3YN-2-B DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 24 VDC, bobin tarafı üstte, siyah kasa	68.80	EC001439	H3YN1104M	4548583780880	#	10	DG	DGG	CHN	8536.4900.99
H3YN-4 100-120VAC	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 100-120 VAC, bej kasa	68.45	EC001439	H3YN8017C	4548583755468	#	10	DG	DGG	IDN	8536.4900.99
H3YN-4 AC200-230	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 200-230 VAC, bej kasa	70.05	EC001439	H3YN8016E	4548583755451	#	10	DG	DGG	IDN	8536.4900.99
H3YN-4 AC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 24 VAC, bej kasa	66.25	EC001439	H3YN8018A	4548583755475	#	10	DG	DGG	IDN	8536.4900.99
H3YN-4 DC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 24 VDC, bej kasa	64.35	EC001439	H3YN8022M	4548583755512	#	10	DG	DGG	IDN	8536.4900.99
H3YN-41 AC200-230	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 dk-10 saat, 4PDT, 3 A, 200-230 VAC, bej kasa	75.40	EC001439	H3YN8024F	4548583755536	#	10	DG	DGG	IDN	8536.4900.99
H3YN-41 AC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 dk-10 saat, 4PDT, 3 A, 24 VAC, bej kasa	78.10	EC001439	H3YN8026B	4548583755550			DG	DGG	IDN	8536.4900.99
H3YN-41 DC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 dk-10 saat, 4PDT, 3 A, 24 VDC, bej kasa	77.30	EC001439	H3YN8030M	4548583755598			DG	DGG	IDN	8536.4900.99
H3YN-4-B AC200-230	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 200-230 VAC, bobin tarafı üstte, siyah kasa	82.75	EC001439	H3YN1117A	4548583781016			DG	DGG	CHN	8536.4900.99
H3YN-4-B DC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 24 VDC, bobin tarafı üstte, siyah kasa	74.10	EC001439	H3YN1120A	4548583781047	#		DG	DGG	CHN	8536.4900.99

Zaman Rölesi H5CX

H5CC-A	Timer, DIN 48x48 mm, standard type, screw terminals, No-voltage (NPN) input/voltage (PNP) input (switchable), Contact output (time-limit SPDT), 100 to 240 VAC supply	285.10	EC001439	H5CC0001B	4549734781503	#		DG	DGH	CHN	8536.4900.99
H5CC-A11	Timer, plug-in, 11-pin, DIN 48x48 mm, standard type, No-voltage (NPN) input/voltage (PNP) input (switchable), Contact output (time-limit SPDT), 100 to 240 VAC supply	285.10	EC001439	H5CC0005E	4549734781541	#		DG	DGH	CHN	8536.4900.99
H5CC-A11D	Timer, plug-in, 11-pin, DIN 48x48 mm, standard type, No-voltage (NPN) input/voltage (PNP) input (switchable), Contact output (time-limit SPDT), 12 to 48 VDC/24 VAC supply	285.10	EC001439	H5CC0006C	4549734781558	#		DG	DGH	CHN	8536.4900.99
H5CC-A11F	Timer, plug-in, 11-pin, DIN 48x48 mm, standard type, No-voltage (NPN) input/voltage (PNP) input (switchable), Contact output (time-limit SPDT), 24 to 240 VDC/24 to 240 VAC supply	285.10	EC001439	H5CC0009H	4549734781589	#		DG	DGH	CHN	8536.4900.99
H5CC-A11SD	Timer, plug-in, 11-pin, DIN 48x48 mm, standard type, No-voltage (NPN) input/voltage (PNP) input (switchable), transistor output(SPST), 12 to 48 VDC/24 VAC supply	285.10	EC001439	H5CC0008M	4549734781572			DG	DGH	CHN	8536.4900.99
H5CC-AD	Timer, DIN 48x48 mm, standard type, screw terminals, No-voltage (NPN) input/voltage (PNP) input (switchable), Contact output (time-limit SPDT), 12 to 48 VDC/24 VAC supply	285.10	EC001439	H5CC0002M	4549734781510	#		DG	DGH	CHN	8536.4900.99
H5CC-AS	Timer, DIN 48x48 mm, standard type, screw terminals, No-voltage (NPN) input/voltage (PNP) input (switchable), transistor output(SPST), 100 to 240 VAC supply	285.10	EC001439	H5CC0003R	4549734781527	#		DG	DGH	CHN	8536.4900.99
H5CC-ASD	Timer, DIN 48x48 mm, standard type, screw terminals, No-voltage (NPN) input/voltage (PNP) input (switchable), transistor output(SPST), 12 to 48 VDC/24 VAC supply	285.10	EC001439	H5CC0004G	4549734781534	#		DG	DGH	CHN	8536.4900.99
H5CC-AU	Timer, DIN 48x48 mm, standard type, screw terminals, No-voltage (NPN) input/voltage (PNP) input (switchable), external power supply, Contact output (SPDT) + transistor output (SPST), 100 to 240 VAC supply	285.10	EC001439	H5CC0018G	4549734781671	#		DG	DGH	CHN	8536.4900.99
H5CC-AUD	Timer, DIN 48x48 mm, standard type, screw terminals, No-voltage (NPN) input/voltage (PNP) input (switchable), external power supply, Contact output (SPDT) + transistor output (SPST), 12 to 48 VDC/24 VAC supply	285.10	EC001439	H5CC0019E	4549734781688	#		DG	DGH	CHN	8536.4900.99
H5CC-L8	Timer, plug-in, 8-pin, DIN 48x48 mm, economy type, No-voltage (NPN) input/voltage (PNP) input (switchable), Contact output (time-limit SPDT), 100 to 240 VAC supply	246.70	EC001439	H5CC0010A	4549734781596	#		DG	DGH	CHN	8536.4900.99
H5CC-L8D	Timer, plug-in, 8-pin, DIN 48x48 mm, economy type, No-voltage input, Contact output (time-limit SPDT), 12 to 48 VDC/24 VAC supply	246.70	EC001439	H5CC0011M	4549734781602	#		DG	DGH	CHN	8536.4900.99
H5CC-L8E	Timer, plug-in, 8-pin, DIN 48x48 mm, economy type, No inputs, Contact output (time-limit SPDT + instantaneous SPDT), 100 to 240 VAC supply	246.70	EC001439	H5CC0014D	4549734781633	#		DG	DGH	CHN	8536.4900.99
H5CX-A11D-N	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24 VDC/24 VAC supply	275.00	EC001439	H5CX6014E	4548583745247	#		DG	DGH	IDN	8536.4900.99

Zaman Rölesi H3DT

H3DT-A1 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç AÇIK gecikmeli, 0.1 s-1200 sa, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	56.05	EC001439	H3DT0005B	4548583773356	#		DG	DGT	CHN	9107.0000.90
H3DT-A2 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç AÇIK gecikmeli, 0.1 s-1200 sa, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	59.05	EC001439	H3DT0006M	4548583773363			DG	DGT	CHN	9107.0000.90
H3DT-F 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Çift (ikiz) zamanlı, Flaşör AÇIK/KAPALI başlangıç, 1-120 s, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	87.70	EC001439	H3DT0007R	4548583773370	#		DG	DGT	CHN	9107.0000.90
H3DT-G 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Yıldız-Üçgen, 1 s-120 s, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	87.70	EC001439	H3DT0008G	4548583773387	#		DG	DGT	CHN	9107.0000.90
H3DT-HBL 24-48VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç KAPALI gecikmeli, 1 s-120 s, 1 x SPDT, 5 A, 24-48 VAC/DC, Push-in Plus terminal	83.10	EC001439	H3DT0012E	4548583773424	#		DG	DGT	CHN	9107.0000.90
H3DT-HBS 24-48VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç KAPALI gecikmeli, 0.1 s-12 s, 1 x SPDT, 5 A, 24-48 VAC/DC, Push-in Plus terminal	83.10	EC001439	H3DT0009E	4548583773394			DG	DGT	CHN	9107.0000.90
H3DT-HDI 200-240VAC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç KAPALI gecikmeli, 1 s-120 s, 1 x SPDT, 5 A, 200-240 VAC, Push-in Plus terminal	83.10	EC001439	H3DT0014A	4548583773448			DG	DGT	CHN	9107.0000.90
H3DT-L1 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Genişletilebilir çok fonksiyonlu, 8 çıkış modu (sinyal geldiği an çalır), gerilim (sinyal) girişi, 0.1 s-1200 sa, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	66.95	EC001439	H3DT0004D	4548583773349	#		DG	DGT	CHN	9107.0000.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H3DT-L2 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Genişletilmiş çok fonksiyonlu, 8 çıkış modu (sinyal geldiği an çalışır), gerilim (sinyal) girişi, 0.1 s-1200 sa, 2 x SPDT, 3 A, 24-240 VAC/DC, Push-in Plus terminal	69.70	EC001439	H3DT0003F	4548583773332	#		DG	DGT	CHN	9107.0000.90
H3DT-N1 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Standart çok fonksiyonlu, 8 çıkış modu (enerji geldiği an çalışır), gerilim (sinyal) girişi, 0.1 s-1200 sa, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	66.85	EC001439	H3DT0002H	4548583773325	#		DG	DGT	CHN	9107.0000.90
H3DT-N2 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Standart çok fonksiyonlu, 8 çıkış modu (enerji geldiği an çalışır), gerilim (sinyal) girişi, 0.1 s-1200 sa, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	69.50	EC001439	H3DT0001M	4548583773318	#		DG	DGT	CHN	9107.0000.90
Diğer Zaman Röleleri											
H3RN-1 12VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0.1 s-10 dk, SPDT, 3 A, 12 VDC, bej kasa	63.65	EC001439	H3RN1001B	4536853509699	#	10	DG	DGX	JPN	8536.4900.99
H3RN-1 24VAC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0.1 s-10 dk, SPDT, 3 A, 24 VAC, bej kasa	66.70	EC001439	H3RN1003R	4536853509712	#	10	DG	DGX	JPN	8536.4900.99
H3RN-1 24VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0.1 s-10 dk, SPDT, 3 A, 24 VDC, bej kasa	64.05	EC001439	H3RN1002M	4536853509705	#	10	DG	DGX	JPN	8536.4900.99
H3RN-11 24VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0.1 dk-10 sa, SPDT, 3 A, 24 VDC, bej kasa	64.00	EC001439	H3RN1005E	4536853509736	#	10	DG	DGX	JPN	8536.4900.99
H3RN-1-B 12VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0.1 s-10 dk, SPDT, 3 A, 12 VDC, bobin tarafı üstte, siyah kasa	73.15	EC001439	H3RN1201E	4548583782945	#	10	DG	DGX	JPN	8536.4900.99
H3RN-1-B 24VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0.1 s-10 dk, SPDT, 3 A, 24 VDC, bobin tarafı üstte, siyah kasa	73.75	EC001439	H3RN1202C	4548583782952	#	10	DG	DGX	JPN	8536.4900.99
H3RN-2 24VDC	Minyatür zaman rölesi, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT-NO, 3 A, 24 VDC, bej kasa	71.35	EC001439	H3RN1008M	4536853509767	#	10	DG	DGX	JPN	8536.4900.99
H3RN-21 12VDC	Minyatür zaman rölesi, 8 pinli, çok fonksiyonlu, 0.1 dk-10 sa, DPDT-NO, 3 A, 12 VDC, bej kasa	72.75	EC001439	H3RN1010A	4536853509781	#		DG	DGX	JPN	8536.4900.99
H3FA-BU 24DC	Control Components, Timers, Other Timers, H3FA-BU 24DC	76.15	EC001439	H3FA1020M	4536853505622	#		DG	DGX	JPN	8536.4900.99
H5F-B	Digital Daily Time Switch, Flush mounting, 24 h x 7 days (Operation days can be specified.)	295.90	EC002305	H5F 4002M	4547648354080	#		DG	DGX	CHN	8536.4900.99
H5F-KB	Digital Daily Time Switch, Surface Mounting/Track Mounting, 24 h x 7 days (Operation days can be specified.)	363.00	EC002305	H5F 4007M	4547648354134	#		DG	DGX	CHN	8536.4900.99
H55-WB2	Digital Time Switch, Weekly, Flush mounting, 2 circuits, 100 to 240 VAC	659.50	EC002305	H55 4003C	4547648356350	#		DG	DGX	CHN	8536.4900.99
Zaman Röleleri için Aksesuarlar											
Y92A-48	Protective cover for DIN48x48mm device, hard plastic (shallow)	6.95	EC002586	H5C 9001H	4536853523268	#	10	DG	DGZ	JPN	3926.9097.90
Y92A-48B	Protective cover for DIN 48x48 mm device, hard plastic	6.52	EC002586	H2C 9007B	4536853494049	#		DG	DGZ	JPN	3926.9097.90
Y92A-48D	Protective cover for DIN48x48mm device, soft plastic	6.90	EC002586	Y92A2001C	4536854247040	#		DG	DGZ	JPN	3926.9097.90
Y92A-48F1	Protective cover for H5/7CR timer/counter, soft plastic	18.45	EC002586	Y92A2005F	4536854247088	#	10	DG	DGZ	JPN	3926.9097.90
Y92A-48G	Protective cover for DIN48x48mm device	3.96	EC002586	Y92A2010B	4536854506420	#		DG	DGZ	JPN	8536.4900.99
Y92A-48N	Watertight cover for DIN 48x48 mm device, IP66, plastic	73.35	EC002586	E53 8502M	4536853362935	#		DG	DGZ	JPN	9032.1080.90
Y92A-49N	Watertight cover for DIN48x96mm device, IP66, plastic	93.95	EC002586	E53 8503R	4536853362942	#		DG	DGZ	JPN	9032.1080.90
Y92A-72N	Watertight cover for DIN72x72mm device, IP66, plastic	100.50	EC002586	E53 8504G	4536853362959	#		DG	DGZ	JPN	9032.1080.90
Y92A-96N	Watertight cover for DIN 96x96 mm device, IP66, plastic	117.50	EC002586	E53 8505E	4536853362966	#		DG	DGZ	JPN	9032.1080.90
Y92A-D1A	H3DT ve K8DT için plastik kapak	9.13	EC002586	Y92A2012R	4548583774087	#		DG	DGZ	CHN	3926.9097.90
Y92F-30	Flush panel mounting adapter for DIN 48x48 mm device	5.51	EC002586	Y92F3008R	4547648769525	#	50	DG	DGZ	CHN	3926.9097.90
Y92F-78	Flush panel mounting adapter for H3Y(N) timer	5.98	EC002586	H3Y 9009E	4536854478291	#	8	DG	DGZ	JPN	3926.9097.90
Y92H-3	Clips for H3Y(N) timer & PYF socket	1.30	EC002586	H3Y 9007R	4536853521516	#		DG	DGZ	JPN	3926.9097.90
Y92S-38	Adjustment and locking tool for H3D5	16.19	EC002586	H3D59003M	4536854577819	#		DG	DGZ	CHN	3926.9097.90
Güç İzleme											
KM50-E1-FLK	Power monitor, on-panel 48x96mm with LED display, single phase / 2-wire,three-phase / 3-wire, Compoway/F and Modbus	255.00	EC001506	KM501002H	4547648822220	#		DQ	DQA	JPN	9031.9000.00
KM-N2-FLK	Çoklu devre, kompakt, DIN ray montajlı, pano içi, şebeke analizörü, sınıf 0.5s, RS-485 haberleşme, 4 x Pulse çıkışı, Push-in Plus terminal	272.70	EC001506	KMN20001C	4548583795624	#		DQ	DQA	CHN	9031.9000.00
KM20-CTF-100A	Maks. 14.5 mm çaplı kablolar için saha montaj, 100 A akım trafosu	47.75	EC002048	KM203005B	4547648706247	#		DQ	DQA	JPN	9031.9000.00
KM20-CTF-50A	Maks. 9.5 mm çaplı kablolar için saha montaj, 50 A akım trafosu	32.60	EC002048	KM203004D	4547648706223	#		DQ	DQA	JPN	9031.9000.00
KM-NCT-E100A	Split-type Current Transformers, rated primary current 100 A, rated secondary current 1 A	128.70	EC002048	KMN 1001M	4549734440967	#		DQ	DQA	JPN	9031.9000.00
KM-NCT-E250A	Split-type Current Transformers, rated primary current 250 A, rated secondary current 1 A	135.80	EC002048	KMN 1002H	4549734440943	#		DQ	DQA	JPN	9031.9000.00
KM-NCT-E500A	Split-type Current Transformers, rated primary current 500 A	143.10	EC002048	KMN 1003F	4549734440950	#		DQ	DQA	JPN	9031.9000.00
Kesintiz Güç Kaynağı S8BA											
S8BA-24D24D120LF	UPS, dahilli lityum-iyon akü, DIN ray montaj, DC-DC, 5 A, 120 W, min. 6 dk. - maks. 29 dk. besleme süresi	1,107.00	EC000382	BU 1264B	4547648846608	#		DU	DUA	JPN	8504.4083.90
S8BA-24D24D240LF	UPS, dahilli lityum-iyon akü, DIN ray montaj, DC-DC, 10 A, 240 W, min. 6 dk. - maks. 58 dk. besleme süresi	1,253.00	EC000382	BU 1265M	4547648846615	#		DU	DUA	JPN	8504.4083.90
S8BA-24D24D360LF	UPS, dahilli lityum-iyon akü, DIN ray montaj, DC-DC, 15 A, 360 W, min. 6 dk. - maks. 87 dk. besleme süresi	1,545.00	EC000382	BU 1266R	4547648846622	#		DU	DUA	JPN	8504.4083.90
S8BA-24D24D480LF	UPS, dahilli lityum-iyon akü, DIN ray montaj, DC-DC, 20 A, 480 W, min. 6 dk. - maks. 119 dk. besleme süresi	1,800.00	EC000382	BU 1267G	4547648846639	#		DU	DUA	JPN	8504.4083.90
S8BA-24D24D480SBF	UPS, DIN rail type, Separated battery type, DC-DC, 20 A, 480 W	385.00	EC000382	BU 1672R	4548583941724	#		DU	DUA	CHN	8504.4083.90
S8BA-24D24D960SBF	UPS, DIN rail type, Separated battery type, DC-DC, 40 A, 960 W	547.50	EC000382	BU 1674E	4548583941731	#		DU	DUA	CHN	8504.4083.90
S8BA-5480L	UPS, DIN rail type, Battery unit for S8BA (Separated battery type), 3.9 Ah	766.50	EC000382	BU 1673G	4548583941748	#		DU	DUA	CHN	8507.6000.90
S8BA-5960L	UPS, DIN rail type, Battery unit for S8BA (Separated battery type), 7.8 Ah	1,185.00	EC000382	BU 1675C	4548583941755	#		DU	DUA	CHN	8507.6000.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Kesintiz Güç Kaynağı Aksesuarı											
S8BW-C02	RJ45 - açık uç alarm kablosu	78.90	EC002850	BU 1270G	4547648846660	#		DU	DUW	JPN	8544.4290.90
S8BA-B120L	S8BA için yedek akü paketi	663.50	EC002850	BU 1268E	4547648846646	#		DU	DUW	JPN	8506.5090.90
BP100XSG	BU1002SWG için yedek pil paketi	552.00	EC002850	BU 1605B	4547648849760			DU	DUW	TWN	8506.5090.90
BP150XSG	BU3002SWG için yedek pil paketi	516.50	EC002850	BU 1606M	4547648849777			DU	DUW	TWN	8506.5090.90
Inverter M1											
3G3M1-A2004	M1 AC Drive, 0.4/0.75 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	385.80	EC001857	3G3M9447M	4549734764414	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2004	M1 AC Drive, 0.4/0.75 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	385.80	EC001857	AA065760R	4549734865913	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2007	M1 AC Drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	508.50	EC001857	3G3M9448H	4549734764421	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2007	M1 AC Drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	508.50	EC001857	AA065762E	4549734865937	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2015	M1 AC Drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	525.50	EC001857	3G3M9449F	4549734764438	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2015	M1 AC Drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	525.50	EC001857	AA065764A	4549734865951	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2022	M1 AC Drive, 2.2/3.0 kW (HD/ND), 11/12 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	565.00	EC001857	3G3M9450M	4549734764445	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2022	M1 AC Drive, 2.2/3.0 kW (HD/ND), 11/12 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	565.00	EC001857	AA065766H	4549734865975	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2037	M1 AC Drive, 3.7/5.5 kW (HD/ND), 17.5/19.6 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	652.00	EC001857	3G3M9451H	4549734764452	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2037	M1 AC Drive, 3.7/5.5 kW (HD/ND), 17.5/19.6 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	652.00	EC001857	AA065768D	4549734865999	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2055	M1 AC Drive, 5.5/7.5 kW (HD/ND), 25/30 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,550.00	EC001857	3G3M9452F	4549734764469	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2055	M1 AC Drive, 5.5/7.5 kW (HD/ND), 25/30 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,550.00	EC001857	AA065770F	4549734866019	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2075	M1 AC Drive, 7.5/11 kW (HD/ND), 33/40 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,799.00	EC001857	3G3M9453D	4549734764476	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2075	M1 AC Drive, 7.5/11 kW (HD/ND), 33/40 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,799.00	EC001857	AA065772B	4549734866033	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2110	M1 AC Drive, 11/15 kW (HD/ND), 47/56 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	2,571.00	EC001857	AA065774R	4549734866057	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4004	M1 AC Drive, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	799.50	EC001857	3G3M9433M	4549734764278	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4004	M1 AC Drive, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	799.50	EC001857	AA065780C	4549734866118	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4007	M1 AC Drive, 0.7/1.1 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	896.50	EC001857	3G3M9434H	4549734764285	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4007	M1 AC Drive, 0.7/1.1 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	896.50	EC001857	AA065782M	4549734866132	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4015	M1 AC Drive, 1.5/2.2 kW (HD/ND), 4.8/5.5 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,007.00	EC001857	3G3M9435F	4549734764292	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4015	M1 AC Drive, 1.5/2.2 kW (HD/ND), 4.8/5.5 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,007.00	EC001857	AA065784F	4549734866156	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4022	M1 AC Drive, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,127.00	EC001857	3G3M9436D	4549734764308	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4022	M1 AC Drive, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,127.00	EC001857	AA065786B	4549734866170	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4030	M1 AC Drive, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,165.00	EC001857	3G3M9437B	4549734764315	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4030	M1 AC Drive, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,165.00	EC001857	AA065788R	4549734866194	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4040	M1 AC Drive, 4.0/5.5 kW (HD/ND), 9.2/11.1 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,407.00	EC001857	3G3M9438M	4549734764322	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4040	M1 AC Drive, 4.0/5.5 kW (HD/ND), 9.2/11.1 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,407.00	EC001857	AA065790M	4549734866217	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4055	M1 AC Drive, 5.5/7.5 kW (HD/ND), 14.8/17.5 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,806.00	EC001857	3G3M9439R	4549734764339	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4055	M1 AC Drive, 5.5/7.5 kW (HD/ND), 14.8/17.5 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,806.00	EC001857	AA065792G	4549734866231	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4075	M1 AC Drive, 7.5/11 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	2,046.00	EC001857	3G3M9440B	4549734764346	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4075	M1 AC Drive, 7.5/11 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	2,046.00	EC001857	AA065794C	4549734866255	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4110	M1 AC Drive, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	2,263.00	EC001857	3G3M9441M	4549734764353	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4110	M1 AC Drive, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	2,263.00	EC001857	AA065796M	4549734866279	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4150	M1 AC Drive, 15/18.5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	2,948.00	EC001857	3G3M9442R	4549734764360	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4150	M1 AC Drive, 15/18.5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	2,948.00	EC001857	AA065798F	4549734866293	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4185	M1 AC Drive, 18.5/22 kW (HD/ND), 39/45 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	4,285.00	EC001857	3G3M9443G	4549734764377	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4185	M1 AC Drive, 18.5/22 kW (HD/ND), 39/45 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	4,285.00	EC001857	AA065800A	4549734866316	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4220	M1 AC Drive, 22/30 kW (HD/ND), 45/60 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	5,090.00	EC001857	3G3M9444E	4549734764384	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4220	M1 AC Drive, 22/30 kW (HD/ND), 45/60 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	5,090.00	EC001857	AA065802H	4549734866330	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB002	M1 AC Drive, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	463.90	EC001857	3G3M9427E	4549734764216	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB002	M1 AC Drive, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	463.90	EC001857	AA065804D	4549734866354	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB004	M1 AC Drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	480.90	EC001857	3G3M9428C	4549734764223	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB004	M1 AC Drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	480.90	EC001857	AA065806M	4549734866378	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB007	M1 AC Drive, 0.7/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	573.00	EC001857	3G3M9429A	4549734764230	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB007	M1 AC Drive, 0.7/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	573.00	EC001857	AA065808G	4549734865821	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB015	M1 AC Drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	678.00	EC001857	3G3M9430E	4549734764247	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB015	M1 AC Drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	678.00	EC001857	AA065810R	4549734865845	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB022	M1 AC Drive, 2.2/2.7 kW (HD/ND), 11/12 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	790.00	EC001857	3G3M9431C	4549734764254	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB022	M1 AC Drive, 2.2/2.7 kW (HD/ND), 11/12 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	790.00	EC001857	AA065812E	4549734865859	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB037	M1 AC Drive, 3.7 kW (HD), 17.5 A (HD), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,230.00	EC001857	3G3M9432A	4549734764261	#		EA	EAA	JPN	8504.4095.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3G3MX2-A4007-EV2	MX inverter sürücü, 0,75/1,5 kW (HD/ND), 3,4/4,1 A (HD/ND), 400 VAC, 3~, sensorless vector	940,50	EC001857	AA063220G	4549734720427	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4015-EV2	MX inverter sürücü, 1,5/2,2 kW (HD/ND), 4,8/5,4 A (HD/ND), 400 VAC, 3~, sensorless vector	1,056,00	EC001857	AA063221E	4549734720434	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4022-EV2	MX inverter sürücü, 2,2/3,0 kW (HD/ND), 5,5/6,9 A (HD/ND), 400 VAC, 3~, sensorless vector	1,183,00	EC001857	AA063222C	4549734720441	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4030-EV2	MX inverter sürücü, 3,0/4,0 kW (HD/ND), 7,2/8,8 A (HD/ND), 400 VAC, 3~, sensorless vector	1,223,00	EC001857	AA063223A	4549734720458	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4040-EV2	MX inverter sürücü, 4,0/5,5 kW (HD/ND), 9,2/11,1 A (HD/ND), 400 VAC, 3~, sensorless vector	1,477,00	EC001857	AA063224M	4549734720465	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4055-EV2	MX inverter sürücü, 5,5/7,5 kW (HD/ND), 14,8/17,5 A (HD/ND), 400 VAC, 3~, sensorless vector	1,897,00	EC001857	AA063225H	4549734720472	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4075-EV2	MX inverter sürücü, 7,5/11,0 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3~, sensorless vector	2,147,00	EC001857	AA063226F	4549734720489	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4110-EV2	MX inverter sürücü, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3~, sensorless vector	2,377,00	EC001857	AA063227D	4549734720496	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4150-EV2	MX inverter sürücü, 15/18,5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3~, sensorless vector	3,092,00	EC001857	AA063228B	4549734720502	#		EA	EAP	CHN	8504.4095.90
3G3MX2-AB001-EV2	MX inverter sürücü, 0,1/0,2 kW (HD/ND), 1,0/1,2 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	472,00	EC001857	AA063229M	4549734720519	#		EA	EAP	CHN	8504.4095.90
3G3MX2-AB002-EV2	MX inverter sürücü, 0,2/0,4 kW (HD/ND), 1,6/1,9 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	486,40	EC001857	AA063230D	4549734720526	#		EA	EAP	CHN	8504.4095.90
3G3MX2-AB004-EV2	MX inverter sürücü, 0,4/0,55 kW (HD/ND), 3,0/3,5 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	504,50	EC001857	AA063231B	4549734720533	#		EA	EAP	CHN	8504.4095.90
3G3MX2-AB007-EV2	MX inverter sürücü, 0,75/1,1 kW (HD/ND), 5,0/6,0 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	601,50	EC001857	AA063232M	4549734720540	#		EA	EAP	CHN	8504.4095.90
3G3MX2-AB015-EV2	MX inverter sürücü, 1,5/2,2 kW (HD/ND), 8,0/9,6 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	712,00	EC001857	AA063233R	4549734720557	#		EA	EAP	CHN	8504.4095.90
3G3MX2-AB022-EV2	MX inverter sürücü, 2,2/3,0 kW (HD/ND), 11,0/12,0 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	829,00	EC001857	AA063234G	4549734720564	#		EA	EAP	CHN	8504.4095.90

Invertörler RX / RX2

3G3RX2-A2004	Inverter RX2, 200 V, VLD: 4,4 A / 0,75 kW, LD: 3,7 A / 0,75 kW, ND: 3,2 A / 0,4 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,550,00	EC001857	3G3R9201A	4549734281386	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A2007	Inverter RX2, 200 V, VLD: 8,0 A / 1,5 kW, LD: 6,3 A / 1,5 kW, ND: 5,0 A / 0,75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,611,00	EC001857	3G3R9202M	4549734281393	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A2015	Inverter RX2, 200 V, VLD: 10,4 A / 2,2 kW, LD: 9,4 A / 2,2 kW, ND: 8,0 A / 1,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,751,00	EC001857	3G3R9203H	4549734281409	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A2022	Inverter RX2, 200 V, VLD: 15,6 A / 3,7 kW, LD: 12 A / 3,7 kW, ND: 11 A / 2,2 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,836,00	EC001857	3G3R9204F	4549734281416	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A2037	Inverter RX2, 200 V, VLD: 22,8 A / 5,5 kW, LD: 19,6 A / 5,5 kW, ND: 17,5 A / 3,7 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,852,00	EC001857	3G3R9205D	4549734281423	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A2055	Inverter RX2, 200 V, VLD: 33 A / 7,5 kW, LD: 30 A / 7,5 kW, ND: 25 A / 5,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2,189,00	EC001857	3G3R9206B	4549734281430	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A2075	Inverter RX2, 200 V, VLD: 46 A / 11 kW, LD: 40 A / 11 kW, ND: 32 A / 7,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2,501,00	EC001857	3G3R9207M	4549734281447	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A2110	Inverter RX2, 200 V, VLD: 60 A / 15 kW, LD: 56 A / 15 kW, ND: 46 A / 11 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2,909,00	EC001857	3G3R9208R	4549734281454	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A2150	Inverter RX2, 200 V, VLD: 80 A / 18,5 kW, LD: 73 A / 18,5 kW, ND: 64 A / 15 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	3,751,00	EC001857	3G3R9209G	4549734281461	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A2185	Inverter RX2, 200 V, VLD: 93 A / 22 kW, LD: 85 A / 22 kW, ND: 76 A / 18,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	4,709,00	EC001857	3G3R9210M	4549734281478	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A2220	Inverter RX2, 200 V, VLD: 124 A / 30 kW, LD: 113 A / 30 kW, ND: 95 A / 22 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	5,600,00	EC001857	3G3R9211R	4549734281485	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A2300	Inverter RX2, 200 V, VLD: 153 A / 37 kW, LD: 140 A / 37 kW, ND: 122 A / 30 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	7,125,00	EC001857	3G3R9212G	4549734281492	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A2370	Inverter RX2, 200 V, VLD: 185 A / 45 kW, LD: 169 A / 45 kW, ND: 146 A / 37 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	8,600,00	EC001857	3G3R9213E	4549734281508	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A2450	Inverter RX2, 200 V, VLD: 229 A / 55 kW, LD: 210 A / 55 kW, ND: 182 A / 45 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	9,940,00	EC001857	3G3R9214C	4549734281515	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A2550	Inverter RX2, 200 V, VLD: 295 A / 75 kW, LD: 270 A / 75 kW, ND: 220 A / 55 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	12,430,00	EC001857	3G3R9215A	4549734281522	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4007	Inverter RX2, 400 V, VLD: 4,1 A / 1,5 kW, LD: 3,1 A / 1,5 kW, ND: 2,5 A / 0,75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,588,00	EC001857	3G3R9216M	4549734281539	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4015	Inverter RX2, 400 V, VLD: 5,4 A / 2,2 kW, LD: 4,8 A / 2,2 kW, ND: 4,0 A / 1,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,756,00	EC001857	3G3R9217H	4549734281546	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4022	Inverter RX2, 400 V, VLD: 8,3 A / 3,7 kW, LD: 6,7 A / 3,7 kW, ND: 5,5 A / 2,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,856,00	EC001857	3G3R9218F	4549734281553	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4037	Inverter RX2, 400 V, VLD: 12,6 A / 5,5 kW, LD: 11,1 A / 5,5 kW, ND: 9,2 A / 3,7 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2,017,00	EC001857	3G3R9219D	4549734281560	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4055	Inverter RX2, 400 V, VLD: 17,5 A / 7,5 kW, LD: 16 A / 7,5 kW, ND: 14,8 A / 5,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2,410,00	EC001857	3G3R9220H	4549734281577	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4075	Inverter RX2, 400 V, VLD: 25 A / 11 kW, LD: 22 A / 11 kW, ND: 19 A / 7,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2,898,00	EC001857	3G3R9221F	4549734281584	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4110	Inverter RX2, 400 V, VLD: 31 A / 15 kW, LD: 29 A / 15 kW, ND: 25 A / 11 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	3,288,00	EC001857	3G3R9222D	4549734281591	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4150	Inverter RX2, 400 V, VLD: 40 A / 18,5 kW, LD: 37 A / 18,5 kW, ND: 32 A / 15 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	4,022,00	EC001857	3G3R9223B	4549734281607	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4185	Inverter RX2, 400 V, VLD: 47 A / 22 kW, LD: 43 A / 22 kW, ND: 39 A / 18,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	4,637,00	EC001857	3G3R9224M	4549734281614	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4220	Inverter RX2, 400 V, VLD: 62 A / 30 kW, LD: 57 A / 30 kW, ND: 48 A / 22 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	5,405,00	EC001857	3G3R9225R	4549734281621	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4300	Inverter RX2, 400 V, VLD: 77 A / 37 kW, LD: 70 A / 37 kW, ND: 61 A / 30 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	6,955,00	EC001857	3G3R9226G	4549734281638	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4370	Inverter RX2, 400 V, VLD: 93 A / 45 kW, LD: 85 A / 45 kW, ND: 75 A / 37 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	7,910,00	EC001857	3G3R9227E	4549734281645	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4450	Inverter RX2, 400 V, VLD: 116 A / 55 kW, LD: 105 A / 55 kW, ND: 91 A / 45 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	9,095,00	EC001857	3G3R9228C	4549734281652	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4550	Inverter RX2, 400 V, VLD: 147 A / 75 kW, LD: 135 A / 75 kW, ND: 112 A / 55 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	10,060,00	EC001857	3G3R9229A	4549734281669	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-B411K	Inverter RX2, 400 V, VLD: 252 A / 132 kW, LD: 230 A / 132 kW, ND: 217 A / 110 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.	17,470,00	EC001857	3G3R9232A	4549734281690	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-B413K	Inverter RX2, 400 V, VLD: 316 A / 160 kW, LD: 290 A / 160 kW, ND: 260 A / 132 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.	22,390,00	EC001857	3G3R9233M	4549734281706	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-B4750	Inverter RX2, 400 V, VLD: 176 A / 90 kW, LD: 160 A / 90 kW, ND: 150 A / 75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.	13,160,00	EC001857	3G3R9230E	4549734281676	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-B4900	Inverter RX2, 400 V, VLD: 213 A / 110 kW, LD: 195 A / 110 kW, ND: 180 A / 90 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.	16,070,00	EC001857	3G3R9231C	4549734281683	#		EA	EAQ	JPN	8504.4095.90

Inverter SX

SX-A4160-E3FA4	SX inverter IP20, 160 kW, 3~ 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	29,190,00	EC001857	AA055523G	4549734988087	#		EA	EAT	SWE	8504.4095.90
SX-A6030-EVA4	SX inverter IP20, 30 kW, 3~ 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	13,020,00	EC001857	AA055535M	4549734988209	#		EA	EAT	SWE	8504.4095.90

Inverterler için Aksesuarlar

AX-CUSBM002-E	Mini USB'den USB'ye bağlantı kablosu	60,80	EC001681	AA029521R	4547648872188	#		EA	EAZ	ITA	8503.0099.99
3G3AX-OP01	LED operatör paneli, kablo uzunluğu max. 3m olabilir	117,00	EC002025	3G3A0116H	4547648489751	#		EA	EAZ	JPN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3G3AX-MX2-DRT-E	DeviceNet opsiyon kartı	238.90	EC002025	3G3A9019E	4547648767903	#		EA	EAZ	NLD	8517.6200.00
3G3AX-MX2-ECT	MX2 EtherCAT opsiyon kartı	581.50	EC002025	3G3A0121D	4547648834803	#		EA	EAZ	JPN	8517.6200.00
3G3AX-MX2-EIP-A	MX2 Ethernet/IP opsiyon kartı	737.50	EC002025	AA034728F	4547648910057	#		EA	EAZ	SWE	8517.6200.00
3G3AX-MX2-PRT-E	MX2 opsiyon kartı, Profibus	352.10	EC002025	3G3A9018G	4547648767897	#		EA	EAZ	NLD	8517.6200.00
3G3AX-RX2-ECT	RX2 Series EtherCAT option board	776.50	EC002025	3G3A0127C	4549734714921	#		EA	EAZ	JPN	8517.6200.00
3G3AX-RX2-PG01	RX2 PG speed controller option board	287.50	EC002025	3G3A0128A	4549734739078	#		EA	EAZ	CHN	8504.4095.90
3G3AX-RX-ECT	RX serisi EtherCAT opsiyon kartı	801.00	EC002025	3G3A0123M	4548583344297	#		EA	EAZ	JPN	8517.6200.00
AX-BCR4017068-TE	Frenleme ünitesi 400 V, sürekliliği 17 A/13 KVA, anlık 68 A/51 KVA, 11 ohm min	1,208.00	EC002025	AA029959A	4547648873963			EA	EAZ	DEU	8533.2900.00
AX-BCR4035090-TE	Frenleme ünitesi 400 V, sürekliliği 35 A/26 KVA, anlık 90 A/67 KVA, 8.5 ohm min	2,114.00	EC002025	AA029960E	4547648873970			EA	EAZ	DEU	8533.2900.00
A1000-REJOK15100-IE	Braking Resistor for J1000, 100 Ohms	46.73	EC002025	AA025805D	4547648859806	#	10	EA	EAZ	ITA	8533.2900.00
A1000-REJOK15200-IE	Braking Resistor for J1000, 200 Ohms	61.70	EC002025	AA025804F	4547648859813	#	10	EA	EAZ	ITA	8533.2900.00
A1000-REJOK15300-IE	Frenleme direnç, J1000, 300 Ohms	33.72	EC002025	AA025803H	4547648859820	#	10	EA	EAZ	ITA	8533.2900.00
A1000-REJOK15400-IE	Frenleme direnç J1000, 400 Ohms	34.99	EC002025	AA025802M	4547648859837	#	10	EA	EAZ	ITA	8533.2900.00
A1000-REV00K4030-IE	Braking Resistor, 30 ohm	52.00	EC002025	AA023614M	4547648851268	#		EA	EAZ	ITA	9032.8900.90
A1000-REV00K4100-IE	Frenleme direnç, 100 ohm	57.35	EC002025	AA023217R	4536853913878	#		EA	EAZ	ITA	9032.8900.90
A1000-REV00K5075-IE	Frenleme direnç, 75 ohm	60.75	EC002025	AA023218G	4536853913885	#		EA	EAZ	ITA	9032.8900.90
A1000-REV00K6050-IE	Frenleme direnç, 50 ohm	83.90	EC002025	AA023219E	4536853913892	#		EA	EAZ	ITA	9032.8900.90
A1000-REV00K9040-IE	Braking Resistor, 40 ohm	139.70	EC002025	AA023220R	4536853913908	#		EA	EAZ	ITA	9032.8900.90
A1000-REV04K0032-IE	Braking Resistor, 32 ohm	709.50	EC002025	AA023607G	4547648851305	#		EA	EAZ	ITA	9032.8900.90
AX-REM00K1100-IE	Braking resistor, 100 W, 100 ohm nominal	35.18	EC002025	AA063420M	4549734844758	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K1200-IE	Frenleme direnç, 200 ohm, 110 W nominal	35.13	EC002025	AA029935D	4547648873727	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K1400-IE	Frenleme direnç, 400 ohm, 190 W nominal	39.34	EC002025	AA029934F	4547648873710	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K2040-IE	Braking resistor, 200 W, 40 ohm nominal	48.87	EC002025	AA063421H	4549734844741	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K2070-IE	Braking resistor, 70 ohm, 200 W nominal	41.18	EC002025	AA029936B	4547648873734	#	10	EA	EAZ	ITA	8533.2900.00
AX-REM00K2100-IE	Braking resistor, 200 W, 100 ohm nominal	48.87	EC002025	AA063440D	4549734844550	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K2120-IE	Frenleme direnç, 120 ohm, 200 W nominal	50.20	EC002025	AA029941R	4547648873789	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K2200-IE	Braking resistor, 200 ohm, 200 W nominal	50.20	EC002025	AA029939G	4547648873765	#	10	EA	EAZ	ITA	8533.2900.00
AX-REM00K3160-IE	Braking resistor, 300 W, 160 ohm nominal	52.80	EC002025	AA063423D	4549734844727	#	10	EA	EAZ	ITA	8533.2900.00
AX-REM00K4035-IE	Frenleme direnç, 35 ohm, 400 W nominal	54.65	EC002025	AA029938R	4547648873758	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K4050-IE	Braking resistor, 400 W, 50 ohm nominal	54.15	EC002025	AA063433A	4549734844628	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K4075-IE	Frenleme direnç, 70 ohm, 400 W nominal	60.60	EC002025	AA029937M	4547648873741	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K4130-IE	Braking resistor, 400 W, 130 ohm nominal	54.15	EC002025	AA063424B	4549734844710	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K4200-IE	Braking resistor, 400 W, 200 ohm nominal	54.15	EC002025	AA063442M	4549734844536	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K5120-IE	Frenleme direnç, 120 ohm, 500 W nominal	64.00	EC002025	AA029940M	4547648873772	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K6035-IE	Frenleme direnç, 35 ohm, 600 W nominal	98.90	EC002025	AA029947H	4547648873840	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K6050-IE	Braking resistor, 600 W, 50 ohm nominal	94.00	EC002025	AA063441B	4549734844543	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K6080-IE	Braking resistor, 600 W, 80 ohm nominal	94.00	EC002025	AA063425M	4549734844703	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K6100-IE	Frenleme direnç, 100 ohm, 600 W nominal	79.30	EC002025	AA029942G	4547648873796	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K6150-IE	Braking resistor, 600 W, 150 ohm nominal	104.50	EC002025	AA063443R	4549734844529	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K9020-IE	Braking resistor, 20 ohm, 900 W nominal	173.30	EC002025	AA029948F	4547648873857	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K9060-IE	Braking resistor, 900 W, 60 ohm nominal	156.80	EC002025	AA063426R	4549734844697	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K9070-IE	Frenleme direnç, 70 ohm, 900 W nominal	173.30	EC002025	AA029943E	4547648873802	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K9100-IE	Braking resistor, 900 W, 100 ohm nominal	163.40	EC002025	AA063444G	4549734844512	#		EA	EAZ	ITA	8533.2900.00
AX-REM01K3070-IE	Braking resistor, 1300 W, 70 ohm nominal	237.90	EC002025	AA063445E	4549734844505	#		EA	EAZ	ITA	8533.2900.00
AX-REM01K9070-IE	Frenleme direnç, 70 ohm, 1900 W nominal	405.40	EC002025	AA029944C	4547648873819	#		EA	EAZ	ITA	8533.2900.00
AX-REM02K1070-IE	Frenleme direnç, 70 ohm, 2100 W nominal	629.50	EC002025	AA029945A	4547648873826	#		EA	EAZ	ITA	8533.2900.00
AX-REM03K5035-IE	Frenleme direnç, 35 ohm, 3500 W nominal	759.50	EC002025	AA029946M	4547648873833	#		EA	EAZ	ITA	8533.2900.00
AX-REM19K0020-IE	Frenleme direnç, 20ohm, 19kW	877.00	EC002025	AA029954M	4547648873918	#		EA	EAZ	ITA	8533.2900.00
AX-REM19K0030-IE	Frenleme direnç, 20ohm, 19kW	738.00	EC002025	AA029953B	4547648873901	#		EA	EAZ	ITA	8533.2900.00
AX-REM38K0012-IE	Frenleme direnç, 12 ohm, (38 kW ton 30sec, Duty 10%)/(5500 W ton 300sec, Duty 25%-50%)	1,107.00	EC002025	AA029955R	4547648873925	#		EA	EAZ	ITA	8533.2900.00
A1000-FIA3024-SE	A1000 ayak izi RFI filtresi, 24 A, 3-200 VAC: 2A0004 - 2A0021, 3 ~ 400 VAC: 4A0002 - 4A0023	146.20	EC002025	AA051198A	4549734932608			EA	EAZ	THA	8529.9097.00
A1000-FIA3044-SE	A1000 ayak izi RFI filtresi, 44 A, 3 ~ 400 VAC: 4A0031 - 4A0038	296.50	EC002025	AA051196E	4549734932585			EA	EAZ	THA	8529.9097.00
A1000-FIA3052-SE	A1000 ayak izi RFI filtresi, 52 A, 3 ~ 400 VAC: 4A0044	366.00	EC002025	AA051197C	4549734932592			EA	EAZ	THA	8529.9097.00
AX-FICI010-SE	J1000/V1000 footprint RFI filtre, 10A, 200 VAC, tek faz, 0.12 ila 0.55KW sürücü	36.85	EC002025	AA057918G	4549734790918	#		EA	EAZ	THA	8529.9097.00
AX-FICI010-SE-LL	Accessory inverter A1000 EMC filter	81.80	EC002025	AA057922E	4549734790956	#		EA	EAZ	THA	8529.9097.00
AX-FICI014-SE	M1 Series RFI filter 14 A, 200 VAC, single phase.	66.80	EC002025	AA063086G	4549734841153	#		EA	EAZ	THA	8529.9097.00
AX-FICI014-SE-LL	Low Leakage M1 Series RFI filter 14 A, 200 VAC, single phase.	91.25	EC002025	AA063090E	4549734841160	#		EA	EAZ	THA	8529.9097.00
AX-FICI020-SE	J1000/V1000 footprint RFI filtre, 13.8 A, 200 VAC, tek faz, 1.1 ila 1.5KW sürücü	53.65	EC002025	AA057919E	4549734790925	#		EA	EAZ	THA	8529.9097.00
AX-FICI020-SE-LL	Accessory inverter A1000 EMC filter	61.50	EC002025	AA057923C	4549734790963	#		EA	EAZ	THA	8529.9097.00
AX-FICI021-SE	M1 Series RFI filter 21 A, 200 VAC, single phase.	77.55	EC002025	AA063087E	4549734841177	#		EA	EAZ	THA	8529.9097.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
AX-FIC1021-SE-LL	Low Leakage M1 Series RFI filter 21 A, 200 VAC, single phase.	84.70	EC002025	AA063091C	4549734841184	#		EA	EAZ	THA	8529.9097.00
AX-FIC1026-SE	M1 Series RFI filter 26 A, 200 VAC, single phase.	87.10	EC002025	AA063088C	4549734841191	#		EA	EAZ	THA	8529.9097.00
AX-FIC1026-SE-LL	Low Leakage M1 Series RFI filter 26 A, 200 VAC, single phase.	97.85	EC002025	AA063092A	4549734841207	#		EA	EAZ	THA	8529.9097.00
AX-FIC1030-SE	V1000 footprint RFI filtre, 30A, 200 VAC, tek faz, 2.2KW sürücü	69.80	EC002025	AA057920R	4549734790932	#		EA	EAZ	THA	8529.9097.00
AX-FIC1030-SE-LL	Accessory inverter A1000 EMC filter	79.60	EC002025	AA057924A	4549734790970	#		EA	EAZ	THA	8529.9097.00
AX-FIC1040-SE	V1000 footprint RFI filtre, 40A, 200 VAC, tek faz, 4.0KW sürücü	105.00	EC002025	AA057921G	4549734790949	#		EA	EAZ	THA	8529.9097.00
AX-FIC1040-SE-LL	Accessory inverter A1000 EMC filter	111.20	EC002025	AA057925M	4549734790987	#		EA	EAZ	THA	8529.9097.00
AX-FIC1045-SE	M1 Series RFI filter 45 A, 200 VAC, single phase.	152.80	EC002025	AA063089A	4549734841214	#		EA	EAZ	THA	8529.9097.00
AX-FIC1045-SE-LL	Low Leakage M1 Series RFI filter 45 A, 200 VAC, single phase.	169.40	EC002025	AA063093M	4549734841221	#		EA	EAZ	THA	8529.9097.00
AX-FIC4004-SE	M1 RFI filter 5 A, 400 VAC, three phase.	72.20	EC002025	AA063094H	4549734841238	#		EA	EAZ	THA	8529.9097.00
AX-FIC4004-SE-LL	Low Leakage M1 RFI filter 5 A, 400 VAC, three phase.	81.15	EC002025	AA063100F	4549734841245	#		EA	EAZ	THA	8529.9097.00
AX-FIC4005-SE	J1000/V1000 footprint RFI filtre, 4.3 A, 400 VAC, üç faz, 0.37 ila 0.55KW sürücü	82.15	EC002025	AA057926H	4549734790994	#		EA	EAZ	THA	8529.9097.00
AX-FIC4005-SE-LL	Accessory inverter A1000 EMC filter	81.45	EC002025	AA057932B	4549734791052	#		EA	EAZ	THA	8529.9097.00
AX-FIC4010-SE	J1000/V1000 footprint RFI filtre, 9.4 A, 400 VAC, üç faz, 1.1 ila 3.0KW sürücü	97.20	EC002025	AA057927F	4549734791007	#		EA	EAZ	THA	8529.9097.00
AX-FIC4010-SE-LL	Accessory inverter A1000 EMC filter	102.50	EC002025	AA057933M	4549734791069	#		EA	EAZ	THA	8529.9097.00
AX-FIC4011-SE	M1 RFI filter 11 A, 400 VAC, three phase.	105.00	EC002025	AA063095F	4549734841252	#		EA	EAZ	THA	8529.9097.00
AX-FIC4011-SE-LL	Low Leakage M1 RFI filter 11 A, 400 VAC, three phase.	117.00	EC002025	AA063101D	4549734841269	#		EA	EAZ	THA	8529.9097.00
AX-FIC4015-SE	J1000/V1000 footprint RFI filtre, 20A, 400 VAC, üç faz, 4.0KW sürücü	115.00	EC002025	AA057928D	4549734791014	#		EA	EAZ	THA	8529.9097.00
AX-FIC4015-SE-LL	Accessory inverter A1000 EMC filter	127.80	EC002025	AA057934R	4549734791076	#		EA	EAZ	THA	8529.9097.00
AX-FIC4017-SE	M1 RFI filter 17 A, 400 VAC, three phase.	121.70	EC002025	AA063096D	4549734841276	#		EA	EAZ	THA	8529.9097.00
AX-FIC4017-SE-LL	Low Leakage M1 RFI filter 17 A, 400 VAC, three phase.	126.50	EC002025	AA063102B	4549734841283	#		EA	EAZ	THA	8529.9097.00
AX-FIC4030-SE	Accessory inverter A1000 EMC filter	129.40	EC002025	AA057929B	4549734791021	#		EA	EAZ	THA	8529.9097.00
AX-FIC4030-SE-LL	Accessory inverter A1000 EMC filter	150.00	EC002025	AA057935G	4549734791083	#		EA	EAZ	THA	8529.9097.00
AX-FIC4044-SE	M1 RFI filter 44 A, 400 VAC, three phase.	256.50	EC002025	AA063097B	4549734841290	#		EA	EAZ	THA	8529.9097.00
AX-FIC4044-SE-LL	Low Leakage M1 RFI filter 44 A, 400 VAC, three phase.	277.90	EC002025	AA063103M	4549734841306	#		EA	EAZ	THA	8529.9097.00
AX-FIC4050-SE	Accessory inverter A1000 EMC filter	222.00	EC002025	AA057930F	4549734791038	#		EA	EAZ	THA	8529.9097.00
AX-FIC4050-SE-LL	Accessory inverter A1000 EMC filter	316.60	EC002025	AA057936E	4549734791090	#		EA	EAZ	THA	8529.9097.00
AX-FIC4061-SE	M1 RFI filter 61 A, 400 VAC, three phase.	465.00	EC002025	AA063098M	4549734841313	#		EA	EAZ	THA	8529.9097.00
AX-FIC4061-SE-LL	Low Leakage M1 RFI filter 61 A, 400 VAC, three phase.	491.30	EC002025	AA063104R	4549734841320	#		EA	EAZ	THA	8529.9097.00
AX-FIC4080-SE	Common footprint RFI filter for Compact series (Q2V/V1000/J1000/MX2), 80 A, 400 VAC, three phase, for 18.5 kW and 22 kW drives.	811.50	EC002025	AA057931D	4549734791045	#		EA	EAZ	HUN	8529.9097.00
AX-FIC4095-SE	M1 RFI filter 95 A, 400 VAC, three phase.	823.50	EC002025	AA063099R	4549734841337	#		EA	EAZ	THA	8529.9097.00
AX-FIC4095-SE-LL	Low Leakage M1 RFI filter 95 A, 400 VAC, three phase.	853.00	EC002025	AA063105G	4549734841344	#		EA	EAZ	THA	8529.9097.00
AX-FIM1024-SE-LL	Accessory inverter MX2 EMC filter	65.45	EC002025	AA040192B	4547648975469	#		EA	EAZ	THA	8529.9097.00
AX-FIM1024-SE-V1	MX footprint RFI filtre, 24A, 200VAC, tek faz, 1.5 ila 2.2KW modeli	62.00	EC002025	AA034296R	4547648905992	#		EA	EAZ	THA	8529.9097.00
AX-FIM2060-SE-V2	MX footprint RFI filtre, 60A, 200VAC, three phase, UL/CSA	259.70	EC002025	AA05173H	4549734984843	#		EA	EAZ	THA	8529.9097.00
AX-FIR4011-SE	RX2 footprint RFI filter, 11 A, 3~ 400 VAC, for 0.75-3.7 kW models	135.70	EC002025	AA029711D	4549734976091	#		EA	EAZ	THA	8529.9097.00
AX-FIR4030-SE	RX2 footprint RFI filter, 30 A, 3~ 400 VAC, for 5.5-11 kW models	210.90	EC002025	AA029730M	4549734976107	#		EA	EAZ	THA	8529.9097.00
AX-FIR4058-SE	RX2 footprint RFI filter, 58 A, 3~ 400 VAC, for 15-22 kW models	333.10	EC002025	AA029731R	4549734976114	#		EA	EAZ	THA	8529.9097.00
AX-FIR4073-SE	RX2 book type RFI filter, 73 A, 3~ 400 VAC, for 30 kW models	475.90	EC002025	AA058220M	4549734793728	#		EA	EAZ	CHN	8529.9097.00
AX-FIR4090-SE	RX2 book type RFI filter, 90 A, 3~ 400 VAC, for 37 kW models	542.50	EC002025	AA058221H	4549734793735	#		EA	EAZ	CHN	8529.9097.00
AX-FIR4146-SE	RX2 book type RFI filter, 146 A, 3~ 400 VAC, for 44-55 kW models	754.00	EC002025	AA058218H	4549734793704	#		EA	EAZ	CHN	8529.9097.00
AX-FIR4310-SE	RX2 bush bar type RFI filter, 310 A, 3~ 400 VAC, for 75-132 kW models	1,560.00	EC002025	AA058219F	4549734793711	#		EA	EAZ	CHN	8529.9097.00
Q2-FIA4010-SE	Q2A footprint RFI filter, 10 A, 3~ 400 VAC, for 4002, 4004, 4005, 4007 models	275.40	EC002025	AA052977E	4549734949200	#		EA	EAZ	THA	8529.9097.00
Q2-FIA4020-SE	Q2A footprint RFI filter, 20 A, 3~ 400 VAC, for 4009, 4012 models	326.90	EC002025	AA052986D	4549734949293	#		EA	EAZ	THA	8529.9097.00
Q2-FIA4035-SE	Q2A footprint RFI filter, 35 A, 3~ 400 VAC, for 4018, 4023 models	383.50	EC002025	AA052985F	4549734949286	#		EA	EAZ	THA	8529.9097.00
Q2-FIA4050-SE	Q2A footprint RFI filter, 50 A, 3~ 400 VAC, for 4031, 4038 models	607.50	EC002025	AA052984H	4549734949279	#		EA	EAZ	THA	8529.9097.00
Q2-FIA4080-SE	Q2A Book end style RFI filter, 80 A, 3~ 400 VAC, for Q2A-A4044/Q2A-A4060/Q2A-A4075/Q2A-A2042/Q2A-A2056/Q2A-A2070/Q2V-A4044/Q2V-A4060 models.	811.50	EC002025	AA058216A	4549734793681	#		EA	EAZ	THA	8529.9097.00
Q2-FIA4100-SE	Q2A/Q2V Book end style RFI filter, 100 A, 3~ 400 VAC, for Q2A-A4089/Q2A-A2082/Q2V-A2082 models	1,015.00	EC002025	AA058212R	4549734793643	#		EA	EAZ	CHN	8529.9097.00
Q2-FIA4170-SE	Q2A Book end style RFI filter, 170 A, 3~ 400 VAC, for 4103, 4140, 4168 models	1,496.00	EC002025	AA058213G	4549734793650	#		EA	EAZ	CHN	8529.9097.00
Q2-FIA4410-SE	Q2A Busbar termination RFI filter, 410 A, 3~ 400 VAC, for 4208, 4250, 4296, 4371, 4389 models / For 4675 model, 2 units are needed	1,628.00	EC002025	AA058214E	4549734793667	#		EA	EAZ	CHN	8529.9097.00
Q2-FIA4600-SE	Q2A Busbar termination RFI filter, 600 A, 3~ 400 VAC, for 4453, 5468 models	1,780.00	EC002025	AA058215C	4549734793674	#		EA	EAZ	CHN	8529.9097.00
AX-FER2102-PE	Ferrite choke, 21mm diameter, for 2.2kW inverters and below	13.97	EC002025	AA054225R	4549734960939	#		EA	EAZ	CHN	8529.9097.00
AX-FER2815-PE	Ferrite choke, 28mm diameter, for 15kW inverters and below	17.32	EC002025	AA054226G	4549734960946	#		EA	EAZ	CHN	8529.9097.00
AX-FER5045-PE	Ferrite choke, 50mm diameter, for 45kW inverters and below	72.45	EC002025	AA054227E	4549734960953	#		EA	EAZ	CHN	8529.9097.00
AX-FER5255-PE	Ferrite choke, 52mm diameter, for 45kW inverters and above	86.15	EC002025	AA054228C	4549734960960	#		EA	EAZ	CHN	8529.9097.00
AX-RA00191150-DE	AC input reactor, 115 A, 0.19 mH, for 45 to 55 kW sizes, 400 VAC, 3 phase	1,332.00	EC002025	AA029432H	4547648871570	#		EA	EAZ	ESP	8529.9097.00
AX-RA03500100-DE	AC giriş reaktör, MX2/RX serisi, 10A, 3mH, 2.2, 3.0 ve 4.0kW boyutlarında, 400VAC, 3 faz	322.80	EC002025	AA029425E	4547648871518	#		EA	EAZ	ESP	8529.9097.00
AX-RA07700050-DE	AC giriş reaktör, MX2/RX serisi, 5A, 7.7mH, 0.4, 0.7 ve 1.5kW boyutlarında, 400VAC, 3 faz	308.90	EC002025	AA029424G	4547648871501	#		EA	EAZ	ESP	8529.9097.00
AX-RA03600160-DE	AC çıkış reaktör, JX/ MX2/ RX serisi, 16A, 3.6mH, 7.5kW üç faz, 400VAC	567.50	EC002025	AA029475A	4547648871990	#		EA	EAZ	ESP	8529.9097.00
AX-RA004600110-DE	AC output reactor, 11 A, 4.6 mH, for 5.5 kW, 400 VAC, 3 phase	497.20	EC002025	AA029477H	4547648872010	#		EA	EAZ	ESP	8529.9097.00
AX-RA007300080-DE	AC output reactor, 8 A, 7.3 mH, for 3.0 and 4.0 kW, 400 VAC, 3 phase	600.00	EC002025	AA029478F	4547648872027	#		EA	EAZ	ESP	8529.9097.00
AX-RA016300038-DE	AC çıkış reaktör, JX/ MX2/ RX serisi, 3.8A, 16.3mH, 0.4, 0.7 ve 1.5kW üç faz, 400VAC	311.80	EC002025	AA029482D	4547648872065	#		EA	EAZ	ESP	8529.9097.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3G3AX-CAJOP300-EE	3 metre operatör panel kablosu	6.42	EC002025	AA029933H	4547648873703	#		EA	EAZ	ITA	8503.0099.90
3G3AX-PCACN2	RJ45 TO USB converter/ connection cable	563.00	EC002025	3G3A0120F	4547648623186	#		EA	EAZ	JPN	9032.8900.90
A1000-CAVPC232-EE	Bağlantı kablosu, RS-232C, 3G3IV/MV(V7)/E7/F7/A1000 ila PC, (equivalent ila 3G3IV-PCN329-E) 3m	22.89	EC001681	AA023746D	4547648850759	#		EA	EAZ	ITA	8544.4290.90
AX-M1-S1	M1 Shield Clamp Size 1 (AB002/AB004/AB007 & A2002/A2004/A2007)	33.12	EC002025	AA064910M	4549734858229	#		EA	EAZ	DEU	8529.9097.00
AX-M1-S2	M1 Shield Clamp Size 2 (AB015 & A2015/A2022 & A4004/A4007/A4015/A4022)	33.12	EC002025	AA064911H	4549734858236	#		EA	EAZ	DEU	8529.9097.00
AX-M1-S3	M1 Shield Clamp Size 3 (AB022 & A2037 & A4030/A4040)	33.12	EC002025	AA064912F	4549734858243	#		EA	EAZ	DEU	8529.9097.00
AX-M1-S4	M1 Shield Clamp Size 4 (AB037 & A2055/A2075 & A4055/A4075)	44.88	EC002025	AA064913D	4549734858250	#		EA	EAZ	DEU	8529.9097.00
AX-M1-S5	M1 Shield Clamp Size 5 (A2110/A2150 & A4110/A4150)	54.50	EC002025	AA064908H	4549734858205	#		EA	EAZ	DEU	8529.9097.00
AX-M1-S6	M1 Shield Clamp Size 6 (A2185 & A4185/A4220)	73.75	EC002025	AA064909F	4549734858212	#		EA	EAZ	DEU	8529.9097.00
CX-DRIVE 2.9	CX-Drive configuration software for inverters and servos	88.60	EC000809	AA039604M	4547648970013	#		EA	EAZ	NLD	8523.8090.00
Servo G Serisi											
R88M-G05030H-B52	G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental, frenli	882.00	EC001851	R8MG0375R	4547648493635	#		EB	EBK	CHN	8501.5100.90
R88M-G05030H-S2	G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental	598.00	EC001851	R8MG0370H	4547648493437	#		EB	EBK	CHN	8501.5100.90
R88M-G10030H-B52	G-serisi/SmartStep 2 AC servo motor (silindirik konektör), 100 W, 200 VAC, 3000 rpm, 0.32 Nm, frenli	1,009.00	EC001851	R8MG0376G	4547648493642	#		EB	EBK	CHN	8501.5100.90
R88M-G10030H-S2	G-serisi/SmartStep 2 AC servo motor (silindirik konektör), 100 W, 200 VAC, 3000 rpm, 0.32 Nm	652.00	EC001851	R8MG0371F	4547648493444	#		EB	EBK	CHN	8501.5100.90
R88M-G10030H-S2-D	G-Series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental, with circular connector	742.00	EC001851	R8MG99948	4548583414815	#		EB	EBK	CHN	8501.5100.90
R88M-G20030H-B52	G-serisi/SmartStep 2 AC servo motor (silindirik konektör), 200 W, 200 VAC, 3000 rpm, 0.64 Nm, frenli	1,194.00	EC001851	R8MG0377E	4547648493659	#		EB	EBK	CHN	8501.5100.90
R88M-G20030H-B52-D	G-serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental, frenli, silindirik konektör	1,202.00	EC001851	R8MG8022B	4548583415195	#		EB	EBK	CHN	8501.5100.90
R88M-G20030H-S2	G-serisi/SmartStep 2 AC servo motor (silindirik konektör), 200 W, 200 VAC, 3000 rpm, 0.64 Nm	806.50	EC001851	R8MG0372D	4547648493451	#		EB	EBK	CHN	8501.5100.90
R88M-G20030H-S2-D	G-serisi/SmartStep 2 AC servo motor (silindirik konektör), 200 W, 200 VAC, 3000 rpm, 0.64 Nm, yuvarlak konektör	955.50	EC001851	R8MG9998E	4548583414853	#		EB	EBK	CHN	8501.5100.90
R88M-G40030H-B52	G-serisi/SmartStep 2 AC servo motor (silindirik konektör), 400 W, 200 VAC, 3000 rpm, 1.3 Nm, frenli	1,292.00	EC001851	R8MG0378C	4547648493666	#		EB	EBK	CHN	8501.5100.90
R88M-G40030H-B52-D	G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, Brake, with circular connector	1,439.00	EC001851	R8MG8003F	4548583414587	#		EB	EBK	CHN	8501.5100.90
R88M-G40030H-S2	G-serisi/SmartStep 2 AC servo motor (silindirik konektör), 400 W, 200 VAC, 3000 rpm, 1.3 Nm	872.00	EC001851	R8MG0373B	4547648493468	#		EB	EBK	CHN	8501.5100.90
R88M-G40030H-S2-D	G-serisi/SmartStep 2 AC servo motor (silindirik konektör), 400 W, 200 VAC, 3000 rpm, 1.3 Nm, yuvarlak konektör	1,041.00	EC001851	R8MG8002H	4548583414570	#		EB	EBK	CHN	8501.5100.90
R88M-G75030H-B52	G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli	1,650.00	EC001851	R8MG0379A	4547648493673	#		EB	EBK	CHN	8501.5100.90
R88M-G75030H-B52-D	G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli, yuvarlak konektör	1,801.00	EC001851	R8MG8007R	4548583414624	#		EB	EBK	CHN	8501.5100.90
R88M-G75030H-S2	G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental	1,200.00	EC001851	R8MG0374M	4547648493475	#		EB	EBK	CHN	8501.5100.90
R88M-G75030H-S2-D	G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, yuvarlak konektör	1,343.00	EC001851	R8MG8006M	4548583414617	#		EB	EBK	CHN	8501.5100.90
R88M-GP10030H-S2	G-serisi/SmartStep 2 AC servo motor (kübik tipi), 100 W, 200 VAC, 3000 rpm, 0.32 Nm	819.50	EC001851	R8MG0380E	4547648496131	#		EB	EBK	CHN	8501.5100.90
R88M-GP40030H-B52	G-serisi Flat type AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, Brake	1,732.00	EC001851	R8MG0385F	4547648496278	#		EB	EBK	CHN	8501.5100.90
R88M-GP40030H-S2	G-serisi/SmartStep 2 AC servo motor (kübik tipi), 400 W, 200 VAC, 3000 rpm, 1.3 Nm	1,016.00	EC001851	R8MG0382A	4547648496155	#		EB	EBK	CHN	8501.5100.90
R88A-RR50020S	Servo aksesuar, direnç 500 W, 20 ohm	415.70	EC002615	R8AG0219M	4547648560306	#		EB	EBK	JPN	8533.2900.00
Servo G5 Serisi											
R88A-CPG001S	Genel amaçlı servo kontrol kablosu, 1m	219.30	EC000237	R8AG0203D	4547648493116	#		EB	EBL	CHN	8544.4290.90
XW22-100J-B24	Genel amaçlı servo terminal bloğu kablosu, 1m	324.70	EC000237	XW220267B	4547648520881	#		EB	EBL	JPN	8501.4020.80
XW22-100J-B25	Servo kontrol kablosu (CS1W/CJ1W/C200HW-NCx13 için), 1m	218.80	EC000237	XW220269R	4547648520904	#		EB	EBL	JPN	8501.4020.80
XW22-100J-B31	Servo kontrol kablosu for CJ1M-CPU21/22/23, 1m	218.80	EC000237	XW220281H	4547648521031	#		EB	EBL	JPN	8501.4020.80
XW22-100J-B34	G5 serisi, terminal bloğu kablosu, CN1 konektör, use with XW2B-20G_ terminal bloğus, 1m	183.10	EC000237	XW220382B	4547648737951	#		EB	EBL	JPN	8536.9010.00
XW22-200J-B31	Cable: Servo Relay Unit to Servo driver, 2 m (G, G5)	238.40	EC000237	XW220282F	4547648521048	#		EB	EBL	JPN	8501.4020.80
XW22-200J-B34	G5 serisi, terminal bloğu kablosu, CN1 konektörü için XW2B-20G_ terminal bloğu ile birlikte kullanın, 2m	196.30	EC000237	XW220383M	4547648737968	#		EB	EBL	JPN	8536.9010.00
R88D-KT01H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 100 W	1,546.00	EC002572	R8DK0024B	4547648651370	#		EB	EBL	CHN	8504.4095.90
R88D-KT02H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 200 W	1,818.00	EC002572	R8DK0025M	4547648651387	#		EB	EBL	CHN	8504.4095.90
R88D-KT04H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 400 W	1,933.00	EC002572	R8DK0026R	4547648651394	#		EB	EBL	CHN	8504.4095.90
R88D-KT06F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 600 W	2,165.00	EC002572	R8DK0033A	4547648651462	#		EB	EBL	CHN	8504.4095.90
R88D-KT08H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 750 W	2,198.00	EC002572	R8DK0027G	4547648651400	#		EB	EBL	CHN	8504.4095.90
R88D-KT10F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 1.0 kW	2,302.00	EC002572	R8DK0034M	4547648651479	#		EB	EBL	CHN	8504.4095.90
R88D-KT10H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 1.0 kW	2,645.00	EC002572	R8DK0028E	4547648651417	#		EB	EBL	CHN	8504.4095.90
R88D-KT150F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 15.0 kW	10,220.00	EC002572	R8DK9113B	4548583016262	#		EB	EBL	CHN	8504.4095.90
R88D-KT15F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 1.5 kW	2,311.00	EC002572	R8DK0035H	4547648651486	#		EB	EBL	CHN	8504.4095.90
R88D-KT15H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 1.5 kW	3,037.00	EC002572	R8DK0029C	4547648651424	#		EB	EBL	CHN	8504.4095.90
R88D-KT20F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 2.0 kW	2,630.00	EC002572	R8DK0036F	4547648651493	#		EB	EBL	CHN	8504.4095.90
R88D-KT30F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 3.0 kW	2,847.00	EC002572	R8DK0037D	4547648651509	#		EB	EBL	CHN	8504.4095.90
R88D-KT50F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 5.0 kW	4,105.00	EC002572	R8DK0038B	4547648651516	#		EB	EBL	CHN	8504.4095.90
R88D-KT75F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 7.5 kW	7,555.00	EC002572	R8DK9112D	4548583016255	#		EB	EBL	CHN	8504.4095.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88D-KN01H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 100 W	2,290.00	EC002572	R8DK0064A	4547648651561			EB	EBL	CHN	8504.4095.90
R88D-KN02H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 200 W	2,591.00	EC002572	R8DK0065M	4547648651578	#		EB	EBL	CHN	8504.4095.90
R88D-KN04H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 400 W	2,712.00	EC002572	R8DK0066H	4547648651585	#		EB	EBL	CHN	8504.4095.90
R88D-KN06F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 600 W	2,969.00	EC002572	R8DK0073M	4547648651653			EB	EBL	CHN	8504.4095.90
R88D-KN08H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 750 W	2,977.00	EC002572	R8DK0067F	4547648651592			EB	EBL	CHN	8504.4095.90
R88D-KN10F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 1.0 kW	3,112.00	EC002572	R8DK0074R	4547648651660			EB	EBL	CHN	8504.4095.90
R88D-KN10H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 1.0 kW	3,556.00	EC002572	R8DK0068D	4547648651608			EB	EBL	CHN	8504.4095.90
R88D-KN15F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 1.5 kW	3,123.00	EC002572	R8DK0075G	4547648651677	#		EB	EBL	CHN	8504.4095.90
R88D-KN15H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 1.5 kW	3,935.00	EC002572	R8DK0069B	4547648651615	#		EB	EBL	CHN	8504.4095.90
R88D-KN20F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 2.0 kW	3,484.00	EC002572	R8DK0076E	4547648651684			EB	EBL	CHN	8504.4095.90
R88D-KN30F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 3.0 kW	3,707.00	EC002572	R8DK0077C	4547648651691			EB	EBL	CHN	8504.4095.90
R88D-KN50F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 5.0 kW	5,105.00	EC002572	R8DK0078A	4547648651707			EB	EBL	CHN	8504.4095.90
R88D-KN01H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 100 W, 1~ 200 VAC	2,108.00	EC002572	R8DK9140M	4548583021310	#		EB	EBL	CHN	8504.4095.90
R88D-KN02H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 200 W, 1~ 200 VAC	2,482.00	EC002572	R8DK9141H	4548583021327	#		EB	EBL	CHN	8504.4095.90
R88D-KN04H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 400 W, 1~ 200 VAC	2,600.00	EC002572	R8DK9142F	4548583021334	#		EB	EBL	CHN	8504.4095.90
R88D-KN06F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 600 W, 3~ 400 VAC	2,863.00	EC002572	R8DK9151E	4548583021426	#		EB	EBL	CHN	8504.4095.90
R88D-KN08H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 750 W, 1~ 200 VAC	2,859.00	EC002572	R8DK9143D	4548583021341	#		EB	EBL	CHN	8504.4095.90
R88D-KN10F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 1000 W, 3~ 400 VAC	2,984.00	EC002572	R8DK9152C	4548583021433	#		EB	EBL	CHN	8504.4095.90
R88D-KN10H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 1000 W, 1~ 200 VAC	3,416.00	EC002572	R8DK9144B	4548583021358			EB	EBL	CHN	8504.4095.90
R88D-KN150F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 15 kW, 3~ 400 VAC	11,720.00	EC002572	R8DK9158B	4548583021495			EB	EBL	CHN	8504.4095.90
R88D-KN15F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 1500 W, 3~ 400 VAC	3,043.00	EC002572	R8DK9153A	4548583021440	#		EB	EBL	CHN	8504.4095.90
R88D-KN15H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 1500 W, 1~ 200 VAC	3,542.00	EC002572	R8DK9145M	4548583021365	#		EB	EBL	CHN	8504.4095.90
R88D-KN20F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 2 kW, 3~ 400 VAC	3,276.00	EC002572	R8DK9154M	4548583021457	#		EB	EBL	CHN	8504.4095.90
R88D-KN30F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 3 kW, 3~ 400 VAC	3,485.00	EC002572	R8DK9155H	4548583021464	#		EB	EBL	CHN	8504.4095.90
R88D-KN50F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 5 kW, 3~ 400 VAC	4,638.00	EC002572	R8DK9156F	4548583021471	#		EB	EBL	CHN	8504.4095.90
R88D-KN75F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 7.5 kW, 3~ 400 VAC	7,350.00	EC002572	R8DK9157D	4548583021488	#		EB	EBL	CHN	8504.4095.90
R88M-K05030H-B52	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental, frenli	1,392.00	EC001851	R8MK0768R	4547648653176			EB	EBL	CHN	8501.5100.90
R88M-K05030H-S2	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental	875.50	EC001851	R8MK0747F	4547648652964			EB	EBL	CHN	8501.5100.90
R88M-K05030T-B52	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute, frenli	1,789.00	EC001851	R8MK0936C	4547648654852			EB	EBL	CHN	8501.5100.90
R88M-K05030T-S2	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute	1,294.00	EC001851	R8MK0915M	4547648654647			EB	EBL	CHN	8501.5100.90
R88M-K10030H-B52	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental, frenli	1,439.00	EC001851	R8MK0769G	4547648653183			EB	EBL	CHN	8501.5100.90
R88M-K10030H-S2	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental	911.50	EC001851	R8MK0748D	4547648652971	#		EB	EBL	CHN	8501.5100.90
R88M-K10030T-B52	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute, frenli	1,831.00	EC001851	R8MK0937A	4547648654869			EB	EBL	CHN	8501.5100.90
R88M-K10030T-S2	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute	1,338.00	EC001851	R8MK0916R	4547648654654	#		EB	EBL	CHN	8501.5100.90
R88M-K11K015C-BOS2	G5 serisi AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70 Nm, absolute, frenli ve yağ sızdırmazlığı	9,455.00	EC001851	R8MK8999E	4548583017191			EB	EBL	CHN	8501.5230.90
R88M-K11K015C-S2	G5 serisi AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70 Nm, absolute	8,990.00	EC001851	R8MK8939A	4548583016590			EB	EBL	CHN	8501.5230.90
R88M-K15K015C-BOS2	G5 serisi AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.9 Nm, absolute, frenli ve yağ sızdırmazlığı	11,080.00	EC001851	R8MK7000C	4548583017207			EB	EBL	CHN	8501.5230.90
R88M-K15K015C-S2	G5 serisi AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.9 Nm, absolute	10,220.00	EC001851	R8MK8940E	4548583016606			EB	EBL	CHN	8501.5230.90
R88M-K1K020C-B52	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute, frenli	2,403.00	EC001851	R8MK1186D	4547648657358			EB	EBL	CHN	8501.5220.89
R88M-K1K020C-S2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute	1,597.00	EC001851	R8MK1172D	4547648657211			EB	EBL	CHN	8501.5220.89
R88M-K1K020F-B52	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental, frenli	1,952.00	EC001851	R8MK1074D	4547648656238			EB	EBL	CHN	8501.5220.89
R88M-K1K020F-S2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental	1,304.00	EC001851	R8MK1060D	4547648656092	#		EB	EBL	CHN	8501.5220.89
R88M-K1K020H-B52	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, incremental, frenli	1,665.00	EC001851	R8MK1066C	4547648656153			EB	EBL	CHN	8501.5220.89
R88M-K1K020H-S2	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, incremental	1,242.00	EC001851	R8MK1052C	4547648656016			EB	EBL	CHN	8501.5220.89
R88M-K1K020T-B52	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, absolute, frenli	2,088.00	EC001851	R8MK1178C	4547648657273			EB	EBL	CHN	8501.5220.89
R88M-K1K020T-S2	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, absolute	1,645.00	EC001851	R8MK1164C	4547648657136			EB	EBL	CHN	8501.5220.89
R88M-K1K030C-B52	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute, frenli	2,829.00	EC001851	R8MK0948G	4547648654975			EB	EBL	CHN	8501.5220.89
R88M-K1K030C-S2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute	2,235.00	EC001851	R8MK0927D	4547648654760			EB	EBL	CHN	8501.5220.89
R88M-K1K030F-B52	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, incremental, frenli	2,394.00	EC001851	R8MK0780H	4547648653299			EB	EBL	CHN	8501.5220.89
R88M-K1K030F-S2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, incremental	1,842.00	EC001851	R8MK0759M	4547648653084	#		EB	EBL	CHN	8501.5220.89
R88M-K1K030H-B52	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, incremental, frenli	2,501.00	EC001851	R8MK0773E	4547648653220			EB	EBL	CHN	8501.5220.89
R88M-K1K030H-S2	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, incremental	1,768.00	EC001851	R8MK0752B	4547648653015	#		EB	EBL	CHN	8501.5220.89
R88M-K1K030T-B52	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute, frenli	2,908.00	EC001851	R8MK0941M	4547648654906			EB	EBL	CHN	8501.5220.89
R88M-K1K030T-S2	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute	2,289.00	EC001851	R8MK0920G	4547648654692			EB	EBL	CHN	8501.5220.89
R88M-K1K520C-B52	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute, frenli	2,506.00	EC001851	R8MK1187B	4547648657365			EB	EBL	CHN	8501.5220.89
R88M-K1K520C-S2	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute	1,869.00	EC001851	R8MK1173B	4547648657228			EB	EBL	CHN	8501.5220.89
R88M-K1K520F-B52	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental, frenli	2,054.00	EC001851	R8MK1075B	4547648656245			EB	EBL	CHN	8501.5220.89
R88M-K1K520F-S2	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental	1,477.00	EC001851	R8MK1061B	4547648656108	#		EB	EBL	CHN	8501.5220.89
R88M-K1K520H-B52	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, incremental, frenli	1,964.00	EC001851	R8MK1067A	4547648656160			EB	EBL	CHN	8501.5220.89
R88M-K1K520H-S2	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, incremental	1,489.00	EC001851	R8MK1053A	4547648656023	#		EB	EBL	CHN	8501.5220.89

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88M-K1K520T-B52	G5 serisi AC servo motor, 1,5 kW, 200 VAC, 2000 rpm, 7,16 Nm, absolute, frenli	2,340.00	EC001851	R8MK1179A	4547648657280			EB	EBL	CHN	8501.5220.89
R88M-K1K520T-S2	G5 serisi AC servo motor, 1,5 kW, 200 VAC, 2000 rpm, 7,16 Nm, absolute	1,879.00	EC001851	R8MK1165A	4547648657143			EB	EBL	CHN	8501.5220.89
R88M-K1K530C-B52	G5 serisi AC servo motor, 1,5 kW, 400 VAC, 3000 rpm, 4,77 Nm, absolute, frenli	3,169.00	EC001851	R8MK0949E	4547648654982			EB	EBL	CHN	8501.5220.89
R88M-K1K530C-S2	G5 serisi AC servo motor, 1,5 kW, 400 VAC, 3000 rpm, 4,77 Nm, absolute	2,474.00	EC001851	R8MK0928B	4547648654777			EB	EBL	CHN	8501.5220.89
R88M-K1K530F-B52	G5 serisi AC servo motor, 1,5 kW, 400 VAC, 3000 rpm, 4,77 Nm, incremental, frenli	2,762.00	EC001851	R8MK0781F	4547648653305	#		EB	EBL	CHN	8501.5220.89
R88M-K1K530F-S2	G5 serisi AC servo motor, 1,5 kW, 400 VAC, 3000 rpm, 4,77 Nm, incremental	2,150.00	EC001851	R8MK0760C	4547648653091	#		EB	EBL	CHN	8501.5220.89
R88M-K1K530H-B52	G5 serisi AC servo motor, 1,5 kW, 200 VAC, 3000 rpm, 4,77 Nm, incremental, frenli	2,777.00	EC001851	R8MK0774C	4547648653237			EB	EBL	CHN	8501.5220.89
R88M-K1K530H-S2	G5 serisi AC servo motor, 1,5 kW, 200 VAC, 3000 rpm, 4,77 Nm, incremental	2,133.00	EC001851	R8MK0753M	4547648653022	#		EB	EBL	CHN	8501.5220.89
R88M-K1K530T-B52	G5 serisi AC servo motor, 1,5 kW, 200 VAC, 3000 rpm, 4,77 Nm, absolute, frenli	3,152.00	EC001851	R8MK0942H	4547648654913			EB	EBL	CHN	8501.5220.89
R88M-K1K530T-S2	G5 serisi AC servo motor, 1,5 kW, 200 VAC, 3000 rpm, 4,77 Nm, absolute	2,525.00	EC001851	R8MK0921E	4547648654708			EB	EBL	CHN	8501.5220.89
R88M-K20030H-B52	G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0,64 Nm, incremental, frenli	1,584.00	EC001851	R8MK0770M	4547648653190	#		EB	EBL	CHN	8501.5100.90
R88M-K20030H-S2	G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0,64 Nm, incremental	1,062.00	EC001851	R8MK0749B	4547648652988	#		EB	EBL	CHN	8501.5100.90
R88M-K20030T-B52	G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0,64 Nm, absolute, frenli	1,983.00	EC001851	R8MK0938M	4547648654876	#		EB	EBL	CHN	8501.5100.90
R88M-K20030T-S2	G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0,64 Nm, absolute	1,443.00	EC001851	R8MK0917G	4547648654661	#		EB	EBL	CHN	8501.5100.90
R88M-K2K010C-B52	G5 serisi AC servo motor, 2,0 kW, 400 VAC, 1000 rpm, 19,1 Nm, absolute, frenli	3,716.00	EC001851	R8MK1302F	4547648658515			EB	EBL	CHN	8501.5220.89
R88M-K2K010F-B52	G5 serisi AC servo motor, 2,0 kW, 400 VAC, 1000 rpm, 19,1 Nm, incremental, frenli	3,362.00	EC001851	R8MK1254B	4547648658034			EB	EBL	CHN	8501.5220.89
R88M-K2K010F-S2	G5 serisi AC servo motor, 2,0 kW, 400 VAC, 1000 rpm, 19,1 Nm, incremental	2,634.00	EC001851	R8MK1248H	4547648657976			EB	EBL	CHN	8501.5220.89
R88M-K2K020C-B52	G5 serisi AC servo motor, 2,0 kW, 400 VAC, 2000 rpm, 9,55 Nm, absolute, frenli	2,809.00	EC001851	R8MK1188M	4547648657372			EB	EBL	CHN	8501.5220.89
R88M-K2K020C-S2	G5 serisi AC servo motor, 2,0 kW, 400 VAC, 2000 rpm, 9,55 Nm, absolute	2,187.00	EC001851	R8MK1174M	4547648657235			EB	EBL	CHN	8501.5220.89
R88M-K2K020F-B52	G5 serisi AC servo motor, 2,0 kW, 400 VAC, 2000 rpm, 9,55 Nm, incremental, frenli	2,419.00	EC001851	R8MK1076M	4547648656252			EB	EBL	CHN	8501.5220.89
R88M-K2K020F-S2	G5 serisi AC servo motor, 2,0 kW, 400 VAC, 2000 rpm, 9,55 Nm, incremental	1,712.00	EC001851	R8MK1062M	4547648656115	#		EB	EBL	CHN	8501.5220.89
R88M-K2K030C-B52	G5 serisi AC servo motor, 2,0 kW, 400 VAC, 3000 rpm, 6,37 Nm, absolute, frenli	3,497.00	EC001851	R8MK0950R	4547648654999			EB	EBL	CHN	8501.5220.89
R88M-K2K030C-S2	G5 serisi AC servo motor, 2,0 kW, 400 VAC, 3000 rpm, 6,37 Nm, absolute	2,810.00	EC001851	R8MK0929M	4547648654784			EB	EBL	CHN	8501.5220.89
R88M-K2K030F-B52	G5 serisi AC servo motor, 2,0 kW, 400 VAC, 3000 rpm, 6,37 Nm, incremental, frenli	3,124.00	EC001851	R8MK0782D	4547648653312	#		EB	EBL	CHN	8501.5220.89
R88M-K2K030F-S2	G5 serisi AC servo motor, 2,0 kW, 400 VAC, 3000 rpm, 6,37 Nm, incremental	2,384.00	EC001851	R8MK0761A	4547648653107	#		EB	EBL	CHN	8501.5220.89
R88M-K3K010C-B52	G5 serisi AC servo motor, 3,0 kW, 400 VAC, 1000 rpm, 28,7 Nm, absolute, frenli	4,523.00	EC001851	R8MK1303D	4547648658522			EB	EBL	CHN	8501.5220.89
R88M-K3K010C-S2	G5 serisi AC servo motor, 3,0 kW, 400 VAC, 1000 rpm, 28,7 Nm, absolute	3,813.00	EC001851	R8MK1297F	4547648658461			EB	EBL	CHN	8501.5220.89
R88M-K3K010F-B52	G5 serisi AC servo motor, 3,0 kW, 400 VAC, 1000 rpm, 28,7 Nm, incremental, frenli	4,191.00	EC001851	R8MK1255M	4547648658041			EB	EBL	CHN	8501.5220.89
R88M-K3K010F-S2	G5 serisi AC servo motor, 3,0 kW, 400 VAC, 1000 rpm, 28,7 Nm, incremental	3,464.00	EC001851	R8MK1249F	4547648657983			EB	EBL	CHN	8501.5220.89
R88M-K3K020C-B52	G5 serisi AC servo motor, 3,0 kW, 400 VAC, 2000 rpm, 14,3 Nm, absolute, frenli	3,254.00	EC001851	R8MK1189R	4547648657389			EB	EBL	CHN	8501.5220.89
R88M-K3K020C-S2	G5 serisi AC servo motor, 3,0 kW, 400 VAC, 2000 rpm, 14,3 Nm, absolute	2,672.00	EC001851	R8MK1175R	4547648657242			EB	EBL	CHN	8501.5220.89
R88M-K3K020F-B52	G5 serisi AC servo motor, 3,0 kW, 400 VAC, 2000 rpm, 14,3 Nm, incremental frenli	2,854.00	EC001851	R8MK1077R	4547648656269			EB	EBL	CHN	8501.5220.89
R88M-K3K020F-S2	G5 serisi AC servo motor, 3,0 kW, 400 VAC, 2000 rpm, 14,3 Nm, incremental	2,140.00	EC001851	R8MK1063R	4547648656122	#		EB	EBL	CHN	8501.5220.89
R88M-K3K030C-B52	G5 serisi AC servo motor, 3,0 kW, 400 VAC, 3000 rpm, 9,55 Nm, absolute, frenli	4,230.00	EC001851	R8MK0951G	4547648655002			EB	EBL	CHN	8501.5220.89
R88M-K3K030C-S2	G5 serisi AC servo motor, 3,0 kW, 400 VAC, 3000 rpm, 9,55 Nm, absolute	3,204.00	EC001851	R8MK0930D	4547648654791			EB	EBL	CHN	8501.5220.89
R88M-K3K030F-B52	G5 serisi AC servo motor, 3,0 kW, 400 VAC, 3000 rpm, 9,55 Nm, incremental, frenli	3,831.00	EC001851	R8MK0783B	4547648653329			EB	EBL	CHN	8501.5220.89
R88M-K3K030F-S2	G5 serisi AC servo motor, 3,0 kW, 400 VAC, 3000 rpm, 9,55 Nm, incremental	2,785.00	EC001851	R8MK0762M	4547648653114	#		EB	EBL	CHN	8501.5220.89
R88M-K40020C-B52	G5 serisi AC servo motor, 3,0 kW, 400 VAC, 2000 rpm, 14,3 Nm, absolute, frenli	1,983.00	EC001851	R8MK1184H	4547648657334			EB	EBL	CHN	8501.5100.90
R88M-K40020C-S2	G5 serisi AC servo motor, 3,0 kW, 400 VAC, 2000 rpm, 14,3 Nm, absolute	1,447.00	EC001851	R8MK1170H	4547648657198			EB	EBL	CHN	8501.5100.90
R88M-K40020F-B52	G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1,91 Nm, incremental, frenli	1,564.00	EC001851	R8MK1072H	4547648656214			EB	EBL	CHN	8501.5100.90
R88M-K40020F-S2	G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1,91 Nm, incremental	1,048.00	EC001851	R8MK1058B	4547648656078	#		EB	EBL	CHN	8501.5100.90
R88M-K40030H-B52	G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1,3 Nm, incremental, frenli	1,805.00	EC001851	R8MK0771R	4547648653206	#		EB	EBL	CHN	8501.5100.90
R88M-K40030H-S2	G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1,3 Nm, incremental	1,202.00	EC001851	R8MK0750F	4547648652995	#		EB	EBL	CHN	8501.5100.90
R88M-K40030T-B52	G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1,3 Nm, absolute, frenli	2,184.00	EC001851	R8MK0939H	4547648654883	#		EB	EBL	CHN	8501.5100.90
R88M-K40030T-S2	G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1,3 Nm, absolute	1,594.00	EC001851	R8MK0918E	4547648654678	#		EB	EBL	CHN	8501.5100.90
R88M-K4K020C-B52	G5 serisi AC servo motor, 4,0 kW, 400 VAC, 2000 rpm, 19,1 Nm, absolute, frenli	3,773.00	EC001851	R8MK1190B	4547648657396			EB	EBL	CHN	8501.5220.89
R88M-K4K020C-S2	G5 serisi AC servo motor, 4,0 kW, 400 VAC, 2000 rpm, 19,1 Nm, absolute	3,317.00	EC001851	R8MK1176G	4547648657259			EB	EBL	CHN	8501.5220.89
R88M-K4K020F-B52	G5 serisi AC servo motor, 4,0 kW, 400 VAC, 2000 rpm, 19,1 Nm, incremental, frenli	3,388.00	EC001851	R8MK1078G	4547648656276			EB	EBL	CHN	8501.5220.89
R88M-K4K020F-S2	G5 serisi AC servo motor, 4,0 kW, 400 VAC, 2000 rpm, 19,1 Nm, incremental	2,711.00	EC001851	R8MK1064G	4547648656139			EB	EBL	CHN	8501.5220.89
R88M-K4K030C-B52	G5 serisi AC servo motor, 4,0 kW, 400 VAC, 3000 rpm, 12,7 Nm, absolute, frenli	5,230.00	EC001851	R8MK0952E	4547648655019			EB	EBL	CHN	8501.5220.89
R88M-K4K030C-S2	G5 serisi AC servo motor, 4,0 kW, 400 VAC, 3000 rpm, 12,7 Nm, absolute	4,177.00	EC001851	R8MK0931B	4547648654807			EB	EBL	CHN	8501.5220.89
R88M-K4K030F-B52	G5 serisi AC servo motor, 4,0 kW, 400 VAC, 3000 rpm, 12,7 Nm, incremental, frenli	4,771.00	EC001851	R8MK0784M	4547648653336			EB	EBL	CHN	8501.5220.89
R88M-K4K030F-S2	G5 serisi AC servo motor, 4,0 kW, 400 VAC, 3000 rpm, 12,7 Nm, incremental	3,680.00	EC001851	R8MK0763H	4547648653121			EB	EBL	CHN	8501.5220.89
R88M-K4K510C-B052	G5 serisi AC servo motor, 4,5 kW, 400 VAC, 1000 rpm, 43,0 Nm, absolute, frenli	5,220.00	EC001851	R8MK8996M	4548583017160			EB	EBL	CHN	8501.5220.89
R88M-K4K510C-S2	G5 serisi AC servo motor, 4,5 kW, 400 VAC, 1000 rpm, 43,0 Nm, absolute	5,265.00	EC001851	R8MK8936G	4548583016569			EB	EBL	CHN	8501.5220.89
R88M-K5K020C-B52	G5 serisi AC servo motor, 5,0 kW, 400 VAC, 2000 rpm, 23,9 Nm, absolute, frenli	4,185.00	EC001851	R8MK1191M	4547648657402	#		EB	EBL	CHN	8501.5220.89
R88M-K5K020C-S2	G5 serisi AC servo motor, 5,0 kW, 400 VAC, 2000 rpm, 23,9 Nm, absolute	3,697.00	EC001851	R8MK1177E	4547648657266			EB	EBL	CHN	8501.5220.89
R88M-K5K020F-B52	G5 serisi AC servo motor, 5,0 kW, 400 VAC, 2000 rpm, 23,9 Nm, incremental, frenli	3,621.00	EC001851	R8MK1079E	4547648656283			EB	EBL	CHN	8501.5220.89
R88M-K5K020F-S2	G5 serisi AC servo motor, 5,0 kW, 400 VAC, 2000 rpm, 23,9 Nm, incremental	2,854.00	EC001851	R8MK1065E	4547648656146	#		EB	EBL	CHN	8501.5220.89
R88M-K5K030C-B52	G5 serisi AC servo motor, 5,0 kW, 400 VAC, 3000 rpm, 15,9 Nm, absolute, frenli	6,865.00	EC001851	R8MK0953C	4547648655026			EB	EBL	CHN	8501.5220.89
R88M-K5K030C-S2	G5 serisi AC servo motor, 5,0 kW, 400 VAC, 3000 rpm, 15,9 Nm, absolute	5,795.00	EC001851	R8MK0932M	4547648654814			EB	EBL	CHN	8501.5220.89
R88M-K5K030F-B52	G5 serisi AC servo motor, 5,0 kW, 400 VAC, 3000 rpm, 15,9 Nm, incremental, frenli	6,320.00	EC001851	R8MK0785R	4547648653343			EB	EBL	CHN	8501.5220.89
R88M-K5K030F-S2	G5 serisi AC servo motor, 5,0 kW, 400 VAC, 3000 rpm, 15,9 Nm, incremental	5,300.00	EC001851	R8MK0764F	4547648653138	#		EB	EBL	CHN	8501.5220.89

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88M-K60020C-B52	G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute, frenli	2,023.00	EC001851	R8MK1185F	4547648657341			EB	EBL	CHN	8501.5100.90
R88M-K60020C-S2	G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute	1,468.00	EC001851	R8MK1171F	4547648657204			EB	EBL	CHN	8501.5100.90
R88M-K60020F-B52	G5 serisi AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, incremental, frenli	1,676.00	EC001851	R8MK1073F	4547648656221	#		EB	EBL	CHN	8501.5100.90
R88M-K60020F-S2	G5 serisi AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, incremental	1,191.00	EC001851	R8MK1059M	4547648656085	#		EB	EBL	CHN	8501.5100.90
R88M-K6K010C-BOS2	G5 serisi AC servo motor, 6 kW, 400 VAC, 1000 rpm, 57.3 Nm, absolute, frenli, with oil seal	7,135.00	EC001851	R8MK8997R	4548583017177			EB	EBL	CHN	8501.5220.89
R88M-K6K010C-S2	G5 serisi AC servo motor, 6 kW, 400 VAC, 1000 rpm, 57.3 Nm, absolute	6,525.00	EC001851	R8MK8937E	4548583016576			EB	EBL	CHN	8501.5220.89
R88M-K75030C-B52	G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute, frenli	2,757.00	EC001851	R8MK0947R	4547648654968			EB	EBL	CHN	8501.5100.90
R88M-K75030C-S2	G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute	2,292.00	EC001851	R8MK0926F	4547648654753			EB	EBL	CHN	8501.5100.90
R88M-K75030F-B52	G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, incremental, frenli	2,369.00	EC001851	R8MK0779D	4547648653282			EB	EBL	CHN	8501.5100.90
R88M-K75030F-S2	G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, incremental	1,814.00	EC001851	R8MK0758A	4547648653077	#		EB	EBL	CHN	8501.5100.90
R88M-K75030H-B52	G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli	2,203.00	EC001851	R8MK0772G	4547648653213	#		EB	EBL	CHN	8501.5100.90
R88M-K75030H-S2	G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental	1,516.00	EC001851	R8MK0751D	4547648653008	#		EB	EBL	CHN	8501.5100.90
R88M-K75030T-B52	G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute, frenli	2,785.00	EC001851	R8MK0940A	4547648654890	#		EB	EBL	CHN	8501.5100.90
R88M-K75030T-S2	G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute	2,203.00	EC001851	R8MK0919C	4547648654685	#		EB	EBL	CHN	8501.5100.90
R88M-K7K515C-BOS2	G5 serisi AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute, frenli, with yağ sızdırmazlığı	7,860.00	EC001851	R8MK8998G	4548583017184	#		EB	EBL	CHN	8501.5220.89
R88M-K7K515C-S2	G5 serisi AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute	7,030.00	EC001851	R8MK8938C	4548583016583	#		EB	EBL	CHN	8501.5220.89
R88M-K90010C-B52	G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute, frenli	2,882.00	EC001851	R8MK1301H	4547648658508			EB	EBL	CHN	8501.5220.89
R88M-K90010C-S2	G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute	2,440.00	EC001851	R8MK1295M	4547648658447			EB	EBL	CHN	8501.5220.89
R88M-K90010F-B52	G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, incremental, frenli	2,435.00	EC001851	R8MK1253D	4547648658027			EB	EBL	CHN	8501.5220.89
R88M-K90010F-S2	G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, incremental	1,853.00	EC001851	R8MK1247M	4547648657969			EB	EBL	CHN	8501.5220.89
R88M-K90010H-B52	G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, incremental, frenli	2,515.00	EC001851	R8MK1250M	4547648657990			EB	EBL	CHN	8501.5220.89
R88M-K90010H-S2	G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, incremental	1,853.00	EC001851	R8MK1244E	4547648657938			EB	EBL	CHN	8501.5220.89
R88M-K90010T-B52	G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, absolute, frenli	2,882.00	EC001851	R8MK1298D	4547648658478			EB	EBL	CHN	8501.5220.89
R88M-K90010T-S2	G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, absolute	2,302.00	EC001851	R8MK1292E	4547648658416			EB	EBL	CHN	8501.5220.89
R88M-KH40030H-B52-D	G5 serisi high inertia AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, frenli	1,819.00	EC001851	R8MK7795D	4548583406704			EB	EBL	CHN	8501.5100.90
R88M-KH40030H-S2-D	G5 serisi high inertia AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental	1,275.00	EC001851	R8MK7794F	4548583406698			EB	EBL	CHN	8501.5100.90
R88M-KH75030H-B52-D	G5 serisi high inertia AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli	2,559.00	EC001851	R8MK7799G	4548583406742			EB	EBL	CHN	8501.5100.90
R88M-KH75030H-S2-D	G5 serisi high inertia AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental	1,571.00	EC001851	R8MK7798R	4548583406735			EB	EBL	CHN	8501.5100.90
R88M-KH1K020F-B51	G5 serisi high inertia AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental, frenli	1,835.00	EC001851	R8MK7803R	4548583406780			EB	EBL	CHN	8501.5220.89
R88M-KH1K020F-S1	G5 serisi high inertia AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental	1,367.00	EC001851	R8MK7802M	4548583406773			EB	EBL	CHN	8501.5220.89
R88M-KH1K520F-S1	G5 serisi high inertia AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental	1,622.00	EC001851	R8MK7806C	4548583406810			EB	EBL	CHN	8501.5220.89
R88M-KH2K020C-S1	G5 series high inertia AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute	2,334.00	EC001851	R8MK7812H	4548583406872			EB	EBL	CHN	8501.5220.89
R88M-KH3K020F-S1	G5 serisi high inertia AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, incremental	2,364.00	EC001851	R8MK7814D	4548583406896			EB	EBL	CHN	8501.5220.89
R88M-KH4K020F-S1	G5 serisi high inertia AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, incremental	2,964.00	EC001851	R8MK7818G	4548583406933			EB	EBL	CHN	8501.5220.89
R88M-KH5K020C-B51	G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute, frenli	5,060.00	EC001851	R8MK7825M	4548583407008			EB	EBL	CHN	8501.5220.89
R88M-KH5K020C-S1	G5 series high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute	3,817.00	EC001851	R8MK7824A	4548583406995			EB	EBL	CHN	8501.5220.89
R88M-KH5K020F-B51	G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental, frenli	4,134.00	EC001851	R8MK7823C	4548583406988			EB	EBL	CHN	8501.5220.89
R88M-KH5K020F-S1	G5 series high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental	3,262.00	EC001851	R8MK7822E	4548583406971	#		EB	EBL	CHN	8501.5220.89
R88M-KH7K515C-B51	G5 high inertia servo motor, 7.5 kW, 400 VAC, 1500 rpm, ABS, Brake	8,375.00	EC001851	R8MK7827F	4548583407022			EB	EBL	CHN	8501.5220.89
R88A-CNK41L	G5 serisi servo harici enkoder konnektör [for CN4]	42.99	EC002584	R8AK0103E	4547648720489	#		EB	EBL	JPN	8501.4020.80
R88A-CNK81S	Aksesuar servo, G5, güvenlik I/O sinyali konnektörü (CN8)	31.69	EC002584	AA050721F	4549734927949	#		EB	EBL	CHN	8536.9010.00
R88A-CNW01R	Enkoder kablo konnektörü [CN2], sürücü tarafı, tüm modeller	72.25	EC002584	AA050720H	4549734927932	#		EB	EBL	CHN	8544.4290.90
R88A-CRGDOR3C	Absolute enkoder battery cable [battery not included]	169.70	EC002615	R8AG0213A	4547648493215	#		EB	EBL	CHN	8501.4020.80
R88A-CRGDOR3C-B5	Absolute enkoder pil kablosu [BAT01G dahildir]	297.40	EC002615	R8AG0221B	4547648582780	#		EB	EBL	CHN	8501.4020.80
Servo SmartStep2											
R7A-CPB001S	SmartStep 2 serisi servo kontrol kablosu, 1m	105.40	EC002615	R7AB0012M	4547648491013	#		EB	EBM	CHN	8501.4020.80
XWZ2-100J-B32	SmartStep2 kablosu (100-400w) sürücü için servo röle ünitesi ile sürücü arası kablo	223.90	EC000237	XWZ20283D	4547648521055			EB	EBM	JPN	8501.4020.80
R7D-BP01H	SmartStep 2 servo sürücü, pulse tipi, 100 W, 1~ 200 VAC	1,367.00	EC002572	R7DB0014G	4547648475181	#		EB	EBM	CHN	8504.4095.90
R7D-BP02HH	SmartStep 2 servo sürücü, pulse tipi, 200 W, 1~ 200 VAC	1,398.00	EC002572	R7DB0016C	4547648475204	#		EB	EBM	CHN	8504.4095.90
R7D-BP04H	SmartStep 2 servo sürücü, pulse tipi, 400 W, 1~ 200 VAC	1,451.00	EC002572	R7DB0017A	4547648475211	#		EB	EBM	CHN	8504.4095.90
R7A-CNB01A	SmartStep 2 servo motor konnektör (CNB)	16.75	EC002584	R7AB0017M	4547648491068			EB	EBM	CHN	8501.4020.80
R7A-CNB01P	SmartStep 2 ana enerji beslemesi konnektör (CNA)	14.90	EC002584	R7AB0019G	4547648491082	#		EB	EBM	CHN	8501.4020.80
R88A-RR080100S	Servo aksesuar, direnç 80 W, 100 ohm	109.50	EC002615	R8AG2018M	4547648512688	#		EB	EBM	JPN	8533.2900.00
R88A-RR08050S	Servo aksesuar, direnç 80 W, 50 ohm	109.50	EC002615	R8AG2017B	4547648512671	#		EB	EBM	JPN	8533.2900.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Servolar için Aksesuarlar											
R88A-CAWA005S-DE	servo motor kablosu, 5m (DP9325252-5G ile aynı özellikte)	213.90	EC002615	AA991004H	4536853863319	#		EB	EBZ	DEU	8544.4290.90
R88A-CRGA003CR-E	G-serisi servo enkoder kablosu, 3m, absolute enkoder tipi, 50-750 W	153.00	EC002615	AA028880H	4547648867924	#		EB	EBZ	ITA	8544.4290.90
R88A-CRGA0015CR-E	Servo enkoder kablosu, 1.5m, incremental enkoder tipi, 50-750W	121.70	EC002615	AA028476D	4547648865593	#		EB	EBZ	ITA	8544.4290.90
R88A-CRGA003CR-E	Servo enkoder kablosu, 3m, incremental enkoder tipi, 50-750W	136.30	EC002615	AA028477B	4547648865609	#		EB	EBZ	ITA	8544.4290.90
R88A-CRGA005CR-E	Servo enkoder kablosu, 5m, incremental enkoder tipi, 50-750W	155.40	EC002615	AA028478M	4547648865616	#		EB	EBZ	ITA	8544.4290.90
R88A-CRGA010CR-E	Servo enkoder kablosu, 10m, incremental enkoder tipi, 50-750W	204.10	EC002615	AA028479R	4547648865623	#		EB	EBZ	ITA	8544.4290.90
R88A-CRGA015CR-E	Servo enkoder kablosu, 15m, incremental enkoder tipi, 50-750W	252.00	EC002615	AA028480B	4547648865630	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA0015CR-E	G5 serisi servo enkoder kablosu, 1.5m, 50-750 W	129.10	EC002615	AA028971E	4547648868419	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA003CR-E	G5 serisi servo enkoder kablosu, 3m, 50-750 W	143.20	EC002615	AA028972C	4547648868426	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA005CR-E	G5 serisi servo enkoder kablosu, 5m, 50-750 W	162.70	EC002615	AA029170A	4547648870184	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA010CR-E	G5 serisi servo enkoder kablosu, 10m, 50-750 W	210.50	EC002615	AA028974M	4547648868440	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA015CR-E	G5 serisi servo enkoder kablosu, 15m, 50-750 W	258.90	EC002615	AA028975H	4547648868457	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA020CR-E	G5 serisi servo enkoder kablosu, 20m, 50-750 W	306.60	EC002615	AA028976F	4547648868464	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA030CR-E	G5 serisi servo enkoder kablosu, 30m, 50-750W	498.90	EC002615	AA032591F	4547648889612	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC0015NR-E	G5 serisi servo enkoder kablosu, 1.5m, 200 V: 1-1.5 kW, 400 V: 400 W-5 kW	161.70	EC002615	AA029099C	4547648869553	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC003NR-E	G5 serisi servo enkoder kablosu, 3m, 200 V: 1-1.5 kW, 400 V: 400 W-5 kW	176.20	EC002615	AA029100M	4547648869560	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC005NR-E	G5 serisi servo enkoder kablosu, 5m, 200 V: 1-1.5 kW, 400 V: 400 W-5 kW	196.00	EC002615	AA028979M	4547648868495	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA010NR-E	G5 serisi servo enkoder kablosu, 10m, 200 V: 1-1.5 kW, 400 V: 400 W-5 kW	244.00	EC002615	AA028980D	4547648868501	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA015NR-E	G5 serisi servo enkoder kablosu, 15m, 200 V: 1-1.5 kW, 400 V: 400 W-5 kW	292.10	EC002615	AA028981B	4547648868518	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA020NR-E	G5 serisi servo enkoder kablosu, 20m, 200 V: 1-1.5 kW, 400 V: 400 W-5 kW	340.60	EC002615	AA028982M	4547648868525	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA030NR-E	G5 serisi servo enkoder kablosu, 30m, 200V: 1kW - 1.5kW, 400V: 400W - 5kW	490.00	EC002615	AA032210M	4547648887090	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKM005SR-E	Accurax G5 harici enkoder kablosu for CN4, 5m	201.40	EC002615	AA032702A	4547648891875	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKN005CR-E	Accurax G5 linear sürücü ile serial converter ara kablosu, 5m	251.00	EC002615	AA034004D	4547648903431	#		EB	EBZ	ITA	8544.4290.90
R88A-CRWA003C-DE	servo enkoder kablosu, 3m (DP9325256-3G ile eşdeğer)	250.70	EC002615	AA991023D	4536853863616	#		EB	EBZ	DEU	8544.4290.90
R88A-CRWA005C-DE	servo enkoder kablosu, 5m (DP9325256-5G ile eşdeğer)	298.80	EC002615	AA991024B	4536853863630	#		EB	EBZ	DEU	8544.4290.90
R88A-CRWA010C-DE	servo enkoder kablosu, 10m (DP9325256-10G ile eşdeğer)	355.60	EC002615	AA991025M	4536853863654	#		EB	EBZ	DEU	8544.4290.90
R88A-CRWA015C-DE	servo enkoder kablosu, 15m (DP9325256-15G ile eşdeğer)	446.30	EC002615	AA991026R	4536853863661	#		EB	EBZ	DEU	8544.4290.90
R88A-CRWA020C-DE	servo enkoder kablosu, 20m (DP9325256-20G ile eşdeğer)	521.00	EC002615	AA991027G	4536853863685	#		EB	EBZ	DEU	8544.4290.90
R88A-CRWB003N-E	Sigma II enkoder kablosu for 415 V motors, 3m (straight connector, similar JZSP-CMP02-3G is right-angled)	308.30	EC002615	AA990710A	4536853861636	#		EB	EBZ	ITA	8544.4290.90
R88A-CRWB050N-E	https://industrial.omron.com.tr/tr/home	971.50	EC002615	AA991676C	4536853868536	#		EB	EBZ	ITA	8544.4290.90
R88A-CSK003S-E	Servo sürücü, aksesuarı, safety kablosu, 3m, G5 (CN8) - uçları açık	93.95	EC000237	AA042475B	4547648996754	#		EB	EBZ	ITA	8544.4999.00
R7A-CAB0015SR-E	güç kablosu, SmartStep 2 motor, 1.5m	62.65	EC002615	AA028470E	4547648865531	#		EB	EBZ	ITA	8544.4999.00
R7A-CAB003SR-E	güç kablosu, SmartStep 2 motor, 3m	71.50	EC002615	AA028471C	4547648865548	#		EB	EBZ	ITA	8544.4999.00
R7A-CAB005SR-DE	SmartStep 2 güç kablosu, (50-400 W), yuvarlak IP67 konektör, non frend, 5m	149.30	EC002615	AA038908F	4547648963251	#		EB	EBZ	ITA	8544.4999.00
R7A-CAB005SR-E	güç kablosu, SmartStep 2 motor, 5m	81.70	EC002615	AA028472A	4547648865555	#		EB	EBZ	ITA	8544.4999.00
R7A-CAB010SR-E	güç kablosu, SmartStep 2 motor, 10m	109.40	EC002615	AA028473M	4547648865562	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA003BR-E	SmartStep 2/G-serisi fren kablosu 3m, 50-750 W	63.60	EC002615	AA028483G	4547648865661	#		EB	EBZ	ITA	8544.4290.90
R88A-CAGA003SR-E	SmartStep 2/G-serisi güç kablosu 3m, 50-750 W	67.65	EC002615	AA028874C	4547648867863	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA005BR-E	SmartStep 2/G-serisi fren kablosu 5m, 50-750 W	72.25	EC002615	AA028484E	4547648865678	#		EB	EBZ	ITA	8544.4290.90
R88A-CAGA005SR-E	SmartStep 2/G-serisi güç kablosu 5m, 50-750 W	79.05	EC002615	AA028875A	4547648867870	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA010BR-E	SmartStep 2/G-serisi fren kablosu 10m, 50-750 W	93.10	EC002615	AA028485C	4547648865685	#		EB	EBZ	ITA	8544.4290.90
R88A-CAGA010SR-E	SmartStep 2/G-serisi güç kablosu 10m, 50-750 W	106.10	EC002615	AA028876M	4547648867887	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA015SR-E	SmartStep 2/G-serisi güç kablosu 15m, 50-750 W	133.50	EC002615	AA028877H	4547648867894	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB0015SR-E	Servo motor güç kablosu, 1.5m, frensiz, 900 W-1.5 kW	161.30	EC002615	AA028885R	4547648867979	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB003SR-E	Servo motor güç kablosu, 3m, frensiz, 900 W-1.5 kW	185.50	EC002615	AA028886G	4547648867986	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB005BR-E	Servo motor güç kablosu, 5m, frenli, 900 W-1.5 kW	242.50	EC002615	AA028893M	4547648868051	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB005SR-E	Servo motor güç kablosu, 5m, frensiz, 900 W-1.5 kW	217.80	EC002615	AA028887E	4547648867993	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB010SR-E	Servo motor güç kablosu, 10m, frensiz, 900 W-1.5 kW	297.50	EC002615	AA028888C	4547648868006	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB015SR-E	Servo motor güç kablosu, 15m, frensiz, 900 W-1.5 kW	377.10	EC002615	AA028889A	4547648868013	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB020SR-E	Servo motor güç kablosu, 20m, frensiz, 900 W-1.5 kW	458.50	EC002615	AA028890E	4547648868020	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD003SR-E	G5 serisi servo motor güç kablosu, 3m, frensiz, 3-5 kW	202.50	EC002615	AA028990A	4547648868600	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD005BR-E	G5 serisi servo motor güç kablosu, 5m, frenli, 3-5 kW	361.60	EC002615	AA029003R	4547648868730	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD005SR-E	G5 serisi servo motor güç kablosu, 5m, frensiz, 3-5 kW	236.80	EC002615	AA028991M	4547648868617	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD010BR-E	G5 serisi servo motor güç kablosu, 10m, frenli, 3-5 kW	494.90	EC002615	AA029004G	4547648868747	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD010SR-E	G5 serisi servo motor güç kablosu, 10m, frensiz, 3-5 kW	337.50	EC002615	AA028992H	4547648868624	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD015BR-E	G5 serisi servo motor güç kablosu, 15m, frenli, 3-5 kW	622.50	EC002615	AA029102G	4547648869584	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD015SR-E	G5 serisi servo motor güç kablosu, 15m, frensiz, 3-5 kW	504.00	EC002615	AA028993F	4547648868631	#		EB	EBZ	ITA	8544.4999.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CAGD020SR-E	G5 serisi servo motor güç kablosu, 20m, frensiz, 3-5 kW	613.00	EC002615	AA028994D	4547648868648	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA001-5SR-E	G5 serisi servo motor güç kablosu, 1.5m, non frend, 50-750 W	204.60	EC002615	AA028983R	4547648868532	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA003BR-E	G5 serisi servo fren kablosu, 3m, 50-750W	143.20	EC002615	AA029008M	4547648868778	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA003SR-E	G5 serisi servo motor güç kablosu, 3m, non frend, 50-750 W	221.50	EC002615	AA028984G	4547648868549	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA005BR-E	G5 serisi servo fren kablosu, 5m, 50-750W	151.70	EC002615	AA029009H	4547648868785	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA005SR-E	G5 serisi servo motor güç kablosu, 5m, non frend, 50-750 W	244.90	EC002615	AA028985E	4547648868556	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA010BR-E	G5 serisi servo fren kablosu, 10m, 50-750W	172.10	EC002615	AA029010A	4547648868792	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA010SR-E	G5 serisi servo motor güç kablosu, 10m, non frend, 50-750 W	302.80	EC002615	AA028986C	4547648868563	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA015BR-E	G5 serisi servo fren kablosu, 15m, 50-750W	193.80	EC002615	AA029011M	4547648868808	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA015SR-E	G5 serisi servo motor güç kablosu, 15m, non frend, 50-750 W	359.80	EC002615	AA028987A	4547648868570	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA020BR-E	G5 serisi servo fren kablosu, 20m, 50-750W	213.60	EC002615	AA029012H	4547648868815	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA020SR-E	G5 serisi servo motor güç kablosu, 20m, non frend, 50-750 W	417.00	EC002615	AA028988M	4547648868587	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA030SR-E	G5 serisi servo motor güç kablosu, 30m, frensiz, 50-750W	608.00	EC002615	AA032604A	4547648889742	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKE015SR-E	G5 serisi servo motor güç kablosu, 15 m, frensiz, 6 kW - 7.5 kW	1,049.00	EC002615	AA034948C	4547648917254	#		EB	EBZ	ITA	8544.4290.90
R88A-CAKE020SR-E	G5 serisi servo motor güç kablosu, 20 m, frensiz, 6 kW - 7.5 kW	1,086.00	EC002615	AA034949A	4547648917261	#		EB	EBZ	ITA	8544.4290.90
R88A-CAKF003BR-E	G5 serisi servo motor güç kablosu, 3m, frend, 750W İla 2KW	277.40	EC002615	AA028996M	4547648868662	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF005BR-E	G5 serisi servo motor güç kablosu, 5m, frend, 750W İla 2KW	308.40	EC002615	AA028997R	4547648868679	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF010BR-E	G5 serisi servo motor güç kablosu, 10m, frend, 750W İla 2KW	385.30	EC002615	AA028998G	4547648868686	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF015BR-E	G5 serisi servo motor güç kablosu, 15m, frend, 750W İla 2KW	462.70	EC002615	AA028999E	4547648868693	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF030BR-E	G5 serisi servo motor güç kablosu, 30m, frenlı, 750W to 2KW	704.00	EC002615	AA032607F	4547648889773	#		EB	EBZ	ITA	8544.4999.00
R88A-CAWA003S-DE	Servo motor kablosu, 3m (DP9325252-3G ile aynı özellikte)	173.90	EC002615	AA991003M	4536853863302	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA010S-DE	Servo motor kablosu, 10m (DP9325252-10G ile aynı özellikte)	290.30	EC002615	AA991005F	4536853863333	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA015S-DE	Servo motor kablosu, 15m (DP9325252-15G ile aynı özellikte)	391.80	EC002615	AA991006D	4536853863340	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWC010S-E	Sigma II güç kablosu for 0.45, 0.85, 1, 1.3, 1.5, 2 kW motors, 10m	322.80	EC002615	AA990717R	4536853861759	#		EB	EBZ	ITA	8544.4290.90
R88A-FIK102-SE	G/G5 series RFI filter; 2.4 A, 230 VAC, for 100 and 200 W models	65.60	EC002564	AA044377C	4548583963443	#		EB	EBZ	THA	8529.9097.00
R88A-FIK104-SE	G/G5 series RFI filter; 4.1 A, 230 VAC, for 400 W models	68.40	EC002564	AA044370F	4548583963375	#		EB	EBZ	THA	8529.9097.00
R88A-FIK107-SE	G/G5 series RFI filter; 6.6 A, 230 VAC, for 750 W models	78.45	EC002564	AA044374R	4548583963412	#		EB	EBZ	THA	8529.9097.00
R88A-FIK114-SE	G/G5 series RFI filter; 14.2 A, 230 VAC, for 1.0 and 1.5 kW models	99.80	EC002564	AA044373M	4548583963405	#		EB	EBZ	THA	8529.9097.00
R88A-FIK304-SE	G5 series RFI filter; 4 A, 400 VAC, for 600 to 1.5 kW models	96.95	EC002564	AA044372B	4548583963399	#		EB	EBZ	THA	8529.9097.00
R88A-FIK306-SE	G5 series RFI filter; 6 A, 400 VAC, for 2.0 kW models	105.60	EC002564	AA044375G	4548583963429	#		EB	EBZ	THA	8529.9097.00
R88A-FIK312-SE	G5 series RFI filter; 12 A, 400 VAC, for 3.0 to 5.0 kW models	147.10	EC002564	AA044371D	4548583963382	#		EB	EBZ	THA	8529.9097.00
R88A-FIK330-SE	G5 series RFI filter; 30 A, 400 VAC, for 3.0 to 7.5kW models	215.60	EC002564	AA044376E	4548583963436	#		EB	EBZ	THA	8529.9097.00
JZSP-CMP9-1-E	Sigma II servo driver CN2 (enkoder) connector kit	68.25	EC002584	AA032629C	4547648934886	#		EB	EBZ	ITA	8544.4290.90
LPRA-06B-FRBN170	Motor power connector (female) for SGMAH (400 V) and SGMPH (400 V)	58.60	EC002584	AA992456A	4536853871703	#		EB	EBZ	DEU	8503.0099.99
MS3108E20-45	güç kablosu konektör G5 motor tarafı	89.95	EC002584	AA031023D	4547648880664	#		EB	EBZ	ITA	8536.9010.00
MS3108E22-22S	Military güç konektör IP67 for 400 V motors SGMGH (20/30/44)D, SGM5H (30/40/50)D, SGMUH (30/40)D	109.00	EC002584	AA010291G	4536853875909	#		EB	EBZ	ITA	8536.9010.00
MS3108E24-11S	güç kablosu konektör G5 motor tarafı	95.80	EC002584	AA031387M	4547648883078	#		EB	EBZ	ITA	8536.9010.00
R88A-CNK02R	enkoder kablosu konektör, motor tarafı, 750 W'a kadar olan modeller için	47.41	EC002584	R8AK0098E	4547648720434	#		EB	EBZ	JPN	8501.4020.80
R88A-CNK04R-E	enkoder kablosu konektör, motor tarafı: R88M-K(1K0/1K5)30(H/T), -(K750/1K0/1K5/2K0/3K0/4K0/5K0)30(F/C), -(K400/600/1K0/1K5/2K0/3K0/4K0/5K0)20, -(K900/2K0/3K0)10	89.95	EC002584	AA031022F	4547648880657	#		EB	EBZ	ITA	8536.9010.00
R88A-CNU11C	CN1 için konektör, kontrol I / O [analog / darbeli modeller için]	64.65	EC002584	AA050722D	4549734927956	#		EB	EBZ	JPN	8536.9010.00
R88A-CNUW1C	G5 CN1 için ağ / kesim konektör kiti, sadece şebeke tipi sürücüler	53.75	EC002584	AA050724M	4549734927970	#		EB	EBZ	JPN	8536.9010.00
SPOC-06K-FSDN169	Motor güç konektörü (dişi), SGMAH (200 V) ve SGMPH (200 V). SPUC-06K-FSDN169 ile benzer fakat kablo clamp ölçüsü 5.5mm ile 12mm arası değişebilir	49.23	EC002584	AA994914R	4536853874124	#		EB	EBZ	DEU	8536.5015.90
SPOC-17H-FRON169	Motor enkoder konektörü (dişi), SGMAH ve SGMPH. SPUC-17H-FRON169 ile benzer fakat kablo clamp ölçüsü 5.5mm ile 12mm arası değişebilir	49.22	EC002584	AA994915G	4536853874131	#		EB	EBZ	DEU	8536.5015.90
SRUC-06J-MSCN236	Smart Step IP67 motor güç konektörü, erkek (motor tarafından kullanılır)	29.75	EC002584	AA994917C	4536853874155	#	20	EB	EBZ	DEU	8536.5015.90
SRUC-17G-MRWN087	Smart Step IP67 motor enkoder konektörü, erkek (motor tarafından kullanılır)	37.62	EC002584	AA011302A	4536853883942	#	20	EB	EBZ	DEU	8536.9010.00
R88A-RR2204751	Servo aksesuarı, direnç 220 W, 47 ohm	116.00	EC002615	R88A1723D	4547648803557	#		EB	EBZ	JPN	8533.2900.00
JZSP-BA01	Battery for 30 W-5 kW drives	108.90	EC002584	AA994642E	4536853837877	#		EB	EBZ	JPN	8506.5010.90
R7A-CLB00252	Besleme kablosu (CNA), 2m	39.58	EC002584	AA029013F	4547648868822	#		EB	EBZ	ITA	8544.4999.00
R88A-BAT01G	Absolute enkoder pilli	111.80	EC002584	R8AG0002C	4547648491105	#		EB	EBZ	JPN	8506.5010.90
R88A-CPKB001S-E	Genel amaçlı I/O kablosu (CN1), G5 EtherCAT sürücü, 1m	153.30	EC000237	AA032700E	4547648891851	#		EB	EBZ	ITA	8501.4020.80
R88A-CPKB002S-E	Genel amaçlı I/O kablosu (CN1), G5 EtherCAT sürücü, 2m	170.90	EC000237	AA032701C	4547648891868	#		EB	EBZ	ITA	8501.4020.80

PLC Tabanlı Hareket Kontrol

CJ1W-NC281	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 2 eksen, 16 cihaz	2,205.00	EC001422	CJ1W0342F	4547648810418	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC482	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 4 eksen, 64 cihaz	3,205.00	EC001422	CJ1W0363R	4547648837453	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC882	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 8 eksen, 64 cihaz	3,820.00	EC001422	CJ1W0364G	4547648837460	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC271	CJ1 Pozisyon Kontrol ünitesi, MECHATROLINK II, 2 eksen	2,029.00	EC001422	CJ1W0321C	4547648708906	#		EC	ECA	CHN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CJ1W-NCF71	CJ1 Pozisyon Kontrol ünitesi, MECHATROLINK II, 16 eksen	4,069.00	EC001422	CJ1W0317E	4547648708869	#		EC	ECA	CHN	8471.6070.00
CJ1W-NC413	Pozisyon Kontrol ünitesi, 4 eksen, NPN open collector pulse çıkışı 500 KHz	3,436.00	EC001422	CJ1W0319A	4547648708883	#		EC	ECA	CHN	8471.6070.00
Hareket Kontrolleri için Aksesuarlar											
XW2B-20J6-8A	Servo rölesi ünitesi, 1 eksen. CJ1M-CPU22/23 (Haberleşme fonksiyonlarını desteklemez)	230.70	EC002584	XW2B0034A	4536854871849	#		EC	ECZ	JPN	8536.9010.00
XW2B-40J6-2B	Servo Röle Üniti, 2 eksen. CS1W-NC213/233/413/433, CJ1W-NC213/233/413/433, C200HW-NC213/413, C500-NC113/211 ve C200H-NC211	235.40	EC002584	XW2B0023F	4536854229718	#		EC	ECZ	JPN	8536.9010.00
XW2B-40J6-9A	Servo rölesi ünitesi, 2 eksen. CJ1M-CPU22/23 (Haberleşme fonksiyonlarını desteklemez)	273.10	EC002584	XW2B0035M	4536854871856	#		EC	ECZ	JPN	8536.9010.00
XW2Z-100J-A15	Servo kontrol kablosu (CS1W-NC213/413 için)	285.00	EC000237	XW2Z0144G	4536854778186	#		EC	ECZ	JPN	8536.9010.00
XW2Z-100J-A33	Servo kontrol kablosu (CJ1W-CPU21/22/23 için)	198.50	EC000237	XW2Z0286R	4547648521086	#		EC	ECZ	JPN	8536.9010.00
R88A-CCM002P4-E	Programming cable, 2m (port 0)	73.75	EC001681	AA029518R	4547648872157	#		EC	ECZ	ITA	8544.4290.90
XW2Z-100X	I/O connection cable, CJ1W-NCx14/x34 to terminal block XW2B-20G4/G5, 1 m	82.65	EC000237	XW2Z0239G	4547648236362	#		EC	ECZ	JPN	8536.9010.00
XW2Z-100X-R	I/O connection cable, Reverse Wiring, NX-OD5256-5 and XW2R-P16GD-C3-COM, 1 m	95.75	EC000237	XW2Z8173D	4549734724586	#		EC	ECZ	JPN	8544.4290.90
XW2Z-200X	I/O connection cable, CJ1W-NCx14/x34 to terminal block XW2B-20G4/G5, 2 m	92.35	EC000237	XW2Z0240M	4547648236379	#		EC	ECZ	JPN	8536.9010.00
Emniyet Limit Switchi											
D4N-1120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	17.87	EC000030	D4N 0018C	4547648033732	#		FA	FAA	JPN	8536.5007.00
D4N-1122	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	23.92	EC000030	D4N 0024H	4547648033794	#		FA	FAA	JPN	8536.5007.00
D4N-1126	Limit switch, Roller lever (metal lever, bearing roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	51.90	EC000030	D4N 0612B	4547648050425	#		FA	FAA	JPN	8536.5007.00
D4N-112G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	21.90	EC000030	D4N 0063R	4547648034180	#		FA	FAA	JPN	8536.5007.00
D4N-112H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	28.00	EC000030	D4N 0069H	4547648034241	#		FA	FAA	JPN	8536.5007.00
D4N-1131	Limit switch, Top plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	14.28	EC000030	D4N 0037M	4547648033923	#		FA	FAA	JPN	8536.5007.00
D4N-1132	Limit switch, Top roller plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	15.76	EC000030	D4N 0043D	4547648033985	#		FA	FAA	JPN	8536.5007.00
D4N-1162	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	15.86	EC000030	D4N 0049C	4547648034043	#		FA	FAA	JPN	8536.5007.00
D4N-1172	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	17.87	EC000030	D4N 0055H	4547648034104	#		FA	FAA	JPN	8536.5007.00
D4N-1232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), Pg13.5 (1-conduit)	16.31	EC000030	D4N 0104M	4547648034593	#		FA	FAA	JPN	8536.5007.00
D4N-1A20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	21.90	EC000030	D4N 0142B	4547648034975	#		FA	FAA	JPN	8536.5007.00
D4N-1A2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	22.40	EC000030	D4N 0190B	4547648035453	#		FA	FAA	JPN	8536.5007.00
D4N-1A2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	26.96	EC000030	D4N 0197M	4547648035521	#		FA	FAA	JPN	8536.5007.00
D4N-1A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	15.76	EC000030	D4N 0168F	4547648035231	#		FA	FAA	JPN	8536.5007.00
D4N-1A62	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	17.87	EC000030	D4N 0174M	4547648035293	#		FA	FAA	JPN	8536.5007.00
D4N-1B20	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	20.87	EC000030	D4N 0204F	4547648035590	#		FA	FAA	JPN	8536.5007.00
D4N-1B22	Limit switch, Roller lever (metal lever, resin roller), 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	22.40	EC000030	D4N 0212G	4547648035675	#		FA	FAA	JPN	8536.5007.00
D4N-1B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	15.76	EC000030	D4N 0233M	4547648035880	#		FA	FAA	JPN	8536.5007.00
D4N-2120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	19.31	EC000030	D4N 0001R	4547648030328	#		FA	FAA	JPN	8536.5007.00
D4N-2187	Limit switch, Plastic rod, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	27.88	EC000030	D4N 0517G	4547648038683	#		FA	FAA	JPN	8536.5007.00
D4N-2A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit)	15.18	EC000030	D4N 0012D	4547648030434	#		FA	FAA	JPN	8536.5007.00
D4N-2B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)	17.32	EC000030	D4N 0234H	4547648035897	#		FA	FAA	JPN	8536.5007.00
D4N-4120	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), makaralı kol (plastik kol, plastik makara)	16.81	EC000030	D4N 0002G	4547648030335	#		FA	FAA	JPN	8536.5007.00
D4N-4122	Güvenlik Limit switchi, makaralı kol (metal kol, plastik makara), 1NC/1NO (hızlı kapama), 1NC/1NO (hızlı kapama), M20 (1-kablo yuvası)	22.40	EC000030	D4N 0027B	4547648033824	#		FA	FAA	JPN	8536.5007.00
D4N-4125	Güvenlik Limit switchi, makaralı kol (metal kol, metal makara), 1NC/1NO (hızlı kapama), 1NC/1NO (hızlı kapama), M20 (1-kablo yuvası)	26.44	EC000030	D4N 0035C	4547648033909	#		FA	FAA	JPN	8536.5007.00
D4N-412G	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), ayarlanabilir makaralı kol (metal kol, plastik makara)	20.35	EC000030	D4N 0065E	4547648034203	#		FA	FAA	JPN	8536.5007.00
D4N-412H	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), ayarlanabilir makaralı kol (metal kol, kauçuk makara)	28.98	EC000030	D4N 0071M	4547648034265	#		FA	FAA	JPN	8536.5007.00
D4N-4131	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), üstten basmalı	13.61	EC000030	D4N 0004C	4547648030359	#		FA	FAA	JPN	8536.5007.00
D4N-4132	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), üstten basmalı makaralı	14.74	EC000030	D4N 0006M	4547648030373	#		FA	FAA	JPN	8536.5007.00
D4N-4162	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), tek yönlü makaralı kol (yatay)	15.84	EC000030	D4N 0008F	4547648030397	#		FA	FAA	JPN	8536.5007.00
D4N-4172	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), tek yönlü makaralı kol (dikkey)	20.35	EC000030	D4N 0058B	4547648034135	#		FA	FAA	JPN	8536.5007.00
D4N-4180	Güvenlik Limit switchi, kedi bacağı, 1 kablo yuvası, M20	35.59	EC000030	D4N 0514B	4547648038652	#		FA	FAA	JPN	8536.5007.00
D4N-4187	Güvenlik Limit switchi, plastik çubuk, 1 kablo yuvası, M20	27.73	EC000030	D4N 0519C	4547648038706	#		FA	FAA	JPN	8536.5007.00
D4N-4220	Güvenlik Limit switchi, D4N, M20 (1-kablo yuvası), 2NC (hızlı kapama), makaralı kol (plastik kol, plastik makara)	18.32	EC000030	D4N 0078G	4547648034333	#		FA	FAA	JPN	8536.5007.00
D4N-422G	Güvenlik Limit switchi, D4N, M20 (1-kablo yuvası), 2NC (hızlı kapama), ayarlanabilir makaralı kol (metal kol, kauçuk makara)	25.94	EC000030	D4N 0131G	4547648034869	#		FA	FAA	JPN	8536.5007.00
D4N-4232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	18.06	EC000030	D4N 0107D	4547648034623	#		FA	FAA	JPN	8536.5007.00
D4N-4287	Limit switch, Plastic rod, 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	28.13	EC000030	D4N 0529M	4547648038805	#		FA	FAA	JPN	8536.5007.00
D4N-4A20	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), makaralı kol (plastik kol, plastik makara)	19.84	EC000030	D4N 0010H	4547648030410	#		FA	FAA	JPN	8536.5007.00
D4N-4A2G	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), ayarlanabilir makaralı kol (metal kol, plastik makara)	20.87	EC000030	D4N 0193G	4547648035484	#		FA	FAA	JPN	8536.5007.00
D4N-4A31	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), üstten basmalı	14.28	EC000030	D4N 0163E	4547648035187	#		FA	FAA	JPN	8536.5007.00
D4N-4A32	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), üstten basmalı makaralı	14.87	EC000030	D4N 0013B	4547648030441	#		FA	FAA	JPN	8536.5007.00
D4N-4A62	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), tek yönlü makaralı kol (yatay)	16.81	EC000030	D4N 0177E	4547648035323	#		FA	FAA	JPN	8536.5007.00
D4N-4B32	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 2NC (yavaş kapama), üstten basmalı makaralı	14.69	EC000030	D4N 0236D	4547648035910	#		FA	FAA	JPN	8536.5007.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4N-8120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (2-conduit)	28.00	EC000030	D4N 0023M	4547648033787	#		FA	FAA	JPN	8536.5007.00
D4N-8131	Limit switch, plunger, 2 conduit, M20	21.96	EC000030	D4N 0042F	4547648033978	#	50	FA	FAA	JPN	8536.5007.00
D4N-8132	Limit switch, roller plunger, 2 conduit, M20	26.44	EC000030	D4N 0048E	4547648034036	#		FA	FAA	JPN	8536.5007.00
D4N-8A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20 (2-conduit)	23.33	EC000030	D4N 0173B	4547648035286	#		FA	FAA	JPN	8536.5007.00
D4N-8F31	Limit switch, Top plunger, 2NC/1NO (MBB contact-/slow-action), 2NC/1NO (MBB contact-/slow-action), M20 (2-conduit)	32.55	EC000030	D4N 0478B	4547648038294	#		FA	FAA	JPN	8536.5007.00
D4N-9120	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), roller lever (resin lever, resin roller)	49.23	EC000030	D4N 0020E	4547648033756	#		FA	FAA	JPN	8536.5007.00
D4N-912G	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), adjustable roller lever (metal lever, resin roller)	52.85	EC000030	D4N 0066C	4547648034210	#		FA	FAA	JPN	8536.5007.00
D4N-9132	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), top roller plunger	43.21	EC000030	D4N 0045M	4547648034005	#		FA	FAA	JPN	8536.5007.00
D4N-9B31	Safety Limit switch, D4N, M12 connector (1 conduit), 2NC/1NO (slow-action), top plunger	40.44	EC000030	D4N 0229A	4547648035842	#		FA	FAA	JPN	8536.5007.00
D4N-9B62	Safety Limit switch, D4N, M12 connector (1 conduit), 2NC/1NO (slow-action), one-way roller arm lever (horizontal)	46.42	EC000030	D4N 0245C	4547648036009	#		FA	FAA	JPN	8536.5007.00

Emniyet Rölesi

G7SA-2A2B 12VDC	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 12 VDC	39.56	EC001437	G7SA0007H	4536854716041	#	20	FA	FAB	JPN	8536.4900.99
G7SA-2A2B 24VDC	Güvenlik Rölesi, plug-in, DPST-NO, DPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	39.56	EC001437	G7SA0002G	4536854579691	#	20	FA	FAB	JPN	8536.4900.99
G7SA-2A2B 48VDC	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 48 VDC	47.13	EC001437	G7SA0027B	4547648134071	#	20	FA	FAB	JPN	8536.4900.99
G7SA-3A1B 24VDC	Güvenlik Rölesi, plug-in, 3PST-NO, SPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	39.56	EC001437	G7SA0001R	4536854579752	#	10	FA	FAB	JPN	8536.4900.99
G7SA-3A3B 12VDC	Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts, 12 VDC	44.35	EC001437	G7SA0152M	4549734669276	#	40	FA	FAB	CHN	8536.4900.99
G7SA-3A3B 24VDC	Güvenlik Rölesi, plug-in, 3PST-NO, 3PST-NC, 6 A, zorlamalı kontaklar, 24 VDC	44.35	EC001437	G7SA0161R	4549734669368	#	80	FA	FAB	CHN	8536.4900.99
G7SA-3A3B 48VDC	Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts, 48 VDC	44.35	EC001437	G7SA0164C	4549734669399	#	10	FA	FAB	CHN	8536.4900.99
G7SA-4A2B 24VDC	Güvenlik Rölesi, plug-in, 4PST-NO, DPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	44.35	EC001437	G7SA0160M	4549734669351	#	10	FA	FAB	CHN	8536.4900.99
G7SA-4A2B DC12	Güvenlik Rölesi, plug-in, 4PST-NO, DPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	44.35	EC001437	G7SA0151A	4549734669269	#		FA	FAB	CHN	8536.4900.99
G7SA-5A1B 12VDC	Safety relay, plug-in, 5PST-NO, SPST-NC, 6 A, forcibly-guided contacts, 12 VDC	44.35	EC001437	G7SA0150C	4549734669252	#	10	FA	FAB	CHN	8536.4900.99
G7SA-5A1B 24VDC	Güvenlik Rölesi, plug-in, 5PST-NO, SPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	44.35	EC001437	G7SA0159G	4549734669344	#	10	FA	FAB	CHN	8536.4900.99
G7SA-5A1B 48VDC	Safety relay, plug-in, 5PST-NO, SPST-NC, 6 A, forcible-guided contacts, 48 VDC	44.35	EC001437	G7SA0162G	4549734669375	#	10	FA	FAB	CHN	8536.4900.99

P7SA-10F	Socket, DIN rail/surface mounting, 10 pin, screw terminals, for G7SA 4 pole relays	32.48	EC001456	P7SA6012G	4548583409095	#	10	FA	FAB	CHN	8536.9095.00
P7SA-10F-ND 24VDC	Soket, DIN ray/yüzey montaj, 10 pin, vidalı terminal, G7SA 4 kutuplu röle için, LED indikatör	43.20	EC001456	P7SA6010M	4548583409071	#	10	FA	FAB	CHN	8536.9095.00
P7SA-10F-ND-PU 24VDC	Socket, DIN rail/surface mounting, 10 pin, push-in terminals, for G7SA 4 pole relays, LED indicator	42.10	EC001456	P7SA8024A	4549734136150	#	10	FA	FAB	MYS	8536.6990.99
P7SA-10P	Socket, back connecting, PCB terminals, 10 pin, for G7SA 4 pole relays	10.81	EC001456	P7SA6008R	4548583409057	#	10	FA	FAB	CHN	8536.9095.00
P7SA-14F	Socket, DIN rail/surface mounting, 14 pin, screw terminals, for G7SA 6 pole relays	30.21	EC001456	P7SA6009G	4548583409064	#	10	FA	FAB	CHN	8536.9095.00
P7SA-14F-ND 24VDC	Soket, DIN ray/yüzey montaj, 14 pin, vidalı terminal, G7SA 6 kutuplu röle için, LED indikatör	43.20	EC001456	P7SA6011R	4548583409088	#	10	FA	FAB	CHN	8536.9095.00
P7SA-14F-ND-PU 24VDC	Socket, DIN rail/surface mounting, 14 pin, push in terminals, for G7SA 6 pole relays, LED indicator	42.10	EC001456	P7SA8025M	4549734136167	#	10	FA	FAB	MYS	8536.6990.99
P7SA-14P	Socket, back connecting, PCB terminals, 14 pin, for G7SA 6 pole relays	9.52	EC001456	P7SA6007M	4548583409040	#	10	FA	FAB	CHN	8536.9095.00

G7S-3A3B-E DC24	Güvenlik Rölesi, soketli, 3PST-NO, 3PST-NC, 10A, zorlamalı kontaklar, 24 VDC	50.00	EC001437	G7SE0001G	4536854872631	#	20	FA	FAB	JPN	8536.4900.99
G7S-4A2B-E DC24	Güvenlik Rölesi, soketli, 4PST-NO, 2PST-NC, 10A, zorlamalı kontaklar, 24 VDC	50.00	EC001437	G7SE0002E	4536854872648	#	20	FA	FAB	JPN	8536.4900.99

P7S-14F-END 24VDC	Soket, DIN ray/yüzey montaj, vidalı terminal, led indikatör, G7S röle için	34.18	EC001456	P7SE0001G	4536854872655	#	5	FA	FAB	JPN	8536.9095.00
-------------------	--	-------	----------	-----------	---------------	---	---	----	-----	-----	--------------

Emniyet Ünitesi G9SA/R

G9SA-301 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	165.40	EC001449	G9SA6001H	4547648813945	#		FA	FAC	CHN	8536.4900.99
G9SA-301 AC100-240	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	242.30	EC001449	G9SA6012C	4547648814058	#		FA	FAC	CHN	8536.4900.99
G9SA-321-T075 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 0.5 to 7.5sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	300.80	EC001449	G9SA6003D	4547648813969	#		FA	FAC	CHN	8536.4900.99
G9SA-321-T15 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 1 to 15sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	300.30	EC001449	G9SA6004B	4547648813976	#		FA	FAC	CHN	8536.4900.99
G9SA-321-T30 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 2 to 30sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	299.70	EC001449	G9SA6005M	4547648813983	#		FA	FAC	CHN	8536.4900.99
G9SA-501 AC/DC24	Safety relay unit, 5PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	233.30	EC001449	G9SA6002F	4547648813952	#		FA	FAC	CHN	8536.4900.99
G9SA-501 AC100-240	Safety relay unit, 5PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	316.70	EC001449	G9SA6013A	4547648814065	#		FA	FAC	CHN	8536.4900.99
G9SA-TH301 AC/DC24	Çift el bullan, 3PST-NO (Kategori 4), 5 A, SPST-NC ek, 2 kanal giriş	181.60	EC001449	G9SA6006R	4547648813990	#		FA	FAC	CHN	8536.4900.99

G9SA-EX301	G9SA için ek ünite, 3PST-NO (Kategori 4), 5 A, SPST-NC ek	150.40	EC001449	G9SA6007G	4547648814003	#		FA	FAC	CHN	8536.4900.99
G9SB-2002-A AC/DC24	Safety relay unit, DPST-NO (Category 4), 5 A, 2 channel input, auto-reset	135.60	EC001449	G9SB6003R	4547648814195	#		FA	FAC	CHN	8536.4900.99
G9SB-2002-C AC/DC24	Safety relay unit, DPST-NO (Category 4), 5 A, 2 channel input, manual-reset	135.60	EC001449	G9SB6005E	4547648814218	#		FA	FAC	CHN	8536.4900.99
G9SB-200-B AC/DC24	Safety relay unit, DIN17.5mm, DPST-NO (Category 4), 5 A, 1 or 2 channel input, auto-reset (+ common input)	120.40	EC001449	G9SB6004G	4547648814201	#		FA	FAC	CHN	8536.4900.99
G9SB-200-D AC/DC24	Safety relay unit, DIN 17.5mm, DPST-NO (Category 4), 5 A, 1 or 2 channel input, manual-reset (+ common input)	135.40	EC001449	G9SB6006C	4547648814225	#		FA	FAC	CHN	8536.4900.99
G9SB-3010 DC24	Safety relay unit, DIN 17.5mm, 3PST-NO (Category 3), SPST-NC aux., 5 A, 2 channel direct breaking input, auto-reset	143.50	EC001449	G9SB6007A	4547648814232	#		FA	FAC	CHN	8536.4900.99
G9SB-301-2-A AC/DC24	Safety relay unit, 3PST-NO (Category 4), SPST-NC aux., 5 A, 2 channel input, auto-reset	149.00	EC001449	G9SB6008M	4547648814249	#		FA	FAC	CHN	8536.4900.99
G9SB-301-2-C AC/DC24	Safety relay unit, 3PST-NO (Category 4), SPST-NC aux., 5 A, 2 channel input, manual-reset	149.00	EC001449	G9SB6010A	4547648814263	#		FA	FAC	CHN	8536.4900.99
G9SB-301-B AC/DC24	Safety relay unit, DIN 22.5mm, 3PST-NO (Category 4), 5 A, SPST-NC aux., 1 or 2 channel input, auto-reset (+ common input)	132.60	EC001449	G9SB6009H	4547648814256	#		FA	FAC	CHN	8536.4900.99
G9SB-301-D AC/DC24	Safety relay unit, DIN 22.5mm, 3PST-NO (Category 4), 5 A, SPST-NC aux., 1 or 2 channel input, manual-reset (+ common input)	149.30	EC001449	G9SB6011M	4547648814270	#		FA	FAC	CHN	8536.4900.99

Emniyet Ünitesi G9SX

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G9SX-AD322-T15-RC DC24	Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state aux, logic AND output, 1 or 2 channel input, spring mounted terminals	460.40	EC001449	G9SX6002C	4547648837026	#		FA	FAD	CHN	8536.4900.99
G9SX-AD322-T15-RT DC24	Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state aux, logic AND output, 1 or 2 channel input, screw terminals	474.60	EC001449	G9SX6001E	4547648837019	#		FA	FAD	CHN	8536.4900.99
G9SX-BC202-RC DC24	Basic unit, 2 x NO solid state safety outputs (1 A), 2 x NO solid state aux, 2 logic AND outputs, 1 or 2 channel input, spring mounted terminals	380.10	EC001449	G9SX6004M	4547648837040	#		FA	FAD	CHN	8536.4900.99
G9SX-BC202-RT DC24	Basic unit, 2 x NO solid state safety outputs (1 A), 2 x NO solid state aux, 2 logic AND outputs, 1 or 2 channel input, screw terminals	380.10	EC001449	G9SX6003A	4547648837033	#		FA	FAD	CHN	8536.4900.99
G9SX-NS202-RT DC24	Non Contact door switch controller for D40A, 2 instantaneous, 2 Aux, Screw terminals, 24DC	395.90	EC001449	G9SX6016C	4547648837156	#		FA	FAD	CHN	8536.4900.99
G9SX-NSA222-T03-RC DC24	Safety relays for D40A non-contact switches, 2 semiconductor outputs without delay, 2 semiconductor outputs with up to 3s delay, 2 auxiliary outputs, spring-cage terminals	605.50	EC001449	G9SX6019H	4547648837187	#		FA	FAD	CHN	8536.4900.99
G9SX-NSA222-T03-RT DC24	Non Contact door switch controller for D40A, 2 instantaneous, 2 timed, 2 Aux, Screw terminals, 24DC	605.50	EC001449	G9SX6018M	4547648837170	#		FA	FAD	CHN	8536.4900.99
G9SX-SM032-RC	Standstill monitoring unit with spring-cage terminals	1,079.00	EC001449	G9SX6027R	4547648837262	#		FA	FAD	CHN	8536.4900.99
G9SX-SM032-RT	Standstill monitoring unit with screw terminals	1,079.00	EC001449	G9SX6026M	4547648837255	#		FA	FAD	CHN	8536.4900.99

Emniyet Kapı ve Kapı Kilitleme Switchleri

D4NS-1AF	Güvenlik kapı switchi, 1NC/1NO, 10 A, 1 x PG 13.5 kablo yuvası	34.43	EC002592	D4NS0001H	4536854963629	#		FA	FAE	JPN	8536.5015.90
D4NS-1BF	Güvenlik kapı switchi, 2 NC, 10 A, 1 x PG13.5 kablo yuvası	34.43	EC002592	D4NS0005M	4536854963674	#		FA	FAE	JPN	8536.5015.90
D4NS-1CF	Safety interlock switch, 2NC+1NO, 10 A, single PG 13.5 conduit	31.95	EC002592	D4NS0009C	4536854963728	#		FA	FAE	JPN	8536.5015.90
D4NS-1DF	Safety interlock switch, 3NC, 10 A, single PG 13.5 conduit	32.43	EC002592	D4NS0013A	4536854963766	#		FA	FAE	JPN	8536.5015.90
D4NS-1FF	Safety interlock switch, 2NC/1NO (MBB), 10 A, single PG 13.5 conduit	39.71	EC002592	D4NS0021B	4536854963841	#		FA	FAE	JPN	8536.5015.90
D4NS-2AF	Safety interlock switch, 1NC/1NO, 10 A, single G1/2 conduit	29.87	EC002592	D4NS0002F	4536854963636	#		FA	FAE	JPN	8536.5015.90
D4NS-2BF	Safety interlock switch, 2NC, 10 A, single PG 13.5 conduit	33.94	EC002592	D4NS0006R	4536854963681	#		FA	FAE	JPN	8536.5015.90
D4NS-2CF	Safety-door switch, 2NC/1NO (slow action)	34.43	EC002592	D4NS0010G	4536854963735	#		FA	FAE	JPN	8536.5015.90
D4NS-2DF	Safety interlock switch, 1NO/1NC, 10 A, single G1/2 conduit	31.95	EC002592	D4NS0014M	4536854963773	#		FA	FAE	JPN	8536.5015.90
D4NS-4AF	Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 1NC/1NO (yavaş kapama)	28.38	EC002592	D4NS0004B	4536854963667	#		FA	FAE	JPN	8536.5015.90
D4NS-4BF	Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 2NC (yavaş kapama)	28.38	EC002592	D4NS0008E	4536854963704	#		FA	FAE	JPN	8536.5015.90
D4NS-4CF	Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 2NC/1NO (yavaş kapama)	32.97	EC002592	D4NS0012C	4536854963759	#		FA	FAE	JPN	8536.5015.90
D4NS-4DF	Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 3NC (yavaş kapama)	32.97	EC002592	D4NS0016F	4536854963797	#		FA	FAE	JPN	8536.5015.90
D4NS-4FF	Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 2NC/1NO (MBB kontak)	35.43	EC002592	D4NS0024G	4536854963872	#		FA	FAE	JPN	8536.5015.90
D4NS-5AF	Limit switch	36.28	EC002592	D4NS0025E	4536854963889	#		FA	FAE	JPN	8536.5015.90
D4NS-5BF	Limit switch	39.56	EC002592	D4NS0029H	4536854963919	#		FA	FAE	JPN	8536.5015.90
D4NS-6BF	Safety interlock switch, G1/2 (2-conduit), 2NC (slow-action)	35.43	EC002592	D4NS0030A	4536854963926	#		FA	FAE	JPN	8536.5015.90
D4NS-8BF	Güvenlik kapı switchi, 2 NC, 10 A, 2 x M20 kablo yuvası	36.17	EC002592	D4NS0032H	4536854963957	#		FA	FAE	JPN	8536.5015.90
D4NS-8CF	Güvenlik kapı switchi, 2 NC+1 NO, 10 A, 2 x M20 kablo yuvası	39.33	EC002592	D4NS0036M	4536854963995	#		FA	FAE	JPN	8536.5015.90
D4NS-9BF	Safety interlock switch, 2 NC, 10 A, M12 connector	70.50	EC002592	D4NS0050F	4536854964138	#		FA	FAE	JPN	8536.5015.90
D4NS-9EF	Safety interlock switch, 1 NC/1 NO, 10 A, M12 connector	67.60	EC002592	D4NS0051D	4536854964152	#		FA	FAE	JPN	8536.5015.90
D4JL-2NFA-D6	Guard lock safety door-switch, D4JL, Front And Rear Release Model, Special Release Key, Indicator : Orange, Mechanical Lock/Solenoid Release, 2NC/1NO+2NC/1NO, G1/2	297.20	EC002593	D4JL0084M	4547648175388	#		FA	FAE	JPN	8536.5015.90
D4NL-1AFA-B	Selenoidli Güvenlik kapı-lock switchi, mekanik kilitlemeli, 24 VDC, 1NC/1NO + 1NC/1NO, 10 A, PG 13.5 girişli	202.10	EC002593	D4NL0001B	4536854898341	#		FA	FAE	JPN	8536.5015.90
D4NL-1AFG-B	Selenoidli Güvenlik kapı-lock switchi, selenoid kilitlemeli, 24 VDC, 1NC/1NO + 1NC/1NO, 10 A, PG 13.5 girişli	209.70	EC002593	D4NL0025M	4536854898587	#		FA	FAE	JPN	8536.5015.90
D4NL-1BFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO + 2NC, 10 A, PG 13.5 entry	208.20	EC002593	D4NL0004G	4536854898372	#		FA	FAE	JPN	8536.5015.90
D4NL-1CFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 1NC/1NO, 10 A, PG 13.5 entry	200.80	EC002593	D4NL0007A	4536854898402	#		FA	FAE	JPN	8536.5015.90
D4NL-1CFG-B	Safety door-lock switch, solenoid lock, 24 VDC, 2NC + 1NC/1NO, 10 A, PG 13.5 entry	199.80	EC002593	D4NL0031D	4536854898648	#		FA	FAE	JPN	8536.5015.90
D4NL-1DFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, 10 A, PG 13.5 entry	210.10	EC002593	D4NL0010A	4536854898433	#		FA	FAE	JPN	8536.5015.90
D4NL-1DFA-B4	Safety door-lock switch, PG13.5 entry, 2NC + 2NC, mechanical lock, 24 VDC,	225.40	EC002593	D4NL0058F	4536854898914	#		FA	FAE	JPN	8536.5015.90
D4NL-1DFA-B5	Safety door-lock switch, PG13.5 entry, 2NC + 2NC, mechanical lock, 24 VDC, Front key release	207.10	EC002593	D4NL0098E	4536854903212	#		FA	FAE	JPN	8536.5015.90
D4NL-1EFA-B	Guard lock safety-door switch, D4NL, PG13.5, 2NC/1NO + 1NC/1NO (slow-action), head: plastic, mechanical lock/24-VDC solenoid release, 10 to 115 VAC/VDC LED indicator	199.80	EC002593	D4NL0013F	4536854898464	#		FA	FAE	JPN	8536.5015.90
D4NL-1HDG-B	Safety door-lock switch, PG13.5 entry, 3NC + 2NC, metal head, solenoid lock, 24 VDC,	207.20	EC002593	D4NL0404B	4548583138193	#		FA	FAE	JPN	8536.5007.00
D4NL-1HFG-B	Safety door-lock switch, PG13.5 entry, 3NC + 2NC, solenoid lock, 24 VDC,	211.60	EC002593	D4NL0406B	4536854898792	#		FA	FAE	JPN	8536.5015.90
D4NL-2AFA-B4	Safety door-lock switch, G1/2 entry, 1NC/1NO + 1NC/1NO, mechanical lock, 24 VDC,	204.70	EC002593	D4NL0050M	4536854898839	#		FA	FAE	JPN	8536.5015.90
D4NL-2BFA-B	Safety door-lock switch, G1/2 entry, 1NC/1NO + 2NC, mechanical lock, 24 VDC,	202.70	EC002593	D4NL0005E	4536854898389	#		FA	FAE	JPN	8536.5015.90
D4NL-2CFA-B	Safety door-lock switch, G1/2 entry, 2NC + 1NC/1NO, mechanical lock, 24 VDC,	193.60	EC002593	D4NL0008M	4536854898419	#		FA	FAE	JPN	8536.5015.90
D4NL-2CFG-B	Safety door-lock switch, solenoid lock, 24 VDC, 2NC + 1NC/1NO, 10 A G1/2 entry	203.60	EC002593	D4NL0032B	4536854898655	#		FA	FAE	JPN	8536.5015.90
D4NL-2DFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, 10 A, G1/2 entry	193.20	EC002593	D4NL0011M	4536854898440	#		FA	FAE	JPN	8536.5015.90
D4NL-2DFA-B4	Safety door-lock switch, G1/2 entry, 2NC + 2NC, mechanical lock, 24 VDC,	210.10	EC002593	D4NL0059D	4536854898921	#		FA	FAE	JPN	8536.5015.90
D4NL-2DFG-B	Limit switch	182.70	EC002593	D4NL0035G	4536854898686	#		FA	FAE	JPN	8536.5015.90
D4NL-2FFA-B	Guard lock safety-door switch, G1/2 entry, 3NC + 2NC, mechanical lock, 24 VDC	230.30	EC002593	D4NL0017R	4536854898501	#		FA	FAE	JPN	8536.5015.90
D4NL-2FFA-B45	Safety door-lock switch, G1/2 entry, 2NC/1NO + 2NC, mechanical lock, 24 VDC, Front key release	230.30	EC002593	D4NL0338M	4547648621021	#		FA	FAE	JPN	8536.5007.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4NL-2FFG-B	Guard lock safety-door switch, G1/2 entry, 2NC/1NO + 2NC, 24 VDC solenoid lock / mechanical release	223.60	EC002593	D4NL0041A	4536854898747			FA	FAE	JPN	8536.5015.90
D4NL-2HFG-B	Safety door-lock switch, G1/2 entry, 3NC + 2NC, solenoid lock, 24 VDC	214.80	EC002593	D4NL0047M	4536854898808	#		FA	FAE	JPN	8536.5015.90
D4NL-4AFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 1NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, 10 İla 115 VAC/VDC LED indikatör	205.40	EC002593	D4NL0003R	4536854898365	#		FA	FAE	JPN	8536.5015.90
D4NL-4AFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 1NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, 10 İla 115 VAC/VDC LED indikatör	207.10	EC002593	D4NL0027F	4536854898600	#		FA	FAE	JPN	8536.5015.90
D4NL-4BFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 1NC/1NO + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, 10 İla 115 VAC/VDC LED indikatör	208.20	EC002593	D4NL0006C	4536854898396			FA	FAE	JPN	8536.5015.90
D4NL-4CFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, 10 İla 115 VAC/VDC LED indikatör	202.70	EC002593	D4NL0009H	4536854898426	#		FA	FAE	JPN	8536.5015.90
D4NL-4CFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 1NC/1NO (yavaş kapama), kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, 10 İla 115 VAC/VDC LED indikatör	207.10	EC002593	D4NL0033M	4536854898662	#		FA	FAE	JPN	8536.5015.90
D4NL-4DFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, 10 İla 115 VAC/VDC LED indikatör	208.20	EC002593	D4NL0012H	4536854898457	#		FA	FAE	JPN	8536.5015.90
D4NL-4DFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 2NC (yavaş kapama), kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, 10 İla 115 VAC/VDC LED indikatör	208.20	EC002593	D4NL0036E	4536854898693	#		FA	FAE	JPN	8536.5015.90
D4NL-4EFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, 10 İla 115 VAC/VDC LED indikatör	214.40	EC002593	D4NL0015B	4536854898488	#		FA	FAE	JPN	8536.5015.90
D4NL-4EFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, 10 İla 115 VAC/VDC LED indikatör	214.40	EC002593	D4NL0039M	4536854898723	#		FA	FAE	JPN	8536.5015.90
D4NL-4FFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, 10 İla 115 VAC/VDC LED indikatör	214.80	EC002593	D4NL0018G	4536854898518	#		FA	FAE	JPN	8536.5015.90
D4NL-4FFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 2NC (yavaş kapama), kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, 10 İla 115 VAC/VDC LED indikatör	214.80	EC002593	D4NL0042M	4536854898754	#		FA	FAE	JPN	8536.5015.90
D4NL-4GDG-B4	Guard lock safety-door switch, D4NL, M20, 3NC + 1NC/1NO (slow-action), head: Metal, 24VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC, Special release key	226.90	EC002593	D4NL0146R	4536854960000			FA	FAE	JPN	8536.5015.90
D4NL-4GFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, 10 İla 115 VAC/VDC LED indikatör	214.80	EC002593	D4NL0021G	4536854898549	#		FA	FAE	JPN	8536.5015.90
D4NL-4HFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, 10 İla 115 VAC/VDC LED indikatör	214.80	EC002593	D4NL0024A	4536854898570	#		FA	FAE	JPN	8536.5015.90
D4SL-N2DFG	Guard lock safety door switch, G1/2 coduit, 2NC + 2NC, resin head, 24 VDC solenoid lock	223.90	EC002593	D4SL2063B	4548583314870			FA	FAE	JPN	8536.5007.00
D4SL-N2HFA-D	Guard lock safety door switch, G1/2 coduit, 3NC+2NC, resin head, solenoid release, indicator	201.00	EC002593	D4SL2121C	4548583315457			FA	FAE	JPN	8536.5007.00
D4SL-N2NFA-D	Guard lock safety door switch, G1/2 coduit, 2NC/1NO+2NC/1NO, metal: resin, Mechanical lock/24VDC solenoid release, LED indicator	273.70	EC002593	D4SL2193M	4548583316171			FA	FAE	JPN	8536.5007.00
D4SL-N2NFG-DN	Guard lock safety door switch, G1/2 coduit, 2NC/1NO+2NC/1NO, resin head, solenoid lock, connector	223.30	EC002593	D4SL2198A	4548583316225	#		FA	FAE	JPN	8536.5007.00
D4SL-N4AFA	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 1NC/1NO + 1NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma	223.30	EC002593	D4SL2081M	4548583315051	#		FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 1NC/1NO + 1NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, konektörülü	241.10	EC002593	D4SL2082R	4548583315068			FA	FAE	JPN	8536.5007.00
D4SL-N4AFG	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 1NC/1NO + 1NC/1NO, kafa: plastik, 24VDC selenoid açma/mekanik kilitlemeli	233.40	EC002593	D4SL2083G	4548583315075	#		FA	FAE	JPN	8536.5007.00
D4SL-N4CFA	Guard lock safety-door switch, D4SL-N, M20, 2NC + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release	182.70	EC002593	D4SL2089F	4548583315136	#		FA	FAE	JPN	8536.5007.00
D4SL-N4CFG	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC + 1NC/1NO, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı	225.90	EC002593	D4SL2091H	4548583315150	#		FA	FAE	JPN	8536.5007.00
D4SL-N4DFA	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC + 2NC, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma	185.40	EC002593	D4SL2093D	4548583315174	#		FA	FAE	JPN	8536.5007.00
D4SL-N4DFG	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC + 2NC, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı	225.90	EC002593	D4SL2095M	4548583315198	#		FA	FAE	JPN	8536.5007.00
D4SL-N4EDA-D	Door locking switch, M20, 2NC/1NO + 1NC/1NO, head: metal, Mechanical lock/24VDC solenoid release, LED indicator	193.20	EC002593	D4SL2454R	4548583370166	#		FA	FAE	JPN	8536.5007.00
D4SL-N4EFA-D	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, LED indicator	182.70	EC002593	D4SL2161B	4548583315853	#		FA	FAE	JPN	8536.5007.00
D4SL-N4EFA-DN	Door locking switch, M20, 2NC/1NO + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, LED indicator, connector	166.90	EC002593	D4SL2162M	4548583315860			FA	FAE	JPN	8536.5007.00
D4SL-N4EFG-D	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 1NC/1NO, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	192.80	EC002593	D4SL2165E	4548583315891	#		FA	FAE	JPN	8536.5007.00
D4SL-N4FFA-D	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, LED indikatör	192.80	EC002593	D4SL2169H	4548583315938	#		FA	FAE	JPN	8536.5007.00
D4SL-N4FFG-D	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	192.80	EC002593	D4SL2173F	4548583315976	#		FA	FAE	JPN	8536.5007.00
D4SL-N4GDA-D	Door locking switch, M20, 3NC + 1NC/1NO, head: metal, Mechanical lock/24VDC solenoid release, LED indicator	207.40	EC002593	D4SL2470M	4548583370326			FA	FAE	JPN	8536.5007.00
D4SL-N4GFA-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, LED indicator	216.80	EC002593	D4SL2177R	4548583316010	#		FA	FAE	JPN	8536.5007.00
D4SL-N4GFG-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 1NC/1NO, head: resin, 24VDC solenoid lock/mechanical release, LED indicator	226.90	EC002593	D4SL2181G	4548583316058	#		FA	FAE	JPN	8536.5007.00
D4SL-N4GFG-DN	Door locking switch, M20, 3NC + 1NC/1NO, head: resin, 24VDC solenoid lock/mechanical release, LED indicator, connector	182.70	EC002593	D4SL2182E	4548583316065	#		FA	FAE	JPN	8536.5007.00
D4SL-N4HFA-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 2NC, head: resin, Mechanical lock/24VDC solenoid release, LED indicator	197.80	EC002593	D4SL2185M	4548583316096	#		FA	FAE	JPN	8536.5007.00
D4SL-N4HFG-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 2NC, head: resin, 24VDC solenoid lock/mechanical release, LED indicator	192.90	EC002593	D4SL2189E	4548583316133	#		FA	FAE	JPN	8536.5007.00
D4SL-N4NDA-D	Selenoidli Güvenlik kapı switchi, M20 kablo yuvası, 2NC/1NO+2NC/1NO, metal kafa, selenoid açma, LED indikatör	261.10	EC002593	D4SL2353D	4548583317772	#		FA	FAE	JPN	8536.5007.00
D4SL-N4NDG-D	Selenoidli Güvenlik kapı switchi, M20 kablo yuvası, 2NC/1NO+2NC/1NO, metal kafa, selenoid kilitlemeli, LED indikatör, terminal blok	258.80	EC002593	D4SL2357G	4548583317819	#		FA	FAE	JPN	8536.5007.00
D4SL-N4NDG-DN	Selenoidli Güvenlik kapı switchi, M20 kablo yuvası, 2NC/1NO+2NC/1NO, metal kafa, selenoid kilitlemeli, LED indikatör, konektörülü	242.00	EC002593	D4SL2358E	4548583317826	#		FA	FAE	JPN	8536.5007.00
D4SL-N4NFA-D	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, LED indikatör	244.80	EC002593	D4SL2257M	4548583316812	#		FA	FAE	JPN	8536.5007.00
D4SL-N4NFA-DN	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, LED indikatör, konektörülü	182.70	EC002593	D4SL2258R	4548583316829	#		FA	FAE	JPN	8536.5007.00
D4SL-N4NFG-D	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC/1NO, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	192.80	EC002593	D4SL2261R	4548583316850	#		FA	FAE	JPN	8536.5007.00
D4SL-N4QDA-D	Door locking switch, M20, 3NC + 2NC/1NO, head: metal, Mechanical lock/24VDC solenoid release, LED indicator	177.20	EC002593	D4SL2369M	4548583317932	#		FA	FAE	JPN	8536.5007.00
D4SL-N4QDG-D	Selenoidli Güvenlik-kapı switchi, M20, 3NC + 2NC/1NO kafa: metal, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	225.90	EC002593	D4SL2373R	4548583317970			FA	FAE	JPN	8536.5007.00
D4SL-N4RDA-D	Selenoidli Güvenlik kapı switchi, M20 kablo yuvası, 3NC+3NC, metal kafa, selenoid açma, LED indikatör, terminal blok	261.10	EC002593	D4SL2377A	4548583318014	#		FA	FAE	JPN	8536.5007.00
D4SL-N4RDA-DN	Selenoidli Güvenlik kapı switchi, M20 kablo yuvası, 3NC+3NC, metal kafa, selenoid açma, LED indikatör, konektörülü	242.00	EC002593	D4SL2378M	4548583318021	#		FA	FAE	JPN	8536.5007.00
D4SL-N4RDG-D	Selenoidli Güvenlik kapı switchi, M20 kablo yuvası, 3NC+3NC, metal kafa, selenoid kilitlemeli, LED indikatör, terminal blok	264.00	EC002593	D4SL2381M	4548583318052			FA	FAE	JPN	8536.5007.00
D4SL-N4UFG	Guard lock safety-door switch, D4SL-N, M20, 2NC + 1NC/1NO, head: resin, 24VDC solenoid lock/mechanical release	188.70	EC002593	D4SL2043H	4548583314672			FA	FAE	JPN	8536.5007.00
D4SL-N4VFA	Guard lock safety-door switch, D4SL-N, M20, 2NC + 2NC, head: resin, Mechanical lock/24VDC solenoid release	188.70	EC002593	D4SL2045D	4548583314696	#		FA	FAE	JPN	8536.5007.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4DS-K1	Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar: yatay montaj	4.20	EC001487	D4DS0011A	4536853219956	#	10	FA	FAE	JPN	8301.7000.00
D4DS-K2	Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar: dikey montaj	4.20	EC001487	D4DS0012M	4536853219963	#	10	FA	FAE	JPN	8301.7000.00
D4DS-K3	Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar: ayarlanabilir montaj (yatay)	14.70	EC001487	D4DS0013H	4536853219970	#	10	FA	FAE	JPN	8301.7000.00
D4DS-K5	Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar: ayarlanabilir montaj (yatay/dikey)	23.34	EC001487	D4DS1005B	4536854388378	#	10	FA	FAE	JPN	8301.7000.00
D4JL-K2	Operation key for D4JL, vertical mounting	9.11	EC001487	D4JL0002F	4547648174565			FA	FAE	JPN	8536.5015.90
D4NH-1AAS	Safety door-hinge switch, Shaft Actuator, PG 13.5 Conduit, 1NC/1NO (slow-action)	60.20	EC002591	D4NH0005H	4547648045322	#		FA	FAE	JPN	8536.5015.90
D4NH-1ABC	Safety door-hinge switch, Arm lever actuator, PG 13.5 Conduit, 1NC/1NO (slow-action)	61.15	EC002591	D4NH0013R	4547648045407	#		FA	FAE	JPN	8536.5015.90
D4NH-1BAS	Safety door-hinge switch, Shaft Actuator, PG 13.5 Conduit, 2NC (slow-action)	60.70	EC002591	D4NH0021M	4547648045483	#		FA	FAE	JPN	8536.5015.90
D4NH-1BBC	Safety door-hinge switch, Arm lever actuator, PG 13.5 Conduit, 2NC (slow-action)	61.15	EC002591	D4NH0029E	4547648045568	#		FA	FAE	JPN	8536.5015.90
D4NH-4AAS	Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), mil aktüatörlü	60.20	EC002591	D4NH0007D	4547648045346	#		FA	FAE	JPN	8536.5015.90
D4NH-4BAS	Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 2NC (yavaş kapama), mil aktüatörlü	59.30	EC002591	D4NH0023F	4547648045506	#		FA	FAE	JPN	8536.5015.90
D4NH-4BBC	Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 2NC (yavaş kapama), kol aktüatörlü	58.00	EC002591	D4NH0031G	4547648045582	#		FA	FAE	JPN	8536.5015.90
D4NH-4CAS	Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 2NC/1NO (yavaş kapama), mil aktüatörlü	71.35	EC002591	D4NH0040F	4547648045674	#		FA	FAE	JPN	8536.5015.90
Emniyet Switchleri için Aksesuarlar											
D4BL-K1	Slide operation key for D4BL switch, horizontal mounting	10.88	EC001487	D4BL1004A	4536853204402	#	10	FA	FAF	JPN	8301.7000.00
D4BL-K2	Slide operation key for D4BL switch, vertical mounting	15.11	EC001487	D4BL1005M	4536853204419	#	10	FA	FAF	JPN	8301.7000.00
D4BL-K3	Hinge operation key for D4BL switch, vertical mounting (horiz. adjust.)	28.01	EC001487	D4BL1006H	4536853204426	#	10	FA	FAF	JPN	8301.7000.00
D4BS-K1	Güvenlik-kapı switchi aksesuarı, D4BS, anahtar: yatay montaj	7.53	EC001487	D4BS0025D	4536853207533	#	10	FA	FAF	JPN	8301.7000.00
D4BS-K2	Güvenlik-kapı switchi aksesuarı, D4BS, anahtar: dikey montaj	8.61	EC001487	D4BS0026B	4536853207540	#	10	FA	FAF	JPN	8301.7000.00
D4BS-K3	Güvenlik-kapı switchi aksesuarı, D4BS, anahtar: yatay montaj	27.11	EC001487	D4BS0027M	4536853207557	#	10	FA	FAF	JPN	8301.7000.00
D4GS-NK1	Anahtar, yatay montaj	10.16	EC001487	D4GS0045G	4536854688300	#	10	FA	FAF	JPN	8536.5015.90
D4GS-NK2	Anahtar, dikey montaj	10.71	EC001487	D4GS0046E	4536854688317	#	10	FA	FAF	JPN	8536.5015.90
D4GS-NK4	Anahtar, ayarlanabilir	26.89	EC001487	D4GS0047C	4536854688324	#	10	FA	FAF	JPN	8536.5015.90
Emniyet Işık Bariyeri											
F3SJ-A0245P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / PLe, 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 245mm yükseklik, PNP	2,883.00	EC002549	F3SJ0041H	4547648138352			FA	FAG	JPN	8536.5019.90
F3SJ-A0299P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / PLe, 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 299mm yükseklik, PNP	3,356.00	EC002549	F3SJ0044B	4547648138383			FA	FAG	JPN	8536.5019.90
F3SJ-A0623P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / PLe, 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 623mm yükseklik, PNP	5,200.00	EC002549	F3SJ0062M	4547648138567			FA	FAG	JPN	8536.5019.90
F3SJ-A0731P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / PLe, 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 731mm yükseklik, PNP	5,770.00	EC002549	F3SJ0065E	4547648138598			FA	FAG	JPN	8536.5019.90
F3SJ-A0875P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / PLe, 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 875mm yükseklik, PNP	6,520.00	EC002549	F3SJ0069H	4547648138635			FA	FAG	JPN	8536.5019.90
F3SJ-A1055P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / PLe, 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 1055mm yükseklik, PNP	7,555.00	EC002549	F3SJ0072H	4547648138666			FA	FAG	JPN	8536.5019.90
F3SJ-A0245P30	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / PLe, 30mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 245mm yükseklik, PNP	1,138.00	EC002549	F3SJ0226G	4547648137799			FA	FAG	JPN	8536.5019.90
F3SJ-A0470P30	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / PLe, 30mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 470mm yükseklik, PNP	1,595.00	EC002549	F3SJ0235F	4547648137881			FA	FAG	JPN	8536.5019.90
F3SJ-B0185P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 185mm yükseklik, PNP	935.50	EC002549	F3SB0001C	4548583047402			FA	FAG	JPN	8536.5019.90
F3SJ-B0225P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 225mm, PNP	1,021.00	EC002549	F3SB0002A	4548583047419			FA	FAG	JPN	8536.5019.90
F3SJ-B0305P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 305mm yükseklik, PNP	1,115.00	EC002549	F3SB0003M	4548583047426			FA	FAG	JPN	8536.5019.90
F3SJ-B0545P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 545mm, PNP	1,394.00	EC002549	F3SB0006D	4548583047457			FA	FAG	JPN	8536.5019.90
F3SJ-B0625P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 625mm yükseklik, PNP	1,569.00	EC002549	F3SB0007B	4548583047464			FA	FAG	JPN	8536.5019.90
F3SJ-B0705P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 705mm yükseklik, PNP	1,650.00	EC002549	F3SB0008M	4548583047471			FA	FAG	JPN	8536.5019.90
F3SJ-B0785P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 785mm yükseklik, PNP	1,771.00	EC002549	F3SB0009R	4548583047488			FA	FAG	JPN	8536.5019.90
F3SJ-B0865P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 865mm, PNP	1,869.00	EC002549	F3SB0010B	4548583047495			FA	FAG	JPN	8536.5019.90
F3SJ-B0945P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 945mm yükseklik, PNP	1,972.00	EC002549	F3SB0011M	4548583047501			FA	FAG	JPN	8536.5019.90
F3SJ-B1025P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 1025mm yükseklik, PNP	2,089.00	EC002549	F3SB0012R	4548583047518			FA	FAG	JPN	8536.5019.90
F3SJ-B1105P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1105mm, PNP	2,240.00	EC002549	F3SB0013G	4548583047525			FA	FAG	JPN	8536.5019.90
F3SJ-B1185P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1185mm, PNP	2,391.00	EC002549	F3SB0014E	4548583047532			FA	FAG	JPN	8536.5019.90
F3SJ-B1265P25	Güvenlik ışık bariyeri, F3SJ-Temel, kategori 4, el koruma (25mm), 1265mm yükseklik, 0.2-7m tarama mesafesi, PNP	2,538.00	EC002549	F3SB0015C	4548583047549			FA	FAG	JPN	8536.5019.90
F3SJ-B1345P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1345mm, PNP	2,637.00	EC002549	F3SB0016A	4548583047556			FA	FAG	JPN	8536.5019.90
F3SJ-B1505P25	Güvenlik ışık bariyeri, F3SJ-Temel, kategori 4, el koruma (25mm), 1505mm yükseklik, 0.2-7m tarama mesafesi, PNP	2,783.00	EC002549	F3SB0018H	4548583047570			FA	FAG	JPN	8536.5019.90
F3SJ-E0185P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 185mm yükseklik	883.00	EC002549	F3SE0001G	4548583047655			FA	FAG	JPN	8536.5019.90
F3SJ-E0305P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 305mm yükseklik	1,174.00	EC002549	F3SE0003C	4548583047679			FA	FAG	JPN	8536.5019.90
F3SJ-E0465P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 465mm yükseklik	1,242.00	EC002549	F3SE0005M	4548583047693			FA	FAG	JPN	8536.5019.90
F3SJ-E0545P25	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 545mm, PNP	1,451.00	EC002549	F3SE0006H	4548583047709			FA	FAG	JPN	8536.5019.90
F3SJ-E0625P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 625mm yükseklik	1,512.00	EC002549	F3SE0007F	4548583047716			FA	FAG	JPN	8536.5019.90
F3SJ-E0705P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 705 mm, PNP	1,674.00	EC002549	F3SE0008D	4548583047723			FA	FAG	JPN	8536.5019.90
F3SJ-E0785P25	Güvenlik ışık bariyeri, Kategori 4 / PLe, 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 785mm yükseklik	1,729.00	EC002549	F3SE0009B	4548583047730			FA	FAG	JPN	8536.5019.90
F3SJ-E0945N25	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 945mm, NPN	1,980.00	EC002549	F3SE0111M	4548583057036			FA	FAG	JPN	8536.5019.90
F3SJ-E0945P25	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 945mm, PNP	1,785.00	EC002549	F3SE0111D	4548583047754			FA	FAG	JPN	8536.5019.90

Category	Category Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
	F35J-E1025P25	Safety Light Curtain, F35J Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1025mm, PNP	2,110.00	EC002549	F35E0012B	4548583047761			FA	FAG	JPN	8536.501990
	F35J-A0920P55	Güvenlik ışık bariyeri, F35J gelişmiş, Kategori 4 / Ple, 55mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 920mm yükseklik, PNP	2,150.00	EC002549	F35J1303M	4547648342377			FA	FAG	JPN	8536.501990
Emniyet Temassız Switchleri												
	F35-TGR-NBMX-21-05	Güvenlik temassız kapı switchi, ex-proof bölgeler için, reed, silindirik paslanmaz çelik M30, 2NC+1NO, 5m kablo	502.00	EC002592	AA040404B	4547648977548			FA	FAI	GBR	8536.5005.00
	F35-TGR-NBXM-21-10	Non-contact door switch, ex zone, reed, barrel stainless steel M30, 2NC+1NO, 10m cable	543.50	EC002592	AA040405M	4547648977555	#		FA	FAI	GBR	8536.5005.00
	F35-TGR-NBPR-21-05	Güvenlik temassız kapı switchi, reed, silindirik plastik M30, 2NC+1NO, 5m kablo	208.30	EC002592	AA040362C	4547648977128			FA	FAI	GBR	8536.5005.00
	F35-TGR-NCPR-21-05	Non-contact door switch, reed, compact sensor 5m, plastic, 2NC+1NO contacts (D40B size equivalent)	189.50	EC002592	AA031322E	4547648882927			FA	FAI	GBR	8536.5007.00
	F35-TGR-NLMR-21-05	Güvenlik temassız kapı switchi, reed, uzun paslanmaz çelik, 2NC+1NO, 5m kablo	311.60	EC002592	AA040359C	4547648977098	#		FA	FAI	GBR	8536.5005.00
	F35-TGR-NLNR-21-10	Non-contact door switch, reed, elongated stainless steel, 2NC+1NO, 10m cable	326.30	EC002592	AA040360G	4547648977104			FA	FAI	GBR	8536.5005.00
	F35-TGR-NLNX-21-05	Non-contact door switch, ex zone, reed, elongated stainless steel, 2NC+1NO, 5m cable	460.80	EC002592	AA040402F	4547648977524			FA	FAI	GBR	8536.5005.00
	F35-TGR-NLNX-21-10	Non-contact door switch, ex zone, reed, elongated stainless steel, 2NC+1NO, 10m cable	510.00	EC002592	AA040403D	4547648977531	#		FA	FAI	GBR	8536.5005.00
	F35-TGR-NLPR-20-02	Güvenlik temassız kapı switchi, reed, uzun gövdeli 2m, plastik, 2NC kontak	168.40	EC002592	AA020794H	4536853906252			FA	FAI	GBR	8536.5007.00
	F35-TGR-NLPR-20-05	Güvenlik temassız kapı switchi, reed, uzun gövdeli 5m, plastik, 2NC kontak	177.50	EC002592	AA020795F	4536853906269	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NLPR-21-02	Güvenlik temassız kapı switchi, reed, uzun gövdeli 2m, plastik, 2NC+1NO kontak	174.00	EC002592	AA020798M	4536853906290			FA	FAI	GBR	8536.5007.00
	F35-TGR-NLPR-21-05	Güvenlik temassız kapı switchi, reed, uzun gövdeli plastik, 2 NC+1 NO, 5m kablo	186.60	EC002592	AA020799R	4536853906306	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NLPR-21-10	Non-contact door switch, reed, elongated sensor, plastic, 2 NC+1 NO contacts, 10m cable	210.20	EC002592	AA020800F	4536853906313	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NLPR-21-M1J8	Güvenlik temassız kapı switchi, reed, uzun gövdeli, plastik, 2 NC+1 NO kontak, M12 konnektörlü kablolu	215.20	EC002592	AA020801D	4536853906283	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NMHR-21-05	Güvenlik temassız kapı switchi, reed, minyatür paslanmaz çelik hijyenik ortama uygun, 2NC+1NO, 5m kablo	244.70	EC002592	AA040352F	4547648977029	#		FA	FAI	GBR	8536.5005.00
	F35-TGR-NMHR-21-10	Non-contact door switch, reed, miniature stainless steel hygienic design, 2NC+1NO, 10m cable	260.00	EC002592	AA040353D	4547648977036			FA	FAI	GBR	8536.5005.00
	F35-TGR-NMHR-21-M1J8	Non-contact door switch, reed, miniature stainless steel hygienic design, 2NC+1NO, M12 connector pigtail	265.80	EC002592	AA040354B	4547648977043			FA	FAI	GBR	8536.5005.00
	F35-TGR-NMPP-11-08-L10	Güvenlik temassız kapı switchi, reed, minyatür plastik, 1NC+1NO, M8 konnektörlü sol taraftan	154.40	EC002592	AA040348H	4547648976985			FA	FAI	GBR	8536.5005.00
	F35-TGR-NMPP-11-08-R10	Güvenlik temassız kapı switchi, reed, minyatür plastik, 1NC+1NO, M8 konnektörlü sağ taraftan	154.40	EC002592	AA040347M	4547648976978			FA	FAI	GBR	8536.5005.00
	F35-TGR-NMPP-20-05	Güvenlik temassız kapı switchi, reed, minyatür plastik, 2NC, 5m kablolu	129.00	EC002592	AA026101B	4547648861397	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NMPP-20-08-L10	Güvenlik temassız kapı switchi, reed, minyatür plastik, 2NC, M8 konnektörlü sol taraftan	156.00	EC002592	AA040346A	4547648976961	#		FA	FAI	GBR	8536.5005.00
	F35-TGR-NMPP-20-10	Non-contact door switch, reed, miniature plastic, 2NC, 10m cable	151.20	EC002592	AA026102M	4547648861403			FA	FAI	GBR	8536.5007.00
	F35-TGR-NMPP-20-M8-WN	Non-contact door switch, reed, miniature plastic, 2NC, M8 connector	73.80	EC002592	AA028929D	4547648868273	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NMPP-21-02	Güvenlik temassız kapı switchi, minyatür, reed, 2m, plastik, 2NC+1NO kontak	131.50	EC002592	AA026104G	4547648861427	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NMPP-21-05	Güvenlik temassız kapı switchi, minyatür, reed, 5m, plastik, 2NC+1NO kontak	142.90	EC002592	AA026105E	4547648861434	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NMPP-21-05-R	Safety Non-Contact Door switch, Reed, Miniature plastic Housing, 2NC/1NO, 5m pre-wired, Cable entry right sided	142.90	EC002592	AA039084M	4547648964975	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NMPP-21-10	Non-contact door switch, Miniature, reed, 10m, plastic, 2NC+1NO contacts	166.30	EC002592	AA026106C	4547648861441	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NMPP-21-M1J8	Güvenlik temassız kapı switchi, minyatür, reed, M12 konnektörlü, plastik, 2NC+1NO kontak	172.90	EC002592	AA026107A	4547648861410	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NSFR-21-05	Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik gıdaaya uygun, 2NC+1NO, 5m kablo	276.40	EC002592	AA040357G	4547648977074			FA	FAI	GBR	8536.5005.00
	F35-TGR-NSHR-21-05	Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik hijyenik ortama uygun, 2NC+1NO, 5m kablo	276.40	EC002592	AA040355M	4547648977050			FA	FAI	GBR	8536.5005.00
	F35-TGR-NSMR-20-02	Güvenlik temassız kapı switchi, reed, küçük gövdeli 2m, paslanmaz çelik, 2NC kontak	265.40	EC002592	AA020802B	4536853906412			FA	FAI	GBR	8536.5007.00
	F35-TGR-NSMR-20-05	Güvenlik temassız kapı switchi, reed, küçük gövdeli 5m, paslanmaz çelik, 2NC kontak	272.30	EC002592	AA020803M	4536853906429	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NSMR-20-M1J8	Non-contact door switch, reed, small sensor M12 connector, steel, 2NC contacts	294.30	EC002592	AA020805G	4536853906405			FA	FAI	GBR	8536.5007.00
	F35-TGR-NSMR-21-02	Güvenlik temassız kapı switchi, reed, küçük gövdeli 2m, paslanmaz çelik, 2NC+1NO kontak	269.20	EC002592	AA020806E	4536853906450			FA	FAI	GBR	8536.5007.00
	F35-TGR-NSMR-21-05	Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik, 2NC+1NO, 5m kablo	276.40	EC002592	AA020807C	4536853906467	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NSMR-21-10	Non-contact door switch, reed, small stainless steel, 2NC+1NO, 10m cable	283.30	EC002592	AA020808A	4536853906474	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NSMR-21-M1J8	Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik, 2NC+1NO, M12 konnektörlü kablolu	298.60	EC002592	AA020809M	4536853906443	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NSPR-21-05	Güvenlik temassız kapı switchi, reed, küçük plastik, 2NC+1NO, 5m kablo	199.80	EC002592	AA031316M	4547648882866	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NSPR-21-10	Non-contact door switch, reed, small plastic, 2NC+1NO, 10m cable	211.50	EC002592	AA031317R	4547648882873	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NLPM-21-05	Güvenlik temassız kapı switchi, RFID master kodlu, uzun plastik, 2NC+1NO, 5m kablo	178.80	EC002592	AA040384D	4547648977340	#		FA	FAI	GBR	8536.5005.00
	F35-TGR-NLPM-21-10	Non-contact door switch, RFID master coded, elongated plastic, 2NC+1NO, 10m cable	198.80	EC002592	AA040385B	4547648977357	#		FA	FAI	GBR	8536.5005.00
	F35-TGR-NLPM-21-M1J8	Safety Non-contact Door switch, RFID master coded, elongated plastic housing, 2NC/1NO, M12 8pin	201.50	EC002592	AA039147A	4547648965590	#		FA	FAI	GBR	8536.5005.00
	F35-TGR-NLPU-21-05	Güvenlik temassız kapı switchi, RFID eşsiz kodlu, uzun plastik, 2NC+1NO, 5m kablo	178.80	EC002592	AA040382H	4547648977326			FA	FAI	GBR	8536.5005.00
	F35-TGR-NLPU-21-10	Non-contact door switch, RFID unique coded, elongated plastic, 2NC+1NO, 10m cable	198.80	EC002592	AA040383F	4547648977333			FA	FAI	GBR	8536.5005.00
	F35-TGR-NLPU-21-M1J8	Güvenlik temassız kapı switchi, RFID eşsiz kodlu, uzun plastik gövdeli, 2NC/1NO, M12 konnektörlü kablolu	203.70	EC002592	AA039146C	4547648965583	#		FA	FAI	GBR	8536.5005.00
	F35-TGR-NSPM-21-05	Güvenlik temassız kapı switchi, RFID master kodlu, küçük plastik, 2NC+1NO, 5m kablo	204.60	EC002592	AA040380A	4547648977302	#		FA	FAI	GBR	8536.5005.00
	F35-TGR-NSPM-21-10	Non-contact door switch, RFID master coded, small plastic, 2NC+1NO, 10m cable	219.60	EC002592	AA040381M	4547648977319	#		FA	FAI	GBR	8536.5005.00
	F35-TGR-NSPM-21-M1J8	Non-contact door switch, small, RFID master code, M12 pigtail connector, 2NC+1NO contacts	215.20	EC002592	AA040048R	4547648974042	#		FA	FAI	GBR	8536.5007.00
	F35-TGR-NSPU-21-05	Güvenlik temassız kapı switchi, RFID eşsiz kodlu, küçük plastik, 2NC+1NO, 5m kablo	204.60	EC002592	AA040377A	4547648977272			FA	FAI	GBR	8536.5005.00
	F35-TGR-NSPU-21-10	Non-contact door switch, RFID unique coded, small plastic, 2NC+1NO, 10m cable	219.60	EC002592	AA040378M	4547648977289			FA	FAI	GBR	8536.5005.00
	F35-TGR-NSPU-21-M1J8	Güvenlik temassız kapı switchi, RFID eşsiz kodlu, küçük plastik, 2NC+1NO, M12 konnektörlü kablolu	230.90	EC002592	AA040379H	4547648977296	#		FA	FAI	GBR	8536.5005.00
	F35-TGR-NBPC-21-05	Güvenlik temassız kapı switchi, kodlu, silindirik plastik M30, 2NC+1NO, 5m kablo	148.20	EC002592	AA040331C	4547648976817			FA	FAI	GBR	8536.5005.00
	F35-TGR-NBPC-21-M1J8	Non-contact door switch, coded, barrel plastic M30, 2NC+1NO, M12 connector pigtail	171.80	EC002592	AA040333M	4547648976831			FA	FAI	GBR	8536.5005.00
	F35-TGR-NLMC-21-05	Güvenlik temassız kapı switchi, kodlu, uzun paslanmaz çelik, 2NC+1NO, 5m kablo	254.80	EC002592	AA040328C	4547648976787	#		FA	FAI	GBR	8536.5005.00
	F35-TGR-NLMC-21-10	Non-contact door switch, coded, elongated stainless steel, 2NC+1NO, 10m cable	264.60	EC002592	AA040329A	4547648976794			FA	FAI	GBR	8536.5005.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F35-TGR-NLMC-21-M1J8	Non-contact door switch, coded, elongated stainless steel, 2NC+1NO, M12 connector pigtail	275.20	EC002592	AA040330E	4547648976800	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NLPC-20-02	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli 2m, plastik, 2 NC kontak	114.40	EC002592	AA020778F	4536853906177	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NLPC-20-05	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli 5m, plastik, 2 NC kontak	117.80	EC002592	AA020779D	4536853906184	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NLPC-20-10	Non-contact door switch, coded, elongated sensor 10m, plastic, 2 NC contacts	151.90	EC002592	AA020780H	4536853906191	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NLPC-20-M1J8	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli M12 konektörlü, plastik, 2 NC kontak	144.70	EC002592	AA020781F	4536853906160	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NLPC-21-02	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli 2m, plastik, 2 NC+1 NO kontak	124.70	EC002592	AA020782D	4536853906214	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NLPC-21-05	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli plastik, 2 NC+1 NO, 5m kablo	128.00	EC002592	AA020783B	4536853906221	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NLPC-21-10	Non-contact door switch, coded, elongated sensor, plastic, 2 NC+1 NO contacts, 10m cable	162.10	EC002592	AA020784M	4536853906238	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NLPC-21-M1J8	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli, plastik, 2 NC+1 NO kontak, M12 konektörlü kablolu	166.20	EC002592	AA020785R	4536853906207	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NMHC-21-05	Güvenlik temassız kapı switchi, kodlu, minyatür paslanmaz çelik hijyenik ortama uygun, 2NC+1NO, 5m kablo	234.00	EC002592	AA040319D	4547648976695	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NMHC-21-M1J8	Non-contact door switch, coded, miniature stainless steel hygienic design, 2NC+1NO, M12 connector pigtail	286.80	EC002592	AA040321F	4547648976718	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NMPC-20-02	Non-contact door switch, miniature, coded, 2m, plastic, 2 NC contacts	134.00	EC002592	AA026109H	4547648861304	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NMPC-20-05	Güvenlik temassız kapı switchi, minyatür, kodlu, 5m, plastik, 2 NC kontak	123.20	EC002592	AA026110A	4547648861311	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NMPC-20-M1J8	Güvenlik temassız kapı switchi, minyatür, kodlu, M12 konektörlü, plastik, 2 NC kontak	146.60	EC002592	AA026112H	4547648861298	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NMPC-21-02	Güvenlik temassız kapı switchi, minyatür, kodlu, 2m, plastik, 2 NC+1 NO kontak	120.20	EC002592	AA026113F	4547648861342	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NMPC-21-05	Güvenlik temassız kapı switchi, kodlu, minyatür plastik, 2NC+1NO, 5m kablo	142.90	EC002592	AA026114D	4547648861359	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NMPC-21-10	Non-contact door switch, coded, miniature plastic, 2NC+1NO, 10m cable	166.30	EC002592	AA026115B	4547648861366	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NMPC-21-M1J8	Güvenlik temassız kapı switchi, minyatür, kodlu, M12 konektörlü, plastik, 2 NC+1 NO kontak	172.90	EC002592	AA026116M	4547648861335	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NSFC-21-05	Güvenlik temassız kapı switchi, kodlu, küçük paslanmaz çelik gıdaya uygun, 2NC+1NO, 5m kablo	249.60	EC002592	AA040325R	4547648976756	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NSFC-21-M1J8	Non-contact door switch, coded, small stainless steel food design, 2NC+1NO, M12 connector pigtail	284.00	EC002592	AA040327E	4547648976770	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NSMC-20-05	Güvenlik temassız kapı switchi, kodlu, küçük gövdeli 5m, paslanmaz çelik, 2 NC kontak	232.70	EC002592	AA020787E	4536853906344	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NSMC-20-M1J8	Güvenlik temassız kapı switchi, kodlu, küçük gövdeli M12 konektörlü, paslanmaz çelik, 2 NC kontak	278.70	EC002592	AA020789A	4536853906320	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NSMC-21-02	Güvenlik temassız kapı switchi, kodlu, küçük gövdeli 2m, paslanmaz çelik, 2 NC+1 NO kontak	238.00	EC002592	AA020790E	4536853906375	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NSMC-21-05	Güvenlik temassız kapı switchi, kodlu, küçük paslanmaz çelik, 2NC+1NO, 5m kablo	253.30	EC002592	AA020791C	4536853906382	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NSMC-21-10	Non-contact door switch, coded, small stainless steel, 2NC+1NO, 10m cable	272.70	EC002592	AA020792A	4536853906399	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NSMC-21-M1J8	Güvenlik temassız kapı switchi, kodlu, küçük paslanmaz çelik, 2NC+1NO, M12 konektörlü kablolu	284.00	EC002592	AA020793M	4536853906368	#		FA	FAI	GBR	8536.5005.00
F35-TGR-NSPC-21-05	Güvenlik temassız kapı switchi, kodlu, küçük plastik, 2NC+1NO, 5m kablo	129.00	EC002592	AA031319E	4547648882897	#		FA	FAI	GBR	8536.5007.00
F35-TGR-NSPC-21-10	Non-contact door switch, coded, small plastic, 2NC+1NO, 10m cable	161.40	EC002592	AA031320R	4547648882903	#		FA	FAI	GBR	8536.5007.00
F35-TGR-NSPC-21-M1J8	Güvenlik temassız kapı switchi, kodlu, küçük plastik, 2NC+1NO, M12 konektörlü kablolu	174.40	EC002592	AA031321G	4547648882910	#		FA	FAI	GBR	8536.5007.00
D40ML-P2-B-5M	RFID Magnetic Locking Safety Switch, Plastic, 900N, Basic Actuator Code, 5m Cable	563.50	EC002593	AA044843M	4548583968066	#		FA	FAI	GBR	8536.5007.00
D40ML-P2-B-M12	RFID Magnetic Locking Safety Switch, Plastic, 900N, Basic Actuator Code, Pigtail w/M12 Connector	594.50	EC002593	AA044816C	4548583967793	#		FA	FAI	GBR	8536.5007.00
D40ML-P2-U-10M	RFID Magnetic Locking Safety Switch, Plastic, 900N, Unique Actuator Code, 10m Cable	585.00	EC002593	AA044830R	4548583967939	#		FA	FAI	GBR	8536.5007.00
D40ML-P2-U-M12	RFID Magnetic Locking Safety Switch, Plastic, 900N, Unique Actuator Code, Pigtail w/M12 Connector	594.50	EC002593	AA044817A	4548583967809	#		FA	FAI	GBR	8536.5007.00
D40ML-SS1-U-M12	RFID Magnetic Locking Safety Switch, Stainless Steel, 950N, Unique Actuator Code, Pigtail w/M12 Connector	923.50	EC002593	AA044811B	4548583967748	#		FA	FAI	GBR	8536.5007.00
D40ML-SS2-B-10M	RFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Basic Actuator Code, 10m Cable	771.00	EC002593	AA044806F	4548583967694	#		FA	FAI	GBR	8536.5007.00
D40ML-SS2-B-5M	RFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Basic Actuator Code, 5m Cable	749.50	EC002593	AA044821M	4548583967847	#		FA	FAI	GBR	8536.5007.00
D40ML-SS2-B-M12	RFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Basic Actuator Code, Pigtail w/M12 Connector	780.50	EC002593	AA044839B	4548583968028	#		FA	FAI	GBR	8536.5007.00
D40ML-CBL-M12-10M	Quick Disconnect Cable, 8-pin M12 to Flying Leads, PVC Jacket, 10 Meter Length	87.15	EC001855	AA045418M	4548583973756	#		FA	FAI	GBR	8544.4290.90
D40ML-CBL-M12-5M	Quick Disconnect Cable, 8-pin M12 to Flying Leads, PVC Jacket, 5 Meter Length	72.50	EC001855	AA045417A	4548583973749	#		FA	FAI	GBR	8544.4290.90
F39-TGR-NLPC-A	Spare actuator for Coded type, Plastic, Elongated	35.31	EC001487	AA021594M	4536853907402	#		FA	FAI	GBR	8536.5007.00
F39-TGR-NMPC-A	Accessory F35-TGR-NMPC , actuator	37.89	EC001487	AA026117R	4547648861458	#		FA	FAI	GBR	8536.5005.00
Emniyet DeviceNet Komponenti											
NE1A-SCPU01-EIP VER1.0	Safety network controller, 16x PNP inputs, 8x PNP outputs, 4x test outputs, Ethernet	3,355.00	EC001449	NE1A0025A	4547648695114	#		FA	FAJ	JPN	8471.4100.00
NE1A-SCPU01-VI VER2.0	Safety network controller, 16x PNP inputs, 8x PNP outputs, 4x test outputs	2,856.00	EC001449	NE1A0004R	4547648303385	#		FA	FAJ	JPN	8471.4100.00
NE1A-SCPU02-VER2.0	Safety network controller, 40 x PNP inputs, 8x PNP outputs, 8x test outputs	5,025.00	EC001449	NE1A0005G	4547648303392	#		FA	FAJ	JPN	8471.4100.00
NE1A-SCPU02-EIP VER1.0	Safety network controller, 40 x PNP inputs, 8x PNP outputs, 8x test outputs, IP	6,455.00	EC001449	NE1A0026M	4547648695121	#		FA	FAJ	JPN	8471.4100.00
DST1-MD16SL-1	Remote I/O terminal, 8 x PNP inputs, 8 x PNP outputs, 4 x test outputs	1,341.00	EC001449	DST12002R	4549734765978	#		FA	FAJ	JPN	8536.4900.99
GI-SID1224	Safety Remote I/O Terminal (CIP-S) with 2 port switching hub and 12 PNP S-Digital Inputs (12 Test Pulses)	1,305.00	EC001599	GI 0002A	4549734420525	#		FA	FAJ	CHN	8471.6070.00
GI-SMD1624	Safety Remote I/O Terminal (CIP-S) with 2 port switching hub and 12 PNP S-Digital Inputs (12 Test Pulses) / 4 PNP S-Digital Output	1,394.00	EC001599	GI 0001C	4549734420501	#		FA	FAJ	CHN	8471.6070.00
Emniyet Limit Switchi D4B											
D4B-2111N	Limit switch, roller lever 17.5mm dia, SPDB NO/NC, snap action, 10 A	44.62	EC000030	D4BN9011G	4536853207151	#		FA	FAK	CHN	8536.5007.00
D4B-2115N	Limit switch, roller lever, SPDB NO/NC, snap action, 10 A, GI/2 conduit	59.45	EC000030	D4BN2115H	4536853205379	#		FA	FAK	JPN	8536.5007.00
D4B-2116N	Limit switch, adjustable roller lever, SPDB NO/NC, snap action, 10 A	59.20	EC000030	D4BN9014A	4536853207182	#		FA	FAK	CHN	8536.5007.00
D4B-2171N	Limit switch, roller plunger, SPDB NO/NC, snap action, 10 A	41.08	EC000030	D4BN9018D	4536853207229	#		FA	FAK	CHN	8536.5007.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4B-2A15N	Limit switch, stainless steel roller lever, DPDB 2-NC, slow action, 10 A, G1/2 conduit	101.30	EC000030	D4BN2502A	4536854844393			FA	FAK	JPN	8536.5007.00
D4B-2A71N	Safety Limit switch, G1/2 conduit, DPDB 2-NC (slow-action), top roller plunger	75.35	EC000030	D4BN2571D	4536853205645			FA	FAK	JPN	8536.5007.00
D4B-4111N	Güvenlik Limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), makaralı kol (plastik)	45.70	EC000030	D4BN7004C	4548583369528	#	10	FA	FAK	CHN	8536.5007.00
D4B-4113N	Limit switch, SPDB NO/NC, snap action, 10 A	76.45	EC000030	D4BN4021G	4547648598989	#		FA	FAK	JPN	8536.5007.00
D4B-4115N	Güvenlik Limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), makaralı kol (paslanmaz çelik)	62.15	EC000030	D4BN4022E	4547648740999	#		FA	FAK	JPN	8536.5007.00
D4B-4116N	Güvenlik Limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), ayarlanabilir makaralı kol	48.57	EC000030	D4BN7005A	4548583369481	#	10	FA	FAK	CHN	8536.5007.00
D4B-4117N	Güvenlik Limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), ayarlanabilir çubuk kol	53.70	EC000030	D4BN7006M	4548583369498	#	10	FA	FAK	CHN	8536.5007.00
D4B-4170N	Güvenlik Limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), üstten basmalı	46.56	EC000030	D4BN7007H	4548583369504	#		FA	FAK	CHN	8536.5007.00
D4B-4171N	Güvenlik Limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), üstten basmalı makaralı	47.41	EC000030	D4BN7008F	4548583369511	#		FA	FAK	CHN	8536.5007.00
D4B-4511N	Güvenlik Limit switchi, D4B, M20, 1NC/1NO (yavaş kapama), makaralı kol (plastik)	52.65	EC000030	D4BN4011M	4536854776601	#		FA	FAK	JPN	8536.5007.00
D4B-4516N	Safety Limit switch, D4B, M20, 1NC/1NO (slow-action), adjustable roller lever	59.85	EC000030	D4BN4012H	4536854776618	#		FA	FAK	JPN	8536.5007.00
D4B-4571N	Güvenlik Limit switchi, D4B, M20, 1NC/1NO (yavaş kapama), üstten basmalı makaralı	59.50	EC000030	D4BN4014D	4536854776632	#	10	FA	FAK	JPN	8536.5007.00
D4B-4A11N	Güvenlik Limit switchi, D4B, M20, DPDB 2-NC (yavaş kapama), makaralı kol (plastik)	62.05	EC000030	D4BN4015B	4536854776649	#		FA	FAK	JPN	8536.5007.00
D4B-4A16N	Safety Limit switch, D4B, M20, DPDB 2-NC (slow-action), adjustable roller lever	73.95	EC000030	D4BN4016M	4536854776656	#		FA	FAK	JPN	8536.5007.00
D4B-4A17N	Güvenlik Limit switchi, D4B, M20, DPDB 2-NC (yavaş kapama), ayarlanabilir çubuk kol	67.50	EC000030	D4BN4020R	4536854790966	#		FA	FAK	JPN	8536.5007.00
D4B-4A70N	Güvenlik Limit switchi, D4B, M20, DPDB 2-NC (yavaş kapama), üstten basmalı	62.15	EC000030	D4BN4017R	4536854776663	#		FA	FAK	JPN	8536.5007.00
D4B-4A71N	Güvenlik Limit switchi, D4B, M20, DPDB 2-NC (yavaş kapama), üstten basmalı makaralı	65.65	EC000030	D4BN4018G	4536854776670	#		FA	FAK	JPN	8536.5007.00

Emniyet Bölgesi

OS32C-BP-VER2	Güvenlik lazer tarayıcı, Güvenlik mesafesi 3m yan çaplı, uyarı bölgesi 10m yan çaplı, PLd & Kat 3 (ISO 13849-1), Ethernet, 24VDC, arkadan kablo çıkış	5,895.00	EC002550	OS326021F	4548583061118	#		FA	FAO	USA	8536.5019.90
OS32C-BP-DM	Güvenlik lazer tarayıcı, ölçüm and EtherNet/IP, Güvenlik yan çapı 3m, uyarı bölgesi 10m, PLd & Kat 3 (ISO 13849-1), Ethernet, 24VDC, arkadan kablo çıkış	6,495.00	EC002550	OS326024M	4548583409217	#		FA	FAO	USA	8536.5019.90
OS32C-SN-VER2	Accessory safety, laser scanner, spare for replacement, sensor block without I/O block, Ver.2	4,789.00	EC002550	OS326023B	4548583061132	#		FA	FAO	USA	8536.5019.90
OS32C-SN-DM	Safety laser scanner with measurement data, replacement sensor block	4,240.00	EC002550	OS326026G	4548583409231	#		FA	FAO	USA	8536.5019.90
OS32C-SP1-VER2	Güvenlik lazer tarayıcı, Güvenlik yan çapı 3m, uyarı bölgesi 10m, PLd & Kat 3 (ISO 13849-1), Ethernet, 24VDC, yandan kablo çıkış	5,895.00	EC002550	OS326022D	4548583061125	#		FA	FAO	USA	8536.5019.90
OS32C-SP1-DM	Güvenlik lazer tarayıcı, ölçüm and EtherNet/IP, Güvenlik yan çapı 3m, uyarı bölgesi 10m, PLd & Kat 3 (ISO 13849-1), Ethernet, 24VDC, yandan kablo çıkış	6,495.00	EC002550	OS326025R	4548583409224	#		FA	FAO	USA	8536.5019.90

OS32C-BP-4M	Güvenlik lazer tarayıcı, Güvenlik yan çapı 4m, uyarı bölgesi 15m, PLd & Kat 3, 24VDC, arkadan kablo çıkış	7,155.00	EC002550	OS326104B	4548583522183	#		FA	FAO	USA	8536.5019.90
OS32C-BP-DM-4M	Güvenlik lazer tarayıcı, ölçüm verisi, Güvenlik yan çapı 4m, uyarı bölgesi 10m, PLd & Kat 3, Ethernet/IP, 24VDC, arkadan kablo çıkış	7,885.00	EC002550	OS326107G	4548583522213	#		FA	FAO	USA	8536.5019.90
OS32C-SN-4M	Safety laser scanner, safety radius 4m, warning zone 15m, replacement sensor block	5,340.00	EC002550	OS326105M	4548583522190	#		FA	FAO	USA	8536.5019.90
OS32C-SP1-4M	Güvenlik lazer tarayıcı, Güvenlik yan çapı 4m, uyarı bölgesi 15m, PLd & Kat 3, 24VDC, yandan kablo çıkış	7,155.00	EC002550	OS326103D	4548583522176	#		FA	FAO	USA	8536.5019.90
OS32C-SP1-DM-4M	Güvenlik lazer tarayıcı ölçüm verisi ile, Güvenlik yan çapı 4m, uyarı bölgesi 10m, PLd & Kat 3, Ethernet/IP, 24VDC, yandan kablo çıkış	7,885.00	EC002550	OS326106R	4548583522206	#		FA	FAO	USA	8536.5019.90

OS32C-BKT1	Alt/kenar montaj braketi + ünite montaj vidalı	144.80	EC003015	OS326013E	4547648823531	#		FA	FAO	USA	8541.4900.00
OS32C-BKT2	Montaj kiti, XY döner montaj, OS32C-BKT1 ile birlikte kullanılmalıdır.	159.20	EC003015	OS326014C	4547648823548	#		FA	FAO	USA	8541.4900.00
OS32C-BKT3	Basit montaj braketi x 2 + montaj vidası	98.60	EC003015	OS326015A	4547648823555	#		FA	FAO	USA	8541.4900.00
OS32C-BKT4	Güvenlik lazer tarayıcı koruyucu (ekran için)	102.20	EC003015	OS326016M	4547648823562	#		FA	FAO	USA	8541.4900.00

OS32C-CBL-03M	Güvenlik lazer tarayıcı güç and I/O kablosu, 3m	159.90	EC001855	OS326006B	4547648823463	#		FA	FAO	MYS	8541.4900.00
OS32C-CBL-10M	Güvenlik lazer tarayıcı güç and I/O kablosu, 10m	212.70	EC001855	OS326007M	4547648823470	#		FA	FAO	MYS	8541.4900.00
OS32C-CBL-20M	Güvenlik lazer tarayıcı güç and I/O kablosu, 20m	311.90	EC001855	OS326008R	4547648823487	#		FA	FAO	MYS	8541.4900.00
OS32C-ECBL-02M	Ethernet kablosu, konfigürasyon için, 2M	241.90	EC002599	OS326010M	4547648823500	#		FA	FAO	JPN	8541.4900.00
OS32C-ECBL-05M	Ethernet kablosu, konfigürasyon için, 5M	310.40	EC002599	OS326011R	4547648823517	#		FA	FAO	JPN	8541.4900.00
OS32C-ECBL-15M	Ethernet cable, for configuration and monitoring, 15M	470.40	EC002599	OS326012G	4547648823524	#		FA	FAO	JPN	8541.4900.00

OS32C-CBBP	Accessory safety, laser scanner, spare for replacement, I/O block with cable access from back	1,222.00	EC003015	OS326004F	4547648823449	#		FA	FAO	USA	8541.4900.00
OS32C-CBSP1	Accessory safety, laser scanner, spare for replacement, I/O block with cable access from left side	1,222.00	EC003015	OS326005D	4547648823456	#		FA	FAO	USA	8541.4900.00
OS32C-WIN-KT	Accessory safety, laser scanner, spare for replacement, Scan window	185.50	EC003015	OS326019D	4547648823593	#		FA	FAO	USA	8541.4900.00
WIN-CLN-KT	Güvenlik lazer tarayıcı aksesuar, temizleme kiti	102.20	EC003015	OS326020H	4548583130548	#		FA	FAO	USA	8541.4900.00

Emniyet Kontrolcüsü

G95P-N10D	G95P Bağımsız Güvenlik kontrolörü, 10 Güvenlik girişi, 16 Güvenlik çıkışı, 6 test çıkışı. PNP	984.50	EC001449	G95P0002M	4547648830263	#		FA	FAP	CHN	8471.4100.00
G95P-N10S	G95P Bağımsız Güvenlik kontrolörü, 10 Güvenlik girişi, 4 Güvenlik çıkışı, 4 standart çıkışı. PNP	813.50	EC001449	G95P0001B	4547648830256	#		FA	FAP	CHN	8471.4100.00
G95P-N20S	G95P Bağımsız Güvenlik kontrolörü, 20 Güvenlik girişi, 8 Güvenlik çıkışı, 6 test çıkışı. PNP	850.00	EC001449	G95P0003R	4547648830270	#		FA	FAP	CHN	8471.4100.00
WS02-G95P01-V2	G95P konfigüratörü, 1 lisans, WIN-2000/XP/Vista.	588.00	EC000809	G95P1005M	4548583546318	#		FA	FAP	JPN	8471.4100.00

Emniyet Komponentleri

E3ZS-T81A	Photoelectric sensor	305.50	EC002716	E3ZS6001D	4547648674355	#		FA	FAX	CHN	8541.4900.00
A4EG-OP2	Mounting bracket for securing the A4EG	84.60	EC002886	A4EG0005A	4547648477062	#		FA	FAX	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A4EG-OP3	A4EG Holding Key	71.95	EC002886	A4EG0006M	4547648477079	#		FA	FAX	JPN	8536.5015.90
D4BS-15FS	Safety-door switch, D4BS, PG13.5 (1 conduit), 1NC/1NO (slow-action)	55.50	EC002592	D4BS0001G	4536853207366	#	10	FA	FAX	JPN	8536.5015.90
D4BS-1AF5	Safety-door switch, D4BS, PG13.5 (1 conduit), 2NC (slow-action)	59.35	EC002592	D4BS0028R	4536853207564	#	2	FA	FAX	JPN	8536.5015.90
D4BS-45FS	Metal Güvenlik Limit switchi, D4BS, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama)	58.40	EC002592	D4BS4000M	4536854776724	#		FA	FAX	JPN	8536.5015.90
D4BS-4AF5	Metal Güvenlik Limit switchi, D4BS, M20 (1 kablo yuvası), 2NC (yavaş kapama)	62.35	EC002592	D4BS4001R	4536854776731	#		FA	FAX	JPN	8536.5015.90
D4GS-N1R	Safety door switch, IP67, 1NC/1NO (slow-action), horizontal key insertion, 1m cable	83.45	EC002592	D4GS0019H	4536854687976	#		FA	FAX	JPN	8536.5015.90
D4GS-N1R-3	Safety door switch, IP67, 1NC/1NO (slow-action), horizontal key insertion, 3m cable	107.40	EC002592	D4GS0021M	4536854687990	#		FA	FAX	JPN	8536.5015.90
D4GS-N2R	Safety door switch, IP67, 2NC (slow-action), horizontal key insertion, 1m cable	85.90	EC002592	D4GS0025B	4536854688034	#		FA	FAX	JPN	8536.5015.90
D4GS-N2R-5	Safety door switch, IP67, 2NC (slow-action), horizontal key insertion, 5m cable	134.00	EC002592	D4GS0031G	4536854688089	#		FA	FAX	JPN	8536.5015.90
D4GS-N2T	Safety door switch, IP67, 2NC (slow-action), vertical key insertion, 1m cable	85.90	EC002592	D4GS0026M	4536854688041	#		FA	FAX	JPN	8536.5015.90
D4GS-N3R	Safety door switch, IP67, 2NC/1NO (slow-action), horizontal key insertion, 1m cable	92.75	EC002592	D4GS0033C	4536854688171	#		FA	FAX	JPN	8536.5015.90
D4GS-N3R-5	Safety door switch, IP67, 2NC/1NO (slow-action), horizontal key insertion, 5m cable	140.00	EC002592	D4GS0037F	4536854688225	#		FA	FAX	JPN	8536.5015.90
D4GS-N3T-3	Safety door switch, IP67, 2NC/1NO (slow-action), vertical key insertion, 3m cable	116.70	EC002592	D4GS0036H	4536854688218	#		FA	FAX	JPN	8536.5015.90
D4GS-N3T-5	Safety door switch, IP67, 2NC/1NO (slow-action), vertical key insertion, 5m cable	140.00	EC002592	D4GS0038D	4536854688232	#		FA	FAX	JPN	8536.5015.90
D4GS-N4R	Safety door switch, IP67, 3NC (slow-action), horizontal key insertion, 1m cable	92.75	EC002592	D4GS0039B	4536854688249	#		FA	FAX	JPN	8536.5015.90
D4GS-N4T-5	Safety door switch, IP67, 3NC (slow-action), vertical key insertion, 5m cable	140.00	EC002592	D4GS0044R	4536854688294	#		FA	FAX	JPN	8536.5015.90
D41G-1YDA-N2	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole	1,121.00	EC002593	D41G8005B	4549734703079	#		FA	FAX	DEU	8536.5019.90
D41G-1YDA-T1	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Screw connection	974.50	EC002593	D41G8004D	4549734703062	#		FA	FAX	DEU	8536.5019.90
D41G-2YDA-N2	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	1,093.00	EC002593	D41G8008G	4549734703109	#		FA	FAX	DEU	8536.5019.90
D41G-2YDA-T1	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Screw connection, re-teaching enabled	948.00	EC002593	D41G8006M	4549734703086	#		FA	FAX	DEU	8536.5019.90
D41G-2YDG-N2	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	1,093.00	EC002593	D41G8009E	4549734703116	#		FA	FAX	DEU	8536.5019.90
D41G-2YDG-T1	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Screw connection, re-teaching enabled	948.00	EC002593	D41G8007R	4549734703093	#		FA	FAX	DEU	8536.5019.90
D41G-2ZDA-T1	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Screw connection	948.00	EC002593	D41G8001M	4549734703031	#		FA	FAX	DEU	8536.5019.90
D41G-2ZDG-N2	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole	1,093.00	EC002593	D41G8003F	4549734703055	#		FA	FAX	DEU	8536.5019.90
D41G-2ZDG-T1	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Screw connection	948.00	EC002593	D41G8002H	4549734703048	#		FA	FAX	DEU	8536.5019.90
D41L-1YDA-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole	909.00	EC002593	D41L8006B	4549734703277	#		FA	FAX	DEU	8536.5019.90
D41L-1YDG-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole	909.00	EC002593	D41L8007M	4549734703284	#		FA	FAX	DEU	8536.5019.90
D41L-1ZDA-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole	909.00	EC002593	D41L8001A	4549734703222	#		FA	FAX	DEU	8536.5019.90
D41L-1ZDG-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole	909.00	EC002593	D41L8002M	4549734703239	#		FA	FAX	DEU	8536.5019.90
D41L-2YDAE-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled, Emergency exit	1,017.00	EC002593	D41L8010M	4549734703314	#		FA	FAX	DEU	8536.5019.90
D41L-2YDA-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	880.50	EC002593	D41L8008R	4549734703291	#		FA	FAX	DEU	8536.5019.90
D41L-2YDG-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	880.50	EC002593	D41L8009G	4549734703307	#		FA	FAX	DEU	8536.5019.90
D41L-2ZDA-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	880.50	EC002593	D41L8003H	4549734703246	#		FA	FAX	DEU	8536.5019.90
D41L-2ZDGE-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled, Emergency exit	1,017.00	EC002593	D41L8005D	4549734703260	#		FA	FAX	DEU	8536.5019.90
D41L-2ZDG-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	880.50	EC002593	D41L8004F	4549734703253	#		FA	FAX	DEU	8536.5019.90
D4BL-1CRA	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO+1NC, 10 A	387.90	EC002593	D4BL1001G	4536853204372	#		FA	FAX	JPN	8536.5015.90
D4BL-1CRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO+1NC, 10 A	466.80	EC002593	D4BL1000R	4536853204365	#		FA	FAX	JPN	8536.5015.90
D4BL-1DRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 2 NC/1 NO+1 NC, 10 A	520.50	EC002593	D4BL1016E	4536853204525	#		FA	FAX	JPN	8536.5015.90
D4BL-2CRA	Safety door-lock switch, mechanical lock, 24 VDC, 1NC+1NC/1NO+1NC, 10 A	382.30	EC002593	D4BL1007F	4536853204433	#		FA	FAX	JPN	8536.5015.90
D4BL-2DRA	Safety door-lock switch, mechanical lock, 24 VDC, 2NC/1NO+1NC, 10 A	449.30	EC002593	D4BL1019M	4536853204556	#		FA	FAX	JPN	8536.5015.90
D4BL-2DRG	Limit switch	417.30	EC002593	D4BL1041F	4536854404221	#		FA	FAX	JPN	8536.5015.90
D4BL-4DRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 1NC, 10 A	424.00	EC002593	D4BL4003M	4536854776526	#		FA	FAX	JPN	8536.5015.90
F3S-TGR-KHL1	Safety interlock key switch, stainless steel housing, 1600N holding force, M20, 2NC/2NO	619.50	EC002593	AA042787E	4547648999854	#		FA	FAX	GBR	8536.5005.00
F3S-TGR-KHL3	Safety interlock key switch, hygienic stainless steel housing, 2000N holding force, M20, 2NC/2NO	787.50	EC002593	AA042788C	4547648999861	#		FA	FAX	GBR	8536.5005.00
F3S-TGR-KHL3R	Safety interlock key switch, hygienic stainless steel housing with manual release button, 2000N holding force, M20, 2NC/2NO	952.00	EC002593	AA042789A	4547648999878	#		FA	FAX	GBR	8536.5005.00
D40Z-1C2	Non-contact door switch, compact sensor, LED indicator, 1NO aux, requires G95X-N5 or G95P controller for Category 4/PLe, 2M	297.60	EC002592	D40Z0001A	4547648833752	#		FA	FAX	CHN	8536.5015.90
D40Z-1C5	Non-contact door switch, compact sensor, LED indicator, 1NO aux, requires G95X-N5 or G95P controller for Category 4/PLe, 5M	312.30	EC002592	D40Z0002M	4547648833677	#		FA	FAX	CHN	8536.5015.90
D40Z-1C5-5	Safety non-contact door switch, Cat.4/PLe, 5m cable switch only	258.70	EC002592	D40Z0005D	4547648833707	#		FA	FAX	CHN	8536.5015.90
D40Z-1C-A	Safety non-contact door switch, Cat.4/PLe, actuator only	117.50	EC001487	D40Z0003H	4547648833684	#		FA	FAX	CHN	8536.5015.90
D41D-1CD-N1	Non-contact Interlock Switch, RFID High-coded, PNP, Test Pulse, Connector plug M8	293.80	EC002592	D41D8001F	4549734702935	#		FA	FAX	DEU	8536.5019.90
D41D-2CD-025N2	Non-contact Interlock Switch, RFID High-coded, PNP, Test Pulse, Pigtail with M12 connector 8-pole	324.70	EC002592	D41D8002D	4549734702942	#		FA	FAX	DEU	8536.5019.90
D40A-1C015-F	Non-contact door switches, Pigtail with M12 connector 4-pole	169.00	EC002592	D40A6003D	4547648839068	#		FA	FAX	CHN	8536.5015.90
D40A-1C2	Non-contact door switches, 2m cable	176.60	EC002592	D40A6001H	4547648839044	#		FA	FAX	CHN	8536.5015.90
D40A-1C5	Non-contact door switches, 5m cable	169.30	EC002592	D40A6002F	4547648839051	#		FA	FAX	CHN	8536.5015.90
D41D-8PS-CFM8-702M	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 2 m	51.50	EC001855	D41D8008C	4549734703000	#		FA	FAX	DEU	8536.5019.90
D41D-8PS-CFM8-705M	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 5 m	69.65	EC001855	D41D8009A	4549734703017	#		FA	FAX	DEU	8536.5019.90
D41D-8PS-CFM8-710M	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 10 m	97.55	EC001855	D41D8010E	4549734703024	#		FA	FAX	DEU	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D41D-A1	Actuator for D41D, actuation from side, 2 x M4 screw, 39 x 29.5 x 18 mm	35.80	EC001487	D41D8003B	4549734702959	#	20	FA	FAX	DEU	8536.5019.90
D41D-A2	Actuator for D41D, frontal actuation, 2 x M5 screw, 60 x 16 x 6.8 mm	35.80	EC001487	D41D8004M	4549734702966	#		FA	FAX	DEU	8536.5019.90
D41D-A3	Actuator for D41D, frontal actuation, 1 x M3 screw, 23 x 9 x 7 mm	35.80	EC001487	D41D8005R	4549734702973	#		FA	FAX	DEU	8536.5019.90
D41D-MS	Mounting Kit for D41D, 2 mounting plates and 4 ferrule plugs	32.94	EC002594	D41D8007E	4549734702997	#		FA	FAX	DEU	8536.5019.90
D41D-SK	Sealing Kit for D41D, 4 flat plugs and 4 plugs with rim for high screw head	11.47	EC002594	D41D8006G	4549734702980	#		FA	FAX	DEU	8536.5019.90
D41G-A1L	Actuator for D41G, compact, left-hand side, without emergency exit	229.30	EC001487	D41G8010R	4549734703123	#		FA	FAX	DEU	8536.5019.90
D41G-A1L-E0	Actuator for D41G, compact, left-hand side, with emergency exit	316.60	EC001487	D41G8011G	4549734703130	#		FA	FAX	DEU	8536.5019.90
D41G-A1R	Actuator for D41G, compact, right-hand side, without emergency exit	229.30	EC001487	D41G8012E	4549734703147	#		FA	FAX	DEU	8536.5019.90
D41G-A1R-E0	Actuator for D41G, compact, right-hand side, with emergency exit	316.60	EC001487	D41G8013C	4549734703154	#		FA	FAX	DEU	8536.5019.90
D41G-A2L	Actuator for D41G, with door handle, left-hand side, without emergency exit	351.10	EC001487	D41G8014A	4549734703161	#		FA	FAX	DEU	8536.5019.90
D41G-A2L-E1	Actuator for D41G, with door handle, left-hand side, with emergency exit	524.50	EC001487	D41G8015M	4549734703178	#		FA	FAX	DEU	8536.5019.90
D41G-A2L-E1T	Actuator for D41G, with door handle, left-hand side, with emergency exit, with lockout tag	628.00	EC001487	D41G8016H	4549734703185	#		FA	FAX	DEU	8536.5019.90
D41G-A2R	Actuator for D41G, with door handle, right-hand side, without emergency exit	351.10	EC001487	D41G8017F	4549734703192	#		FA	FAX	DEU	8536.5019.90
D41G-A2R-E1	Actuator for D41G, with door handle, right-hand side, with emergency exit	524.50	EC001487	D41G8018D	4549734703208	#		FA	FAX	DEU	8536.5019.90
D41G-A2R-E1T	Actuator for D41G, with door handle, left-hand side, with emergency exit, with lockout tag	628.00	EC001487	D41G8019B	4549734703215	#		FA	FAX	DEU	8536.5019.90
D41L-8P5-CFM12-905M	Female cable connector for D41L, straight, screw type M12, 8 poles, PUR, cable length 5 m	90.15	EC001855	D41L8014C	4549734703352	#		FA	FAX	DEU	8536.5019.90
D41L-8P5-CFM12-910M	Female cable connector for D41L, straight, screw type M12, 8 poles, PUR, cable length 10 m	135.30	EC001855	D41L8015A	4549734703369	#		FA	FAX	DEU	8536.5019.90
D41L-A1	Actuator for D41L, straight, 127 x 35 x 46 mm	123.30	EC001487	D41L8011R	4549734703321	#		FA	FAX	DEU	8536.5019.90
D41L-MP	Mounting plate for D41L, Plastic, 101 x 40 x 18.5 mm	30.08	EC002594	D41L8012G	4549734703338	#		FA	FAX	DEU	8536.5019.90
D41L-MS	Mounting Kit for D41L, 1 x Aluminium protective plate, 2x Aluminium threaded head Ø 20 mm with M6 thread, 2x Rubber discs	35.80	EC002594	D41L8013E	4549734703345	#		FA	FAX	DEU	8536.5019.90
A4E-B200SS	Enabling switch, A4E,two outputs, no mounting bracket, no rubber seal	55.55	EC002571	A4E 0001G	4536854780295	#	2	FA	FAX	JPN	8536.5080.90
A4E-B200VA	Enabling switch, A4E,two outputs, vertical mounting, with rubber seal	84.30	EC002571	A4E 0007F	4536854780356	#		FA	FAX	JPN	8536.5080.90
A4E-C211VA	Enabling switch, Four contacts, vertical mounting, with rubber seal	106.80	EC002571	A4E 0008D	4536854780363	#	10	FA	FAX	JPN	8536.5080.90
A4EG-BE2R041	Acil durdurma switchi, aktifleştirme el switchi, Acil durdurma switchi (2NC)	472.90	EC002571	A4EG0009D	4548583869417	#		FA	FAX	JPN	8536.5015.90
A4EG-8M2B041	Acil durdurma switchi, aktifleştirme el switchi, anlık durum switchi (2NO)	488.50	EC002571	A4EG0003E	4547648521642	#		FA	FAX	JPN	8536.5015.90
A4EG-C000041	Acil durdurma switchi, aktifleştirme el switchi, 1 NC (kavrama çkşş)	384.40	EC002571	A4EG0001R	4547648477031	#		FA	FAX	JPN	8536.5015.90
A165E-02	DPST-NC contact block for A165E Emergency stop switch	18.79	EC000041	A16E3002C	4536854344794	#	50	FA	FAX	JPN	8536.5015.90
A165E-LS-24D-01	Acil durdurma switchi, ışıklı, 30mm çap, bas kilitle/çevir resetle, SPST-NC, 24 VDC	41.59	EC002034	A16E7003C	4536854344824	#	5	FA	FAX	JPN	8536.5015.90
A165E-LS-24D-02	Acil durdurma switchi, ışıklı, 30mm çap, bas kilitle/çevir resetle, DPST-NC, 24 VDC	60.95	EC002034	A16E7004A	4536854344831	#	5	FA	FAX	JPN	8536.5015.90
A165E-M-020	Acil durdurma switchi, 40mm çap, bas kilitle/çevir resetle, DPST-NC	46.22	EC002034	A16E7006H	4536854344855	#	5	FA	FAX	JPN	8536.5015.90
A165E-S	Emergency stop switch, non-illuminated, 30mm dia, push-lock / turn-reset	7.71	EC001038	A16E2004D	4536854344770	#	20	FA	FAX	JPN	8536.5015.90
A165E-S-01	Acil durdurma switchi, 30mm çap, bas kilitle/çevir resetle, SPST-NC	41.59	EC002034	A16E7007F	4536854344862	#	5	FA	FAX	JPN	8536.5015.90
A165E-S-02	Acil durdurma switchi, 30mm çap, bas kilitle/çevir resetle, DPST-NC	49.80	EC002034	A16E7008D	4536854344879	#	5	FA	FAX	JPN	8536.5015.90
A165E-S-03U	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, TPST-NC	67.40	EC002034	A16E7012B	4536854479090	#	10	FA	FAX	JPN	8536.5015.90
A22EL-M	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, IP65	32.21	EC001038	A22E2001C	4536854349225	#	10	FA	FAX	JPN	8536.5015.90
A22EL-M-24A-01	Acil durdurma switchi, 24 VAC/DC ışıklı, 40mm çap, bas kilitle/çevir resetle, SPST-NC, IP65	61.45	EC002034	A22E7009F	4536854349324	#	20	FA	FAX	JPN	8536.5015.90
A22EL-M-24A-02	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, IP65	70.25	EC002034	A22E7010M	4536854349331	#	30	FA	FAX	JPN	8536.5015.90
A22E-M	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, IP65	19.94	EC001038	A22E2002A	4536854349232	#	10	FA	FAX	JPN	8536.5015.90
A22E-M-01	Acil durdurma switchi, 40mm çap, bas kilitle/çevir resetle, 1NC	37.46	EC002034	A22E7001M	4536854349249	#	20	FA	FAX	JPN	8536.5015.90
A22E-M-02	Acil durdurma switchi, 40mm çap, bas kilitle/çevir resetle, 2NC	47.45	EC002034	A22E7002R	4536854349256	#	20	FA	FAX	JPN	8536.5015.90
A22E-M-02B	Emergency stop switch, 24 VAC / VDC , 40 mm dia, push-lock / turn-reset, DPST-NC, within a control box	108.40	EC002034	A22E7053C	4536854860263	#		FA	FAX	JPN	8536.5015.90
A22E-M-11	Acil durdurma switchi, 40mm çap, bas kilitle/çevir resetle, 1NO + 1NC	34.57	EC002034	A22E7004E	4536854349270	#	20	FA	FAX	JPN	8536.5015.90
A22E-M-11B	Emergency stop switch, 24 VAC/DC , 40 mm dia, push-lock/turn-reset, SPST-NO + SPST-NC , within a control box	106.90	EC002034	A22E7054A	4536854860270	#		FA	FAX	JPN	8536.5015.90
A22E-S	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, IP65	25.24	EC001038	A22E2006D	4536854380280	#	10	FA	FAX	JPN	8536.5015.90
A22E-S-02	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, 2 x SPST-N/C, IP65	37.46	EC002034	A22E7025H	4536854380433	#	20	FA	FAX	JPN	8536.5015.90
A22NE-M-L	Acil durdurma anahtarı, aydınlatılmıř, 40mm çap, basmalı kilitle / dönüş-reset, IP65	37.26	EC001038	A22E0017R	4549734184649	#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-N	Acil durdurma anahtarı, aydınlatılmıř, 40mm çap, itmeli kilitle / dönüş-reset, IP65	26.39	EC001038	A22E0011M	4549734184588	#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-P002-C	A22NE-M anahtarı, 24 VAC / DC aydınlatılmıř, 40 mm çap, push-lock / dönüş-reset, SPST-NC, itme	79.30	EC002034	A22E0041A	4549734184885	#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-P002-N	Acil durdurma anahtarı, Push-In, aydınlatılmıř, 40 mm çap, push-lock / dönüş-reset, 1NC	45.04	EC002034	A22E0025M	4549734184724	#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-P002-N-B	E-Dur, itme, 1NC, 40-diyar. kafa Orta Turn-reset. entegre kontrol kutusu ile	74.65	EC002034	A22E0082R	4549734185295	#		FA	FAX	JPN	8536.5015.90
A22NE-M-P102-C	Acil durdurma anahtarı, Push-In, 24 VAC / DC aydınlatılmıř, 40 mm çap, push-lock / dönüş-reset, NO + NC	85.45	EC002034	A22E0042M	4549734184892	#		FA	FAX	JPN	8536.5015.90
A22NE-M-P102-N	Acil durdurma anahtarı, Push-In, aydınlatılmıř, 40 mm çap, push-lock / dönüş-reset, 1NC + YOK	51.25	EC002034	A22E0026H	4549734184731	#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-P102-N-B	E-Stop, push-in, 1NC + 1NO, 40-diyar. kafa Orta Turn-reset. entegre kontrol kutusu ile	86.95	EC002034	A22E0083G	4549734185301	#		FA	FAX	JPN	8536.5015.90
A22NE-M-P202-C	Acil durdurma anahtarı, Push-In, 24 VAC / DC aydınlatılmıř, 40 mm çap, push-lock / dönüş-reset, 2NC	85.45	EC002034	A22E0043H	4549734184908	#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-P202-N	Acil durdurma anahtarı, Push-In, aydınlatılmıř, 40 mm çap, push-lock / dönüş-reset, 2NC	51.25	EC002034	A22E0027F	4549734184748	#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-P202-N-B	E-Stop, push-in, 2NC, 40-dia. kafa Orta Turn-reset. entegre kontrol kutusu ile	85.45	EC002034	A22E0084E	4549734185318	#		FA	FAX	JPN	8536.5015.90
A22NE-M-P212-N	Acil durdurma anahtarı, Push-In, aydınlatılmıř, 40 mm çap, basmalı kilitle / dönüş-reset, 2NC + YOK	59.05	EC002034	A22E0028D	4549734184755	#		FA	FAX	JPN	8536.5007.00
A22NE-M-P222-N	Acil durdurma anahtarı, Push-In, aydınlatılmıř, 40 mm çap, basmalı kilitle / dönüş-reset, 3NC	59.05	EC002034	A22E0029B	4549734184762	#	10	FA	FAX	JPN	8536.5007.00
A22NE-S-N	Acil durdurma anahtarı, aydınlatılmıř, 30 mm çap, basmalı kilitle / dönüş-reset, IP65	27.94	EC001038	A22E0010A	4549734184571	#	10	FA	FAX	JPN	8536.5015.90
A22NE-S-P002-N	Acil durdurma anahtarı, Push-In, aydınlatılmıř, 30 mm çap, push-lock / dönüş-reset, NC	41.95	EC002034	A22E0020R	4549734184670	#		FA	FAX	JPN	8536.5015.90
A22NE-S-P102-N	Acil durdurma anahtarı, Push-In, aydınlatılmıř, 30 mm çap, basmalı kilitle / dönüş-reset, NC + YOK	48.10	EC002034	A22E0021G	4549734184687	#	5	FA	FAX	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A22NE-S-P202-N	Acil durdurma anahtarı, Push-In, aydınlatılmamış, 30 mm çap, push-lock / dönüş-reset, 2NC	48.10	EC002034	A22E0022E	4549734184694		10	FA	FAX	JPN	8536.5015.90
A22NE-S-P212-N	Acil durdurma anahtarı, Push-In, aydınlatılmamış, 30 mm çap, basmalı kilit / dönüş-reset, 2NC + YOK	55.85	EC002034	A22E0023C	4549734184700		5	FA	FAX	JPN	8536.5015.90
A22NE-S-P222-N	Acil durdurma anahtarı, Push-In, aydınlatılmamış, 30 mm çap, push-lock / dönüş-reset, 3NC	55.85	EC002034	A22E0024A	4549734184717		10	FA	FAX	JPN	8536.5015.90
A22Z-EG1	E-stop shroud, EMERGENCY OFF legend included.	43.95	EC000624	A22E0001B	4536854844058	#		FA	FAX	JPN	8536.5015.90
A22Z-EG2	E-Stop Shroud yellow	43.95	EC000624	A22 9156B	4536854952579	#		FA	FAX	JPN	8536.5015.90
44506-4010 ERS018-021M	Safety rope pull E-stop switch, up to 40m, 2NC + 1NO, M20 wiring entry (3x)	184.20	EC002033	AA042016A	4547648564427	#		FA	FAX	GBR	8536.5080.90
44506-4110 ERS018-021ME	Güvenlik ipli e-stop switchi, 40m ye kadar, 2 NC + 1NO, M20 kablo girişi (3x)	250.70	EC002033	AA042018H	4547648564687	#		FA	FAX	GBR	8536.5080.90
44506-4130 ERS018-030ME	Safety rope pull E-stop switch, up to 40m, 3 NC, M20 wiring entry (3x)	272.30	EC002033	AA042036F	4547648579865	#		FA	FAX	GBR	8536.5080.90
44506-5010 ER6022-021M	Safety rope pull E-stop switch, up to 80m, contact 2 NC+1 NO, wiring 3 x M20	217.70	EC002033	AA042024B	4547648565004	#		FA	FAX	GBR	8536.5080.90
44506-5410 ER6022-021MEL	Safety rope pull E-stop switch, up to 80m, E-stop, indicator beacon, contact 2 NC+1 NO, wiring 3 x M20	334.10	EC002033	AA042023D	4547648565479	#		FA	FAX	GBR	8536.5080.90
44506-5810 ER6022-022MSS	Safety rope pull E-stop switch, up to 100m, 2 NC + 2 NO contacts, wiring 3 x M20 stainless	688.50	EC002033	AA042019F	4547648579902	#		FA	FAX	GBR	8536.5080.90
44506-6410 ER1022-042MELL	Safety rope pull E-stop switch, up to 125m, 4NC + 2NO, M20 wiring entry (4x), 24 VDC indicator beacon, left-sided	389.60	EC002033	AA042030G	4547648579919	#		FA	FAX	GBR	8536.5080.90
44506-6510 ER1022-042MELR	Safety rope pull E-stop switch, up to 125m, 4NC + 2NO, M20 wiring entry (4x), 24 VDC indicator beacon, right-sided	389.60	EC002033	AA042031E	4547648591126	#		FA	FAX	GBR	8536.5080.90
44506-7410 ER1032-042MEL	Safety rope pull E-stop switch, up to 200m, 4NC + 2NO, M20 wiring entry (4x), 24 VDC indicator beacon, both-sided	566.50	EC002033	AA042017M	4547648580694	#		FA	FAX	GBR	8536.5080.90
44506-2705 RKS	Safety rope pull E-stop switch accessory, rope kit 5m	99.05	EC002026	AA042029C	4547648563192	#		FA	FAX	GBR	8536.5080.90
44506-2710 RK10	Güvenlik ipli e-stop switchi aksesuarı, ip kiti 10m	110.80	EC002026	AA042025M	4547648563420	#		FA	FAX	GBR	8536.5080.90
44506-2720 RK20	Safety rope pull E-stop switch accessory, rope kit 20m	134.50	EC002026	AA042022F	4547648563987	#		FA	FAX	GBR	8536.5080.90
44506-2750 RKS50	Safety rope pull E-stop switch accessory, rope kit 50m	200.30	EC002026	AA042021H	4547648565387	#		FA	FAX	GBR	8536.5080.90
44506-2780 RK80	Güvenlik ipli e-stop switchi aksesuarı, ip kiti 80m	278.60	EC002026	AA042057R	4547648566438	#		FA	FAX	GBR	8536.5080.90
44506-4700 SM06-TG00	Safety rope pull E-stop switch accessory, tensioner gripper, stainless steel	83.90	EC002026	AA042027G	4547648562751	#		FA	FAX	GBR	8536.5080.90
44506-4710 SM06-EB10	Safety rope pull E-stop switch accessory, eye bolt stainless steel, 8 pack	25.33	EC002026	AA042037D	4547648561969	#		FA	FAX	GBR	8536.5080.90
44506-4720 SM06-DL20	Safety rope pull E-stop switch accessory, double loop clip, stainless steel, 4 pack	17.05	EC002026	AA042038B	4547648561754	#		FA	FAX	GBR	8536.5080.90
44506-4730 SM06-TB30	Safety rope pull E-stop switch accessory, rope pull switch turnbuckle, stainless steel	21.08	EC002026	AA042040D	4547648561822	#		FA	FAX	GBR	8536.5080.90
44506-4750 SM06-SP50	Safety rope pull E-stop switch accessory, spring, stainless steel	29.06	EC002026	AA042028E	4547648561990	#		FA	FAX	GBR	8536.5080.90
44506-4770 SM06-TH55	Safety rope pull E-stop switch accessory, thimble stainless steel, 4 pack	14.88	EC002026	AA042039M	4547648561693	#		FA	FAX	GBR	8536.5080.90
44506-4780 SM06-RP55	Safety rope pull E-stop switch accessory, rope pulley, stainless steel	58.35	EC002026	AA042026R	4547648562331	#		FA	FAX	GBR	8536.5080.90
F3SP-B1P	Control Unit for F3SJ, 3NO + 1NC, (use F39-JC_B double ended cable)	493.50	EC001449	F3SP6001R	4547648813402	#		FA	FAX	CHN	8536.4900.99
D4F-102-1R	Small Safety Limit Switch, 1NC/1NO slow-action, roller plunger, 1 m cable, horizontal cable exit	105.50	EC000030	D4F 0005E	4536854896101	#		FA	FAX	JPN	8536.5007.00
D4F-102-3D	Limit switch	139.00	EC000030	D4F 0029B	4536854896347	#		FA	FAX	JPN	8536.5007.00
D4F-102-3R	Limit switch	129.70	EC000030	D4F 0021G	4536854896262	#		FA	FAX	JPN	8536.5007.00
D4F-302-5R	Small Safety Limit Switch, 2NC/2NO slow-action, roller plunger, 5 m cable, horizontal cable exit	182.70	EC000030	D4F 0039M	4536854896446	#		FA	FAX	JPN	8536.5007.00
D4F-320-3R	Small Safety Limit Switch, 2NC/2NO slow-action, roller lever, 3 m cable, horizontal cable exit	174.10	EC000030	D4F 0019E	4536854896248	#		FA	FAX	JPN	8536.5007.00
D4N-4C32	Safety Limit switch, D4N, M20 (1 conduit), 2NC/1NO (slow-action), top roller plunger	19.84	EC000030	D4N 0299B	4547648036535	#		FA	FAX	JPN	8536.5007.00
D4N-4A20R	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), roller lever (resin lever, resin roller)	29.94	EC000030	D4NR0004D	4547648039062	#		FA	FAX	JPN	8536.5007.00
D4N-4A2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20 (1-conduit)	34.49	EC000030	D4NR0049D	4547648039512	#		FA	FAX	JPN	8536.5007.00
D4N-4A32R	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), top roller plunger,	33.35	EC000030	D4NR0022B	4547648039246	#		FA	FAX	JPN	8536.5007.00
Emniyet Komponentleri için Aksesuarlar											
F39-JD10A	Verici+Alıcı kablo çifti F3SJ-B için 10m	486.90	EC001855	F39R1005R	4548583097124	#		FA	FAZ	CHN	8544.4290.90
F39-JD3A	Verici+Alıcı kablo çifti F3SJ-B için 3m	256.30	EC001855	F39R1003B	4548583097100	#		FA	FAZ	CHN	8544.4290.90
F39-JD7A	Verici+Alıcı kablo çifti F3SJ-B için 7m	376.20	EC001855	F39R1004M	4548583097117	#		FA	FAZ	CHN	8544.4290.90
F39-JR15L	Series connection cable for F3SJ, 0.15M (cap both ends)	152.50	EC001855	F39J0001D	4547648149631	#		FA	FAZ	JPN	8541.9000.00
F39-LJB1	Güvenlik ışık bariyeri aksesuarı, F3SJ-E/B, üst/alt montaj braketi (4 parça)	51.75	EC003015	F39B0001R	4548583033092	#		FA	FAZ	CHN	8541.9000.00
F39-LJB2	Güvenlik ışık bariyeri aksesuarı, F3SJ-E/B, orta-kenar montaj braketi (2 parça)	87.70	EC003015	F39B0002G	4548583033108	#		FA	FAZ	CHN	8541.9000.00
F39-TRD14	Safety Light Curtain Accessory, test rod, 14mm	61.05	EC003015	F39Z0001M	4548583561038	#		FA	FAZ	JPN	8541.9000.00
F39-TRD30	Safety Light Curtain Accessory, test rod, 30mm	58.35	EC003015	F39Z0004E	4548583561069	#		FA	FAZ	JPN	8541.9000.00
D4N5-5K30	Güvenlik kapı switchi kapı aparatı, D4N5,	652.50	EC001487	D4N51003M	4547648183109	#		FA	FAZ	JPN	8536.5015.90
D4SL-CN10	Guard lock safety-door switch accessory, D4SL-N, connector cable 10m	109.50	EC002594	D4SL0193M	4548583560284	#		FA	FAZ	CHN	8536.5007.00
D4SL-CN3	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, konnektörlü kablo 3m	54.25	EC002594	D4SL0106R	4547648782425	#		FA	FAZ	CHN	8536.5007.00
D4SL-CN5	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, konnektörlü kablo 5m	87.50	EC002594	D4SL0107G	4547648782432	#		FA	FAZ	CHN	8536.5007.00
D4SL-NK1	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar: yatay montaj	9.14	EC001487	D4SL3001H	4548583322271	#		FA	FAZ	JPN	8536.5007.00
D4SL-NK1G	Guard lock safety-door switch accessory, D4SL-N, operation key: horizontal mounting, cushion rubber	12.48	EC001487	D4SL3005M	4548583322318	#		FA	FAZ	JPN	8536.5007.00
D4SL-NK1S	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar: yatay montaj, (kısıp)	9.14	EC001487	D4SL3004B	4548583322301	#		FA	FAZ	JPN	8536.5007.00
D4SL-NK2	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar: dikey montaj	9.45	EC001487	D4SL3002F	4548583322288	#	10	FA	FAZ	JPN	8536.5007.00
D4SL-NK2G	Guard lock safety-door switch accessory, D4SL-N, operation key: vertical mounting, cushion rubber	10.09	EC001487	D4SL3006R	4548583322325	#		FA	FAZ	JPN	8536.5007.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4SL-NK3	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar: ayarlanabilir montaj (yatay)	28.38	EC001487	D4SL3003D	4548583322295	#	10	FA	FAZ	JPN	8536.5007.00
D4SL-NK5	Guard lock safety-door switch accessory, D4SL-N, operation key: adjustable (horizontal/vertical)	25.26	EC001487	D4SL3007G	4548583560277	#		FA	FAZ	JPN	8536.5007.00
D4SL-NSK10-LK	D4SLN kayar/kilitleme anahtar sistemi, kilitleme kolu dahil değil	266.20	EC001487	D4SL4001C	4548583330122	#		FA	FAZ	JPN	8536.5007.00
D4SL-NSK10-LKH	D4SLN slide/lockout key system, with inner lever	321.60	EC001487	D4SL4002A	4548583330153	#		FA	FAZ	JPN	8536.5007.00
F39-TGR-KAM	Key for safety key switch with metal head	8.86	EC001487	AA042772G	4547648999700	#		FA	FAZ	GBR	8536.5005.00
F39-TGR-KHFH	Key for safety key switch, flexible with hygienic stainless steel body	63.05	EC001487	AA042776M	4547648999748	#		FA	FAZ	GBR	8536.5005.00
F39-TGR-NT	T-Connector for F35-TGR-N_C and F35-TGR-N_M(U)	98.45	EC002594	AA043483R	4548583954809	#		FA	FAZ	ITA	8544.4999.00
82611-0010 CM-EIP-1	G95P EthernetIP haberleşme opsiyonu	402.90	EC001449	SLOA4028F	4548583062429	#		FA	FAZ	USA	8538.9099.99
Emniyet Rölesi G95E											
G95E-201 DC24	Emniyet rölesi ünitesi, 24 VDC, 2 emniyetli çıkışlar 5 A maks. yardımcı çıkışlar	121.30	EC001449	G95E9001E	4549734169332	#		FB	FBE	CHN	8536.4900.99
G95E-221-T05 DC24	Emniyet röle ünitesi, 24 VDC, 4 emniyet çıkışı 5 A maks (2 + 2, 5 sn kapalı gecikmeli), yardımcı çıkışlar	153.10	EC001449	G95E9003R	4549734169356	#		FB	FBE	CHN	8536.4900.99
G95E-221-T30 DC24	Emniyet röle ünitesi, 24 VDC, 4 emniyet çıkışı 5 A maks (2 + 2, 30 s kapalı gecikmeli), yardımcı çıkışlar	153.10	EC001449	G95E9004G	4549734169363	#		FB	FBE	CHN	8536.4900.99
G95E-401 DC24	Emniyet röle ünitesi, 24 VDC, 4 emniyetli çıkışlar 5 A maks. yardımcı çıkışlar	127.50	EC001449	G95E9002M	4549734169349	#		FB	FBE	CHN	8536.4900.99
Emniyet Rölesi G95R											
G95R-AD201-RC	Güvenlik Rölesi ünite, 24VDC, 2 Güvenlik 5A, ek çıkış	206.10	EC001449	AA041677F	4547648989039	#		FB	FBR	NLD	8536.4900.99
G95R-BC201-RC	Güvenlik Rölesi ünite, 24VDC, 2 Güvenlik 2A max, ek çıkış	129.20	EC001449	AA041676H	4547648989022	#		FB	FBR	NLD	8536.4900.99
G95R-EX031-T90-RC	Güvenlik Rölesi ünite, 24VDC, çıkış genişletme, 90s, 3 Güvenlik 5A, ek çıkış	199.30	EC001449	AA041678D	4547648989046	#		FB	FBR	NLD	8536.4900.99
Emniyet Işık Bariyeri F35G											
F35G-2RE0160P14	Safety Sensor, F35G-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 160mm, PNP	618.50	EC002549	F35G6166M	4549734103695	#		FC	FCS	NLD	8536.5019.90
F35G-2RE0320P14	Safety Sensor, F35G-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 320mm, PNP	960.50	EC002549	F35G6168F	4549734103718	#		FC	FCS	NLD	8536.5019.90
F35G-2RE0400P14	Safety Sensor, F35G-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 400mm, PNP	1,113.00	EC002549	F35G6169D	4549734103725	#		FC	FCS	NLD	8536.5019.90
F35G-2SRB0160-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	702.00	EC002549	F35G28201H	4549734517157	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0240-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	797.50	EC002549	F35G28203D	4549734517164	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0320-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	892.50	EC002549	F35G28205M	4549734517171	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0400-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	939.00	EC002549	F35G28207G	4549734517188	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0480-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	1,035.00	EC002549	F35G28209C	4549734517195	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0560-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	1,131.00	EC002549	F35G28211E	4549734517201	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0640-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	1,179.00	EC002549	F35G28213A	4549734517218	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0800-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1,373.00	EC002549	F35G28217D	4549734517225	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1000-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN	1,582.00	EC002549	F35G28222M	4549734517232	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1200-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	1,769.00	EC002549	F35G28223R	4549734517249	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1400-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	1,970.00	EC002549	F35G28224G	4549734517256	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1600-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	2,181.00	EC002549	F35G28225E	4549734517263	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1800-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN	2,425.00	EC002549	F35G28226C	4549734517270	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB2000-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN	2,611.00	EC002549	F35G28227A	4549734517287	#		FC	FCS	CHN	8536.5019.90
F35G-2RA0590-30	Safety Sensor, F35G-R Advanced, Type 2, 30mm resolution, range 0.3 to 20.0m, height 590mm, PNP/NPN	1,201.00	EC002549	F35G6086H	4549734102896	#		FC	FCS	NLD	8536.5019.90
F35G-2RA0750-30	Safety Sensor, F35G-R Advanced, Type 2, 30mm resolution, range 0.3 to 20.0m, height 750mm, PNP/NPN	1,365.00	EC002549	F35G6088D	4549734102919	#		FC	FCS	NLD	8536.5019.90
F35G-2RA0910-30	Safety Sensor, F35G-R Advanced, Type 2, 30mm resolution, range 0.3 to 20.0m, height 910mm, PNP/NPN	1,528.00	EC002549	F35G6090F	4549734102933	#		FC	FCS	NLD	8536.5019.90
F35G-2RA0990-30	Safety Sensor, F35G-R Advanced, Type 2, 30mm resolution, range 0.3 to 20.0m, height 990mm, PNP/NPN	1,601.00	EC002549	F35G6091D	4549734102940	#		FC	FCS	NLD	8536.5019.90
F35G-2RA1230-30	Safety Sensor, F35G-R Advanced, Type 2, 30mm resolution, range 0.3 to 20.0m, height 1230mm, PNP/NPN	1,866.00	EC002549	F35G6094R	4549734102971	#		FC	FCS	NLD	8536.5019.90
F35G-2RE0190P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 190mm, PNP	564.50	EC002549	F35G6191M	4549734103947	#		FC	FCS	NLD	8536.5019.90
F35G-2RE0270P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 270mm, PNP	690.00	EC002549	F35G6192R	4549734103954	#		FC	FCS	NLD	8536.5019.90
F35G-2RE0350P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 350mm, PNP	794.50	EC002549	F35G6193G	4549734103961	#		FC	FCS	NLD	8536.5019.90
F35G-2RE0430P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 430mm, PNP	854.50	EC002549	F35G6194E	4549734103978	#		FC	FCS	NLD	8536.5019.90
F35G-2RE0510P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 510mm, PNP	922.00	EC002549	F35G6195C	4549734103985	#		FC	FCS	NLD	8536.5019.90
F35G-2RE0590P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 590mm, PNP	1,038.00	EC002549	F35G6196A	4549734103992	#		FC	FCS	NLD	8536.5019.90
F35G-2RE0670P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 670mm, PNP	1,120.00	EC002549	F35G6197M	4549734104005	#		FC	FCS	NLD	8536.5019.90
F35G-2RE0750P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 750mm, PNP	1,155.00	EC002549	F35G6198H	4549734104012	#		FC	FCS	NLD	8536.5019.90
F35G-2RE0910P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 910mm, PNP	1,375.00	EC002549	F35G6200C	4549734104036	#		FC	FCS	NLD	8536.5019.90
F35G-2RE0990P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 990mm, PNP	1,385.00	EC002549	F35G6201A	4549734104043	#		FC	FCS	NLD	8536.5019.90
F35G-2RE1070P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 1070mm, PNP	1,496.00	EC002549	F35G6202M	4549734104050	#		FC	FCS	NLD	8536.5019.90
F35G-2RE1310P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 1310mm, PNP	1,717.00	EC002549	F35G6205D	4549734104081	#		FC	FCS	NLD	8536.5019.90
F35G-2RE1550P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 1550mm, PNP	1,913.00	EC002549	F35G6208R	4549734104111	#		FC	FCS	NLD	8536.5019.90
F35G-2SRB0160-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 160 mm, PNP/NPN	659.50	EC002549	F35G28228M	4549734517294	#		FC	FCS	CHN	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F35G-2SRB0240-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	735.00	EC002549	F3G28230A	4549734517300	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0320-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 320 mm, PNP/NPN	809.50	EC002549	F3G28232H	4549734517317	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0400-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	834.50	EC002549	F3G28234D	4549734517324	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0480-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 480 mm, PNP/NPN	910.00	EC002549	F3G28236M	4549734517331	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0560-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	986.00	EC002549	F3G28238G	4549734517348	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0640-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 640 mm, PNP/NPN	1,009.00	EC002549	F3G28240R	4549734517355	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0720-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	1,085.00	EC002549	F3G28242E	4549734517362	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0800-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 800 mm, PNP/NPN	1,161.00	EC002549	F3G28244A	4549734517379	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0880-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	1,185.00	EC002549	F3G28246H	4549734517386	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0960-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN	1,277.00	EC002549	F3G28248D	4549734517393	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1040-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN	1,352.00	EC002549	F3G28250F	4549734517409	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1040-25-K	Safety Light Curtain, F35G-SRB IP69K version, Type 2, 25 mm resolution, range 0.3 to 16.0 m, height 1040 mm, PNP/NPN	3,328.00	EC002549	F3G21250H	4549734514040	#		FC	FCS	JPN	8536.5019.90
F35G-2SRB1120-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN	1,376.00	EC002549	F3G28251D	4549734517416	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1200-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,453.00	EC002549	F3G28252B	4549734517423	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1280-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN	1,532.00	EC002549	F3G28253M	4549734517430	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1360-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN	1,555.00	EC002549	F3G28254R	4549734517447	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1440-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN	1,631.00	EC002549	F3G28255G	4549734517454	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1520-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,733.00	EC002549	F3G28256E	4549734517461	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1600-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN	1,756.00	EC002549	F3G28257C	4549734517478	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1680-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN	1,832.00	EC002549	F3G28258A	4549734517485	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1760-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1760 mm, PNP/NPN	1,907.00	EC002549	F3G28259M	4549734517492	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1840-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN	1,932.00	EC002549	F3G28260C	4549734517508	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1920-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN	2,008.00	EC002549	F3G28261A	4549734517515	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB2080-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN	2,107.00	EC002549	F3G28262M	4549734517522	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB2280-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN	2,349.00	EC002549	F3G28263H	4549734517539	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB2480-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN	2,481.00	EC002549	F3G28264F	4549734517546	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0240-45	Safety Light Curtain, F35G-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	707.00	EC002549	F3G28265D	4549734517553	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0280-85	Safety Light Curtain, F35G-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	732.50	EC002549	F3G28272G	4549734517621	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0400-45	Safety Light Curtain, F35G-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	788.50	EC002549	F3G28266B	4549734517560	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0440-85	Safety Light Curtain, F35G-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	805.50	EC002549	F3G28273E	4549734517638	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0560-45	Safety Light Curtain, F35G-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	920.00	EC002549	F3G28267M	4549734517577	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0600-85	Safety Light Curtain, F35G-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	927.50	EC002549	F3G28274C	4549734517645	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0720-45	Safety Light Curtain, F35G-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	1,000.00	EC002549	F3G28268R	4549734517584	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0760-85	Safety Light Curtain, F35G-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	1,000.00	EC002549	F3G28275A	4549734517652	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0880-45	Safety Light Curtain, F35G-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	1,084.00	EC002549	F3G28269G	4549734517591	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB0920-85	Safety Light Curtain, F35G-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	1,091.00	EC002549	F3G28276M	4549734517669	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1200-45	Safety Light Curtain, F35G-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,314.00	EC002549	F3G28270M	4549734517607	#		FC	FCS	CHN	8536.5019.90
F35G-2SRB1520-45	Safety Light Curtain, F35G-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,557.00	EC002549	F3G28271R	4549734517614	#		FC	FCS	CHN	8536.5019.90
F35G-4RA0240-14	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 240mm, PNP/NPN	1,108.00	EC002549	F35G6002G	4549734102056	#		FC	FCS	NLD	8536.5019.90
F35G-4RA0320-14	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 320mm, PNP/NPN	1,212.00	EC002549	F35G6003E	4549734102063	#		FC	FCS	NLD	8536.5019.90
F35G-4RA0400-14	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 400mm, PNP/NPN	1,314.00	EC002549	F35G6004C	4549734102070	#		FC	FCS	NLD	8536.5019.90
F35G-4RA0480-14	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 480mm, PNP/NPN	1,418.00	EC002549	F35G6005A	4549734102087	#		FC	FCS	NLD	8536.5019.90
F35G-4RA0560-14	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 560mm, PNP/NPN	1,526.00	EC002549	F35G6006M	4549734102094	#		FC	FCS	NLD	8536.5019.90
F35G-4RA0640-14	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 640mm, PNP/NPN	1,628.00	EC002549	F35G6007H	4549734102100	#		FC	FCS	NLD	8536.5019.90
F35G-4RA0800-14	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 800mm, PNP/NPN	1,835.00	EC002549	F35G6009D	4549734102124	#		FC	FCS	NLD	8536.5019.90
F35G-4RA0960-14	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 960mm, PNP/NPN	2,042.00	EC002549	F35G6011F	4549734102148	#		FC	FCS	NLD	8536.5019.90
F35G-4RA1040-14	Güvenlik ışık bariyeri, F35G-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1040mm, PNP/NPN	2,146.00	EC002549	F35G6012D	4549734102155	#		FC	FCS	NLD	8536.5019.90
F35G-4RE0160P14	Güvenlik ışık bariyeri, F35G-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 160mm, PNP	826.50	EC002549	F35G6111B	4549734103145	#		FC	FCS	NLD	8536.5019.90
F35G-4RE0240P14	Güvenlik ışık bariyeri, F35G-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 240mm, PNP	921.50	EC002549	F35G6112M	4549734103152	#		FC	FCS	NLD	8536.5019.90
F35G-4RE0320P14	Ermiyet sensörü F35G-4RA için basamaklı kablo ____-25-0ITS (verici ve alıcı için set başına iki kablo) M12 (8-pinli) konik konektör	1,016.00	EC002549	F35G6113R	4549734103169	#		FC	FCS	NLD	8536.5019.90
F35G-4RE0400P14	Güvenlik ışık bariyeri, F35G-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 400mm, PNP	1,111.00	EC002549	F35G6114G	4549734103176	#		FC	FCS	NLD	8536.5019.90
F35G-4RE0480P14	Güvenlik ışık bariyeri, F35G-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 480mm, PNP	1,206.00	EC002549	F35G6115E	4549734103183	#		FC	FCS	NLD	8536.5019.90
F35G-4RE0560P14	Güvenlik ışık bariyeri, F35G-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 560mm, PNP	1,302.00	EC002549	F35G6116C	4549734103190	#		FC	FCS	NLD	8536.5019.90
F35G-4RE0640P14	Güvenlik ışık bariyeri, F35G-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 640mm, PNP	1,398.00	EC002549	F35G6117A	4549734103206	#		FC	FCS	NLD	8536.5019.90
F35G-4RE0720P14	Güvenlik ışık bariyeri, F35G-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 720mm, PNP	1,494.00	EC002549	F35G6118M	4549734103213	#		FC	FCS	NLD	8536.5019.90
F35G-4RE0800P14	Güvenlik ışık bariyeri, F35G-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 800mm, PNP	1,588.00	EC002549	F35G6119H	4549734103220	#		FC	FCS	NLD	8536.5019.90
F35G-4RE0880P14	Güvenlik ışık bariyeri, F35G-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 880mm, PNP	1,683.00	EC002549	F35G6120A	4549734103237	#		FC	FCS	NLD	8536.5019.90
F35G-4RE0960P14	Güvenlik ışık bariyeri, F35G-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 960mm, PNP	1,779.00	EC002549	F35G6121M	4549734103244	#		FC	FCS	NLD	8536.5019.90
F35G-4RE1040P14	Güvenlik ışık bariyeri, F35G-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1040mm, PNP	1,872.00	EC002549	F35G6122H	4549734103251	#		FC	FCS	NLD	8536.5019.90
F35G-4RE1200P14	Güvenlik ışık bariyeri, F35G-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1200mm, PNP	2,067.00	EC002549	F35G6124D	4549734103275	#		FC	FCS	NLD	8536.5019.90
F35G-4RE1360P14	Güvenlik ışık bariyeri, F35G-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1360mm, PNP	2,283.00	EC002549	F35G6126M	4549734103299	#		FC	FCS	NLD	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
F35G-4SRB000-85	Safety Light Curtain, F35G-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	878.50	EC002549	F3G28172M	4549734517102				FC	FCS	CHN	8536.5019.90
F35G-4SRB040-45	Safety Light Curtain, F35G-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	945.00	EC002549	F3G28166F	4549734517041				FC	FCS	CHN	8536.5019.90
F35G-4SRB040-85	Safety Light Curtain, F35G-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	966.00	EC002549	F3G28173R	4549734517119				FC	FCS	CHN	8536.5019.90
F35G-4SRB0560-45	Safety Light Curtain, F35G-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	1,104.00	EC002549	F3G28167D	4549734517058				FC	FCS	CHN	8536.5019.90
F35G-4SRB0600-85	Safety Light Curtain, F35G-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	1,112.00	EC002549	F3G28174G	4549734517126				FC	FCS	CHN	8536.5019.90
F35G-4SRB0720-45	Safety Light Curtain, F35G-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	1,201.00	EC002549	F3G28168B	4549734517065				FC	FCS	CHN	8536.5019.90
F35G-4SRB0760-85	Safety Light Curtain, F35G-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	1,201.00	EC002549	F3G28175E	4549734517133				FC	FCS	CHN	8536.5019.90
F35G-4SRB0880-45	Safety Light Curtain, F35G-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	1,301.00	EC002549	F3G28169M	4549734517072				FC	FCS	CHN	8536.5019.90
F35G-4SRB0920-85	Safety Light Curtain, F35G-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	1,311.00	EC002549	F3G28176C	4549734517140		#		FC	FCS	CHN	8536.5019.90
F35G-4SRB1200-45	Safety Light Curtain, F35G-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,577.00	EC002549	F3G28170D	4549734517089		#		FC	FCS	CHN	8536.5019.90
F35G-4SRB1520-45	Safety Light Curtain, F35G-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,869.00	EC002549	F3G28171B	4549734517096		#		FC	FCS	CHN	8536.5019.90
F3W-MAA0100P	Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 100mm için boşluğu	498.80	EC003015	F3WM0001G	4548583571150		#		FC	FCS	JPN	8541.4900.00
F3W-MAA0300P	Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 300mm için boşluğu	625.00	EC003015	F3WM0002E	4548583571167		#		FC	FCS	JPN	8541.4900.00
Emniyet Işık Bariyeri Aksesuarı												
F39-FMA150R	Muting sensor arm mounter for retroreflective sensor; length 150 mm (2 mounters per set)	98.00	EC003015	F3958206F	4549734523134				FC	FCZ	CHN	8541.4900.00
F39-FMA150T	Muting sensor arm mounter for through-beam sensor; length 150 mm (2 mounters per set)	79.60	EC003015	F3958204M	4549734523110				FC	FCZ	CHN	8541.4900.00
F39-FMA400R	Muting sensor arm mounter for retroreflective sensor; length 400 mm (2 mounters per set)	109.40	EC003015	F3958207D	4549734523141		#		FC	FCZ	CHN	8541.4900.00
F39-FMA400T	Muting sensor arm mounter for through-beam sensor; length 400 mm (2 mounters per set)	90.90	EC003015	F3958205H	4549734523127				FC	FCZ	CHN	8541.4900.00
F39-GC4	Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 4 bağlantı konnektörü set (1 alıcı için + 1 verici için)	182.10	EC003015	F39G1057B	4548583594197		#		FC	FCZ	JPN	8541.4900.00
F39-GC4-D	Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 4 bağlantı konnektörü, alıcı için	102.20	EC003015	F39G1059R	4548583594210		#		FC	FCZ	JPN	8541.4900.00
F39-GC4-L	Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 4 bağlantı konnektörü, verici için	79.85	EC003015	F39G1058M	4548583594203		#		FC	FCZ	JPN	8541.4900.00
F39-GC4S	Muting Sensor Connection Box for F35G-SR/PG series	246.90	EC003015	F3950208R	4549734458177				FC	FCZ	JPN	8541.4900.00
F39-GCNV1	Safety Sensor Accessory, F35G-R Easy, M12 Y-joint connector, 0.5m	33.38	EC003015	F39G1055F	4548583568013		#		FC	FCZ	JPN	8541.4900.00
F39-GCNV2	Safety Sensor Accessory, F35G-R Advanced, M12 Y-joint connector, 0.5m	56.95	EC003015	F39G1056D	4548583568020		#		FC	FCZ	JPN	8541.4900.00
F39-GCNV3	Safety sensor accessory, F35G-R_SR, Reset Switch M12 Y-joint connector, 0.5 m	59.70	EC003015	F3950209G	4549734458184				FC	FCZ	JPN	8541.4900.00
F39-JG10A-D	F35G-R İleri seviye, alıcı kablosu M12 8-pin, 10m	70.40	EC001855	F39G1039D	4548583567856		#		FC	FCZ	JPN	8544.4290.90
F39-JG10A-L	F35G-R İleri seviye, gönderici kablosu M12 5-pin, 10m	51.85	EC001855	F39G1021A	4548583567672		#		FC	FCZ	JPN	8544.4290.90
F39-JG10B-D	Safety Sensor Accessory, F35G-R Advanced, receiver extension cable M12 8-pin, male/female, 10m	89.85	EC001855	F39G1052A	4548583567986		#		FC	FCZ	JPN	8544.4290.90
F39-JG10B-L	Safety Sensor Accessory, F35G-R Advanced, emitter extension cable M12 5-pin, male/female, 10m	65.10	EC001855	F39G1034C	4548583567801		#		FC	FCZ	JPN	8544.4290.90
F39-JG10C-D	Root-straight cable 10 m for F35G-SR (cable for receiver with dedicated connector - Black)	55.55	EC001855	F3950108B	4549734458009		#		FC	FCZ	JPN	8544.4290.90
F39-JG10C-L	Root-straight cable 10 m for F35G-SR (cable for emitter with dedicated connector - Gray)	41.98	EC001855	F3950107D	4549734457996		#		FC	FCZ	JPN	8544.4290.90
F39-JG15A-D	Safety Sensor Accessory, F35G-R Advanced, receiver cable M12 8-pin, female, 15m	94.90	EC001855	F39G1040H	4548583567863		#		FC	FCZ	JPN	8544.4290.90
F39-JG15A-L	Safety Sensor Accessory, F35G-R Advanced, emitter cable M12 5-pin, female, 15m	68.25	EC001855	F39G1022M	4548583567689		#		FC	FCZ	JPN	8544.4290.90
F39-JG1B-D	F35G-R İleri seviye, receiver extension cable M12 8-pin, male/1m	38.68	EC001855	F39G1048C	4548583567948		#	5	FC	FCZ	JPN	8544.4290.90
F39-JG1B-L	F35G-R İleri seviye, emitter extension cable M12 5-pin, male/1m	28.98	EC001855	F39G1030M	4548583567764		#	5	FC	FCZ	JPN	8544.4290.90
F39-JG20A-D	Safety Sensor Accessory, F35G-R Advanced, receiver cable M12 8-pin, female, 20m	118.80	EC001855	F39G1041F	4548583567870		#		FC	FCZ	JPN	8544.4290.90
F39-JG20A-L	Safety Sensor Accessory, F35G-R Advanced, emitter cable M12 5-pin, female, 20m	85.70	EC001855	F39G1023H	4548583567696		#		FC	FCZ	JPN	8544.4290.90
F39-JG3A-D	F35G-R İleri seviye, alıcı kablosu M12 8-pin, 3m	35.13	EC001855	F39G1037H	4548583567832		#	5	FC	FCZ	JPN	8544.4290.90
F39-JG3A-L	F35G-R İleri seviye, gönderici kablosu M12 5-pin, 3m	26.34	EC001855	F39G1019M	4548583567658		#	5	FC	FCZ	JPN	8544.4290.90
F39-JG3B-L	Safety Sensor Accessory, F35G-R Advanced, emitter extension cable M12 5-pin, male/female, 3m	36.19	EC001855	F39G1031R	4548583567771		#	5	FC	FCZ	JPN	8544.4290.90
F39-JG3C-D	Root-straight cable 3 m for F35G-SR (cable for receiver with dedicated connector - Black)	31.15	EC001855	F3950102C	4549734457941		#		FC	FCZ	JPN	8544.4290.90
F39-JG3C-L	Root-straight cable 3 m for F35G-SR (cable for emitter with dedicated connector - Gray)	25.74	EC001855	F3950101E	4549734457934		#		FC	FCZ	JPN	8544.4290.90
F39-JG7A-D	F35G-R İleri seviye, alıcı kablosu M12 8-pin, 7m	54.95	EC001855	F39G1038F	4548583567849		#		FC	FCZ	JPN	8544.4290.90
F39-JG7A-L	F35G-R İleri seviye, gönderici kablosu M12 5-pin, 7m	40.42	EC001855	F39G1020C	4548583567665		#		FC	FCZ	JPN	8544.4290.90
F39-JG7C-D	Root-straight cable 7 m for F35G-SR (cable for receiver with dedicated connector - Black)	41.98	EC001855	F3950105H	4549734457972		#		FC	FCZ	JPN	8544.4290.90
F39-JG7C-L	Root-straight cable 7 m for F35G-SR (cable for emitter with dedicated connector - Gray)	35.22	EC001855	F3950104M	4549734457965		#	5	FC	FCZ	JPN	8544.4290.90
F39-JGR12L	Side-by-side Cascading Cable set 0.12 m for F35G-4SR (2 cables per set, for emitter and receiver)	117.10	EC001855	F3950114G	4549734458061		#		FC	FCZ	JPN	8544.4290.90
F39-JGR2W	Güvenlik ışık bariyeri aksesuarı, F35G-R İleri seviye, seri bağlama kablo seti (2 adet)	60.70	EC001855	F39G0010M	4548583564398		#		FC	FCZ	JPN	8544.4290.90
F39-JGR3K-D	Root-Plug cable for extended set 0.3 m for F35G-4SR (cable for receiver - black)	33.87	EC001855	F3950111B	4549734458030		#		FC	FCZ	JPN	8544.4290.90
F39-JGR3K-L	Root-Plug cable for extended set 0.3 m for F35G-4SR (cable for emitter - gray)	28.46	EC001855	F3950110D	4549734458023		#		FC	FCZ	JPN	8544.4290.90
F39-JGR3W	Cascading cable for extended set 0.3 m for F35G-4SR (2 cables per set, for emitter and receiver)	117.10	EC001855	F3950113R	4549734458054		#		FC	FCZ	JPN	8544.4290.90
F39-LMAF1	Bracket for muting sensor arm mounter (2 units per set)	39.73	EC003015	F3958007A	4549734523214		#		FC	FCS	CHN	8541.4900.00
F39-PML0990-2	Mirror column 990 mm for multibeam safety sensor F35G-PG_A/L (2 beams)	305.00	EC003015	F3958312G	4549734523264		#		FC	FCZ	CHN	8541.9000.00
F39-PML1310-3	Mirror column 1310 mm for multibeam safety sensor F35G-PG_A/L (3 beams)	373.90	EC003015	F3958313E	4549734523271		#		FC	FCZ	CHN	8541.9000.00
F39-PML1310-4	Mirror column 1310 mm for multibeam safety sensor F35G-PG_A/L (4 beams)	439.10	EC003015	F3958314C	4549734523288		#		FC	FCZ	CHN	8541.9000.00
F39-PML1630-4	Mirror column 1630 mm for multibeam safety sensor F35G-PG_A/L (4 beams)	448.40	EC003015	F3958315A	4549734523295		#		FC	FCZ	CHN	8541.9000.00
F39-SML0990	Mirror column 990 mm for Safety Light Curtain F35G-SR/PG up to 880 mm	549.00	EC003015	F3958307M	4549734523219		#		FC	FCZ	CHN	8541.9000.00
F39-SML1310	Mirror column 1310 mm for Safety Light Curtain F35G-SR/PG up to 1200 mm	621.50	EC003015	F3958308R	4549734523226		#		FC	FCZ	CHN	8541.9000.00
F39-SML1630	Mirror column 1630 mm for Safety Light Curtain F35G-SR/PG up to 1520 mm	819.50	EC003015	F3958309G	4549734523233		#		FC	FCZ	CHN	8541.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F39-SML1950	Mirror column 1950 mm for Safety Light Curtain F35G-SR/PG up to 1840 mm	857.00	EC003015	F39S8310M	4549734523240	#		FC	FCZ	CHN	8541.9000.00
F39-ST0990	Floor mount column of 990 mm for F35G-SR/PG, Protective Height up to 880 mm	177.70	EC003015	F39S8302M	4549734523165	#		FC	FCZ	CHN	8541.9000.00
F39-ST1310	Floor mount column of 1310 mm for F35G-SR/PG, protective height up to 1280 mm	208.90	EC003015	F39S8303H	4549734523172	#		FC	FCZ	CHN	8541.9000.00
F39-ST1630	Floor mount column of 1630 mm for F35G-SR/PG, protective height up to 1520 mm	271.00	EC003015	F39S8304F	4549734523189	#		FC	FCZ	CHN	8541.9000.00
F39-ST1950	Floor mount column of 1950 mm for F35G-SR/PG, protective height up to 1840 mm	277.80	EC003015	F39S8305D	4549734523196	#		FC	FCZ	CHN	8541.9000.00
F39-ST2270	Floor mount column of 2270 mm for F35G-SR/PG, protective height up to 2080mm	298.10	EC003015	F39S8306B	4549734523202	#		FC	FCZ	CHN	8541.9000.00
F39-STB	Mount-column adjustable base for F35G-SR/PG Mounted to the floor mount column or mirror column.The angle and height of the column can be adjusted.	143.90	EC003015	F39S8301A	4549734523158	#		FC	FCZ	CHN	8541.9000.00
F39-GIF	Güvenlik ışık bariyeri aksesuarı, F35G-R leri seviye, arayüz ünitesi	246.60	EC003015	F39G0009G	4548583564381	#		FC	FCZ	JPN	8541.4900.00
F39-LGA	Güvenlik ışık bariyeri aksesuarı, F35G-R Serisi, ayarlanabilir braket seti (2 adet), ayarlama +/- 15°	31.73	EC003015	F39G0002M	4548583564121	#		FC	FCZ	JPN	8541.4900.00
F39-LGF	Güvenlik ışık bariyeri aksesuarı, F35G-R Serisi, sabit braket seti (2 adet)	20.60	EC003015	F39G0001A	4548583564114	#		FC	FCZ	JPN	8541.4900.00
F39-LGMAL	Safety Sensor Accessory, F3W-MA Smart Muting Actuator, L-Shape Muting Bracket (2pcs.)	109.50	EC003015	F39G0013E	4548583571174	#		FC	FCZ	JPN	8541.4900.00
F39-LGMAT	Safety Sensor Accessory, F3W-MA Smart Muting Actuator, T-Shape Muting Bracket (2pcs.)	169.50	EC003015	F39G0062C	4548583733091	#		FC	FCZ	JPN	8541.4900.00
F39-LGTB	Güvenlik ışık bariyeri aksesuarı, F35G-R Serisi, üst/alt ayarlama braket seti (4 adet), ayarlama +/- 22.5°	108.20	EC003015	F39G0003H	4548583564329	#		FC	FCZ	JPN	7326.9098.90
F39-LP	Güvenlik ışık bariyeri aksesuarı, F35G-R leri seviye, lamba ünitesi	53.70	EC003015	F39G0005D	4548583564343	#		FC	FCZ	JPN	8541.4900.00
F39-LSGA	Adjustable Side-Mount Bracket (2 brackets per set)	41.90	EC003015	F39S8002M	4549734523684	#		FC	FCZ	CHN	8544.4290.90
F39-LSGF	Fixed Side-Mount Bracket (2 brackets per set)	37.05	EC003015	F39S0001R	4549734457804	#		FC	FCZ	JPN	8544.4290.90
F39-LSGTB-K	Mounting bracket for F35G-SRB IP69K Model (set of 2 brackets)	71.95	EC003015	F39S0011F	4549734457903	#		FC	FCZ	JPN	8541.4900.00
F39-LSGTB-RE	Adjustable top/bottom bracket set (2 pcs.) for F35G-RA/ RE series	29.51	EC003015	F39S8013F	4549734523066	#		FC	FCZ	CHN	8541.4900.00
F39-LSGTB-SJ	Adjustable top/bottom bracket set (2 pcs.) for F35J/ SN series	26.40	EC003015	F39S8003R	4549734523042	#		FC	FCZ	CHN	8541.4900.00
F39-PTG	Safety Sensor Accessory, F35G-R Series, Laser-alignment kit	441.10	EC003015	F39G0063A	4548583757707	#		FC	FCZ	JPN	8541.4900.00
F39-PTS	Laser-alignment kit for F35G-SR/PG Series, Mountable from the front. This can be easily mounted and removed to/from the main unit, even as a set with the F39-ST.	778.00	EC003015	F39S0210M	4549734712286	#		FC	FCZ	JPN	8541.4900.00
F39-SGLP	The lamp can be connected to emitter, receiver, or emitter/receiver and turned ON based on the operation of F35G-SR/PG.The lamp can indicate red, orange, and green colors, to which three different states can be assigned. IP67 * rated when mated.	26.40	EC003015	F39S8203A	4549734523103	#		FC	FCZ	CHN	8541.4900.00
F39-LITF1	Intelligent Tap Bracket For DIN in Panel	23.28	EC003015	F39S8010A	4549734523745	#		FC	FCZ	CHN	8541.4900.00
F39-SGBT	Bluetooth Communication Unit for F39-SGIT-IL3	94.30	EC003015	F39S8202C	4549734523097	#		FC	FCZ	CHN	8541.4900.00
F39-SGIT-IL3	Intelligent Tap unit for F35G-SR/PG	269.40	EC003015	F39S8201E	4549734523080	#		FC	FCZ	CHN	8541.4900.00
Lazer Ölçüm Sistemi ZS											
ZS-HLDC11-N	ZS-H controller, analog output and NPN digital outputs	2,013.00	EC001825	ZS 0164E	4549734772464			GA	GAC	JPN	9031.4990.00
ZS-LD200 2M	Sensor head, diffuse, 200+/-50mm sensing range, 5µm resolution	3,053.00	EC001825	ZS 0006A	4547648084543			GA	GAC	JPN	9031.4990.00
Akıllı Sensörler ZX											
ZX-LDA11-N 2M	Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor NPN outputs	1,583.00	EC003015	ZX 1051C	4547648027342			GA	GAD	JPN	9031.4990.00
ZX-LDA41-N 2M	Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor PNP outputs	1,612.00	EC003015	ZX 1052A	4547648027359	#		GA	GAD	JPN	9031.4990.00
ZX-LD100L	Laser displacement sensor head, 100+/-40mm, line beam (requires amplifier)	1,782.00	EC001825	ZX 0007M	4536854772399			GA	GAD	JPN	9031.4990.00
ZX-LD40L	Laser displacement sensor head, 40+/-10mm, line beam (requires amplifier)	1,775.00	EC001825	ZX 0006B	4536854772375			GA	GAD	JPN	9031.4990.00
ZX-LD40L 2M	Laser displacement sensor head, 40+/-10mm, line beam (requires amplifier)	1,775.00	EC001825	ZX 0043G	4547648342186			GA	GAD	JPN	9031.4990.00
ZX-GTC41	controller, PNP output	1,205.00	EC003015	ZX 5002G	4547648424387	#		GA	GAD	JPN	9031.4990.00
ZX-GT28541	Sensor head separate type, measuring width 28mm, distance 500mm, PNP (for use with ZG-GTC)	3,911.00	EC002716	ZX 5004C	4547648424400	#		GA	GAD	JPN	9031.4990.00
ZX-LD100	Laser displacement sensor head, 100+/-40mm, spot focus (requires amplifier)	1,532.00	EC001825	ZX 0004F	4536854772306			GA	GAD	JPN	9031.4990.00
ZX-LD30V	Laser displacement sensor head, 30+/-2mm, spot focus, for highly reflective surfaces (requires amplifier)	3,444.00	EC001825	ZX 0014C	4536854810091			GA	GAD	JPN	9031.4990.00
ZX-LD40	Laser displacement sensor head, 40+/-10mm, spot focus (requires amplifier)	1,532.00	EC001825	ZX 0003H	4536854772290			GA	GAD	JPN	9031.4990.00
ZX-LT001	Laser sensor head, through-beam, 1mm beam width (requires amplifier)	1,567.00	EC002716	ZX 0016M	4536854810114			GA	GAD	JPN	9031.4990.00
ZX-LT005	Laser sensor head, through-beam, 5mm beam width (requires amplifier)	1,583.00	EC002716	ZX 0017H	4536854810121	#		GA	GAD	JPN	9031.4990.00
ZX-LT010	Laser sensor head, through-beam, 10mm beam width (requires amplifier)	1,593.00	EC002716	ZX 0021F	4536854823633			GA	GAD	JPN	9031.4990.00
ZX-LT030 0.5M	Laser sensor head, through-beam, 30mm beam width (requires amplifier)	2,123.00	EC002716	ZX 0035F	4547648147934			GA	GAD	JPN	9031.4990.00
ZX-XC4A 4M	Extension cable (amplifier to head), 4m	360.10	EC003015	ZX 0050M	4547648597081	#		GA	GAD	CHN	8544.4290.90
ZX-EDA41 2M	Proximity Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, PNP output model	1,273.00	EC003015	ZX 1002E	4536854864063	#		GA	GAD	JPN	9031.8080.00
ZX-EM02HT	Inductive proximity sensor head, 12mm dia., Heat resistant, 2mm sensing distance (requires ZX-EDA amplifier)	1,494.00	EC001818	ZX 1037H	4547648007979	#		GA	GAD	JPN	9031.8080.00
ZX-EM02T	Inductive proximity sensor head, 10mm dia., Shielded type, 2mm sensing distance (requires ZX-EDA amplifier)	866.50	EC001818	ZX 1023H	4536854895777	#		GA	GAD	JPN	9031.8080.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
ZX-EM07MT	Inductive proximity sensor head, 18mm dia., Shielded type, 7mm sensing distance (requires ZX-EDA amplifier)	1,444.00	EC001818	ZX 1024F	4536854895784	#		GA	GAD	JPN	9031.8080.00
ZX-ED01T	Inductive proximity sensor head, 5.4mm dia., Shielded type, 1mm sensing distance (requires ZX-EDA amplifier)	908.00	EC001818	ZX 1021A	4536854895753			GA	GAD	JPN	9031.8080.00
ZX-ED02T	Inductive proximity sensor head, 8mm dia., Shielded type, 2mm sensing distance (requires ZX-EDA amplifier)	866.50	EC001818	ZX 1022M	4536854895760			GA	GAD	JPN	9031.8080.00
ZX-EDR5T	Inductive proximity sensor head, 3mm dia., Shielded type, 0.5 mm sensing distance (requires ZX-EDA amplifier)	892.50	EC001818	ZX 1020C	4536854895746			GA	GAD	JPN	9031.8080.00
ZX-EV04T	Inductive proximity sensor head, 30 x 14 x 4.8 mm, flat type, 4mm sensing distance (requires ZX-EDA amplifier)	1,090.00	EC001818	ZX 1036M	4547648007962	#		GA	GAD	JPN	9031.8080.00
E9NC-TA0	Contact sensor amplifier, Smart tuning, fieldbus communication	331.10	EC003015	E9NC0023A	4548583519046			GA	GAD	JPN	9031.8080.00
ZX-TDA11 2M	Contact smart sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, NPN output model	1,600.00	EC003015	ZX 2001B	4536854940286			GA	GAD	JPN	9031.8080.00
ZX-TDA41 2M	Contact smart sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, PNP output model	1,600.00	EC003015	ZX 2009H	4547648095488			GA	GAD	JPN	9031.8080.00
E9NC-TH12SF 2M	Contact sensor, straight type, M9, flange, 12 mm detection range, 0.1um resolution	2,335.00	EC003015	E9NC0006A	4548583414396			GA	GAD	JPN	9031.8080.00
E9NC-TH55 2M	Contact sensor, straight type, 8mm dia., 5 mm detection range, 0.1um resolution	2,252.00	EC003015	E9NC0001M	4548583414341			GA	GAD	JPN	9031.8080.00
ZX-TD504T	Sensor head, standard type Ø 6mm, distance 4mm (for use with ZX-TDA)	2,620.00	EC003015	ZX 2006C	4547648006071	#		GA	GAD	JPN	9031.8080.00
E9NC-TH12LF 2M	Contact sensor, right-angle air type, M9, flange, 12 mm detection range, 0.1um resolution	2,418.00	EC003015	E9NC0008H	4548583414419			GA	GAD	JPN	9031.8080.00
E9NC-TXC5	Accessory contact sensor, E9NC, connection cable for contact sensor, 5 m	132.70	EC003015	E9NC0015M	4548583414488			GA	GAD	JPN	9031.9000.00
ZX2-LDA11 2M	lazer mesafe sensörü, CMOS tip, amplifikatör, NPN	749.00	EC003015	ZX 0069M	4548583005860			GA	GAD	JPN	9031.4990.00
ZX2-LDA41 2M	lazer mesafe sensörü, CMOS tip, amplifikatör, PNP	749.00	EC003015	ZX 0070D	4548583005877	#		GA	GAD	JPN	9031.4990.00
ZX2-LD100 0.5M	lazer mesafe sensörü, CMOS tip, sensör kafası, nokta için, 100mm +/-35mm, 5µm çözünürlük, 0.5m kablolu	974.50	EC001825	ZX 0076C	4548583005938	#		GA	GAD	JPN	9031.4990.00
ZX2-LD100L 0.5M	lazer mesafe sensörü, CMOS tip, sensör kafası, çizgi için, 100mm +/-35mm, 5µm çözünürlük, 0.5m kablolu	928.50	EC001825	ZX 0077A	4548583005945	#		GA	GAD	JPN	9031.4990.00
ZX2-LD50 0.5M	lazer mesafe sensörü, CMOS tip, sensör kafası, nokta için, 50mm +/-10mm, 1.5µm çözünürlük, 0.5m kablolu	899.50	EC001825	ZX 0074G	4548583005914	#		GA	GAD	JPN	9031.4990.00
ZX2-LD50L 0.5M	lazer mesafe sensörü, CMOS tip, sensör kafası, çizgi için, 50mm +/-10mm, 1.5µm çözünürlük, 0.5m kablolu	924.00	EC001825	ZX 0075E	4548583005921	#		GA	GAD	JPN	9031.4990.00
ZX2-LD50V 0.5M	Laser displacement sensor head, 48 +/- 5mm, spot focus (requires amplifier), glass-mirror-wafer applications	1,714.00	EC001825	ZX 1117M	4548583074019			GA	GAD	JPN	9031.4990.00
ZX2-XC1R	Extension cable (amplifier to head), 1m	142.50	EC003015	ZX 0072M	4548583005891	#		GA	GAD	CHN	8544.4210.00
ZX2-XC4R	Extension cable (amplifier to head), 4m	224.80	EC003015	ZX 0073R	4548583005907	#		GA	GAD	CHN	8544.4210.00
ZX2-CAL	hesaplama ünitesi	291.20	EC003015	ZX 0071B	4548583005884			GA	GAD	JPN	8517.6200.00
ZX2-SF11	RS232C communication interface	774.50	EC003015	ZX 0093C	4548583488236			GA	GAD	JPN	9031.9000.00
ZX1-LD100A61 2M	lazer mesafe sensörü, 100 +/- 50mm, NPN, 2m kablolu	1,185.00	EC001825	ZX 1155B	4548583105836			GA	GAD	JPN	9031.4990.00
ZX1-LD100A81 2M	lazer mesafe sensörü, 100 +/- 50mm, PNP, 2m kablolu	1,185.00	EC001825	ZX 1156M	4548583105843	#		GA	GAD	JPN	9031.4990.00
ZX1-LD100A81 5M	Laser displacement sensor, 100 +/- 50 mm, PNP, 5m cable	1,240.00	EC001825	ZX 1164A	4548583105935	#		GA	GAD	JPN	9031.4990.00
ZX1-LD100A86 0.5M	Laser displacement sensor, 100 +/- 50 mm, PNP, 0.5m pigtail connector	1,352.00	EC001825	ZX 1172B	4548583106048	#		GA	GAD	JPN	9031.4990.00
ZX1-LD300A61 2M	lazer mesafe sensörü, 300 +/- 150mm, NPN, 2m kablolu	1,185.00	EC001825	ZX 1157R	4548583105867			GA	GAD	JPN	9031.4990.00
ZX1-LD300A61 5M	Laser displacement sensor, 300 +/- 150 mm, NPN, 5m cable	1,240.00	EC001825	ZX 1165M	4548583105942			GA	GAD	JPN	9031.4990.00
ZX1-LD300A66 0.5M	Laser displacement sensor, 300 +/- 150 mm, NPN, 0.5m pigtail connector	1,352.00	EC001825	ZX 1173M	4548583106055			GA	GAD	JPN	9031.4990.00
ZX1-LD300A81 2M	lazer mesafe sensörü, 300 +/- 150mm, PNP, 2m kablolu	1,185.00	EC001825	ZX 1158G	4548583105874	#		GA	GAD	JPN	9031.4990.00
ZX1-LD300A81 5M	Laser displacement sensor, 300 +/- 150 mm, PNP, 5m cable	1,240.00	EC001825	ZX 1166H	4548583105959	#		GA	GAD	JPN	9031.4990.00
ZX1-LD300A86 0.5M	Laser displacement sensor, 300 +/- 150 mm, PNP, 0.5m pigtail connector	1,352.00	EC001825	ZX 1174R	4548583106062	#		GA	GAD	JPN	9031.4990.00
ZX1-LD50A61 2M	lazer mesafe sensörü, 50 +/- 10mm, NPN, 2m kablolu	1,185.00	EC001825	ZX 1153F	4548583105812			GA	GAD	JPN	9031.4990.00
ZX1-LD50A81 2M	lazer mesafe sensörü, 50 +/- 10mm, PNP, 2m kablolu	1,185.00	EC001825	ZX 1154D	4548583105829	#		GA	GAD	JPN	9031.4990.00
ZX1-LD50A81 5M	Laser displacement sensor, 50 +/- 10 mm, PNP, 5m cable	1,240.00	EC001825	ZX 1162E	4548583105911			GA	GAD	JPN	9031.4990.00
ZX1-LD50A86 0.5M	Laser displacement sensor, 50 +/- 10 mm, PNP, 0.5m pigtail connector	1,352.00	EC001825	ZX 1170F	4548583106024			GA	GAD	JPN	9031.4990.00
ZX1-LD60A61 2M	lazer mesafe sensörü, 600 +/- 400mm, NPN, 2m kablolu	1,185.00	EC001825	ZX 1159E	4548583105881			GA	GAD	JPN	9031.4990.00
ZX1-LD60A61 5M	Laser displacement sensor, 600 +/- 400 mm, NPN, 5m cable	1,240.00	EC001825	ZX 1167F	4548583105966			GA	GAD	JPN	9031.4990.00
ZX1-LD60A81 2M	lazer mesafe sensörü, 600 +/- 400mm, PNP, 2m kablolu	1,185.00	EC001825	ZX 1160R	4548583105898	#		GA	GAD	JPN	9031.4990.00
ZX1-LD60A81 5M	Laser displacement sensor, 600 +/- 400 mm, PNP, 5m cable	1,240.00	EC001825	ZX 1168D	4548583105980	#		GA	GAD	JPN	9031.4990.00
ZX1-LD60A81L 2M	Laser displacement sensor, 600 +/- 400 mm, PNP, 2m cable, laser class 1	1,179.00	EC001825	ZX 1182M	4548583314054			GA	GAD	JPN	9031.4990.00
ZX1-LD60A86 0.5M	Laser displacement sensor, 600 +/- 400 mm, PNP, 0.5m pigtail connector	1,352.00	EC001825	ZX 1176E	4548583106086	#		GA	GAD	JPN	9031.4990.00
Profil Ölçüm Sistemi											
E8PC-010ST-E	Pressure sensor, liquid and gas, -0.1 to 1 MPa, PNP/NPN, IO-Link COM3, analog, M12 connector	806.50	EC001190	E8PC0033H	4549734726641			GA	GAF	JPN	8536.5080.90
E8PC-100ST-E	Pressure sensor, liquid and gas, 0 to 10 MPa, PNP/NPN, IO-Link COM3, analog, M12 connector	806.50	EC001190	E8PC0037M	4549734726689			GA	GAF	JPN	8536.5080.90
E8PC-400ST-E	Pressure sensor, liquid and gas, 0 to 40 MPa, PNP/NPN, IO-Link COM3, analog, M12 connector	806.50	EC001190	E8PC0041R	4549734726726			GA	GAF	JPN	8536.5080.90
E8FC-25ST	Flow sensor, liquid, PNP/NPN, IO-Link COM3, analog, M12 connector	1,037.00	EC001190	E8FC0015F	4549734726603	#		GA	GAF	JPN	9026.1021.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Sensör Harici Yükseltici N-Sma											
E3NC-LA21 2M	Photoelectric sensor, Laser amplifier, Smart tuning, NPN, double output, external input, 2m cable	282.30	EC003015	E3NC7000A	4548583374980			GA	GAN	CHN	9031.4990.00
E3NC-LA51 2M	Photoelectric sensor, Laser amplifier, Smart tuning, PNP, double output, external input, 2m cable	282.30	EC003015	E3NC7001M	4548583374997	#		GA	GAN	CHN	9031.4990.00
E3NC-LA7	Photoelectric sensor, Laser amplifier, Smart tuning, NPN, single output, external input, system connector	282.30	EC003015	E3NC7002H	4548583375000			GA	GAN	CHN	9031.4990.00
E3NC-LA9	Photoelectric sensor, Laser amplifier, Smart tuning, PNP, single output, external input, system connector	282.30	EC003015	E3NC7003F	4548583375017			GA	GAN	CHN	9031.4990.00
E3NC-LH02 2M	Laser sensor head, 1200mm, 0.8 mm spot adjustable	366.10	EC001821	E3NC0006B	4548583376137	#		GA	GAN	JPN	9031.4990.00
E3NC-LH03 2M	Laser sensor head, retro-reflective, 8m, 2mm spot	307.80	EC002717	E3NC0013E	4548583489318	#		GA	GAN	JPN	9031.4990.00
E3NC-SH100 2M	CMOS Laser sensor head, 35-100mm, 1 mm spot	517.50	EC002719	E3NC0008R	4548583376151	#		GA	GAN	JPN	9031.4990.00
E3NC-SH250 2M	CMOS Laser sensor head, 35-250mm, 0.5 mm spot	517.50	EC002719	E3NC0009G	4548583376168	#		GA	GAN	JPN	9031.4990.00
E3NC-SH250H 2M	CMOS Laser head, 35-250mm, 1mm spot, Class 2 Laser	517.50	EC002719	E3NC0012G	4548583442061			GA	GAN	JPN	9031.4990.00
E3NX-CA11 2M	Fiber amplifier, standard model, color mark detection white LED, NPN output, smart tuning, 2m cable	277.70	EC001820	E3NX0002H	4548583802582	#		GA	GAN	JPN	9031.4990.00
E3NX-CA21 2M	Fiber amplifier, advanced model, color mark detection white LED, NPN output, smart tuning, 2m cable	338.80	EC001820	E3NX0003F	4548583802599			GA	GAN	JPN	9031.4990.00
E3NX-CA41 2M	Fiber amplifikatör, standart model, renk markası algılama beyaz LED, PNP çıkışı, akıllı ayarlama, 2m kablo	282.00	EC001820	E3NX0004D	4548583802605	#		GA	GAN	JPN	9031.4990.00
E3NX-CA51 2M	Fiber amplifikatör, gelişmiş model, renk işareti algılama beyaz LED, PNP çıkışı, akıllı ayarlama, 2m kablo	338.80	EC001820	E3NX0005B	4548583802612	#		GA	GAN	JPN	9031.4990.00
E3NX-FA0	Fiber amplifier, red LED, twin digital display, smart tuning, Fieldbus communication	268.40	EC002651	E3NX7010G	4548583375222	#		GA	GAN	CHN	9031.4990.00
E3NX-FA11 2M	Fiber amplifier, twin digital display, smart tuning, NPN, single output, 2m cable	247.10	EC002651	E3NX7000M	4548583375123	#		GA	GAN	CHN	9031.4990.00
E3NX-FA11AN 2M	Fiber amplifier, red LED, twin digital display, smart tuning, analog output, NPN output, 2 m cable	310.50	EC002651	E3NX7044A	4549734190442	#		GA	GAN	CHN	9031.4990.00
E3NX-FA21 2M	Fiber amplifier, twin digital display, smart tuning, NPN, double output, external input, 2m cable	268.40	EC002651	E3NX7001H	4548583375130	#		GA	GAN	CHN	9031.4990.00
E3NX-FA24	Fiber amplifier, twin digital display, smart tuning, NPN, single output, external input, M8 connector	268.40	EC002651	E3NX7011E	4548583424203	#		GA	GAN	CHN	9031.4990.00
E3NX-FA41 2M	Fiber amplifier, twin digital display, smart tuning, PNP, single output, 2m cable	247.10	EC002651	E3NX7002F	4548583375147	#		GA	GAN	CHN	9031.4990.00
E3NX-FA41AN 2M	Fiber amplifier, red LED, twin digital display, smart tuning, analog output, PNP output, 2 m cable	310.50	EC002651	E3NX7045M	4549734190459	#		GA	GAN	CHN	9031.4990.00
E3NX-FA51 2M	Fiber amplifier, twin digital display, smart tuning, PNP, double output, external input, 2m cable	268.40	EC002651	E3NX7003D	4548583375154	#		GA	GAN	CHN	9031.4990.00
E3NX-FA54	Fiber amplifier, twin digital display, smart tuning, PNP, single output, external input, M8 connector	268.40	EC002651	E3NX7012C	4548583424210	#		GA	GAN	CHN	9031.4990.00
E3NX-FA54TW	Fiber amplifier, twin digital display, smart tuning, PNP, double output, M8 connector	268.40	EC002651	E3NX7013A	4548583424227	#		GA	GAN	CHN	9031.4990.00
E3NX-FA6	Fiber amplifier, twin digital display, smart tuning, NPN, single output, system connector	247.10	EC002651	E3NX7004B	4548583375161			GA	GAN	CHN	9031.4990.00
E3NX-FA7	Fiber amplifier, twin digital display, smart tuning, NPN, single output, external input, system connector	268.40	EC002651	E3NX7005M	4548583375178			GA	GAN	CHN	9031.4990.00
E3NX-FA7TW	Fiber amplifier, twin digital display, smart tuning, NPN, double output, system connector	268.40	EC002651	E3NX7008E	4548583375208			GA	GAN	CHN	9031.4990.00
E3NX-FA8	Fiber amplifier, twin digital display, smart tuning, PNP, single output, system connector	247.10	EC002651	E3NX7006R	4548583375185	#		GA	GAN	CHN	9031.4990.00
E3NX-FA9	Fiber amplifier, twin digital display, smart tuning, PNP, single output, external input, system connector	268.40	EC002651	E3NX7007G	4548583375192			GA	GAN	CHN	8536.5019.90
E3NX-FA9TW	Fiber amplifier, twin digital display, smart tuning, PNP, double output, system connector	268.40	EC002651	E3NX7009C	4548583375215	#		GA	GAN	CHN	9031.4990.00
E3NX-FAH41 2M	Fiber amplifier, infrared LED, twin digital display, smart tuning, PNP, single output, 2 m cable	220.00	EC002651	E3NX7040R	4549734190404	#		GA	GAN	CHN	8536.5019.90
E3NX-MA11 2M	Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 NPN output, 2 m cable	323.20	EC002651	E3NX7021B	4548583514690			GA	GAN	CHN	9031.4990.00
E3NX-MA41 2M	Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 PNP output, 2 m cable	323.20	EC002651	E3NX7023R	4548583514713	#		GA	GAN	CHN	9031.4990.00
E3NX-MAB	Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 PNP output, system connector	317.00	EC002651	E3NX7026C	4548583514744	#		GA	GAN	CHN	9031.4990.00
E3NW-ECT	EtherCat communication unit for N-Smart sensors	574.50	EC001603	E3NW7001C	4548583375093	#		GA	GAN	CHN	8517.6200.00
Diğer Algılama Komponentleri											
E2NC-EA21 2M	High precision inductive sensor amplifier, 2 outputs, 1 input, DC, NPN, 2 m cable	303.70	EC003015	E2NC0001C	4549734192774			GA	GAX	JPN	9031.8080.00
E2NC-EA51 2M	High precision inductive sensor amplifier, 2 outputs, 1 input, DC, PNP, 2 m cable	303.60	EC003015	E2NC0002A	4549734192781	#		GA	GAX	JPN	9031.8080.00
E2NC-EA9TW	High precision inductive sensor amplifier, 2 output, DC, PNP system connector	289.80	EC003015	E2NC0006D	4549734192828			GA	GAX	JPN	8536.5019.90
E2NC-ED01	Sensor head, shielded, cylindrical 5.4 mm diameter, sensing distance 1 mm, repeat accuracy 1 µm, 2.6 m standard cable	228.10	EC002714	E2NC0010B	4549734192866			GA	GAX	JPN	9031.8080.00
E2NC-ED02	Sensor head, shielded, cylindrical 8 mm diameter, sensing distance 2 mm, repeat accuracy 2 µm, 2.6 m standard cable	241.80	EC002714	E2NC0013G	4549734192897			GA	GAX	JPN	9031.8080.00
E2NC-ED02-F	Sensor head, shielded, cylindrical 8 mm diameter, sensing distance 2 mm, repeat accuracy 2 µm, 3.6 m free cutting cable	241.40	EC002714	E2NC0015C	4549734192910			GA	GAX	JPN	9031.8080.00
E2NC-EM02	Sensor head, shielded, M10 housing, sensing distance 2 mm, repeat accuracy 2 µm, 2.6 m standard cable	258.70	EC002714	E2NC0017M	4549734192934	#		GA	GAX	JPN	9031.8080.00
E2NC-EM02H	Sensor head, heat-resistant, shielded, M12 housing, sensing distance 2 mm, repeat accuracy 2 µm, 2.6 m standard cable	477.90	EC002714	E2NC0020M	4549734192965			GA	GAX	JPN	9031.8080.00
F3W-D052C 5M	Picking Sensor, Through Beam, sensing distance 3 m, PNP output, 5 m cable	599.00	EC001832	F3W 2328M	4549734111539			GA	GAX	JPN	8536.5019.90
F3W-D052D 1M	Picking Sensor, Through Beam, Sensing distance 3m, NPN output	1,022.00	EC001832	F3W 2313B	4549734111522	#		GA	GAX	JPN	8536.5019.90
F3W-E032A8 2M	Safety Light Curtain, F3SJ EASY type, Type 4, 25 mm resolution, range 0.2 to 7 m, height 545 mm, PNP	433.50	EC001832	F3W 1503B	4547648454902			GA	GAX	CHN	8541.4900.00
Sensör Sistemleri için Aksesuarlar											
E39-R22	Reflektör, 40x55mm	47.58	EC002467	E39 1238M	4548583489332			GA	GAZ	JPN	8541.4900.00
E39-PS2	Line beam lens attachment for E3NC-LH02	34.42	EC003015	E39 1242H	4548583489370			GA	GAZ	JPN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
ZX-SF11	RS-232C communications interface	944.50	EC003015	ZX 0019D	4536854810145			GA	GAZ	JPN	8536.5015.90
ZX-XC8A 8M	Extension cable (amplifier to head), 8m	487.90	EC003015	ZX 0013E	4536854810169	#		GA	GAZ	JPN	8544.4290.90
E39-L181	Mounting bracket for ZX1-LD300/LD600 sensor	43.89	EC003015	E39 1220G	4548583104945	#		GA	GAZ	JPN	9031.9000.00
ZX0-XC10R	Extension cable ZX1 (for pre-wired connector models), 10m	209.30	EC001855	ZX 1151M	4548583104914	#		GA	GAZ	CHN	8544.4290.90
Z5-XRS3	RS-232C cable, 2m cable length, for PC connection	206.10	EC001681	Z5 0158M	4549734168717	#		GA	GAZ	JPN	8544.4210.00
ZW-XF7005R	Extension fiber optic cable 5 m for family ZW-7000. Fiber adapter ZW-XFCM is included	852.00	EC003015	ZW 0010B	4548583796102	#		GA	GAZ	JPN	8544.4210.00
E39-R13	Reflector, E3C-LDA sensor, 7x7mm effective area	33.38	EC002467	E39 3001R	4536854958311	#		GA	GAZ	JPN	8541.9000.00
Döner Enkoder E6A2											
E6A2-C55C 100P/R 2M	Rotary Encoder	231.30	EC001486	E6A21043H	4536853366698			GC	GCA	JPN	9032.9000.90
E6A2-C55C 360P/R 2M	Encoder, incremental, 360ppr, 12-24 VDC, 2-phase, NPN, 2 m cable	231.30	EC001486	E6A21046B	4536853366728	#		GC	GCA	JPN	9032.9000.90
E6A2-CW5C 100P/R 0.5M	Enkoder, artımlı, 100puls, 12-24 VDC, NPN açık kollektör, 0.5m kablolu	215.70	EC001486	E6A21023C	4536853366490	#		GC	GCA	JPN	9032.9000.90
E6A2-CW5C 100P/R 2M	Enkoder, artımlı, 100puls, 12-24 VDC, NPN açık kollektör, 2m kablolu	233.20	EC001486	E6A21055A	4536853366810	#		GC	GCA	JPN	9032.9000.90
E6A2-CW5C 200P/R 0.5M	Enkoder, artımlı, 200puls, 12-24 VDC, 2-faz, NPN açık kollektör, 0.5m kablolu	215.70	EC001486	E6A21024A	4536853366506	#		GC	GCA	JPN	9032.9000.90
E6A2-CW5C 200P/R 2M	Enkoder, artımlı, 200puls, 12-24 VDC, 2-faz, NPN açık kollektör, 2m kablolu	232.90	EC001486	E6A21056M	4536853366827	#		GC	GCA	JPN	9032.9000.90
E6A2-CW25C 100P/R 0.5M	Enkoder, artımlı, 100puls, 12-24 VDC, 2-faz, NPN, 0.5m kablolu	222.70	EC001486	E6A21081M	4536854494048	#		GC	GCA	JPN	9032.9000.90
E6A2-CW25C 200P/R 0.5M	Enkoder, artımlı, 200puls, 12-24 VDC, NPN açık kollektör, 0.5m kablolu	222.70	EC001486	E6A21082R	4536854494055	#		GC	GCA	JPN	9032.9000.90
Döner Enkoder E6B2											
E6B2-CWZ1X 1000P/R 0.5M	Enkoder, artımlı, 1000puls, 5 VDC, Line driver, 0.5m kablolu	283.30	EC001486	E6B27050G	4547648295543	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ1X 1000P/R 2M	Enkoder, artımlı, 1000puls, 5 VDC, Line driver, 2m kablolu	304.80	EC001486	E6B27060D	4547648295642	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ1X 1024P/R 0.5M	Encoder, incremental, 1024ppr, 5 VDC, Line driver 0.5m cable	356.30	EC001486	E6B27129E	4547648296311	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ1X 2000P/R 0.5M	Enkoder, artımlı, 2000puls, 5 VDC, Line driver, 0.5m kablolu	312.40	EC001486	E6B27054M	4547648295581	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ1X 2000P/R 2M	Encoder, incremental, 2000ppr, 5 VDC, Line driver 2m cable	331.20	EC001486	E6B27102C	4547648296045	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ1X 360P/R 0.5M	Encoder, incremental, 360ppr, 5 VDC, Line driver 0.5m cable	262.10	EC001486	E6B27046R	4547648295505	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ1X 500P/R 0.5M	Enkoder, artımlı, 500puls, 5 VDC, Line driver, 0.5m kablolu	264.90	EC001486	E6B27048E	4547648295529	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 100P/R 0.5M	Enkoder, artımlı, 100puls, 12-24 VDC, PNP, 0.5m kablolu	288.40	EC001486	E6B27119H	4547648296212	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 100P/R 0.5M	Enkoder, artımlı, 100puls, 12-24 VDC, PNP, 0.5m kablolu	299.00	EC001486	E6B27114G	4547648296168	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 2000P/R 0.5M	Enkoder, artımlı, 2000puls, 12-24 VDC, PNP, 0.5m kablolu	317.70	EC001486	E6B27120A	4547648296229	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 360P/R 0.5M	Enkoder, artımlı, 360puls, 12-24 VDC, PNP, 0.5m kablolu	356.80	EC001486	E6B27116C	4547648296182	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 360P/R 2M	Encoder, incremental, 360ppr, 12-24 VDC, PNP output, 0.5m cable	285.90	EC001486	E6B27185F	4547648462907	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 500P/R 0.5M	Enkoder, artımlı, 500puls, 12-24 VDC, PNP, 0.5m kablolu	318.80	EC001486	E6B27117A	4547648296199	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 600P/R 2M	Encoder, incremental, 600ppr, 12-24 VDC, PNP output, 2m cable	299.40	EC001486	E6B27121M	4547648296236	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 1000P/R 0.5M	Enkoder, artımlı, 1000puls, 5-24 VDC, 3-faz, NPN, 0.5m kablolu	285.90	EC001486	E6B27014M	4547648295185	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 1000P/R 2M	Enkoder, artımlı, 1000puls, 5-24 VDC, 3-faz, NPN	299.40	EC001486	E6B27057D	4547648295611	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 100P/R 2M	Enkoder, artımlı, 100puls, 5-24 VDC, 3-faz, NPN	303.30	EC001486	E6B27055H	4547648295598	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 2000P/R 0.5M	Enkoder, artımlı, 2000puls, 5-24 VDC, NPN, 0.5m kablolu	372.40	EC001486	E6B27018C	4547648295222	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 2000P/R 2M	Enkoder, artımlı, 2000puls, 5-24VDC, 3-faz, NPN, 2m kablolu	328.30	EC001486	E6B27090F	4547648295949	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 200P/R 2M	Enkoder, artımlı, 200puls, 5-24 VDC, 3-faz, NPN	259.50	EC001486	E6B27066C	4547648295703	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 20P/R 2M	Rotary Encoder, incremental, 20ppr, 5-24 VDC, 3-phase, NPN output, 2m cable	259.50	EC001486	E6B27080R	4547648295840	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 360P/R 0.5M	Encoder, incremental, 360ppr, 5-24 VDC, NPN output, 0.5m cable	285.90	EC001486	E6B27010H	4547648295147	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 360P/R 2M	Enkoder, artımlı, 360puls, 5-24 VDC, 3-faz, NPN	299.40	EC001486	E6B27065E	4547648295697	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 500P/R 0.5M	Encoder, incremental, 500ppr, 5-24 VDC, NPN output, 0.5m cable	285.90	EC001486	E6B27012D	4547648295161	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 500P/R 2M	Enkoder, artımlı, 500puls, 5-24 VDC, 3-faz, NPN	280.60	EC001486	E6B27056F	4547648295604	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 600P/R 2M	Encoder, incremental, 600ppr, 5-24VDC, 3-phase, NPN output	291.30	EC001486	E6B27061B	4547648295659	#		GC	GCB	CHN	9032.9000.90
Döner Enkoder E6C2-C											
E6C2-CWZ1X 1000P/R 2M	Enkoder, artımlı, 1000puls, 5 VDC, Line driver, 2m kablolu	405.00	EC001486	E6C27049G	4547648528559	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ1X 1000P/R 5M	Enkoder, artımlı, 1000puls, 5 VDC, Line driver, 5m kablolu	456.30	EC001486	E6C27079R	4547648528856	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ1X 1024P/R 2M	Enkoder, artımlı, 1024puls, 5 VDC, Line driver, 2m kablolu	347.20	EC001486	E6C27063B	4547648528696	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ1X 2000P/R 2M	Enkoder, artımlı, 2000puls, 5 VDC, Line driver, 2m kablolu	431.70	EC001486	E6C27053E	4547648528597	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ1X 360P/R 2M	Encoder, incremental, 360ppr, 5 VDC, Line driver output, 2m cable	322.90	EC001486	E6C27047M	4547648528535	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ1X 500P/R 2M	Encoder, incremental, 500ppr, 5 VDC, Line driver output, 2m cable	322.90	EC001486	E6C27046B	4547648528528	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 1000P/R 2M	Enkoder, artımlı, 1000puls, 12-24 VDC, PNP, 2m kablolu	342.20	EC001486	E6C27059D	4547648528658	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 100P/R 2M	Enkoder, artımlı, 100puls, 12-24 VDC, PNP, 2m kablolu	303.60	EC001486	E6C27054C	4547648528603	#		GC	GCC	CHN	9032.9000.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E6C2-CWZ5B 2000P/R 2M	Enkoder, artımlı, 2000puls, 12-24 VDC, PNP, 2m kablolu	366.40	EC001486	E6C27060H	4547648528665	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 200P/R 2M	Enkoder, artımlı, 200puls, 12-24 VDC, PNP, 2m kablolu	303.60	EC001486	E6C27055A	4547648528610	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 360P/R 2M	Enkoder, artımlı, 360puls, 12-24 VDC, PNP, 2m kablolu	320.10	EC001486	E6C27056M	4547648528627	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 500P/R 2M	Enkoder, artımlı, 500puls, 12-24 VDC, PNP, 2m kablolu	322.90	EC001486	E6C27057H	4547648528634	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B-10 1000P/R 5M	Encoder, incremental, 1000 ppr, 12-24 VDC, PNP output, 5 m cable	369.30	EC001486	E6C27087M	4547648528931	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 1000P/R 2M	Enkoder, artımlı, 1000puls, 5-24 VDC, NPN, 2m kablolu	398.30	EC001486	E6C27013F	4547648528191	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 100P/R 2M	Enkoder, artımlı, 100puls, 5-24 VDC, NPN, 2m kablolu	300.90	EC001486	E6C27006C	4547648528122	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 1024P/R 2M	Enkoder, artımlı, 1024puls, 5-24 VDC, NPN, 2m kablolu	342.20	EC001486	E6C27069A	4547648528757	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 10P/R 2M	Encoder, incremental, 10ppr, 5-24 VDC, NPN output, 2m cable	300.90	EC001486	E6C27000D	4547648528061	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 1500P/R 2M	Encoder, incremental, 1500ppr, 5-24 VDC, NPN output, 2m cable	405.40	EC001486	E6C27015B	4547648528214	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 2000P/R 2M	Enkoder, artımlı, 2000puls, 5-24 VDC, NPN, 2m kablolu	425.80	EC001486	E6C27017R	4547648528238	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 200P/R 2M	Enkoder, artımlı, 200puls, 5-24 VDC, NPN, 2m kablolu	300.90	EC001486	E6C27007A	4547648528139	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 360P/R 2M	Enkoder, artımlı, 360puls, 5-24 VDC, NPN, 2m kablolu	317.90	EC001486	E6C27009H	4547648528153	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 500P/R 2M	Enkoder, artımlı, 500puls, 5-24 VDC, NPN, 2m kablolu	320.10	EC001486	E6C27011M	4547648528177	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 600P/R 2M	Encoder, incremental, 600ppr, 5-24 VDC, NPN output, 2m cable	330.00	EC001486	E6C27012H	4547648528184	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 60P/R 2M	Enkoder, artımlı, 60puls, 5-24 VDC, NPN, 2m kablolu	352.70	EC001486	E6C27005E	4547648528115	#		GC	GCC	CHN	9032.9000.90
Döner Enkoder E6CP											
E6CP-AG5C 256 2M	Enkoder, mutlak, 256puls, 8-bit, 12-24 VDC, 2m kablolu	296.90	EC001486	E6CP1009H	4536854588518	#		GC	GCE	CHN	9032.9000.90
E6CP-AG5C 256 5M	Encoder, absolute, 256ppr, 8-bit, 12-24 VDC, gray code output, 5 m cable	363.80	EC001486	E6CP1010A	4536854588525	#		GC	GCE	CHN	9032.9000.90
E6CP-AG5C-C 256 2M	Enkoder, mutlak, 256puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör	337.50	EC001486	E6CP1011M	4536854588532	#		GC	GCE	CHN	9032.9000.90
E6CP-AG5C-C 256 5M	Enkoder, mutlak, 256puls, 8-bit, 12-24VDC, 5m kablolu, H8PS konnektör	459.80	EC001486	E6CP1012H	4536854588549	#		GC	GCE	CHN	9032.9000.90
Döner Enkoder E6F											
E6F-CWZ5G 1000P/R 2M	Enkoder, artımlı, 1000puls, 12-24VDC, PNP/NPN, 2m kablolu	729.00	EC001486	E6F 1034H	4536854740435	#		GC	GCF	JPN	9032.9000.90
E6F-CWZ5G 500P/R 2M	Enkoder, artımlı, 500puls, 12-24VDC, PNP/NPN, 2m kablolu	685.00	EC001486	E6F 1032A	4536854740411	#		GC	GCF	JPN	9032.9000.90
E6F-AB3C-C 360 2M	Enkoder, mutlak, 360puls, 10-bit, 5-12 VDC, 2m kablolu, H8PR konnektör	910.00	EC001486	E6F 1004F	4536853371975	#		GC	GCF	JPN	9032.9000.90
E6F-AB3C-C 360 5M	Rotary Encoder	967.00	EC001486	E6F 1005D	4536853371982	#		GC	GCF	JPN	9032.9000.90
E6F-AG5B 360 2M	Encoder, absolute, 360ppr, 8-bit, 12-24 VDC, gray code output, 2m cable	799.50	EC001486	E6F 1025R	4536854687877	#		GC	GCF	JPN	9032.9000.90
E6F-AG5C-C 256 2M	Enkoder, mutlak, 256puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör	798.50	EC001486	E6F 1010M	4536853372033	#		GC	GCF	JPN	9032.9000.90
E6F-AG5C-C 360 2M	Enkoder, mutlak, 360puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör	816.50	EC001486	E6F 1036D	4547648048132	#		GC	GCF	JPN	9032.9000.90
E6F-AG5C-C 720 2M	Enkoder, mutlak, 720puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör	853.50	EC001486	E6F 1037B	4547648048149	#		GC	GCF	JPN	9032.9000.90
Döner Enkoder E6C3-C											
E6C3-CWZ3XH 3600P/R 1M	Encoder incremental 8 dia rugged housing, line driver output, 3600 ppr	543.00	EC001486	E6C32104M	4536854873553	#		GC	GCG	JPN	9032.9000.90
E6C3-CWZ3XH 3600P/R 2M	Enkoder artımlı 8 çap dayanıklı gövde, line driver, 3600 puls, 2m kablolu	587.50	EC001486	E6C32052D	4536854871825	#		GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 1000P/R 2M	Enkoder artımlı 8 çap dayanıklı gövde, 1000puls, 12-24 VDC, PNP/NPN, 2m kablolu	543.00	EC001486	E6C32009E	4536854871399	#		GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 100P/R 2M	Enkoder artımlı 8 çap dayanıklı gövde, 100puls, 12-24 VDC, PNP/NPN, 2m kablolu	488.80	EC001486	E6C32001M	4536854871313	#		GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 1024P/R 2M	Encoder, incremental, 8 dia tough model, 1024ppr, 12-24 VDC, Complimentary output, 2m cable	543.00	EC001486	E6C32010R	4536854871405	#		GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 2000P/R 2M	Rotary Encoder	543.00	EC001486	E6C32014A	4536854871443	#		GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 3600P/R 2M	Enkoder artımlı 8 çap dayanıklı gövde, PNP/NPN, 3600 puls, 2m kablolu	587.50	EC001486	E6C32017F	4536854871474	#		GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 360P/R 2M	Encoder incremental 8 dia rugged housing, complimentary output 360 ppr, 2m cable	488.80	EC001486	E6C32004D	4536854871344	#		GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 500P/R 2M	Enkoder artımlı 8 çap dayanıklı gövde, PNP/NPN, 500 puls, 2m kablolu	543.00	EC001486	E6C32005B	4536854871351	#		GC	GCG	JPN	9032.9000.90
Döner Enkoder E6C3-A											
E6C3-AG5B 1024P/R 2M	Encoder, absolute, 1024ppr, 9-bit, 12-24 VDC, gray code output, 2m cable	715.00	EC001486	E6C31028F	4536854871221	#		GC	GCH	JPN	9032.9000.90
E6C3-AG5B 360P/R 2M	Enkoder, mutlak, 360puls, 9-bit, 12-24 VDC, PNP açık kollektör, 2m kablolu	715.00	EC001486	E6C31026M	4536854871207	#		GC	GCH	JPN	9032.9000.90
E6C3-AG5C 1024P/R 2M	Enkoder, mutlak, 1024puls, 9-bit, 12-24 VDC, NPN açık kollektör, 2m kablolu	667.50	EC001486	E6C31004R	4536854870989	#		GC	GCH	JPN	9032.9000.90
E6C3-AG5C 360P/R 2M	Enkoder, mutlak, 360 puls, 9-bit, 12-24 VDC, NPN açık kollektör, 2m kablolu	696.50	EC001486	E6C31002B	4536854870965	#		GC	GCH	JPN	9032.9000.90
E6C3-AG5C-C 256P/R 2M	Encoder, absolute, 256ppr, 9-bit, 12-24 VDC, NPN open collector, gray code output, 2m cable	715.00	EC001486	E6C31012M	4536854871061	#		GC	GCH	JPN	9032.9000.90
E6C3-AG5C-C 360P/R 2M	Enkoder, mutlak, 360puls, 9-bit, 12-24 VDC, NPN açık kollektör, 2m kablolu	715.00	EC001486	E6C31013H	4536854871078	#		GC	GCH	JPN	9032.9000.90
E6C3-AG5C-C 720P/R 2M	Enkoder, mutlak, 720puls, 9-bit, 12-24 VDC, NPN açık kollektör, 2m kablolu	715.00	EC001486	E6C31065M	4547648048125	#		GC	GCH	JPN	9032.9000.90
Döner Enkoderler için Aksesuarlar											
E69-C04B	Accessory encoder, shaft coupling dia. 4mm	22.54	EC003015	E69 1004G	4536853373498	#		GC	GCZ	JPN	9029.9000.90
E69-C06B	Accessory encoder, shaft coupling for E6B2/E6C2-C/E6CP/E6D encoder	23.03	EC003015	E69 1001B	4536853373467	#		GC	GCZ	JPN	9029.9000.90
E69-C06M	Accessory encoder, shaft coupling dia. 6mm, metal	100.70	EC003015	E69 1018G	4536853373634	#		GC	GCZ	USA	9029.9000.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E69-C08B	Accessory encoder, shaft coupling for E6C3-A encoder	32.26	EC003015	E69 1023C	4536853373689	#		GC	GCZ	JPN	9029.9000.90
E69-C10B	Accessory encoder, shaft coupling for E6F encoder	36.28	EC003015	E69 1005E	4536853373504	#		GC	GCZ	JPN	9029.9000.90
E69-C10M	Accessory encoder, shaft coupling dia. 10mm, metal	135.80	EC003015	E69 1019E	4536853373641	#		GC	GCZ	USA	9029.9000.90
E69-C610B	Shaft coupling for E6F-C encoder, Different end diameter	43.69	EC003015	E69 1016M	4536853373610	#		GC	GCZ	JPN	9029.9000.90
E69-C68B	Accessory encoder, shaft coupling dia. 6mm and 8mm	38.61	EC003015	E69 1015B	4536853373603	#		GC	GCZ	JPN	9029.9000.90
E69-DF10	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 10m	273.20	EC001855	E69 1104C	4548583064980	#		GC	GCZ	CHN	9029.9000.90
E69-DF5	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 5m	195.20	EC001855	E69 1110H	4536853373542	#		GC	GCZ	CHN	9029.9000.90
Fiber Algılama Kafası E32											
E32-D11N 2M	Fiberoptik sensör, cisimden yansımali, M6, 2m kablolu	178.10	EC002651	E32 1513H	4548583336124	#		GD	GDA	CHN	9031.4990.00
E32-D11R 2M	Photoelectric sensor, fiber sensor head, diffuse, M6, high flex, 2m cable	49.02	EC002651	E32 1458A	4548583049208	#		GD	GDA	CHN	9031.4990.00
E32-D14L 2M	Fiberoptik sensör, cisimden yansımali, 6mm çap, 2m kablolu	146.10	EC002651	E32 1323B	4547648094924	#		GD	GDA	CHN	9031.4990.00
E32-D14LR 2M	Fiber optic sensor, diffuse, 6mm dia, high-flex	450.20	EC002651	E32 1256B	4536854634741	#		GD	GDA	JPN	9031.4990.00
E32-D211 2M	Fiber optic sensor, diffuse, M4 head, standart R10 fiber, 2m cable	45.90	EC002651	E32 1544H	4548583413863	#		GD	GDA	CHN	9031.4990.00
E32-D211R 2M	Fiberoptik sensör, cisimden yansımali, M4, yüksek esneklik R1, 2m kablolu	114.60	EC002651	E32 1545F	4548583413870	#		GD	GDA	CHN	9031.4990.00
E32-D21R 2M	Fiber optic sensor, diffuse, M4 hex right-angled head, high-flex R2 fiber, 2m cable	111.00	EC002651	E32 1601M	4548583487833	#		GD	GDA	CHN	9031.4990.00
E32-D21R 2M	Fiber optic sensor, diffuse, M3, high flex, 2m cable	153.00	EC002651	E32 1459M	4548583049215	#		GD	GDA	CHN	9031.4990.00
E32-DC200	Fiberoptik sensör, cisimden yansımali, M6, 2m kablolu	37.50	EC002651	E32 1329A	4547648094986	#		GD	GDA	CHN	9031.4990.00
E32-DC200E 2M	Fiberoptik sensör, cisimden yansımali, M3, 2m kablolu	49.45	EC002651	E32 1330E	4547648094993	#		GD	GDA	CHN	9031.4990.00
E32-DC500 5M	Fiberoptik sensör, cisimden yansımali, M6, 5m	82.35	EC002651	E32 1307M	4547648094764	#		GD	GDA	CHN	9031.4990.00
E32-ETC220 2M	Fiber optic sensor, through-beam, dia 4mm head, standard fiber R10, 2m cable	105.80	EC002651	E32 9422D	4548583737945	#		GD	GDA	NLD	8541.4900.00
E32-R21 2M	Fiberoptik sensör, reflektörlü, M6, R10 fiber, 2m kablolu	207.30	EC002651	E32 1453M	4548583049130	#		GD	GDA	CHN	9031.4990.00
E32-T11N 2M	Fiberoptik sensör, karşılıklı, M4 2m kablolu	138.50	EC002651	E32 1512M	4548583336117	#		GD	GDA	CHN	9031.4990.00
E32-T11R 2M	Fiber optic sensor, through-beam, M4 head, high flex R1 fibre, 2m cable	72.10	EC002651	E32 1454R	4548583049147	#	10	GD	GDA	CHN	9031.4990.00
E32-T21R 2M	Fiber optic sensing head, through-beam, M3, high-flex R1 fiber, 2m	122.10	EC002651	E32 1456E	4548583049185	#		GD	GDA	CHN	9031.4990.00
E32-TC200 2M	Fiberoptik sensör, karşılıklı, M4, 2m kablolu	43.59	EC002651	E32 1318F	4547648094870	#		GD	GDA	CHN	9031.4990.00
E32-TC200E 2M	Fiberoptik sensör, karşılıklı, M3, 2m kablolu	61.45	EC002651	E32 1320H	4547648094894	#		GD	GDA	CHN	9031.4990.00
E32-TC500 5M	Fiber optic sensor, through-beam, M4, 5m cable	94.90	EC002651	E32 1301A	4547648094702	#		GD	GDA	CHN	9031.4990.00
E32-D15XR 2M	Fiber optic sensor, diffuse, square head, high flex R1 fiber, 2m cable	172.00	EC002651	E32 1540E	4548583413825	#		GD	GDA	CHN	9031.4990.00
E32-D15YR 2M	Fiber optic sensor, diffuse, square side view, high flex R1 fiber, 2m cable	116.80	EC002651	E32 1541C	4548583413832	#		GD	GDA	CHN	9031.4990.00
E32-ET15YR-1 2M	Fiber optic sensor, through-beam, square shape, long hole mounting, high-flex R1 fiber, 2m cable	315.60	EC002651	E32 9414C	4548583737860	#		GD	GDA	NLD	8541.4900.00
E32-LT35Z 2M	Fiber optic sensor head, through-beam, square, flat-view, integrated lens, R1 flexible fiber, 2 m cable	247.80	EC002651	E32 1630D	4548583783232	#		GD	GDA	CHN	9031.4990.00
E32-T15Y 2M	fiber optic sensor, through-beam, square right angle head, standard R25 fiber, 2m cable	161.40	EC002651	E32 1574M	4548583414167	#		GD	GDA	CHN	9031.4990.00
E32-T15YR 2M	Fiberoptik sensör, karşılıklı, kare yüksek esneklik R1 fiber, 2m kablolu	215.70	EC002651	E32 1575H	4548583414174	#		GD	GDA	CHN	9031.4990.00
E32-T15ZR 2M	Fibre optic sensor, thru-beam, square flat form head, high flex R1 fibre, 2m cable	225.20	EC002651	E32 1577D	4548583414198	#		GD	GDA	CHN	9031.4990.00
E32-D22R 2M	Fiberoptik sensör, cisimden yansımali, minyatür gövde, çap 3mm, yüksek esneklik R1 fiber, 2m kablolu	101.70	EC002651	E32 1460C	4548583049222	#		GD	GDA	CHN	9031.4990.00
E32-D24 2M	Fiberoptik sensör, cisimden yansımali, 3mm çap, 2m kablolu	110.00	EC002651	E32 1516B	4548583336148	#		GD	GDA	CHN	9031.4990.00
E32-D24R 2M	Fiberoptik sensör, cisimden yansımali, 2mm çap, esnek R1 fiber, 2m kablolu	175.70	EC002651	E32 1548M	4548583413900	#		GD	GDA	CHN	9031.4990.00
E32-D32 2M	Fiberoptik sensör, cisimden yansımali, 2mm çap, 2m kablolu	83.35	EC002651	E32 1328C	4547648094979	#		GD	GDA	CHN	9031.4990.00
E32-D33 2M	Fiberoptik sensör, cisimden yansımali, 3mm çap, 2m kablolu	87.45	EC002651	E32 1304F	4547648094733	#		GD	GDA	CHN	9031.4990.00
E32-DC200B 2M	Fiberoptik sensör, cisimden yansımali, M6	64.30	EC002651	E32 1305D	4547648094740	#		GD	GDA	CHN	9031.4990.00
E32-DC200B4 2M	Fiberoptik sensör, cisimden yansımali, çap 2.5mm, standart R25 fiber, 2m kablolu	78.70	EC002651	E32 1306B	4547648094757	#		GD	GDA	CHN	9031.4990.00
E32-DC200BR	fiber optic sensor, diffuse, M6 head with 2.5mm sleeve, high flex R1 fiber, 2m cable	131.30	EC002651	E32 1555C	4548583413979	#		GD	GDA	CHN	9031.4990.00
E32-DC200F	fiber optic sensor, diffuse, M3 head with 1.2mm dia sleeve, standard R10 fiber, 2m cable	43.78	EC002651	E32 1556A	4548583413986	#		GD	GDA	CHN	9031.4990.00
E32-DC200F4	Fiberoptik sensör, cisimden yansımali, M3, R10, 2m kablolu	95.30	EC002651	E32 1557M	4548583413993	#		GD	GDA	CHN	9031.4990.00
E32-T12R 2M	Fiber optic sensor, through-beam, miniature shape, dia 3mm, high-flex fiber R1, 2m cable	73.90	EC002651	E32 1455G	4548583049178	#		GD	GDA	CHN	9031.4990.00
E32-T14L 2M	Fiberoptik sensör, karşılıklı, uzun mesafe, 2m kablolu	155.00	EC002651	E32 1312G	4547648094818	#		GD	GDA	CHN	9031.4990.00
E32-T14LR 2M	fiber optic sensor, through-beam, 3mm side view, high flex R1 fiber, 2m cable	296.00	EC002651	E32 1521R	4548583336193	#		GD	GDA	CHN	9031.4990.00
E32-T22 2M	Fiberoptik sensör, karşılıklı, 2mm çap, standart R10 fiber, 2m kablolu	79.05	EC002651	E32 1315A	4547648094849	#		GD	GDA	CHN	9031.4990.00
E32-T24 2M	Fiberoptik sensör, karşılıklı, 1mm, 2m kablolu	148.20	EC002651	E32 1517M	4548583336155	#		GD	GDA	CHN	9031.4990.00
E32-TC200B	Fiber optic sensor, through-beam, M4 head with 1.2mm sleeve, standard R25 fiber, 2m cable	87.45	EC002651	E32 1588M	4548583414303	#		GD	GDA	CHN	9031.4990.00
E32-D11L 2M	Fiberoptik sensör, cisimden yansımali, M6, uzun mesafe, 2m kablolu	116.50	EC002651	E32 1322D	4547648094917	#		GD	GDA	CHN	9031.4990.00
E32-D11L 5M	Fiber optic sensor, diffuse, M6 head, long distance, standard R25 fibre, 5m cable	176.90	EC002651	E32 2097B	4536853293673	#		GD	GDA	JPN	9031.4990.00
E32-D12 2M	Photoelectric sensor optical fibre, diffuse, 3mm dia, long-distance, 2m cable (requires E3X amplifier)	82.00	EC002651	E32 1302M	4547648094719	#		GD	GDA	CHN	9031.4990.00
E32-D21L 2M	Fiberoptik sensör, cisimden yansımali, M4, uzun mesafe, 2m kablolu	125.30	EC002651	E32 1326G	4547648094955	#		GD	GDA	CHN	9031.4990.00
E32-D22L 2M	Fiberoptik sensör, cisimden yansımali, 3mm çapmetre, uzun mesafe, 2m kablolu	118.40	EC002651	E32 1327E	4547648094962	#		GD	GDA	CHN	9031.4990.00
E32-LD11 2M	Fiberoptik sensör, cisimden yansımali, M6, uzun mesafe, standart R25 fiber, 2m kablolu	60.60	EC002651	E32 1525A	4548583363458	#		GD	GDA	CHN	9031.4990.00
E32-LD11N 2M	Fiber optic sensor, diffuse, M6 hex right-angled head, integrated lens, high-flex R2 fiber, 2m cable	129.10	EC002651	E32 1595B	4548583485716	#		GD	GDA	CHN	9031.4990.00
E32-LD11R 2M	Fiber optic sensor, diffuse, M6 head, long distance, high flex R1 fiber, 2m cable	129.10	EC002651	E32 1527H	4548583363472	#		GD	GDA	CHN	9031.4990.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E32-LT11 2M	Fiberoptik sensör, karşılıklı, M4, uzun mesafe, standart R25 fiber, 2m kablolu	68.10	EC002651	E32 1129R	4548583336551	#		GD	GDA	CHN	9031.4990.00
E32-LT11N 2M	Fiber optic sensor, through-beam, M4 hex right-angled head, integrated lens, high-flex R2 fiber, 2m cable	113.80	EC002651	E32 1592H	4548583485686	#		GD	GDA	CHN	9031.4990.00
E32-R16 2M	Fiber optic sensor, retro-reflective, long-distance, 2m cable	166.40	EC002651	E32 1565M	4548583414075	#		GD	GDA	CHN	9031.4990.00
E32-T11L 2M	Fiberoptik sensör, karşılıklı, M4, uzun mesafe, 2m kablolu	91.45	EC002651	E32 1310M	4547648094795	#		GD	GDA	CHN	9031.4990.00
E32-T12L 2M	Fiberoptik sensör, karşılıklı, çap 3mm, uzun mesafe, standart R25 fiber, 2m kablolu	120.60	EC002651	E32 1311R	4547648094801	#		GD	GDA	CHN	9031.4990.00
E32-T14 2M	Fiberoptik sensör, karşılıklı, 2m kablolu	124.50	EC002651	E32 1452B	4548583049123	#		GD	GDA	CHN	9031.4990.00
E32-T14 5M	Fiberoptik sensör, karşılıklı, uzun mesafe, standart R25 fiber, 5m kablolu	194.90	EC002651	E32 2098M	4536853293680	#		GD	GDA	JPN	9031.4990.00
E32-T21L 2M	Fiberoptik sensör, karşılıklı, 2m kablolu	98.45	EC002651	E32 1314C	4547648094832	#		GD	GDA	CHN	9031.4990.00
E32-T22L 2M	Fiber optic sensor, through-beam, dia 2mm head with lens, long distance, standard R25 fiber, 2m cable	137.40	EC002651	E32 1317H	4547648094863	#		GD	GDA	CHN	9031.4990.00
E32-TC200A 2M	Fiberoptik sensör, karşılıklı, M3, 2m kablolu	42.52	EC002651	E32 1319D	4547648094887	#		GD	GDA	CHN	9031.4990.00
E32-D11 2M	Fiberoptik sensör, cisimden yansımali, M6, robotik fiber R4, 2m kablolu	66.00	EC002651	E32 1321F	4547648094900	#		GD	GDA	CHN	9031.4990.00
E32-D21 2M	Fiberoptik sensör, cisimden yansımali, M3, robotik fiber R4, 2m kablolu	96.45	EC002651	E32 1324M	4547648094931	#		GD	GDA	CHN	9031.4990.00
E32-D21B 2M	Fiberoptik sensör, cisimden yansımali, M4, robotik fiber R4, 2m kablolu	122.60	EC002651	E32 1325R	4547648094948	#		GD	GDA	CHN	9031.4990.00
E32-D22B 2M	Fiberoptik sensör, cisimden yansımali, çap 1.5mm, yüksek-esneklik fiber R1, 2m kablolu	184.50	EC002651	E32 1303H	4547648094726	#		GD	GDA	CHN	9031.4990.00
E32-T11 2M	Fiberoptik sensör, karşılıklı, M4, 2m kablolu	65.05	EC002651	E32 1309G	4547648094788	#		GD	GDA	CHN	9031.4990.00
E32-T21 2M	Fiber optic sensor, through-beam, M3, robotic fiber R4, 2m cable	108.50	EC002651	E32 1313E	4547648094825	#		GD	GDA	CHN	9031.4990.00
E32-T22B 2M	Fiberoptik sensör, karşılıklı, çap 1.5mm, robotik fiber R4, 2m kablolu	110.20	EC002651	E32 1316M	4547648094856	#		GD	GDA	CHN	9031.4990.00
E32-A04 2M	Fiber optic sensor, through-beam, 2mm dia side view head, standard R10 fiber, 2m cable	785.50	EC002651	E32A0042R	4548583414334	#		GD	GDA	CHN	9031.4990.00
E32-A09 2M	Fiber optic sensor, limited reflective, 15 to 38mm, 2m cable	554.50	EC002651	E32A0009G	4547648093569	#		GD	GDA	JPN	9031.4990.00
E32-C21N 2M	Fiber optic sensor, diffuse, M3 hex right-angled head, co-axial, high-flex R2 fiber, 2m cable	154.00	EC002651	E32 1598G	4548583485747	#		GD	GDA	CHN	9031.4990.00
E32-C31 2M	Fiber optic sensor, diffuse, coaxial, M3, R25 fiber, 2m cable	90.10	EC002651	E32 1331C	4547648095006	#		GD	GDA	CHN	9031.4990.00
E32-C31N 2M	Fiber optic sensor, diffuse coaxial, M3 side view, high flex R4 fiber, 2m cable	161.40	EC002651	E32 1535R	4548583413771	#		GD	GDA	CHN	9031.4990.00
E32-C41 1M	Fiber optic sensor, diffuse, coaxial, M3, R25 fiber, 1m cable	120.20	EC002651	E32 1308R	4547648094771	#		GD	GDA	CHN	9031.4990.00
E32-C42 1M	Fiber optic sensor, diffuse coaxial, 2mm, standard R25 fiber, 1m cable	182.70	EC002651	E32 1536G	4548583413788	#		GD	GDA	CHN	9031.4990.00
E32-CC200 2M	Fiber optic sensor, diffuse coaxial, M6, standard fiber R25, 2m cable	50.85	EC002651	E32 1332A	4547648095013	#		GD	GDA	CHN	9031.4990.00
E32-CC200R	Fiber optic sensor, diffuse coaxial, M6, high flex R4 fiber, 2m cable	80.00	EC002651	E32 1537E	4548583413795	#		GD	GDA	CHN	9031.4990.00
E32-D32L 2M	Fiber optic sensor, diffuse, 3mm dia head, coaxial type, standard R25 fiber, 2m cable	83.25	EC002651	E32 1551M	4548583413931	#		GD	GDA	CHN	9031.4990.00
E32-EC31 6M	Fibre optic sensor, diffuse, M3 head, co-axial type, standard R25 fibre, 6m cable	127.70	EC002651	E32 9388M	4548583737600	#		GD	GDA	NLD	8541.4900.00
E32-L15 2M	Diffuse fibre, 50mm stand-off, 6mm beamspot, can be used with E3X-DAC, 2m cable	248.50	EC002651	E32 1560M	4548583414020	#		GD	GDA	CHN	9031.4990.00
E32-L25	Fiber optic sensor, limited reflective, 2m cable	106.40	EC002651	E32 1562F	4548583414044	#		GD	GDA	CHN	9031.4990.00
E32-L25L 2M	Fiber optic sensor, limited reflective, label detection, 7mm, R10 fiber, 2m cable	174.00	EC002651	E32 1448D	4548583049093	#		GD	GDA	CHN	9031.4990.00
E32-T22S 2M	Fiberoptik sensör, karşılıklı, 3mm çap, standart R10 fiber, 2m kablolu	155.00	EC002651	E32 1523E	4548583336216	#		GD	GDA	CHN	9031.4990.00
E32-D36P1 2M	Fiber optic sensor, diffuse, square head, area sensing 11mm, robot application, break resistant R4, 2m cable	479.50	EC003015	E32 1553G	4548583413955	#		GD	GDA	CHN	9031.4990.00
E32-ET16WR-1 2M	Fiber optic sensor, through-beam, 70mm curtain, 2m cable	914.50	EC003015	E32 9417H	4548583737891	#		GD	GDA	NLD	8541.4900.00
E32-ET16WR-2 2M	Fiber optic sensor, through-beam, 50mm curtain, 2m cable	940.50	EC003015	E32 9418F	4548583737907	#		GD	GDA	NLD	8541.4900.00
E32-T16 2M	Fiber optic sensor, through-beam, area detection, 10mm area, R25 fiber, 2m cable	222.10	EC003015	E32 1444A	4548583049062	#		GD	GDA	CHN	9031.4990.00
E32-T16 5M	Fiber optic sensor, through-beam, square right angle head, area detection (10mm), standard R25 fibre, 5m cable	227.40	EC003015	E32 1446H	4548583049079	#		GD	GDA	CHN	9031.4990.00
E32-T16J 2M	Fiber optic sensor, through-beam, area detection, 11mm area, standard fiber R10, 2m cable	633.00	EC003015	E32 1440R	4548583049000	#		GD	GDA	CHN	9031.4990.00
E32-T16JR 2M	Fiber optic sensor, through-beam, area detection, 11mm area, high-flex fiber R1, 2m cable	414.50	EC003015	E32 1442E	4548583049024	#		GD	GDA	CHN	9031.4990.00
E32-T16P 2M	Fiber optic sensor, through-beam, area detection, 11mm area, R10 fiber, 2m cable	274.70	EC003015	E32 1438G	4548583048980	#		GD	GDA	CHN	9031.4990.00
E32-T16PR 2M	Fiber optic sensor, through-beam, area detection, 11mm area, high-flex fiber R1, 2m cable	383.30	EC003015	E32 1441G	4548583049017	#		GD	GDA	CHN	9031.4990.00
E32-T16W 2M	Fiber optic sensor, through-beam, area detection, 30mm area, R10 fiber, 2m cable	633.00	EC003015	E32 1439E	4548583048997	#		GD	GDA	CHN	9031.4990.00
E32-T16WR 2M	Fiber optic sensor, through-beam, area detection, 30mm area, high-flex fiber R1, 2m cable	730.50	EC003015	E32 1443C	4548583049055	#		GD	GDA	CHN	9031.4990.00
E32-C91N 2M	Fiber optic sensor, diffuse, M6 hex right-angled head, flexible R4 fiber, 2m cable	155.50	EC002651	E32 0016E	4548583802643	#		GD	GDA	CHN	8541.4900.00
E32-D11U 2M	Fiber optic sensor, diffuse, M6 head, chemical resistant coating, R4 fiber, 2m cable	103.40	EC002651	E32 1538C	4548583413801	#		GD	GDA	CHN	9031.4990.00
E32-D12F 2M	Fiber optic sensor, diffuse, 6mm dia head, chemical resistant coating, standard R40 fiber, 2m cable	511.00	EC002651	E32 1539A	4548583413818	#		GD	GDA	CHN	9031.4990.00
E32-D51 2M	Fibre optic sensor, diffuse, M6 head, temperature resistant (150 degC), R35 fibre, 2m cable	181.80	EC002651	E32 2014M	4536853292904	#		GD	GDA	JPN	9031.4990.00
E32-D51R 2M	Fiber optic sensor, diffuse, heat resistant 100°C, high flex R2, 2M cable	281.30	EC002651	E32 2157M	4547648651097	#		GD	GDA	JPN	9031.4990.00
E32-D61 2M	Fiber optic sensor, diffuse, M6 head, heat resistant 350°C, R25 fiber, 2m cable, for E3X-NA/SD amp only	428.90	EC002651	E32 2168E	4548583080454	#		GD	GDA	CHN	9031.4990.00
E32-D61-S 2M	Fiber optic sensor, diffuse, M6 head, heat resistant 350°C, R25 fiber, 2m cable	332.20	EC002651	E32 2170G	4548583080478	#		GD	GDA	CHN	9031.4990.00
E32-D73-S 2M	Fiber optic sensor, diffuse, M4, heat resistant 400°C, R25, 2m cable	353.70	EC002651	E32 7037F	4548583034273	#		GD	GDA	CHN	9031.4990.00
E32-D82F 4M	Fiber optic sensor, liquid level detection, dia 6mm head, chemical resistant, 4m cable	1,526.00	EC002651	E32 6011G	4536853294687	#		GD	GDA	JPN	9031.4990.00
E32-ED34 2M	Fiber optic sensor, diffuse, side view, dia 6mm head, R5 fiber, 2m cable	138.90	EC002651	E32 9403H	4548583737754	#		GD	GDA	NLD	8541.4900.00
E32-G14	Fiber optic sensor, through-beam, 10mm slot, 2m cable	226.70	EC002651	E32 1450F	4548583049260	#		GD	GDA	CHN	9031.4990.00
E32-G16 2M	Fiber optic sensor, through-beam, 10mm slot, 2m cable	169.20	EC002651	E32 0018A	4548583802667	#		GD	GDA	TWN	9031.4990.00
E32-T24S 2M	Fiber optic sensor, through-beam, 3mm dia side view, standard R10 fiber, 2m cable	434.20	EC002651	E32 1524C	4548583336223	#		GD	GDA	CHN	9031.4990.00
E32-T51 2M	Fibre optic sensor, thru-beam, M4 head, temperature resistant (150 degC), R35 fibre, 2m cable	300.50	EC002651	E32 2013A	4536853292898	#		GD	GDA	JPN	9031.4990.00
E32-T54 2M	Fiber optic sensor, through-beam, dia 2mm side view, heat-resistant 150°C, R35, 2m cable	808.00	EC002651	E32 5138M	4536853294502	#		GD	GDA	JPN	9031.4990.00
E32-T61-S 2M	Fiber optic sensor, through-beam, M4 head, heat resistant 350°C, R25 fiber, 2m cable	422.80	EC002651	E32 7053H	4548583034495	#		GD	GDA	CHN	9031.4990.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E32-T61-S 5M	Fiber optic sensor, through-beam, M4 head, temperature resistant (350 degC), R25 fibre, 5m cable	1,182.00	EC002651	E32 7055D	4548583034518	#		GD	GDA	CHN	9031.4990.00
E32-E01 100M	Optical fiber, 100m roll, R10, 2.2mm dia, monocore	1,031.00	EC003015	E32 9378C	4548583737501	#		GD	GDA	NLD	8541.4900.00
E32-E01R 100M	Optical Fiber, 100m roll, high-flex R1, 2.2mm dia, multicore	4,051.00	EC003015	E32 9380E	4548583737525	#		GD	GDA	NLD	8541.4900.00
Fotoelektrik Sensör E3JM											
E3JM-10M4-G-NN	Photoelectric sensor, square shape, through-beam, 10 m, relay output, connector clamps, PG13.5	178.80	EC002716	E3JM2092F	4550431045171	#		GD	GDG	CHN	8536.5019.90
E3JM-10M4-NN	Photoelectric sensor, square shape, through-beam, 10 m, relay output, connector clamps, PF1/2 conduit	191.80	EC002716	E3JM2093D	4550431045188	#		GD	GDG	CHN	8536.5019.90
E3JM-10M4T-G-NN	Photoelectric sensor, square shape, through-beam, 10 m, timer function, relay output, connector clamps, PG13.5	192.80	EC002716	E3JM2095M	4550431045201	#		GD	GDG	CHN	8536.5019.90
E3JM-D570M4	Photoelectric sensor, diffuse, 700 mm, AC/DC, relay	132.90	EC001821	E3JM2098E	4550431045232	#		GD	GDG	CHN	8536.5019.90
E3JM-D570M4-G	Photoelectric sensor, diffuse, 700 mm, AC/DC, relay	125.30	EC001821	E3JM2099C	4550431045249	#		GD	GDG	CHN	8536.5019.90
E3JM-D570M4T-G	Photoelectric sensor, diffuse, 700 mm, AC/DC, relay, timer 5s, conduit size PG13.5	139.00	EC001821	E3JM2102G	4550431045270	#		GD	GDG	CHN	8536.5019.90
E3JM-R4M4	Photoelectric sensor, retro-reflective, 4 m, AC/DC, relay, conduit PF 1/2	131.60	EC002717	E3JM2104C	4550431045294	#		GD	GDG	CHN	8536.5019.90
E3JM-R4M4-G	Photoelectric sensor, retro-reflective, 4 m, AC/DC, relay, conduit PG13.5	125.90	EC002717	E3JM2106M	4550431045317	#		GD	GDG	CHN	8536.5019.90
E3JM-R4M4T-G	Photoelectric sensor, retro-reflective, 4 m, AC/DC, relay, timer 5 s, conduit PG13.5	141.50	EC002717	E3JM2110H	4550431045355	#		GD	GDG	CHN	8536.5019.90
Fotoelektrik Sensör E3AS											
E3AS-F1000IMT 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	177.40	EC002719	E3AS0041A	4549734512619	#		GD	GDH	CHN	9031.4990.00
E3AS-F1000IMT M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	171.20	EC002719	E3AS0043H	4549734512633	#		GD	GDH	CHN	9031.4990.00
E3AS-F1000IMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	209.20	EC002719	E3AS0045D	4549734512657	#		GD	GDH	CHN	9031.4990.00
E3AS-F1000IPT 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	133.10	EC002719	E3AS0056M	4549734512763	#		GD	GDH	CHN	9031.4990.00
E3AS-F1000IPT M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	120.40	EC002719	E3AS0058F	4549734512787	#		GD	GDH	CHN	9031.4990.00
E3AS-F1000IPT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	164.70	EC002719	E3AS0060H	4549734512800	#		GD	GDH	CHN	9031.4990.00
E3AS-F1000IPT-M3J 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 pigtail connector 4-pin, 0.3 m	164.70	EC002719	E3AS0059D	4549734512794	#		GD	GDH	CHN	9031.4990.00
E3AS-F1500IMN 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, 2 m cable	177.40	EC002719	E3AS0001B	4549734512213	#		GD	GDH	CHN	9031.4990.00
E3AS-F1500IMT 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	177.40	EC002719	E3AS0011M	4549734512312	#		GD	GDH	CHN	9031.4990.00
E3AS-F1500IMT M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	171.20	EC002719	E3AS0013F	4549734512336	#		GD	GDH	CHN	9031.4990.00
E3AS-F1500IMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	209.20	EC002719	E3AS0015B	4549734512350	#		GD	GDH	CHN	9031.4990.00
E3AS-F1500IPT 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	133.10	EC002719	E3AS0026H	4549734512466	#		GD	GDH	CHN	9031.4990.00
E3AS-F1500IPT M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	120.40	EC002719	E3AS0028D	4549734512480	#		GD	GDH	CHN	9031.4990.00
E3AS-F1500IPT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	164.70	EC002719	E3AS0030F	4549734512503	#		GD	GDH	CHN	9031.4990.00
E3AS-HF6000DMN-M1TJ 0.3M	Photoelectric sensor, aluminum die cast (chrome plating) case, red laser class 1, time-of-flight, diffused beam type, 6000 mm, NPN, Light-ON/Dark-ON, M12 pre-wired smartclick connector 0.3m	485.00	EC002719	E3AS0204M	4550431116147	#		GD	GDH	CHN	8536.5019.90
E3AS-HF6000DMT 2M	Photoelectric sensor, aluminum die cast (chrome plating) case, red laser class 1, time-of-flight, diffused beam type, 6000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	450.00	EC002719	E3AS0205H	4550431116154	#		GD	GDH	CHN	8536.5019.90
E3AS-HF6000DMT M1H	Photoelectric sensor, aluminum die cast (chrome plating) case, red laser class 1, time-of-flight, diffused beam type, 6000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 connector (horizontal)	450.00	EC002719	E3AS0207D	4550431116178	#		GD	GDH	CHN	8536.5019.90
E3AS-HF6000DMT M1V	Photoelectric sensor, aluminum die cast (chrome plating) case, red laser class 1, time-of-flight, diffused beam type, 6000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 connector (vertical)	450.00	EC002719	E3AS0208B	4550431116185	#		GD	GDH	CHN	8536.5019.90
E3AS-HF6000DMT-M1TJ 0.3M	Photoelectric sensor, aluminum die cast (chrome plating) case, red laser class 1, time-of-flight, diffused beam type, 6000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pre-wired smartclick connector 0.3m	485.00	EC002719	E3AS0209M	4550431116192	#		GD	GDH	CHN	8536.5019.90
E3AS-HF6000SMN M1V	Photoelectric sensor, aluminum die cast (chrome plating) case, red laser class 1, time-of-flight, spot beam type, 6000 mm, NPN, Light-ON/Dark-ON, M12 connector (vertical)	450.00	EC002719	E3AS0214G	4550431116246	#		GD	GDH	CHN	8536.5019.90
E3AS-HF6000SMN-M1TJ 0.3M	Photoelectric sensor, aluminum die cast (chrome plating) case, red laser class 1, time-of-flight, spot beam type, 6000 mm, NPN, Light-ON/Dark-ON, M12 pre-wired smartclick connector 0.3m	485.00	EC002719	E3AS0215E	4550431116253	#		GD	GDH	CHN	8536.5019.90
E3AS-HF6000SMT 2M	Photoelectric sensor, aluminum die cast (chrome plating) case, red laser class 1, time-of-flight, spot beam type, 6000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	450.00	EC002719	E3AS0216C	4550431116260	#		GD	GDH	CHN	8536.5019.90
E3AS-HF6000SMT M1H	Photoelectric sensor, aluminum die cast (chrome plating) case, red laser class 1, time-of-flight, spot beam type, 6000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 connector (horizontal)	450.00	EC002719	E3AS0218M	4550431116284	#		GD	GDH	CHN	8536.5019.90
E3AS-HF6000SMT M1V	Photoelectric sensor, aluminum die cast (chrome plating) case, red laser class 1, time-of-flight, spot beam type, 6000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 connector (vertical)	450.00	EC002719	E3AS0219H	4550431116291	#		GD	GDH	CHN	8536.5019.90
E3AS-HF6000SMT-M1TJ 0.3M	Photoelectric sensor, aluminum die cast (chrome plating) case, red laser class 1, time-of-flight, spot beam type, 6000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pre-wired smartclick connector 0.3m	485.00	EC002719	E3AS0220A	4550431116307	#		GD	GDH	CHN	8536.5019.90
E3AS-HL150LMT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	449.80	EC002719	E3AS0156F	4549734663939	#		GD	GDH	CHN	9031.4990.00
E3AS-HL150LMT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	449.80	EC002719	E3AS0158B	4549734663953	#		GD	GDH	CHN	9031.4990.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3AS-HL150LMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	468.60	EC002719	E3AS0115R	4549734663403	#		GD	GDH	CHN	9031.4990.00
E3AS-HL150MN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector 4-pin	437.00	EC002719	E3AS0138H	4549734663755	#		GD	GDH	CHN	9031.4990.00
E3AS-HL150MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	437.00	EC002719	E3AS0144B	4549734663816	#		GD	GDH	CHN	9031.4990.00
E3AS-HL150MT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	437.00	EC002719	E3AS0146R	4549734663830	#		GD	GDH	CHN	9031.4990.00
E3AS-HL150MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	456.00	EC002719	E3AS0112D	4549734663373	#		GD	GDH	CHN	9031.4990.00
E3AS-HL500LMT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	449.80	EC002719	E3AS0132R	4549734663694	#		GD	GDH	CHN	9031.4990.00
E3AS-HL500LMT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	449.80	EC002719	E3AS0134E	4549734663717	#		GD	GDH	CHN	9031.4990.00
E3AS-HL500LMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	468.60	EC002719	E3AS0109D	4549734663342	#		GD	GDH	CHN	9031.4990.00
E3AS-HL500MN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector 4-pin	437.00	EC002719	E3AS0102G	4549734663274	#		GD	GDH	CHN	9031.4990.00
E3AS-HL500MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	437.00	EC002719	E3AS0120E	4549734663571	#		GD	GDH	CHN	9031.4990.00
E3AS-HL500MT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	437.00	EC002719	E3AS0122A	4549734663595	#		GD	GDH	CHN	9031.4990.00
E3AS-HL500MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	456.00	EC002719	E3AS0106M	4549734663311	#		GD	GDH	CHN	9031.4990.00
E3AS-L200MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	215.40	EC002719	E3AS0071C	4549734512916	#		GD	GDH	CHN	9031.4990.00
E3AS-L200MT M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	209.20	EC002719	E3AS0073M	4549734512930	#		GD	GDH	CHN	9031.4990.00
E3AS-L200MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	247.20	EC002719	E3AS0075F	4549734512954	#		GD	GDH	CHN	9031.4990.00
E3AS-L80MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	215.40	EC002719	E3AS0086A	4549734513067	#		GD	GDH	CHN	9031.4990.00
E3AS-L80MT M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	209.20	EC002719	E3AS0088H	4549734513081	#		GD	GDH	CHN	9031.4990.00
E3AS-L80MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	247.20	EC002719	E3AS0090M	4549734513104	#		GD	GDH	CHN	9031.4990.00
Fotoelektrik Sensör E3Z											
E3Z-B61 2M	Fotoelektrik sensör, şeffaf nesne reflektörlü, 500mm, DC, 3 kablolu, NPN, 2m kablolu	181.00	EC002717	E3Z 7199H	4547648676632	#		GD	GDI	CHN	9031.4990.00
E3Z-B62 2M	Fotoelektrik sensör, şeffaf nesne reflektörlü, 2m, DC, 3 kablolu, NPN, 2m kablolu	181.00	EC002717	E3Z 7206D	4547648676700	#		GD	GDI	CHN	9031.4990.00
E3Z-B66	Fotoelektrik sensör, şeffaf nesne reflektörlü, 500mm, DC, 3 kablolu, NPN, M8 konnektör	166.40	EC002717	E3Z 7201C	4547648676656	#		GD	GDI	CHN	9031.4990.00
E3Z-B67	Fotoelektrik sensör, şeffaf nesne reflektörlü, 2m, DC, 3 kablolu, NPN, M8 konnektör	166.40	EC002717	E3Z 7208M	4547648676724	#		GD	GDI	CHN	9031.4990.00
E3Z-B81 2M	Fotoelektrik sensör, şeffaf nesne reflektörlü, 500mm, DC, 3 kablolu, PNP, 2m kablolu	181.00	EC002717	E3Z 7200E	4547648676649	#		GD	GDI	CHN	9031.4990.00
E3Z-B82 2M	Fotoelektrik sensör, şeffaf nesne reflektörlü, 2m, DC, 3 kablolu, PNP, 2m kablolu	181.00	EC002717	E3Z 7212R	4547648676762	#		GD	GDI	CHN	9031.4990.00
E3Z-B86	Fotoelektrik sensör, şeffaf nesne reflektörlü, 500mm, DC, 3 kablolu, PNP, M8 konnektör	166.40	EC002717	E3Z 7202A	4547648676663	#		GD	GDI	CHN	9031.4990.00
E3Z-B87	Fotoelektrik sensör, şeffaf nesne reflektörlü, 2m, DC, 3 kablolu, PNP, M8 konnektör	166.40	EC002717	E3Z 7214E	4547648676786	#		GD	GDI	CHN	9031.4990.00
E3Z-D61 2M	Fotoelektrik sensör, cisimden yansimalı, 100mm, DC, 3 kablolu, NPN, 2m kablolu	106.50	EC001821	E3Z 4056A	4549734446600	#		GD	GDI	IDN	9031.4990.00
E3Z-D62 2M	Fotoelektrik sensör, cisimden yansimalı, 1m, DC, 3 kablolu, NPN, 2m kablolu	106.80	EC001821	E3Z 4060M	4549734446648	#		GD	GDI	IDN	9031.4990.00
E3Z-D62 5M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, NPN, 5m cable (requires bracket)	107.30	EC001821	E3Z 7037A	4547648287180	#		GD	GDI	CHN	9031.4990.00
E3Z-D66	Fotoelektrik sensör, cisimden yansimalı, 100mm, DC, 3 kablolu, NPN, M8 konnektör	111.90	EC001821	E3Z 4058H	4549734446624	#	50	GD	GDI	IDN	9031.4990.00
E3Z-D67	Fotoelektrik sensör, cisimden yansimalı, 1m, DC, 3 kablolu, NPN, M8 konnektör	111.90	EC001821	E3Z 4062F	4549734446662	#		GD	GDI	IDN	9031.4990.00
E3Z-D81 2M	Fotoelektrik sensör, cisimden yansimalı, 100mm, DC, 3 kablolu, PNP, 2m kablolu	106.60	EC001821	E3Z 4057M	4549734446617	#		GD	GDI	IDN	9031.4990.00
E3Z-D81 5M	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, 5m cable (requires bracket)	110.50	EC001821	E3Z 7036C	4547648287173	#		GD	GDI	CHN	9031.4990.00
E3Z-D81-M1J 0.3M	Photoelectric sensor, diffuse, compact square, infrared LED, 100m, PNP, L-on/D-on selectable, M12 pig-tail connector	108.80	EC001821	E3Z 7157B	4547648676212	#		GD	GDI	CHN	9031.4990.00
E3Z-D82 2M	Fotoelektrik sensör, cisimden yansimalı, 1m, DC, 3 kablolu, PNP, 2m kablolu	106.80	EC001821	E3Z 4061H	4549734446655	#		GD	GDI	IDN	9031.4990.00
E3Z-D82 5M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, 5m cable (requires bracket)	110.50	EC001821	E3Z 7038M	4547648287197	#		GD	GDI	CHN	9031.4990.00
E3Z-D82-IL3 2M	Fotoelektrik sensör, cisimden yansimalı, 1m, DC, PNP, 2m kablolu, IO-link , COM 3	112.30	EC001821	E3Z 8024E	4548583793255	#		GD	GDI	CHN	9031.4990.00
E3Z-D82-IL3 5M	Fotoelektrik sensör, cisimden yansimalı, 1m, DC, PNP, 5m kablolu, IO-link , COM 3	121.40	EC001821	E3Z 8025C	4548583793262	#		GD	GDI	CHN	8541.4900.00
E3Z-D82-M1J 0.3M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, M12 pigtail (requires bracket)	123.50	EC001821	E3Z 7158M	4547648676229	#		GD	GDI	CHN	9031.4990.00
E3Z-D82-M1TJ-IL3 0.3M	Fotoelektrik sensör, cisimden yansimalı, 1m, DC, PNP, M12 kablolu, IO-link , COM 3	112.30	EC001821	E3Z 8026A	4548583793279	#		GD	GDI	CHN	9031.4990.00
E3Z-D82-M3J 0.3M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, M8 pigtail 4-pin (requires bracket)	109.20	EC001821	E3Z 7300A	4547648677646	#		GD	GDI	CHN	9031.4990.00
E3Z-D86	Fotoelektrik sensör, cisimden yansimalı, 100mm, DC, 3 kablolu, NPN, M8 konnektör	111.90	EC001821	E3Z 4059F	4549734446631	#		GD	GDI	IDN	9031.4990.00
E3Z-D87	Fotoelektrik sensör, cisimden yansimalı, 1m, DC, 3 kablolu, PNP, M8 konnektör	111.90	EC001821	E3Z 4063D	4549734446679	#		GD	GDI	IDN	9031.4990.00
E3Z-D87-IL3	Fotoelektrik sensör, cisimden yansimalı, 1m, DC, PNP, M8 konnektör, IO-link , COM 3	112.30	EC001821	E3Z 8029F	4548583793309	#		GD	GDI	CHN	9031.4990.00
E3Z-G61 2M	Fotoelektrik sensör, tek ışınlı, boşluk 25mm, DC, 3 kablolu, NPN, 2m kablolu	140.30	EC002720	E3Z 7187D	4547648676519	#		GD	GDI	CHN	9031.4990.00
E3Z-G61-M3J	Photoelectric sensor, single-beam, slot, 25mm, DC, 3-wire, NPN, M8 pigtail connector	145.50	EC002720	E3Z 7189M	4547648676533	#	10	GD	GDI	CHN	9031.4990.00
E3Z-G62 2M	Fotoelektrik sensör, çift ışınlı, boşluk 25mm, DC, 3 kablolu, NPN, 2m kablolu	170.80	EC002720	E3Z 7190D	4547648676540	#		GD	GDI	CHN	9031.4990.00
E3Z-G62-M3J	Photoelectric sensor, twin-beam, slot, 25mm, DC, 4-wire, NPN, M8 pigtail connector	164.60	EC002720	E3Z 7192M	4547648676564	#	10	GD	GDI	CHN	9031.4990.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3Z-G81 2M	Fotoelektrik sensör, tek ışınlı, boşluk 25mm, DC, 3 kablolu, PNP, 2m kablolu	140.30	EC002720	E3Z 7226R	4547648676908	#	10	GD	GDI	CHN	9031.4990.00
E3Z-G81-M1J-1 0.3M	Photoelectric sensor, single-beam, slot, 25mm, DC, 3-wire, PNP, M12 pigtail connector	134.80	EC002720	E3Z 7267F	4547648677318	#		GD	GDI	CHN	9031.4990.00
E3Z-G81-M3J	Photoelectric sensor, single-beam, slot, 25mm, DC, 3-wire, PNP, M8 pigtail connector	182.50	EC002720	E3Z 7227G	4547648676915	#	10	GD	GDI	CHN	9031.4990.00
E3Z-G82 2M	Fotoelektrik sensör, çift ışınlı, boşluk 25mm, DC, 3 kablolu, PNP, 2m kablolu	170.80	EC002720	E3Z 7229C	4547648676939	#		GD	GDI	CHN	9031.4990.00
E3Z-G82-M3J	Photoelectric sensor, twin-beam, slot, 25mm, DC, 4-wire, PNP, M8 pigtail connector	214.90	EC002720	E3Z 7230G	4547648676946	#		GD	GDI	CHN	9031.4990.00
E3Z-L61 2M	Fotoelektrik sensör, dar ışın, cisimden yansımali, 90±30mm, DC, 3 kablolu, NPN, 2m kablolu	151.90	EC001821	E3Z 7161M	4547648676250	#		GD	GDI	CHN	9031.4990.00
E3Z-L66	Fotoelektrik sensör, dar ışın, cisimden yansımali, 90±30mm, DC, 3 kablolu, NPN, M8 konektör	151.90	EC001821	E3Z 7164E	4547648676281	#		GD	GDI	CHN	9031.4990.00
E3Z-L81 2M	Fotoelektrik sensör, dar ışın, cisimden yansımali, 90±30mm, DC, 3 kablolu, PNP, 2m kablolu	169.30	EC001821	E3Z 7163G	4547648676274	#		GD	GDI	CHN	9031.4990.00
E3Z-L81-IL3 2M	Fotoelektrik sensör, cisimden yansımali, 90mm, dar ışın, DC, PNP, 2m kablolu, IO-link, COM 3	112.30	EC001821	E3Z 8034B	4548583793354	#		GD	GDI	CHN	9031.4990.00
E3Z-L81-IL3 5M	Fotoelektrik sensör, cisimden yansımali, 90mm, dar ışın, DC, PNP, 5m kablolu, IO-link, COM 3	121.40	EC001821	E3Z 8035M	4548583793361	#		GD	GDI	CHN	8541.4900.00
E3Z-L81-M1J-1 0.3M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 ± 30 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	148.70	EC001821	E3Z 7266H	4547648677301	#		GD	GDI	CHN	9031.4990.00
E3Z-L86	Fotoelektrik sensör, dar ışın, cisimden yansımali, 90±30mm, DC, 3 kablolu, PNP, M8 konektör	169.30	EC001821	E3Z 7165C	4547648676298	#		GD	GDI	CHN	9031.4990.00
E3Z-L86-IL3	Fotoelektrik sensör, cisimden yansımali, 90mm, dar ışın, DC, PNP, M8 konektör, IO-link, COM 3	112.30	EC001821	E3Z 8039C	4548583793408	#		GD	GDI	CHN	9031.4990.00
E3Z-LL61 2M	Fotoelektrik sensör, arka plan bastırmalı lazer sensör, 20-300mm, NPN, 2m kablolu	232.90	EC002719	E3Z 7409A	4547648678735	#		GD	GDI	CHN	9031.4990.00
E3Z-LL61 3M	Fotoelektrik sensör, arka plan bastırmalı lazer, 25-300mm, NPN Output, yüksek hızlı version	232.90	EC002719	E3Z 7413M	4547648678773	#		GD	GDI	CHN	9031.4990.00
E3Z-LL66	Fotoelektrik sensör, arka plan bastırmalı lazer, 20-300mm, M8, 4-pin konektör, NPN	227.30	EC002719	E3Z 7410E	4547648678742	#		GD	GDI	CHN	9031.4990.00
E3Z-LL68	Fotoelektrik sensör, arka plan bastırmalı lazer, 300mm, NPN, L-ON/D-ON seçilebilir, M8 konektör	273.80	EC002719	E3Z 7414H	4547648678780	#		GD	GDI	CHN	9031.4990.00
E3Z-LL81 0.5M	Photoelectric sensor, BGS laser sensor, 20-300mm, pre-wired, PNP	227.40	EC002719	E3Z 7427M	4547648678919	#		GD	GDI	CHN	8541.4900.00
E3Z-LL81 2M	Fotoelektrik sensör, arka plan bastırmalı lazer sensör, 20-300mm, PNP	232.90	EC002719	E3Z 7411C	4547648678759	#		GD	GDI	CHN	9031.4990.00
E3Z-LL81 5M	Photoelectric sensor, BGS Laser Sensor, 20-300mm, Pre-wired, PNP Output	236.50	EC002719	E3Z 7510A	4547648679749	#		GD	GDI	CHN	9031.4990.00
E3Z-LL81-M1J 0.3M	Photoelectric sensor, BGS laser, 20-300mm, M12 pigtail, PNP	275.80	EC002719	E3Z 7428H	4547648678926	#		GD	GDI	CHN	9031.4990.00
E3Z-LL81-M3J 0.3M	Photoelectric sensor, BGS laser, 20-300mm, M8 pigtail 4-pin, PNP	233.50	EC002719	E3Z 7464D	4547648679282	#		GD	GDI	CHN	9031.4990.00
E3Z-LL83 2M	Fotoelektrik sensör, arka plan bastırmalı lazer, 300mm, PNP, L-ON/D-ON seçilebilir, M8 konektör	232.90	EC002719	E3Z 7415F	4547648678797	#		GD	GDI	CHN	9031.4990.00
E3Z-LL83-M1J 0.3M	Photoelectric sensor, BGS laser, 25-300mm, M12 pigtail, PNP, High Speed Version	275.80	EC002719	E3Z 7432F	4547648678964	#		GD	GDI	CHN	9031.4990.00
E3Z-LL86	Fotoelektrik sensör, arka plan bastırmalı lazer, 20-300mm, M8, 4-pin konektör, PNP	228.40	EC002719	E3Z 7412A	4547648678766	#		GD	GDI	CHN	9031.4990.00
E3Z-LL88	Fotoelektrik sensör, arka plan bastırmalı lazer, 300mm, PNP, L-ON/D-ON seçilebilir, M8-4pin konektör	231.70	EC002719	E3Z 7416D	4547648678803	#		GD	GDI	CHN	9031.4990.00
E3Z-LR61 2M	Fotoelektrik sensör, reflektörlü lazer, 15m, NPN, 2m kablolu	182.90	EC002717	E3Z 7417B	4547648678810	#		GD	GDI	CHN	9031.4990.00
E3Z-LR66	Fotoelektrik sensör, reflektörlü lazer, 15m, M8, 4-pin konektör, NPN	185.00	EC002717	E3Z 7418M	4547648678827	#		GD	GDI	CHN	9031.4990.00
E3Z-LR81 2M	Fotoelektrik sensör, reflektörlü lazer, 15m, PNP, 2m kablolu	182.90	EC002717	E3Z 7419R	4547648678834	#		GD	GDI	CHN	9031.4990.00
E3Z-LR81-M1J 0.3M	Photoelectric sensor, retro-reflective laser, 15m, M12 pigtail, PNP	167.40	EC002717	E3Z 7436R	4547648679008	#		GD	GDI	CHN	9031.4990.00
E3Z-LR86	Fotoelektrik sensör, reflektörlü lazer, 15m, M8, 4-pin konektör, PNP	181.00	EC002717	E3Z 7420B	4547648678841	#		GD	GDI	CHN	9031.4990.00
E3Z-LS61 2M	Fotoelektrik sensör, arka plan bastırmalı, 40-200mm, DC, 3 kablolu, NPN, 2m kablolu	147.80	EC002719	E3Z 7237D	4547648677011	#		GD	GDI	CHN	9031.4990.00
E3Z-LS61-M1J 0.3M	Photoelectric sensor, diffuse, BGS, compact square, red LED, 200mm, NPN, L-on/D-on selectable, M12 pig-tail connector	189.70	EC002719	E3Z 7281A	4547648677455	#		GD	GDI	CHN	9031.4990.00
E3Z-LS63 2M	Fotoelektrik sensör, arka plan bastırmalı, kompakt kare, kırmızı LED, 80mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	186.40	EC002719	E3Z 7595M	4547648680592	#		GD	GDI	CHN	9031.4990.00
E3Z-LS66	Fotoelektrik sensör, arka plan bastırmalı, kompakt kare, kırmızı LED, 40-200mm, DC, 3 kablolu, NPN, M8 konektör	151.90	EC002719	E3Z 7239M	4547648677035	#		GD	GDI	CHN	9031.4990.00
E3Z-LS68	Fotoelektrik sensör, arka plan bastırmalı, kompakt kare, kırmızı LED, 80mm, NPN, L-ON/D-ON seçilebilir, M8-4pin konektör	156.20	EC002719	E3Z 7597G	4547648680615	#		GD	GDI	CHN	9031.4990.00
E3Z-LS81 2M	Fotoelektrik sensör, arka plan bastırmalı, 40-200mm, DC, 3 kablolu, PNP, 2m kablolu	147.80	EC002719	E3Z 7241B	4547648677059	#		GD	GDI	CHN	9031.4990.00
E3Z-LS81 5M	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP, 5m cable (requires bracket)	172.10	EC002719	E3Z 7244G	4547648677080	#		GD	GDI	CHN	9031.4990.00
E3Z-LS81-M1J 0.3M	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP, M12 pigtail (requires bracket)	214.10	EC002719	E3Z 7403B	4547648678674	#		GD	GDI	CHN	9031.4990.00
E3Z-LS81-M3J 0.3M	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP, M8 pigtail 4-pin (requires bracket)	120.10	EC002719	E3Z 7327C	4547648677912	#		GD	GDI	CHN	9031.4990.00
E3Z-LS83 2M	Fotoelektrik sensör, arka plan bastırmalı, 2-80mm, DC, 3 kablolu, PNP, 2m kablolu	185.10	EC002719	E3Z 7369R	4547648678339	#		GD	GDI	CHN	9031.4990.00
E3Z-LS86	Fotoelektrik sensör, arka plan bastırmalı, 40-200mm, DC, 3 kablolu, PNP, M8 konektör	151.90	EC002719	E3Z 7242M	4547648677066	#		GD	GDI	CHN	9031.4990.00
E3Z-LS88	Fotoelektrik sensör, arka plan bastırmalı, kompakt kare, kırmızı LED, PNP, L-ON/D-ON seçilebilir, M8 konektör	187.60	EC002719	E3Z 7371M	4547648678353	#		GD	GDI	CHN	9031.4990.00
E3Z-LT61 2M	Fotoelektrik sensör, karşıklı lazer, 60m, kablolu, NPN, 2m kablolu	232.90	EC002716	E3Z 7421M	4547648678858	#		GD	GDI	CHN	9031.4990.00
E3Z-LT66	Fotoelektrik sensör, karşıklı lazer, 60m, M8, 4-pin konektör, NPN	228.40	EC002716	E3Z 7422R	4547648678865	#		GD	GDI	CHN	9031.4990.00
E3Z-LT81 2M	Fotoelektrik sensör, karşıklı lazer, 60m, PNP, 2m kablolu	232.90	EC002716	E3Z 7423G	4547648678872	#		GD	GDI	CHN	9031.4990.00
E3Z-LT81-M1J 0.3M	Photoelectric sensor, through-beam laser, 60m, M12 pigtail, PNP	256.20	EC002716	E3Z 7440G	4547648679046	#		GD	GDI	CHN	9031.4990.00
E3Z-LT86	Fotoelektrik sensör, karşıklı lazer, 60m, M8, 4-pin konektör, PNP	232.90	EC002716	E3Z 7424E	4547648678889	#		GD	GDI	CHN	9031.4990.00
E3Z-LT86-D	Photoelectric sensor, through-beam laser receiver, 60m, M8 4-pin connector, PNP	90.25	EC002716	E3Z 7505E	4547648679695	#		GD	GDI	CHN	9031.4990.00
E3Z-LT86-L	Photoelectric sensor, through-beam laser emitter, 60m, M8 4-pin connector	167.40	EC002716	E3Z 7445H	4547648679091	#		GD	GDI	CHN	9031.4990.00
E3Z-R61 2M	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, NPN, 2m kablolu	113.70	EC002717	E3Z 4052R	4549734446563	#		GD	GDI	IDN	9031.4990.00
E3Z-R61 5M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, NPN, 5m cable (requires reflector & bracket)	113.80	EC002717	E3Z 7033R	4547648287142	#		GD	GDI	CHN	9031.4990.00
E3Z-R61-C 5M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, NPN, 5m cable, including reflector E39-R1	169.30	EC002717	E3Z 7210B	4547648676748	#		GD	GDI	CHN	9031.4990.00
E3Z-R61-M1J 0.3M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, NPN (requires reflector & bracket)	90.45	EC002717	E3Z 7152A	4547648676168	#		GD	GDI	CHN	9031.4990.00
E3Z-R66	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, NPN, M8 konektör	119.10	EC002717	E3Z 4054E	4549734446587	#		GD	GDI	IDN	9031.4990.00
E3Z-R81 2M	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, PNP, 2m kablolu	113.80	EC002717	E3Z 4053G	4549734446570	#		GD	GDI	IDN	9031.4990.00
E3Z-R81 5M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP, 5m cable (requires reflector & bracket)	113.80	EC002717	E3Z 7034G	4547648287159	#		GD	GDI	CHN	9031.4990.00
E3Z-R81-IL3 2M	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, 2m kablolu, IO-link, COM 3	111.50	EC002717	E3Z 8014H	4548583793156	#		GD	GDI	CHN	9031.4990.00
E3Z-R81-IL3 5M	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, 5m kablolu, IO-link, COM 3	121.40	EC002717	E3Z 8015F	4548583793163	#		GD	GDI	CHN	9031.4990.00
E3Z-R81-M1J 0.3M	Photoelectric sensor, retro-reflective, 4m, DC, 3-wire, PNP, M12 pigtail (requires reflector & bracket)	84.95	EC002717	E3Z 7156D	4547648676205	#		GD	GDI	CHN	9031.4990.00
E3Z-R81-M1J 0.8M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP (requires reflector & bracket)	103.60	EC002717	E3Z 7353B	4547648678179	#		GD	GDI	CHN	9031.4990.00
E3Z-R81-M1J-1 0.3M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP (requires reflector & bracket)	102.60	EC002717	E3Z 7283H	4547648677479	#		GD	GDI	CHN	9031.4990.00
E3Z-R81-M1JT-IL3 0.3M	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, M12 kablolu, IO-link, COM 3	111.50	EC002717	E3Z 8016D	4548583793170	#		GD	GDI	CHN	9031.4990.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3ZM-R86	Fotoelektrik sensör, reflektörlü, metal gövde, IP69K, 4m, M8, 4-pin, PNP	202.90	EC002717	E3ZM0020G	4547648235778	#		GD	GDI	JPN	9031.4990.00
E3ZM-T61 2M	Fotoelektrik sensör, karşılıklı, metal gövde, IP69K, 15m, NPN, 2m kablolu	318.70	EC002716	E3ZM0021E	4547648235785	#		GD	GDI	JPN	9031.4990.00
E3ZM-T81 2M	Fotoelektrik sensör, karşılıklı, metal gövde, IP69K, 15m, PNP, 2m kablolu	318.70	EC002716	E3ZM0023A	4547648235808	#		GD	GDI	JPN	9031.4990.00
E3ZM-T81 5M	Photoelectric sensor, Through Beam, metal body, IP69K, 15m, Pre-wired, PNP Output	374.90	EC002716	E3ZM0025H	4547648271790	#		GD	GDI	JPN	9031.4990.00
E3ZM-T81-L 5M	Photoelectric sensor, rectangular, SUS body, IR LED, thru-beam emitter, 15m, PNP, L-ON/D-ON selectable, 5m cable	173.80	EC002716	E3ZM0261G	4547648719148	#		GD	GDI	JPN	9031.4990.00
E3ZM-T81-S1J 0.3M	Photoelectric sensor, through-beam, metal body, IP69K, 15m, M12 4-pin stainless steel pigtail 0.3m, PNP	333.70	EC002716	E3ZM0241B	4547648599641	#		GD	GDI	JPN	9031.4990.00
E3ZM-T83 5M	Photoelectric sensor, through-beam, 0.8m, compact square, stainless steel, infrared LED, internal slit, IP69K, PNP, 5m cable	321.10	EC002716	E3ZM0078R	4547648289935	#		GD	GDI	JPN	9031.4990.00
E3ZM-T86	Fotoelektrik sensör, karşılıklı, metal gövde, IP69K, 15m, M8, 4-pin, PNP	319.40	EC002716	E3ZM0024M	4547648235815	#		GD	GDI	JPN	9031.4990.00
E3ZM-T86-D	Photoelectric sensor	205.30	EC002716	E3ZM0194G	4547648386630	#		GD	GDI	JPN	9031.4990.00
E3ZM-T88	Fotoelektrik sensör, karşılıklı, 0.8m, kompakt kare, paslanmaz çelik, infrared LED, IP69K, PNP, M8-4pin konektör	335.80	EC002716	E3ZM0080M	4547648289399	#		GD	GDI	JPN	9031.4990.00
E3ZM-V61 2M	Fotoelektrik sensör, benek/renk, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, NPN, 2m kablolu	273.30	EC001820	E3ZM7226G	4547648689311	#		GD	GDI	CHN	9031.4990.00
E3ZM-V66	Fotoelektrik sensör, benek/renk, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, NPN, M8, 4-pin konektör	270.00	EC001820	E3ZM7230E	4547648689359	#		GD	GDI	CHN	9031.4990.00
E3ZM-V81 2M	Fotoelektrik sensör, benek/renk, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, PNP, 2m kablolu	272.20	EC001820	E3ZM7228C	4547648689335	#		GD	GDI	CHN	9031.4990.00
E3ZM-V81 5M	Colour mark sensor, diffuse, 12 +/- 2mm, 50µs response time, stainless steel body, IP69K, PNP	283.20	EC001820	E3ZM7229A	4547648689342	#		GD	GDI	CHN	9031.4990.00
E3ZM-V86	Fotoelektrik sensör, benek/renk, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, PNP, M8, 4-pin konektör	268.80	EC001820	E3ZM7231C	4547648689366	#		GD	GDI	CHN	9031.4990.00
Fotoelektrik Sensör E3S											
E3S-AD11	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, horizontal, 2m cable	139.40	EC001821	E3S 3007B	4536853282233	#		GD	GDI	JPN	9031.4990.00
E3S-AD12	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN, horizontal, 2m cable	138.60	EC001821	E3S 3009R	4536853282257	#		GD	GDI	JPN	9031.4990.00
E3S-AD13	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, horizontal, 2m cable	147.10	EC001821	E3S 3172R	4536853283872	#		GD	GDI	JPN	9031.4990.00
E3S-AD31	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, horizontal, 2m cable	141.20	EC001821	E3S 3033A	4536853282493	#		GD	GDI	JPN	9031.4990.00
E3S-AD32	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, horizontal, 2m cable	139.00	EC001821	E3S 3035H	4536853282516	#		GD	GDI	JPN	9031.4990.00
E3S-AD33	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, horizontal, 2m cable	161.70	EC001821	E3S 3170B	4536853283858	#		GD	GDI	JPN	9031.4990.00
E3S-AD36	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, horizontal, M12 plug-in	147.10	EC001821	E3S 3041B	4536853282578	#		GD	GDI	JPN	9031.4990.00
E3S-AD37	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, horizontal, M12 plug-in	149.00	EC001821	E3S 3042M	4536853282585	#		GD	GDI	JPN	9031.4990.00
E3S-AD38	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, horizontal, M12 plug-in	155.00	EC001821	E3S 3163M	4536853283780	#		GD	GDI	JPN	9031.4990.00
E3S-AD61	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, vertical, 2m cable	139.40	EC001821	E3S 3059E	4536853282752	#		GD	GDI	JPN	9031.4990.00
E3S-AD81	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, vertical, 2m cable	143.30	EC001821	E3S 3085D	4536853283018	#		GD	GDI	JPN	9031.4990.00
E3S-AD82	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, vertical, 2m cable	139.00	EC001821	E3S 3087M	4536853283032	#		GD	GDI	JPN	9031.4990.00
E3S-AD83	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, vertical, 2m cable	147.50	EC001821	E3S 3167B	4536853283827	#		GD	GDI	JPN	9031.4990.00
E3S-AD86	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, vertical, M12 plug-in	147.10	EC001821	E3S 3093E	4536853283094	#		GD	GDI	JPN	9031.4990.00
E3S-AD87	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, vertical, M12 plug-in	146.10	EC001821	E3S 3094C	4536853283100	#		GD	GDI	JPN	9031.4990.00
E3S-AD88	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, vertical, M12 plug-in	154.60	EC001821	E3S 3162A	4536853283773	#		GD	GDI	JPN	9031.4990.00
E3S-AR11	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, horizontal, 2m cable	155.70	EC002717	E3S 3005F	4536853282219	#		GD	GDI	JPN	9031.4990.00
E3S-AR16	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, horizontal, M12 plug-in	164.10	EC002717	E3S 3014E	4536853282301	#		GD	GDI	JPN	9031.4990.00
E3S-AR31	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, horizontal, 2m cable	155.70	EC002717	E3S 3031E	4536853282479	#		GD	GDI	JPN	9031.4990.00
E3S-AR36	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, horizontal, M12 plug-in	161.10	EC002717	E3S 3040D	4536853282561	#		GD	GDI	JPN	9031.4990.00
E3S-AR66	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, vertical, M12 plug-in	164.10	EC002717	E3S 3066H	4536853282820	#		GD	GDI	JPN	9031.4990.00
E3S-AR81	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, vertical, 2m cable	155.70	EC002717	E3S 3083H	4536853282998	#		GD	GDI	JPN	9031.4990.00
E3S-AR86	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, vertical, M12 plug-in	161.10	EC002717	E3S 3092G	4536853283087	#		GD	GDI	JPN	9031.4990.00
E3S-AT11	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, horizontal, 2m cable	189.00	EC002716	E3S 3001C	4536853282172	#		GD	GDI	JPN	9031.4990.00
E3S-AT31	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, horizontal, 2m cable	191.50	EC002716	E3S 3027G	4536853282431	#		GD	GDI	JPN	9031.4990.00
E3S-AT36	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, horizontal, M12 plug-in	202.90	EC002716	E3S 3037D	4536853282530	#		GD	GDI	JPN	9031.4990.00
E3S-AT61	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, vertical, 2m cable	189.00	EC002716	E3S 3053F	4536853282691	#		GD	GDI	JPN	9031.4990.00
E3S-AT81	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, vertical, 2m cable	191.50	EC002716	E3S 3079M	4536853282950	#		GD	GDI	JPN	9031.4990.00
E3S-AT81-D	Photoelectric sensor, through-beam (receiver only), 7 m, DC, PNP, vertical, 2 m cable	147.50	EC002716	E3S 3082M	4536853282981	#		GD	GDI	JPN	9031.4990.00
E3S-AT86	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, vertical, M12 plug-in	202.90	EC002716	E3S 3089G	4536853283056	#		GD	GDI	JPN	9031.4990.00
E3S-CD11 2M	Fotoelektrik sensör, cisimden yansımali, 700mm, DC, 3 kablolu, NPN/PNP, yatay, 2m kablolu	204.70	EC001821	E3S 7006F	4547648357180	#		GD	GDI	CHN	9031.4990.00
E3S-CD11-M1J 0.3M	Photoelectric sensor, Diffuse, 700mm range, Horizontal, NPN/PNP, M12 connector	234.10	EC001821	E3S 7023F	4547648357357	#		GD	GDI	CHN	9031.4990.00
E3S-CD12 2M	Fotoelektrik sensör, cisimden yansımali, 2m, DC, 3 kablolu, NPN/PNP, yatay, 2m kablolu	216.50	EC001821	E3S 7007D	4547648357197	#		GD	GDI	CHN	9031.4990.00
E3S-CD16	Fotoelektrik sensör, cisimden yansımali, 700mm, DC, 3 kablolu, NPN/PNP, yatay, M12 konektör	234.10	EC001821	E3S 7047C	4547648357593	#		GD	GDI	CHN	9031.4990.00
E3S-CD17	Fotoelektrik sensör, cisimden yansımali, 2m, DC, 3 kablolu, NPN/PNP, yatay, M12 konektör	231.90	EC001821	E3S 7048A	4547648357609	#		GD	GDI	CHN	9031.4990.00
E3S-CD61 2M	Fotoelektrik sensör, cisimden yansımali, 700mm, DC, 3 kablolu, NPN/PNP, düşey, 2m kablolu	198.90	EC001821	E3S 7010D	4547648357227	#		GD	GDI	CHN	9031.4990.00
E3S-CD61-M1J 0.3M	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN/PNP, vertical, 0.3m cable with M12 connector	210.30	EC001821	E3S 7027R	4547648357395	#		GD	GDI	CHN	9031.4990.00
E3S-CD62 2M	Fotoelektrik sensör, cisimden yansımali, 2m, DC, 3 kablolu, NPN/PNP, düşey, 2m kablolu	219.00	EC001821	E3S 7011B	4547648357234	#		GD	GDI	CHN	9031.4990.00
E3S-CD66	Fotoelektrik sensör, cisimden yansımali, 700mm, DC, 3 kablolu, NPN/PNP, düşey, M12 konektör	243.30	EC001821	E3S 7049M	4547648357616	#		GD	GDI	CHN	9031.4990.00
E3S-CD67	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	243.30	EC001821	E3S 7050C	4547648357623	#		GD	GDI	CHN	9031.4990.00
E3S-CL1 2M	Fotoelektrik sensör, mesafe ayarlanabilir arka plan bastırılmalı, 5-200mm, NPN/PNP, 2m kablolu	259.50	EC002719	E3S 7029E	4547648357418	#		GD	GDI	CHN	9031.4990.00
E3S-CL1 5M	Photoelectric sensor distance setting BGS, 5-200mm, NPN/PNP, 5m cable	245.80	EC002719	E3S 7030R	4547648357425	#		GD	GDI	CHN	9031.4990.00
E3S-CL1-M1J 0.3M	Photoelectric sensor distance setting BGS, 5-200mm, NPN/PNP, M12 pigtail	247.20	EC002719	E3S 7039B	4547648357517	#		GD	GDI	CHN	9031.4990.00
E3S-CL2 2M	Fotoelektrik sensör, mesafe ayarlanabilir arka plan bastırılmalı, 5-500mm, NPN/PNP, 2m kablolu	238.10	EC002719	E3S 7031G	4547648357432	#		GD	GDI	CHN	9031.4990.00
E3S-CL2 5M	Photoelectric sensor distance setting BGS, 5-500mm, NPN/PNP, 5m cable	266.70	EC002719	E3S 7032E	4547648357449	#		GD	GDI	CHN	9031.4990.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3S-CL2-M1J 0.3M	Photoelectric sensor distance setting BGS, 5-500mm, NPN/PNP, M12 pigtail	263.40	EC002719	E3S 7040F	4547648357524	#		GD	GDJ	CHN	9031.4990.00
E3S-CR11 2M	Fotoelektrik sensör, reflektörlü, 3m, DC, 3 kablolü, NPN/PNP, yatay, 2m kablolü	202.90	EC002717	E3S 7005H	4547648357173	#		GD	GDJ	CHN	9031.4990.00
E3S-CR11-M1J 0.3M	Photoelectric sensor, retroreflective, 3m, DC, 3-wire, NPN/PNP, horizontal, pigtail connector	237.30	EC002717	E3S 7022H	4547648357340	#		GD	GDJ	CHN	9031.4990.00
E3S-CR16	Photoelectric sensor, retro-reflective, 3m, DC, 3-wire, NPN/PNP, horizontal, M12 plug-in	294.00	EC002717	E3S 7051A	4547648357630	#		GD	GDJ	CHN	9031.4990.00
E3S-CR61 2M	Fotoelektrik sensör, reflektörlü, 3m, DC, 3 kablolü, NPN/PNP, dişey, 2m kablolü	200.10	EC002717	E3S 7009M	4547648357210	#		GD	GDJ	CHN	9031.4990.00
E3S-CR61 5M	Photoelectric sensor, retroreflective, 3m, DC, 3-wire, NPN/PNP, vertical, 5m cable	229.50	EC002717	E3S 7016C	4547648357289	#		GD	GDJ	CHN	9031.4990.00
E3S-CR61-M1J 0.3M	Photoelectric sensor, retroreflective	237.30	EC002717	E3S 7026M	4547648357388	#		GD	GDJ	CHN	9031.4990.00
E3S-CR66	Fotoelektrik sensör, reflektörlü, 3m, DC, 3 kablolü, NPN/PNP, dişey, M12 konnektör	211.70	EC002717	E3S 7037F	4547648357494	#		GD	GDJ	CHN	9031.4990.00
E3S-CT11 2M	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolü, NPN/PNP, yatay, 2m kablolü	270.80	EC002716	E3S 7004M	4547648357166	#		GD	GDJ	CHN	9031.4990.00
E3S-CT16	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolü, NPN/PNP, yatay, M12 konnektör	311.30	EC002716	E3S 7041D	4547648357531	#		GD	GDJ	CHN	9031.4990.00
E3S-CT61 2M	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolü, NPN/PNP, dişey, 2m kablolü	288.40	EC002716	E3S 7008B	4547648357203	#		GD	GDJ	CHN	9031.4990.00
E3S-CT61 5M	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, 5m cable	307.30	EC002716	E3S 7018M	4547648357302	#		GD	GDJ	CHN	9031.4990.00
E3S-CT61-D 5M	Photoelectric sensor, through-beam receiver, 5n=12m, NPN/PNP, zinc diecast, 5m PVC cable	202.70	EC002716	E3S 7036H	4547648357487	#		GD	GDJ	CHN	9031.4990.00
E3S-CT61-L 5M	Photoelectric sensor, through-beam emitter, 5n=12m, zinc diecast, 5m PVC cable	140.80	EC002716	E3S 7035M	4547648357470	#		GD	GDJ	CHN	9031.4990.00
E3S-CT66	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	264.60	EC002716	E3S 7044R	4547648357562	#		GD	GDJ	CHN	9031.4990.00
E3S-CT66-D	Photoelectric sensor, through-beam receiver, 30m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	233.20	EC002716	E3S 7046E	4547648357586	#		GD	GDJ	CHN	9031.4990.00
E3S-CT66-L	Photoelectric sensor, through-beam (emitter only), 30 m, DC, vertical, M12 plug-in	172.90	EC002716	E3S 7045G	4547648357579	#		GD	GDJ	CHN	9031.4990.00
E3S-R17	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolü, NPN, yatay, M12 konnektör	184.10	EC002717	E3S 3209A	4536853284244	#		GD	GDJ	JPN	9031.4990.00
E3S-R36	Fotoelektrik sensör, reflektörlü, 1m, DC, 3 kablolü, PNP, yatay, M12 konnektör	180.20	EC002717	E3S 3256C	4536853284718	#		GD	GDJ	JPN	9031.4990.00
E3S-R37	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolü, PNP, yatay, M12 konnektör	172.90	EC002717	E3S 3257A	4536853284725	#		GD	GDJ	JPN	9031.4990.00
E3S-R67	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolü, NPN, dişey, M12 konnektör	180.20	EC002717	E3S 3210E	4536853284251	#		GD	GDJ	JPN	9031.4990.00
E3S-R86	Fotoelektrik sensör, reflektörlü, 1m, DC, 3 kablolü, PNP, dişey, M12 konnektör	175.60	EC002717	E3S 3260A	4536853284756	#		GD	GDJ	JPN	9031.4990.00
E3S-R87	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolü, PNP, dişey, M12 konnektör	177.10	EC002717	E3S 3261M	4536853284763	#		GD	GDJ	JPN	9031.4990.00

Fiberoptik Amplifikatör E3X

E3X-MZV11 2M	Fiber amplifier, twin digital display, smart tuning, NPN, double output, 2 m cable	245.30	EC002651	E3X 2006G	4549734673815			GD	GDK	CHN	8536.5019.90
E3X-MZV21 2M	Fiber amplifier, twin digital display, smart tuning, NPN, double output, double external input, 2m cable	258.00	EC002651	E3X 2016D	4550431043306			GD	GDK	CHN	8536.5019.90
E3X-MZV41 2M	Fiber amplifier, twin digital display, smart tuning, PNP, double output, 2 m cable	245.30	EC002651	E3X 2007E	4549734673822	#	50	GD	GDK	CHN	8536.5019.90
E3X-MZV51 2M	Fiber amplifier, twin digital display, smart tuning, PNP, double output, double external input, 2m cable	258.00	EC002651	E3X 2017B	4550431043313			GD	GDK	CHN	8536.5019.90
E3X-MZV6	Fiber amplifier, twin digital display, smart tuning, NPN, double output, system connector	239.80	EC002651	E3X 2010E	4549734752923			GD	GDK	CHN	8536.5019.90
E3X-MZV8	Fiber amplifier, twin digital display, smart tuning, PNP, double output, system connector	239.80	EC002651	E3X 2011C	4549734752930	#		GD	GDK	CHN	8536.5019.90
E3X-NA11 2M	Fiberoptik amplifikatör, IP50, NPN, 2m kablolü	154.00	EC002651	E3X 7001C	4547648358750	#		GD	GDK	CHN	9031.4990.00
E3X-NA11F 2M	Fiber amplifier with potentiometer, fast respons time, NPN output, 2m cable	263.60	EC002651	E3X 7008M	4547648358828	#		GD	GDK	CHN	9031.4990.00
E3X-NA11V 2M	Fiberoptik amplifikatör, IP66, NPN, 2m kablolü	231.70	EC002651	E3X 7010B	4547648358842	#		GD	GDK	CHN	9031.4990.00
E3X-NA14V	Amplifier with potentiometer, IP66, NPN output, M8 plug-in	227.30	EC002651	E3X 7012R	4547648358866	#		GD	GDK	CHN	9031.4990.00
E3X-NA21 2M	Photoelectric sensor, optical fibre amplifier, bar LED display, diagnostic output, DC, 3-wire, NPN, 2 m cable	161.50	EC002651	E3X 7017M	4547648358910	#		GD	GDK	CHN	9031.4990.00
E3X-NA41 2M	Fiberoptik amplifikatör, IP50, PNP, 2m kablolü	154.00	EC002651	E3X 7002A	4547648358767	#		GD	GDK	CHN	9031.4990.00
E3X-NA41F 2M	Fiber amplifier with potentiometer, fast respons time, PNP output, 2m cable	263.60	EC002651	E3X 7009R	4547648358835	#		GD	GDK	CHN	9031.4990.00
E3X-NA41V 2M	Fiberoptik amplifikatör, IP66, PNP, 2m kablolü	227.30	EC002651	E3X 7011M	4547648358859	#		GD	GDK	CHN	9031.4990.00
E3X-NA44V	Fiberoptik amplifikatör, IP66, PNP, M8 konnektör	227.30	EC002651	E3X 7007B	4547648358811	#		GD	GDK	CHN	9031.4990.00
E3X-NA51 2M	Fiberoptik amplifikatör, çubuk LED gösterge, DC, 3 kablolü, PNP, 2m kablolü	251.90	EC002651	E3X 7018H	4547648358927	#		GD	GDK	CHN	9031.4990.00
E3X-NA8	Fiberoptik amplifikatör, IP50, PNP, konnektör	132.20	EC002651	E3X 7006D	4547648358804	#		GD	GDK	CHN	9031.4990.00
E3X-ZV11 2M	Fiber amplifier, twin digital display, smart tuning, NPN, single output, 2 m cable	185.30	EC002651	E3X 2004M	4549734673792	#	50	GD	GDK	CHN	8536.5019.90
E3X-ZV21 2M	Fiber amplifier, twin digital display, smart tuning, NPN, single output, external input, 2 m cable	195.00	EC002651	E3X 2012A	4550431043269			GD	GDK	CHN	8536.5019.90
E3X-ZV41 2M	Fiber amplifier, twin digital display, smart tuning, PNP, single output, 2 m cable	185.30	EC002651	E3X 2005R	4549734673808	#	50	GD	GDK	CHN	8536.5019.90
E3X-ZV51 2M	Fiber amplifier, twin digital display, smart tuning, PNP, single output, external input, 2 m cable	195.00	EC002651	E3X 2014H	4550431043283			GD	GDK	CHN	8536.5019.90
E3X-ZV6	Fiber amplifier, twin digital display, smart tuning, NPN, single output, system connector	179.90	EC002651	E3X 2008C	4549734752909	#	50	GD	GDK	CHN	8536.5019.90
E3X-ZV7	Fiber amplifier, twin digital display, smart tuning, NPN, single output, external input, system connector	189.00	EC002651	E3X 2013M	4550431043276			GD	GDK	CHN	8536.5019.90
E3X-ZV8	Fiber amplifier, twin digital display, smart tuning, PNP, single output, system connector	179.90	EC002651	E3X 2009A	4549734752916	#		GD	GDK	CHN	8536.5019.90
E3X-ZV9	Fiber amplifier, twin digital display, smart tuning, PNP, single output, external input, system connector	189.00	EC002651	E3X 2015F	4550431043290			GD	GDK	CHN	8536.5019.90
E3X-CN11 2M	Connector, 3-wire cable for master amplifier, 2m cable	20.28	EC001855	E3X 7191E	4547648647717	#		GD	GDK	CHN	8544.4210.00
E3X-CN11 5M	Connector, 3-wire, cable for master amplifier, 5m cable	28.86	EC001855	E3X 7195H	4547648647755	#		GD	GDK	CHN	8544.4210.00
E3X-CN12 2M	Connector, 1-wire cable for slave amplifier, 2m cable	18.46	EC001855	E3X 7192C	4547648647724	#		GD	GDK	CHN	8544.4210.00
E3X-CN12 5M	Connector, 1-wire cable for slave amplifier, 5m cable	21.20	EC001855	E3X 7196F	4547648647762			GD	GDK	CHN	8544.4210.00
E3X-CN21 2M	Accessory fiber amplifier, system connector for master amplifier, standard, 2M cables	28.36	EC001855	E3X 7193A	4547648647731	#		GD	GDK	CHN	8544.4210.00

Fotoelektrik Sensör E3T

E3T-CD11 2M	Fotoelektrik sensör, M6 paslanmaz çelik gövde, cisimden yansimalı 50mm, L-ON, NPN, 2m kablolü	169.00	EC001821	E3T 1384H	4547648838542	#		GD	GDO	JPN	9031.4990.00
E3T-CD13 2M	Fotoelektrik sensör, M6 paslanmaz çelik gövde, cisimden yansimalı 50mm, L-ON, PNP, 2m kablolü	247.30	EC001821	E3T 1385F	4547648838559	#		GD	GDO	JPN	9031.4990.00
E3T-CT14 2M	Fotoelektrik sensör, M6 paslanmaz çelik gövde, karşılıklı 1m, D-ON, PNP, 2m kablolü	196.70	EC002716	E3T 1381C	4547648838511	#		GD	GDO	JPN	9031.4990.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3T-FD11 2M	Fotoelektrik sensör, cisimden yansimalı, 30mm, DC, 3 kablolü, NPN, L-ON, yassı, 2m kablolu	123.60	EC001821	E3T 1009A	4536853289881	#		GD	GDO	JPN	9031.4990.00
E3T-FD12 2M	Fotoelektrik sensör, cisimden yansimalı, 30mm, DC, 3 kablolü, NPN, D-ON, yassı, 2m kablolu	123.60	EC001821	E3T 1010E	4536853289898	#		GD	GDO	JPN	9031.4990.00
E3T-FD13 2M	Fotoelektrik sensör, cisimden yansimalı, 30mm, DC, 3 kablolü, PNP, L-ON, yassı, 2m kablolu	120.30	EC001821	E3T 1035M	4536854366437	#		GD	GDO	JPN	9031.4990.00
E3T-FD14 2M	Fotoelektrik sensör, cisimden yansimalı, 30mm, DC, 3 kablolü, PNP, D-ON, yassı, 2m kablolu	124.00	EC001821	E3T 1036R	4536854366451	#		GD	GDO	JPN	9031.4990.00
E3T-FL11 2M	Photoelectric sensor, background suppression, 1-15mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires bracket)	151.70	EC002719	E3T 1223M	4547648223607	#		GD	GDO	JPN	9031.4990.00
E3T-FL13 2M	Fotoelektrik sensör, arka plan bastırmalı, 1-15mm, DC, 3 kablolü, PNP, L-ON, yassı, 2m kablolu	202.50	EC002719	E3T 1225F	4547648223621	#		GD	GDO	JPN	9031.4990.00
E3T-FL21 2M	Photoelectric sensor, background suppression, 1-30mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires bracket)	170.90	EC002719	E3T 1227B	4547648223645	#		GD	GDO	JPN	9031.4990.00
E3T-FL23 2M	Fotoelektrik sensör, arka plan bastırmalı, 1-30mm, DC, 3 kablolü, PNP, L-ON, yassı, 2m kablolu	165.70	EC002719	E3T 1229R	4547648223669	#		GD	GDO	JPN	9031.4990.00
E3T-FL23R 2M	Photoelectric sensor, BGS, 1-30mm, DC, 3-wire, PNP, light-on, flat-form, 2m robot cable, M2 mounting	180.50	EC002719	E3T 1238H	4547648242523	#		GD	GDO	JPN	9031.4990.00
E3T-F111 2M	Fotoelektrik sensör, karşıllıklı, 500mm, DC, 3 kablolü, NPN, L-ON, yassı, 2m kablolu	164.50	EC002716	E3T 1007E	4536853289867	#		GD	GDO	JPN	9031.4990.00
E3T-F112 2M	Fotoelektrik sensör, karşıllıklı, 500mm, DC, 3 kablolü, NPN, D-ON, yassı, 2m kablolu	160.80	EC002716	E3T 1008C	4536853289874	#		GD	GDO	JPN	9031.4990.00
E3T-F113 2M	Fotoelektrik sensör, karşıllıklı, minyatür, yassı, 500mm, L-ON, PNP, 2m kablolu	164.50	EC002716	E3T 1027M	4536854366345	#		GD	GDO	JPN	9031.4990.00
E3T-F114 2M	Fotoelektrik sensör, karşıllıklı, 500mm, DC, 3 kablolü, PNP, D-ON, yassı, 2m kablolu	160.80	EC002716	E3T 1028H	4536854366352	#		GD	GDO	JPN	9031.4990.00
E3T-F123 2M	Photoelectric sensor, through-beam, miniature, flat-shape, 300mm, PNP, light-on, 2m cable, M2 mounting	203.40	EC002716	E3T 1134R	4536854914102	#		GD	GDO	JPN	9031.4990.00
E3T-F124 2M	Photoelectric sensor, through-beam, miniature, 300mm, DC, 3-wire, PNP, dark-on, flat-view, 2m cable	207.60	EC002716	E3T 1130F	4536854914065	#		GD	GDO	JPN	9031.4990.00
E3T-SL11 2M	Fotoelektrik sensör, cisimden yansimalı, 15mm, DC, 3 kablolü, NPN, L-ON, 2m kablolu	125.20	EC002719	E3T 1004M	4536853289836	#		GD	GDO	JPN	9031.4990.00
E3T-SL13 2M	Fotoelektrik sensör, cisimden yansimalı, 15mm, DC, 3 kablolü, PNP, L-ON, 2m kablolu	118.60	EC002719	E3T 1031H	4536854366383	#		GD	GDO	JPN	9031.4990.00
E3T-SL13M 2M	Photoelectric sensor, side view, limited 5-15mm, Light-ON, PNP, 2m cable (requires M3 screw & bracket)	132.90	EC002719	E3T 1297C	4548583011069	#		GD	GDO	JPN	9031.4990.00
E3T-SL13-MSJ 0.3M	Photo-electric sensor	120.60	EC002719	E3T 1146B	4547648016551	#	5	GD	GDO	JPN	9031.4990.00
E3T-SL14 2M	Fotoelektrik sensör, cisimden yansimalı, minyatür, 5-15mm, D-ON, PNP, 2m kablolu	110.60	EC002719	E3T 1032F	4536854366406	#		GD	GDO	JPN	9031.4990.00
E3T-SL21 2M	Fotoelektrik sensör, cisimden yansimalı, 30mm, DC, 3 kablolü, NPN, L-ON, 2m kablolu	120.30	EC002719	E3T 1011C	4536853289904	#		GD	GDO	JPN	9031.4990.00
E3T-SL23 2M	Fotoelektrik sensör, cisimden yansimalı, 30mm, DC, 3 kablolü, PNP, L-ON, 2m kablolu	122.60	EC002719	E3T 1033D	4536854366413	#		GD	GDO	JPN	9031.4990.00
E3T-SL23-MSJ 0.3M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, PNP, light-on, side-view, M8 connector (requires bracket)	154.50	EC002719	E3T 1148R	4547648016575	#		GD	GDO	JPN	9031.4990.00
E3T-SL24 2M	Fotoelektrik sensör, cisimden yansimalı, minyatür, 5-30mm, D-ON, PNP, 2m kablolu	120.30	EC002719	E3T 1034B	4536854366420	#		GD	GDO	JPN	9031.4990.00
E3T-SR22 2M	Fotoelektrik sensör, reflektörlü, 200mm, DC, 3 kablolü, NPN, D-ON, 2m kablolu	132.90	EC002717	E3T 3002E	4547648222884	#		GD	GDO	JPN	9031.4990.00
E3T-SR23 2M	Fotoelektrik sensör, reflektörlü, 200mm, DC, 3 kablolü, PNP, L-ON, 2m kablolu	131.10	EC002717	E3T 3008D	4547648222952	#		GD	GDO	JPN	9031.4990.00
E3T-SR23-MSJ 0.3M	Photoelectric sensor, retroreflective (reflector supplied), 200mm, DC, 3-wire, PNP, light-on, side-view, pigtail connector, M8, 3 pin (requires bracket)	158.40	EC002717	E3T 3042D	4547648223430	#		GD	GDO	JPN	9031.4990.00
E3T-SR24 2M	Fotoelektrik sensör, reflektörlü, 200mm, DC, 3 kablolü, PNP, D-ON, 2m kablolu	131.10	EC002717	E3T 3011D	4547648222983	#		GD	GDO	JPN	9031.4990.00
E3T-SR41-C 2M	Fotoelektrik sensör, reflektörlü, minyatür, 200mm, NPN, L-ON, 2m kablolu,	167.50	EC002717	E3T 3065C	4547648590389	#		GD	GDO	JPN	9031.4990.00
E3T-SR43 2M	Fotoelektrik sensör, reflektörlü, 200mm	142.70	EC002717	E3T 3063G	4547648590365	#		GD	GDO	JPN	9031.4990.00
E3T-SR43-C 2M	Fotoelektrik sensör, reflektörlü, minyatür, 200mm, PNP, L-ON, 2m kablolu,	107.90	EC002717	E3T 3067M	4547648590402	#		GD	GDO	JPN	9031.4990.00
E3T-SR44 2M	Fotoelektrik sensör,	142.70	EC002717	E3T 3064E	4547648590372	#		GD	GDO	JPN	9031.4990.00
E3T-SR44-C 2M	Photoelectric sensor, retro-reflective, miniature, side view, 200mm, PNP, D-on, 2m cable, M2 mounting	121.50	EC002717	E3T 3068H	4547648590419	#		GD	GDO	JPN	9031.4990.00
E3T-ST11 2M	Fotoelektrik sensör, karşıllıklı, 1m, DC, 3 kablolü, NPN, L-ON, 2m kablolu	164.50	EC002716	E3T 1001F	4536853289805	#		GD	GDO	JPN	9031.4990.00
E3T-ST12 2M	Fotoelektrik sensör, karşıllıklı, 1m, DC, 3 kablolü, NPN, D-ON, 2m kablolu	161.40	EC002716	E3T 1002D	4536853289812	#		GD	GDO	JPN	9031.4990.00
E3T-ST13 2M	Fotoelektrik sensör, karşıllıklı, minyatür, 1m, L-ON, PNP, 2m kablolu	160.80	EC002716	E3T 1025C	4536854366321	#		GD	GDO	JPN	9031.4990.00
E3T-ST14 2M	Fotoelektrik sensör, karşıllıklı, 1m, DC, 3 kablolü, PNP, D-ON, 2m kablolu	159.60	EC002716	E3T 1026A	4536854366338	#		GD	GDO	JPN	9031.4990.00
E3T-ST23 2M	Fotoelektrik sensör, karşıllıklı, minyatür, 300mm, PNP, L-ON, 2m kablolu,	182.60	EC002716	E3T 1136E	4536854914126	#		GD	GDO	JPN	9031.4990.00
E3T-ST24 2M	Fotoelektrik sensör, karşıllıklı, minyatür, 300mm, PNP, D-ON, 2m kablolu,	167.80	EC002716	E3T 1133M	4536854914096	#		GD	GDO	JPN	9031.4990.00

Fotoelektrik Sensör E3C-LDA

E3C-LD11N 2M	Laser sensor head, diffuse reflective, 1 m, spot beam, 2 m cable	497.80	EC001821	E3C 2057G	4549734741347	#		GD	GDQ	JPN	8536.5019.90
E3C-LDA21N 2M	Photoelectric sensor, laser amplifier, 2 outputs, 1 input, DC, NPN, 2 m cable	353.40	EC003015	E3C 2051H	4549734741286	#		GD	GDQ	JPN	8542.3390.00
E3C-LDA51N 2M	Photoelectric sensor, laser amplifier, 2 outputs, 1 input, DC, PNP, 2 m cable	353.40	EC003015	E3C 2052F	4549734741293	#		GD	GDQ	JPN	8542.3390.00
E3C-LDA8N	Photoelectric sensor, laser amplifier, 2 output, DC, PNP, system connector	353.40	EC003015	E3C 2055M	4549734741323	#		GD	GDQ	JPN	8542.3390.00
E3C-LDA9N	Photoelectric sensor, laser amplifier, 1 output, 1 input, DC, PNP, system connector	353.40	EC003015	E3C 2056R	4549734741330	#		GD	GDQ	JPN	8542.3390.00
E3C-LR11N 2M	Laser sensor head, coaxial retro-reflective, 7 m, variable spot, 2 m cable	667.50	EC002717	E3C 2058E	4549734741354	#		GD	GDQ	JPN	8536.5019.90
E3C-LR12N 2M	Laser sensor head, coaxial retro-reflective, 7 m, 2 mm spot diameter, fixed spot, 2 m cable	667.50	EC002717	E3C 2059C	4549734741361	#		GD	GDQ	JPN	8536.5019.90
E39-P11	Line beam adaptor for E3C-LD11	107.40	EC003015	E39 1158H	4536854895289	#		GD	GDQ	JPN	8541.9000.00

Fotomikro Sensör Dahili Amplifikatör

EE-SX471	Photo micro sensor, slot type, L-shaped, L-ON, NPN, connector	14.65	EC002720	EE5X2242F	4548583476004	#	10	GD	GDR	JPN	8541.4900.00
EE-SX472	Photo micro sensor, slot type, T-shaped, L-ON, NPN, connector	10.33	EC002720	EE5X2243D	4548583476011	#	100	GD	GDR	JPN	8541.4900.00
EE-SX670	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, NPN, connector	13.63	EC002720	EE5X2246R	4548583476042	#	100	GD	GDR	JPN	8541.4900.00
EE-SX670A	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, NPN, connector	14.12	EC002720	EE5X2247G	4548583476059	#	100	GD	GDR	JPN	8541.4900.00
EE-SX670P	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, connector	23.36	EC002720	EE5X2249C	4548583476080	#	100	GD	GDR	JPN	8541.4900.00
EE-SX670P-WR 1M	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, 1m robotic cable	29.27	EC002720	EE5X1999R	4547648354639	#		GD	GDR	CHN	8541.4900.00
EE-SX670R	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, connector	18.90	EC002720	EE5X2250G	4548583476097	#	100	GD	GDR	JPN	8541.4900.00
EE-SX670-WR 1M	Photomicro sensor	21.43	EC002720	EE5X1991C	4547648354554	#	20	GD	GDR	CHN	8541.4900.00
EE-SX671	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, NPN, connector	12.95	EC002720	EE5X2251E	4548583476073	#	50	GD	GDR	JPN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EE-SX671A	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, NPN, connector	14.12	EC002720	EESX2252C	4548583476103	#	50	GD	GDR	JPN	8541.4900.00
EE-SX671P	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, PNP, connector	22.90	EC002720	EESX2253A	4548583476110	#	50	GD	GDR	JPN	8541.4900.00
EE-SX671P-WR 1M	Photomicro sensor	50.50	EC002720	EESX22000H	4547648354660	#	20	GD	GDR	CHN	8541.4900.00
EE-SX671R	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, PNP, connector	18.90	EC002720	EESX2254M	4548583476127	#	50	GD	GDR	JPN	8541.4900.00
EE-SX671-WR 1M	Photomicro sensor	48.38	EC002720	EESX1992A	4547648354561	#	20	GD	GDR	CHN	8541.4900.00
EE-SX672	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	14.12	EC002720	EESX2255H	4548583476134	#	50	GD	GDR	JPN	8541.4900.00
EE-SX672A	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	13.41	EC002720	EESX2256F	4548583476141	#	50	GD	GDR	JPN	8541.4900.00
EE-SX672P	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, connector	19.42	EC002720	EESX2257D	4548583476158	#	50	GD	GDR	JPN	8541.4900.00
EE-SX672P-WR 1M	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, 1m robotic cable	23.21	EC002720	EESX2001F	4547648354677	#		GD	GDR	CHN	8541.4900.00
EE-SX672R	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, connector	19.67	EC002720	EESX2258B	4548583476165	#	50	GD	GDR	JPN	8541.4900.00
EE-SX672-WR 1M	Photomicro sensor	24.45	EC002720	EESX1993M	4547648354578	#	20	GD	GDR	CHN	8541.4900.00
EE-SX673	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	10.99	EC002720	EESX2259M	4548583476172	#	100	GD	GDR	JPN	8541.4900.00
EE-SX673A	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	13.94	EC002720	EESX2260D	4548583476189	#	50	GD	GDR	JPN	8541.4900.00
EE-SX673P	Photo micro sensor, slot type, close-mounting, L-ON/D-ON selectable, incident light indicator, PNP, connector	31.29	EC002720	EESX2261B	4548583476196	#	20	GD	GDR	JPN	8541.4900.00
EE-SX673R	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	22.40	EC002720	EESX2262M	4548583476202	#	10	GD	GDR	JPN	8541.4900.00
EE-SX674	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	17.37	EC002720	EESX2263R	4548583476219	#	50	GD	GDR	JPN	8541.4900.00
EE-SX674A	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	19.53	EC002720	EESX2264G	4548583476226	#	50	GD	GDR	JPN	8541.4900.00
EE-SX674P	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	28.34	EC002720	EESX2265E	4548583476233	#	50	GD	GDR	JPN	8541.4900.00
EE-SX674P-WR 1M	Photomicro sensor, close mounting, PNP, Dark ON indicator, pre wired 2M	24.85	EC002720	EESX2003B	4547648354691	#		GD	GDR	CHN	8541.4900.00
EE-SX674R	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	16.15	EC002720	EESX2266C	4548583476240	#	10	GD	GDR	JPN	8541.4900.00
EE-SX674-WR 1M	Photomicro sensor	18.73	EC002720	EESX1995F	4547648354592	#		GD	GDR	CHN	8541.4900.00
EE-SX675	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	15.46	EC002720	EESX2267A	4548583476257	#	50	GD	GDR	JPN	8541.4900.00
EE-SX770A 2M	Photomicro sensor	40.66	EC002720	EESX1620E	4536854355516	#		GD	GDR	JPN	8541.4900.00
EE-SX770P	Photomicro sensor, slim, 5mm slot, D-on, PNP, 2m cable	40.08	EC002720	EESX1652C	4536854402371	#	10	GD	GDR	JPN	8541.4900.00
EE-SX771 2M	Photomicro sensor, slim, L-shape, D-on, NPN, 2m cable	43.31	EC002720	EESX1623M	4536854355547	#	10	GD	GDR	JPN	8541.4900.00
EE-SX771A 2M	Photomicro sensor	41.20	EC002720	EESX1624H	4536854355554	#		GD	GDR	JPN	8541.4900.00
EE-SX771P	Photomicro sensor, slim, 5mm slot, L-shaped, D-on, PNP, 2m cable	39.29	EC002720	EESX1653A	4536854402388	#	10	GD	GDR	JPN	8541.4900.00
EE-SX771R	Photomicro sensor	39.56	EC002720	EESX1659M	4536854402456	#		GD	GDR	JPN	8541.4900.00
EE-SX772 2M	Photomicro sensor, slot type, slim, T-shaped, NPN, 2m cable	40.66	EC002720	EESX1627B	4536854356728	#		GD	GDR	JPN	8541.4900.00
EE-SX772A 2M	Photomicro sensor, slim, 5mm slot, T-shaped, without incident light indicator, D-ON, NPN, 2m cable	41.20	EC002720	EESX1628M	4536854356735	#		GD	GDR	JPN	8541.4900.00
EE-SX772P	Photomicro sensor, slim, 5mm slot, T-shaped, D-on, PNP, 2m cable	37.91	EC002720	EESX1654M	4536854402395	#	10	GD	GDR	JPN	8541.4900.00
EE-SX772R	Photomicro sensor	39.04	EC002720	EESX1660D	4536854402463	#	100	GD	GDR	JPN	8541.4900.00
EE-SX870 2M	Photomicro sensor, slim, Standard-shape, L-on, NPN, 2m cable	52.40	EC002720	EESX1621C	4536854355523	#		GD	GDR	JPN	8541.4900.00
EE-SX870P	Photomicro sensor, slim, 5mm slot, L-on, PNP, 2m cable	39.29	EC002720	EESX1655H	4536854402401	#	10	GD	GDR	JPN	8541.4900.00
EE-SX871 2M	Photomicro sensor, L-shaped 5mm slot with, L-ON, Incident light, 5-24 Vdc, NPN, 2M	41.20	EC002720	EESX1625F	4536854355561	#		GD	GDR	JPN	8541.4900.00
EE-SX871P	Photomicro sensor, L-shaped 5mm slot with, L-ON, Incident light, 5-24 Vdc, PNP, 2M	35.75	EC002720	EESX1656F	4536854402418	#	10	GD	GDR	JPN	8541.4900.00
EE-SX871R	Photo micro sensor, L-shaped 5mm slot with, L-ON, No incident light, 5-24 Vdc, PNP, 2M	41.20	EC002720	EESX1662M	4536854402487	#	10	GD	GDR	JPN	8541.4900.00
EE-SX872 2M	Photomicro sensor, T-shaped 5mm slot with, L-ON, Incident light, 5-24 Vdc, NPN, 2M	43.31	EC002720	EESX1629R	4536854356742	#		GD	GDR	JPN	8541.4900.00
EE-SX872A 2M	Photo micro sensor, T-shaped 5mm slot with, L-ON, No incident light, 5-24 Vdc, NPN, 2M	43.31	EC002720	EESX1630B	4536854356759	#	10	GD	GDR	JPN	8541.4900.00
EE-SX872P	Photomicro sensor, T-shaped 5mm slot with, L-ON, Incident light, 5-24 Vdc, PNP, 2M	39.29	EC002720	EESX1657D	4536854402425	#	10	GD	GDR	JPN	8541.4900.00
EE-SX950P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	20.42	EC002720	EESX2214M	4548583416734	#	5	GD	GDR	JPN	8541.4900.00
EE-SX951P-R 1M	Photo micro sensor, slot type, PNP, 1m robotic cable	21.57	EC002720	EESX2220E	4548583416796	#	10	GD	GDR	JPN	8541.4900.00
EE-SX951P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	20.42	EC002720	EESX2215R	4548583416741	#	5	GD	GDR	JPN	8541.4900.00
EE-SX951-R 1M	Photo micro sensor, slot type, NPN, 1m robotic cable	25.91	EC002720	EESX2210H	4548583416697	#	10	GD	GDR	JPN	8541.4900.00
EE-SX951-W 1M	Photo micro sensor, slot type, NPN, 1m cable	20.71	EC002720	EESX2205A	4548583416642	#	5	GD	GDR	JPN	8541.4900.00
EE-SX952P-R 1M	Photo micro sensor, slot type, PNP, 1m robotic cable	26.27	EC002720	EESX2221C	4548583416802	#	10	GD	GDR	JPN	8541.4900.00
EE-SX952P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	17.85	EC002720	EESX2216G	4548583416758	#	5	GD	GDR	JPN	8541.4900.00
EE-SX952-R 1M	Photo micro sensor, slot type, NPN, 1m robotic cable	14.87	EC002720	EESX2211F	4548583416703	#	10	GD	GDR	JPN	8541.4900.00
EE-SX952-W 1M	Photo micro sensor, slot type, NPN, 1m cable	17.85	EC002720	EESX2206M	4548583416659	#	5	GD	GDR	JPN	8541.4900.00
EE-SX953P-R 1M	Photo micro sensor, slot type, PNP, 1m robotic cable	26.68	EC002720	EESX2222A	4548583416819	#	10	GD	GDR	JPN	8541.4900.00
EE-SX953P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	17.96	EC002720	EESX2217E	4548583416765	#	5	GD	GDR	JPN	8541.4900.00
EE-SX953-R 1M	Photo micro sensor, slot type, NPN, 1m robotic cable	22.40	EC002720	EESX2212D	4548583416710	#	10	GD	GDR	JPN	8541.4900.00
EE-SX954P-R 1M	Photo micro sensor, slot type, PNP, 1m robotic cable	26.27	EC002720	EESX2223M	4548583416826	#	10	GD	GDR	JPN	8541.4900.00
EE-SX954P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	24.33	EC002720	EESX2218C	4548583416772	#	5	GD	GDR	JPN	8541.4900.00
EE-SX954-R 1M	Photo micro sensor, slot type, NPN, 1m robotic cable	28.20	EC002720	EESX2213B	4548583416727	#	10	GD	GDR	JPN	8541.4900.00
EE-SX970P-C1	Photomicro sensor, slot type, standard shape, 5mm, PNP, connector	31.97	EC002720	EESX2139M	4547648822312	#		GD	GDR	CHN	8541.4900.00
EE-SX971-C1	Photomicro sensor, slot type, L-shape, 5mm, NPN, connector	29.27	EC002720	EESX2133M	4547648822268	#	50	GD	GDR	CHN	8541.4900.00
EE-SX972-C1	Photomicro sensor, slot type, T-shape, 5mm, NPN, connector	29.27	EC002720	EESX2134R	4547648822275	#	50	GD	GDR	CHN	8541.4900.00
EE-SX974-C1	Photomicro sensor, slot type, 5mm, close-mounting, NPN, connector	29.27	EC002720	EESX2135G	4547648822282	#	100	GD	GDR	CHN	8541.4900.00
EE-SX974P-C1	Photomicro sensor, slot type, 5mm, close-mounting, PNP, connector	29.27	EC002720	EESX2142M	4547648822343	#		GD	GDR	CHN	8541.4900.00
EE-SX976P-C1	Photomicro sensor, slot type, 5mm, F-shaped, PNP, connector	30.91	EC002720	EESX2144F	4547648822367	#	10	GD	GDR	CHN	8541.4900.00
EE-SX977P-C1	Photomicro sensor, slot type, R-shape, 5mm, PNP, connector	31.97	EC002720	EESX2145D	4547648822374	#	15	GD	GDR	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EE-SPX302-W2A 1M	Photomicro sensor, slot type, 3.6mm, D-ON, NPN, 1m cable	44.45	EC002720	EESP4020C	4536854778513		5	GD	GDR	CHN	8541.4900.00
EE-SPX302-W2A 2M	Photo micro sensor	37.29	EC002720	EESP4043B	4536854778735			GD	GDR	CHN	8541.4900.00
EE-SPX303N	Photomicro sensor, slot type, 13mm, D-on, NPN, connector	34.66	EC002720	EESP3155G	4547648766548	#	50	GD	GDR	JPN	8541.4900.00
EE-SPX401	Photo micro sensor	29.83	EC002720	EESP4002E	4536854776458		50	GD	GDR	CHN	8541.4900.00
EE-SPX403N	Photomicro sensor, slot type, 13mm, NPN, connector	31.42	EC002720	EESP3156E	4547648766555	#		GD	GDR	JPN	8541.4900.00
EE-SPX613 1M	Photomicro sensor, tube type, liquid level detection, L-ON/D-ON selectable, NPN, 1m cable	91.35	EC002720	EESP3118B	4536853234195			GD	GDR	JPN	8541.4900.00
EE-SPY302	Photomicro sensor, reflective type, vertical (axial), Sn=5mm, D-ON, NPN, connector	35.75	EC001821	EESP4005M	4536854778094		100	GD	GDR	CHN	8541.4900.00
EE-SPY402	Photomicro sensor, reflective type, vertical (axial), Sn=5mm, L-ON, NPN, connector	28.20	EC001821	EESP4006H	4536854778100	#	50	GD	GDR	CHN	8541.4900.00
EE-SPY411	Photomicro sensor, convergent reflective type, horizontal (radial), Sn=2-5mm, L-ON, NPN, connector	58.20	EC001821	EESP4028R	4536854778599		20	GD	GDR	CHN	8541.4900.00
EE-SPY412	Photomicro sensor, convergent reflective type, vertical (axial), Sn=2-5mm, L-ON, NPN, connector	45.24	EC001821	EESP4029G	4536854778605	#	20	GD	GDR	CHN	8541.4900.00
EE-SY672	Photomicro sensor, reflective type, vertical (axial), Sn=1-5mm (adjustable), L-ON/D-ON selectable, NPN, connector	28.20	EC001821	EESY1124M	4536853238797	#	20	GD	GDR	JPN	8541.4900.00
EE-1017 3M	Connector with cable for photomicrosensor EE-SX97 series, 3M	26.27	EC001855	EE 1107G	4547648822398	#		GD	GDR	CHN	8536.9095.00
Fotoelektrik Sensör E3FA / E3RA											
E3FA-BN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	64.30	EC002717	E3FA2009B	4548583440623			GD	GDS	IDN	9031.4990.00
E3FA-BN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 0,1-2m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	64.30	EC002717	E3FA2010F	4548583440630			GD	GDS	IDN	9031.4990.00
E3FA-BN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	64.30	EC002717	E3FA2020C	4548583440739			GD	GDS	IDN	9031.4990.00
E3FA-BN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 0,1-2m, NPN, L-ON/D-ON seçilebilir, M12 konektör	64.30	EC002717	E3FA2021A	4548583440746			GD	GDS	IDN	9031.4990.00
E3FA-BP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	64.30	EC002717	E3FA2031R	4548583440845	#		GD	GDS	IDN	9031.4990.00
E3FA-BP13 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 0,1-2m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	64.30	EC002717	E3FA2032G	4548583440852			GD	GDS	IDN	9031.4990.00
E3FA-BP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	64.30	EC002717	E3FA2042D	4548583440951	#		GD	GDS	IDN	9031.4990.00
E3FA-BP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 0,1-2m, PNP, L-ON/D-ON seçilebilir, M12 konektör	64.30	EC002717	E3FA2043B	4548583440968	#		GD	GDS	IDN	9031.4990.00
E3FA-DN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	50.80	EC001821	E3FA2003C	4548583440562	#		GD	GDS	IDN	9031.4990.00
E3FA-DN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	50.80	EC001821	E3FA2004A	4548583440579	#		GD	GDS	IDN	9031.4990.00
E3FA-DN13 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	53.60	EC001821	E3FA2005M	4548583440586			GD	GDS	IDN	9031.4990.00
E3FA-DN14 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	49.42	EC001821	E3FA0053R	4548583446848			GD	GDS	CHN	9031.4990.00
E3FA-DN15 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	49.42	EC001821	E3FA0057A	4548583446853			GD	GDS	CHN	9031.4990.00
E3FA-DN16 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	52.55	EC001821	E3FA0061M	4548583446857			GD	GDS	CHN	9031.4990.00
E3FA-DN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	50.80	EC001821	E3FA2014R	4548583440678	#		GD	GDS	IDN	9031.4990.00
E3FA-DN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	50.80	EC001821	E3FA2015G	4548583440685	#		GD	GDS	IDN	9031.4990.00
E3FA-DN23	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	53.60	EC001821	E3FA2016E	4548583440692	#		GD	GDS	IDN	9031.4990.00
E3FA-DN24	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	49.42	EC001821	E3FA0054G	4548583446850			GD	GDS	CHN	9031.4990.00
E3FA-DN25	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	49.42	EC001821	E3FA0058M	4548583446854	#		GD	GDS	CHN	9031.4990.00
E3FA-DN26	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	52.55	EC001821	E3FA0062H	4548583446858			GD	GDS	CHN	9031.4990.00
E3FA-DP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	50.80	EC001821	E3FA2025D	4548583440784	#		GD	GDS	IDN	9031.4990.00
E3FA-DP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	50.80	EC001821	E3FA2026B	4548583440791	#		GD	GDS	IDN	9031.4990.00
E3FA-DP13 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	53.60	EC001821	E3FA2027M	4548583440807	#		GD	GDS	IDN	9031.4990.00
E3FA-DP14 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	49.42	EC001821	E3FA0055E	4548583446851	#		GD	GDS	CHN	9031.4990.00
E3FA-DP14-F2 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable/inverted logic, 2m cable	49.42	EC001821	E3FA0065B	4548583449947			GD	GDS	CHN	9031.4990.00
E3FA-DP15 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	49.42	EC001821	E3FA0059H	4548583446859	#		GD	GDS	CHN	9031.4990.00
E3FA-DP15-F2 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable/inverted logic, 2m cable	49.42	EC001821	E3FA0066M	4548583449944	#		GD	GDS	CHN	9031.4990.00
E3FA-DP16 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	52.55	EC001821	E3FA0063F	4548583446857			GD	GDS	CHN	9031.4990.00
E3FA-DP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	50.80	EC001821	E3FA2036M	4548583440890	#		GD	GDS	IDN	9031.4990.00
E3FA-DP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	50.80	EC001821	E3FA2037H	4548583440906	#		GD	GDS	IDN	9031.4990.00
E3FA-DP23	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	53.60	EC001821	E3FA2038F	4548583440913	#		GD	GDS	IDN	9031.4990.00
E3FA-DP24	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	49.42	EC001821	E3FA0056C	4548583446852	#		GD	GDS	CHN	9031.4990.00
E3FA-DP24-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	38.27	EC001821	E3FA0069E	4548583449945	#		GD	GDS	CHN	9031.4990.00
E3FA-DP25	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	49.42	EC001821	E3FA0060A	4548583446856	#		GD	GDS	CHN	9031.4990.00
E3FA-DP25-1	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, low hysteresis, PNP, L-ON/D-ON selectable, M12 connector	49.42	EC001821	E3FA0079B	4548583584655	#		GD	GDS	CHN	9031.4990.00
E3FA-DP25-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	38.21	EC001821	E3FA0070R	4548583449942	#		GD	GDS	CHN	9031.4990.00
E3FA-DP26	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	52.55	EC001821	E3FA0064D	4548583446860	#		GD	GDS	CHN	9031.4990.00
E3FA-DP26-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	41.42	EC001821	E3FA0071G	4548583449958	#		GD	GDS	CHN	9031.4990.00
E3FA-LN1 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırılmalı, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	60.10	EC002719	E3FA2006H	4548583440593			GD	GDS	IDN	9031.4990.00
E3FA-LN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırılmalı, 200mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	60.10	EC002719	E3FA2007F	4548583440609			GD	GDS	IDN	9031.4990.00
E3FA-LN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırılmalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	59.60	EC002719	E3FA2017C	4548583440708	#		GD	GDS	IDN	9031.4990.00
E3FA-LN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırılmalı, 200mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	59.60	EC002719	E3FA2018A	4548583440715			GD	GDS	IDN	9031.4990.00
E3FA-LP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırılmalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	59.90	EC002719	E3FA2028R	4548583440814	#		GD	GDS	IDN	9031.4990.00
E3FA-LP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırılmalı, 200mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	59.60	EC002719	E3FA2029G	4548583440821			GD	GDS	IDN	9031.4990.00
E3FA-LP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırılmalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	59.20	EC002719	E3FA2039D	4548583440920	#		GD	GDS	IDN	9031.4990.00

Catalog Description (Image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FB-RN22	Photoelectric sensor, M18 axial, metal body, red LED, coaxial retro-reflective, 0-500mm, NPN, L-ON/D-ON selectable, M12 connector	66.10	EC002717	E3FB2013E	4548583441101			GD	GDS	IDN	9031.4990.00
E3FB-RP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	58.00	EC002717	E3FB2023B	4548583441200	#		GD	GDS	IDN	9031.4990.00
E3FB-RP12 2M	Photoelectric sensor, M18 axial, metal body, red LED, coaxial retro-reflective, 0-500mm, PNP, L-ON/D-ON selectable, 2m cable	47.09	EC002717	E3FB2024M	4548583441217			GD	GDS	IDN	8536.9095.00
E3FB-RP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, M12 konektör	58.00	EC002717	E3FB2034H	4548583441316	#		GD	GDS	IDN	9031.4990.00
E3FB-RP21-F2	Photoelectric sensor, M18 axial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	54.80	EC002717	E3FB0058D	4548583731325	#		GD	GDS	CHN	9031.4990.00
E3FB-RP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, eksenli reflektörlü, 0-500mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	60.70	EC002717	E3FB2035F	4548583441323	#		GD	GDS	IDN	9031.4990.00
E3FB-TN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılık, 20m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	82.85	EC002716	E3FB2000C	4548583440975	#		GD	GDS	IDN	9031.4990.00
E3FB-TN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılık, 20m, NPN, L-ON/D-ON seçilebilir, M12 konektör	82.85	EC002716	E3FB2011R	4548583441088	#		GD	GDS	IDN	9031.4990.00
E3FB-TP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılık, 20m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	82.85	EC002716	E3FB2022D	4548583441194	#		GD	GDS	IDN	9031.4990.00
E3FB-TP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılık, 20m, PNP, L-ON/D-ON seçilebilir, M12 konektör	82.85	EC002716	E3FB2033M	4548583441309	#		GD	GDS	IDN	9031.4990.00
E3FB-TP21-D	Photoelectric sensor, M18 axial, metal body, red LED, thru-beam receiver, 20m, PNP, L-ON/D-ON selectable, M12 connector	53.95	EC002716	E3FB0047R	4548583593671	#		GD	GDS	CHN	9031.4990.00
E3FB-TP21-F2	Photoelectric sensor, M18 axial, metal body, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	80.75	EC002716	E3FB0059B	4548583731332			GD	GDS	CHN	9031.4990.00
E3FB-TP21-L	Photoelectric sensor, M18 axial, metal body, red LED, thru-beam emitter, 20m, PNP, L-ON/D-ON selectable, M12 connector	37.78	EC002716	E3FB0048G	4548583593688	#		GD	GDS	CHN	9031.4990.00
E3FB-VN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	60.20	EC002719	E3FB2008R	4548583441057			GD	GDS	IDN	8536.9095.00
E3FB-VN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	60.20	EC002719	E3FB2019D	4548583441163			GD	GDS	IDN	9031.4990.00
E3FB-VP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	60.20	EC002719	E3FB2030E	4548583441279			GD	GDS	IDN	9031.4990.00
E3FB-VP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	60.20	EC002719	E3FB2041M	4548583441385	#		GD	GDS	IDN	9031.4990.00
E3FC-BN21	Photoelectric sensor, M18 axial, SUS body, red LED, transparent object detection, 500mm, NPN, L-ON/D-ON seçilebilir, M12 connector	110.30	EC002717	E3FC7003M	4548583732698			GD	GDS	CHN	8541.4900.00
E3FC-BP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, şeffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	98.60	EC002717	E3FC7000E	4548583732667			GD	GDS	CHN	9031.4990.00
E3FC-BP21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	106.90	EC002717	E3FC7001C	4548583732674			GD	GDS	CHN	9031.4990.00
E3FC-DN12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	82.35	EC001821	E3FC7004H	4548583732704			GD	GDS	CHN	9031.4990.00
E3FC-DN13 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	82.35	EC001821	E3FC7005F	4548583732711			GD	GDS	CHN	9031.4990.00
E3FC-DN15 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	83.75	EC001821	E3FC7006D	4548583732728			GD	GDS	CHN	9031.4990.00
E3FC-DN16 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	82.35	EC001821	E3FC7007B	4548583732735			GD	GDS	CHN	8541.4900.00
E3FC-DN22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	83.10	EC001821	E3FC7008M	4548583732742			GD	GDS	CHN	9031.4990.00
E3FC-DN23	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	83.75	EC001821	E3FC7009R	4548583732759			GD	GDS	CHN	9031.4990.00
E3FC-DN25	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	83.75	EC001821	E3FC7010B	4548583732766			GD	GDS	CHN	9031.4990.00
E3FC-DN26	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	83.10	EC001821	E3FC7011M	4548583732773			GD	GDS	CHN	8541.4900.00
E3FC-DP12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	82.35	EC001821	E3FC7012R	4548583732780	#		GD	GDS	CHN	9031.4990.00
E3FC-DP13 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	83.75	EC001821	E3FC7013G	4548583732797			GD	GDS	CHN	9031.4990.00
E3FC-DP13 5M	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable, 5m cable	95.30	EC001821	E3FC7014E	4548583732803			GD	GDS	CHN	8541.4900.00
E3FC-DP15 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	83.75	EC001821	E3FC7015C	4548583732810			GD	GDS	CHN	9031.4990.00
E3FC-DP16 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	83.75	EC001821	E3FC7016A	4548583732827			GD	GDS	CHN	9031.4990.00
E3FC-DP22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	82.35	EC001821	E3FC7017M	4548583732834	#		GD	GDS	CHN	9031.4990.00
E3FC-DP23	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	83.75	EC001821	E3FC7018H	4548583732841	#		GD	GDS	CHN	9031.4990.00
E3FC-DP25	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	82.35	EC001821	E3FC7019F	4548583732858	#		GD	GDS	CHN	9031.4990.00
E3FC-DP26	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	83.75	EC001821	E3FC7021H	4548583732872			GD	GDS	CHN	9031.4990.00
E3FC-LN11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	118.80	EC002719	E3FC7022F	4548583732889			GD	GDS	CHN	9031.4990.00
E3FC-LN12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmali, 200mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	119.90	EC002719	E3FC7023D	4548583732896			GD	GDS	CHN	9031.4990.00
E3FC-LN21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmali, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	119.90	EC002719	E3FC7024B	4548583732902			GD	GDS	CHN	9031.4990.00
E3FC-LN22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmali, 200mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	118.80	EC002719	E3FC7025M	4548583732919			GD	GDS	CHN	9031.4990.00
E3FC-LP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmali, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	119.90	EC002719	E3FC7026R	4548583732926			GD	GDS	CHN	9031.4990.00
E3FC-LP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, BGS, 100mm, PNP, L-ON/D-ON selectable, 5m cable	132.50	EC002719	E3FC7027G	4548583732933			GD	GDS	CHN	9031.4990.00
E3FC-LP12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmali, 200mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	119.30	EC002719	E3FC7028E	4548583732940			GD	GDS	CHN	9031.4990.00
E3FC-LP21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmali, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	118.80	EC002719	E3FC7030G	4548583732964			GD	GDS	CHN	9031.4990.00
E3FC-LP22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmali, 200mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	119.90	EC002719	E3FC7031E	4548583732971	#		GD	GDS	CHN	9031.4990.00
E3FC-RN11 2M	Photoelectric sensor, M18 threaded barrel, stainless steel, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, 2 m cable	83.10	EC002717	E3FC7032C	4548583732988			GD	GDS	CHN	9031.4990.00
E3FC-RN21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, M12 konektör	83.10	EC002717	E3FC7033A	4548583732995			GD	GDS	CHN	9031.4990.00
E3FC-RP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	83.75	EC002717	E3FC7034M	4548583733008			GD	GDS	CHN	9031.4990.00
E3FC-RP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 5m cable	95.90	EC002717	E3FC7035H	4548583733015			GD	GDS	CHN	9031.4990.00
E3FC-RP21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, M12 konektör	83.10	EC002717	E3FC7036F	4548583733022	#		GD	GDS	CHN	9031.4990.00
E3FC-TN11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, karşılık, 20m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	138.50	EC002716	E3FC7037D	4548583733039			GD	GDS	CHN	9031.4990.00
E3FC-TN21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, karşılık, 20m, NPN, L-ON/D-ON seçilebilir, M12 konektör	145.50	EC002716	E3FC7038B	4548583733046			GD	GDS	CHN	9031.4990.00
E3FC-TP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, karşılık, 20m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	135.10	EC002716	E3FC7039M	4548583733053	#		GD	GDS	CHN	9031.4990.00
E3FC-TP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, thru-beam, 20m, PNP, L-ON/D-ON selectable, 5m cable	165.00	EC002716	E3FC7040D	4548583733060			GD	GDS	CHN	9031.4990.00
E3FC-TP21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, karşılık, 20m, PNP, L-ON/D-ON seçilebilir, M12 konektör	140.20	EC002716	E3FC7042M	4548583733084	#		GD	GDS	CHN	9031.4990.00
E3RA-DN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, 2m cable	56.70	EC001821	E3RA2002F	4548583441590			GD	GDS	IDN	9031.4990.00
E3RA-DN12 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, 2m cable	58.00	EC001821	E3RA2003D	4548583441606			GD	GDS	IDN	9031.4990.00
E3RA-DN13 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, NPN, L-ON/D-ON selectable, 2m cable	60.70	EC001821	E3RA2004B	4548583441613			GD	GDS	IDN	9031.4990.00
E3RA-DN21	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, M12 connector	56.70	EC001821	E3RA2007G	4548583441644			GD	GDS	IDN	9031.4990.00
E3RA-DN22	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	58.00	EC001821	E3RA2008E	4548583441651			GD	GDS	IDN	9031.4990.00
E3RA-DN23	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, NPN, L-ON/D-ON selectable, M12 connector	60.70	EC001821	E3RA2009C	4548583441668			GD	GDS	IDN	9031.4990.00
E3RA-DP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, 2m cable	56.70	EC001821	E3RA2012C	4548583441699			GD	GDS	IDN	9031.4990.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3RA-DP12 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	58.00	EC001821	E3RA2013A	4548583441705			GD	GDS	IDN	9031.4990.00
E3RA-DP13 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, PNP, L-ON/D-ON selectable, 2m cable	60.70	EC001821	E3RA2014M	4548583441712			GD	GDS	IDN	9031.4990.00
E3RA-DP21	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, M12 connector	56.70	EC001821	E3RA2017D	4548583441743	#	40	GD	GDS	IDN	9031.4990.00
E3RA-DP22	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	58.00	EC001821	E3RA2018B	4548583441750	#		GD	GDS	IDN	9031.4990.00
E3RA-DP23	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, PNP, L-ON/D-ON selectable, M12 connector	60.70	EC001821	E3RA2019M	4548583441767	#		GD	GDS	IDN	9031.4990.00
E3RA-RN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, 2m cable	56.70	EC002717	E3RA2001H	4548583441583			GD	GDS	IDN	9031.4990.00
E3RA-RN21	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, M12 connector	56.70	EC002717	E3RA2006R	4548583441637			GD	GDS	IDN	9031.4990.00
E3RA-RP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	56.70	EC002717	E3RA2011E	4548583441682	#		GD	GDS	IDN	9031.4990.00
E3RA-RP21	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	56.70	EC002717	E3RA2016F	4548583441736	#		GD	GDS	IDN	9031.4990.00
E3RA-TN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, NPN, L-ON/D-ON selectable, 2m cable	75.20	EC002716	E3RA2000M	4548583441576			GD	GDS	IDN	9031.4990.00
E3RA-TN21	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, NPN, L-ON/D-ON selectable, M12 connector	75.20	EC002716	E3RA2005M	4548583441620			GD	GDS	IDN	9031.4990.00
E3RA-TP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, 2m cable	75.20	EC002716	E3RA2010G	4548583441675	#		GD	GDS	IDN	9031.4990.00
E3RA-TP21	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, M12 connector	75.20	EC002716	E3RA2015H	4548583441729	#		GD	GDS	IDN	9031.4990.00
E3RB-DN22	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	65.30	EC001821	E3RB2008M	4548583441859	#		GD	GDS	IDN	9031.4990.00
E3RB-DP12 2M	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	65.30	EC001821	E3RB2013F	4548583441903			GD	GDS	IDN	9031.4990.00
E3RB-DP21	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, M12 connector	64.30	EC001821	E3RB2017R	4548583441941			GD	GDS	IDN	9031.4990.00
E3RB-DP21-F2	Photoelectric sensor, M18 threaded barrel, radial type, metal, red LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, inverted logic, M12 connector	97.30	EC001821	E3RB9021E	4549734276993			GD	GDS	CHN	9031.4990.00
E3RB-DP22	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	54.55	EC001821	E3RB2018G	4548583441958	#		GD	GDS	IDN	9031.4990.00
E3RB-DP23	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 700mm, PNP, L-ON/D-ON selectable, M12 connector	67.60	EC001821	E3RB2019E	4548583441965			GD	GDS	IDN	9031.4990.00
E3RB-RN11 2M	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, 2m cable	58.45	EC002717	E3RB2001B	4548583441781			GD	GDS	IDN	9031.4990.00
E3RB-RN21	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, M12 connector	58.45	EC002717	E3RB2006C	4548583441835			GD	GDS	IDN	9031.4990.00
E3RB-RP11 2M	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	53.60	EC002717	E3RB2011M	4548583441880			GD	GDS	IDN	9031.4990.00
E3RB-RP21	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	64.30	EC002717	E3RB2016M	4548583441934	#		GD	GDS	IDN	9031.4990.00
E3RB-RP21-F2	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	57.65	EC002717	E3RB0022D	4548583731356			GD	GDS	CHN	9031.4990.00
E3RB-TP11 2M	Photoelectric sensor, M18 radial, metal body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, 2m cable	87.55	EC002716	E3RB2010A	4548583441873			GD	GDS	IDN	9031.4990.00
E3RB-TP21	Photoelectric sensor, M18 radial, metal body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, M12 connector	87.70	EC002716	E3RB2015B	4548583441927	#		GD	GDS	IDN	9031.4990.00

Fotoelektrik Sensör E3JK-Lite

E3JK-DN11 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 2,5m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	80.10	EC001821	E3JK2020M	4548583746541			GD	GDU	IDN	9031.4990.00
E3JK-DP11 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 2,5m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	80.10	EC001821	E3JK2024B	4548583746589	#		GD	GDU	IDN	9031.4990.00
E3JK-DR11 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 2,5m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	93.90	EC001821	E3JK2014E	4548583746480	#		GD	GDU	IDN	9031.4990.00
E3JK-DR12 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 300mm, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	89.60	EC001821	E3JK2017M	4548583746510	#		GD	GDU	IDN	9031.4990.00
E3JK-DR13 2M	Photoelectric sensor, square body, IR LED, diffuse, 2,5m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	80.55	EC001821	E3JK7139D	4548583580763	#		GD	GDU	CHN	9031.4990.00
E3JK-DR14 2M	Photoelectric sensor, square body, IR LED, diffuse, 300mm, AC/DC, relay, L-ON/D-ON selectable, 2m cable	85.15	EC001821	E3JK7142D	4548583580794			GD	GDU	CHN	9031.4990.00
E3JK-RN12 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonlu, 6m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	80.10	EC002717	E3JK2036F	4548583746701	#		GD	GDU	IDN	9031.4990.00
E3JK-RP11 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonsuz, 7m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	80.10	EC002717	E3JK2032C	4548583746664	#		GD	GDU	IDN	9031.4990.00
E3JK-RP12 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonlu, 6m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	80.10	EC002717	E3JK2038B	4548583746725	#		GD	GDU	IDN	9031.4990.00
E3JK-RR11 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonsuz, 7m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	86.85	EC002717	E3JK2028E	4548583746626	#		GD	GDU	IDN	9031.4990.00
E3JK-RR12 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonlu, 6m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	86.85	EC002717	E3JK2034M	4548583746688	#		GD	GDU	IDN	9031.4990.00
E3JK-RR12 5M	Photoelectric sensor, square body, red LED, retro-reflective (polarized), 6m, AC/DC, Relay, 5m cable	86.45	EC002717	E3JK7086M	4548583484023	#		GD	GDU	CHN	9031.4990.00
E3JK-TP11 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, karşılıklı, 40m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	119.70	EC002716	E3JK2010B	4548583746442			GD	GDU	IDN	9031.4990.00
E3JK-TP14 2M	Photoelectric sensor, square body, infrared LED, through-beam, 5 m, PNP, L-ON/D-ON selectable, 2 m cable	109.80	EC002716	E3JK7137H	4548583580749			GD	GDU	CHN	8541.4900.00
E3JK-TR11 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, karşılıklı, 40m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	127.60	EC002716	E3JK2000E	4548583746343	#		GD	GDU	IDN	9031.4990.00
E3JK-TR11 5M	Photoelectric sensor, square body, red LED, through-beam, 40m, AC/DC, relay, L-ON/D-ON selectable, 5m cable	130.90	EC002716	E3JK2001C	4548583746350	#		GD	GDU	IDN	9031.4990.00
E3JK-TR12 2M	Photoelectric sensor, square body, red LED, through-beam, 5 m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	127.60	EC002716	E3JK2003M	4548583746374			GD	GDU	IDN	9031.4990.00

Fotoelektrik Sensör E3S-D

E3S-DBN21	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, şeffaf nesne algılama, SmartTeach, 4,5m, NPN, M12 konnektör	155.20	EC002717	E3S 7089R	4548583518339	#		GD	GDV	CHN	9031.4990.00
E3S-DBP21	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, şeffaf nesne algılama, SmartTeach, 4,5m, PNP, M12 konnektör	137.40	EC002717	E3S 7085F	4548583518292	#		GD	GDV	CHN	9031.4990.00
E3S-DBP21T	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, şeffaf nesne algılama, potansiyometreli, 4,5m, PNP, M12 konnektör	122.20	EC002717	E3S 7084H	4548583518285	#		GD	GDV	CHN	9031.4990.00
E3S-DBP22	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, şeffaf nesne algılama, dar ışın, SmartTeach, 0,7m, PNP, M12 konnektör	139.40	EC002717	E3S 7087B	4548583518315	#		GD	GDV	CHN	9031.4990.00
E3S-DBP22T	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, şeffaf nesne algılama, dar ışın, potansiyometreli, 0,7m, PNP, M12 konnektör	128.40	EC002717	E3S 7086D	4548583518308	#		GD	GDV	CHN	9031.4990.00
E3S-DCN21	Renk sensörü, cisimden yansımali, kare gövde, IP67, 10 +/- 3mm, 50µs cevap verme süresi, NPN, M12 konnektör	272.30	EC001820	E3S 7112G	4548583819047	#		GD	GDV	CHN	9031.4990.00
E3S-DCP21-IL2	Renk sensörü, cisimden yansımali, kare gövde, IP67, 10 +/- 3mm, 50µs cevap verme süresi, Push-Pull, IO-Link V1.1 haberleşme COM2 (38.4kbps), M12 konnektör	322.90	EC001820	E3S 7113E	4548583819054	#		GD	GDV	CHN	9031.4990.00
E3S-DCP21-IL3	Renk sensörü, cisimden yansımali, kare gövde, IP67, 10 +/- 3mm, 50µs cevap verme süresi, Push-Pull, IO-Link V1.1 haberleşme COM3 (230.4kbps), M12 konnektör	322.90	EC001820	E3S 7114C	4548583819061	#		GD	GDV	CHN	9031.4990.00

Diğer Fotoelektrik Sensörler

E3S-GS3B4	Fotoelektrik sensör, boşluk 30mm, DC, 3 kablolu, PNP, 2m kablolu	221.00	EC002720	E3SN1082A	4536853286194	#		GD	GDX	JPN	9031.4990.00
E3S-GS3B4 5M	Photoelectric sensor, slot, 30mm, DC, 3-wire, PNP, 5m cable	248.50	EC002720	E3SN1114C	4536853286514	#		GD	GDX	JPN	9031.4990.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3S-G53E4	Fotoelektrik sensör, boşluk 30mm, DC, 3 kablolu, NPN, 2m kablolu	197.00	EC002720	E3SN1049M	4536853285937	#		GD	GDX	JPN	9031.4990.00
E3S-LS10XB4	Fotoelektrik sensör, belirli, 30-100mm, DC, 3 kablolu, PNP, 2m kablolu	249.90	EC002719	E3SN1076G	4536853286132	#		GD	GDX	JPN	9031.4990.00
E3S-LS10XE4	Fotoelektrik sensör, belirli, 30-100mm, DC, 3 kablolu, NPN, 2m kablolu	249.90	EC002719	E3SN1040F	4536853285876	#		GD	GDX	JPN	9031.4990.00
E3S-LS20XB4	Fotoelektrik sensör, belirli, 50-250mm, DC, 3 kablolu, PNP, 2m kablolu	249.90	EC002719	E3SN1078C	4536853286156	#		GD	GDX	JPN	9031.4990.00
E3S-LS20XE4	Fotoelektrik sensör, belirli, 50-250mm, DC, 3 kablolu, NPN, 2m kablolu	249.90	EC002719	E3SN1043M	4536853285890	#		GD	GDX	JPN	9031.4990.00
E3S-LS3N 2M	Fotoelektrik sensör, cisimden yansımali, 20-35mm, DC, 3 kablolu, NPN, düşey, 2m kablolu	85.90	EC002719	E3SL1314G	4536854586071	#		GD	GDX	JPN	9031.4990.00
E3S-LS3NW 2M	Fotoelektrik sensör, cisimden yansımali, 10-60mm, DC, 3 kablolu, NPN, düşey, 2m kablolu	148.60	EC002719	E3SL1317A	4536854810060	#		GD	GDX	JPN	9031.4990.00
E3S-LS3PW 2M	Fotoelektrik sensör, sınırlı mesafe, cisimden yansımali, 10-60mm, PNP, 2m kablolu	160.40	EC002719	E3SL1320A	4536854917318	#		GD	GDX	JPN	9031.4990.00
E3S-LS3PW-M3J 0.3M	Photoelectric sensor, limited reflective, compact square, 10 to 60mm range, PNP, red LED, M8-4pin pig-tail connector	124.90	EC002719	E3SL1326M	4536854917387	#		GD	GDX	JPN	9031.4990.00
E3S-LS3PW-M5J 0.3M	Photoelectric sensor limited-reflective, diffuse, wide beam for structured-shiny-irregularly objects, 10-60mm, PNP, pigtail 0,3m with M8 3-pin connector	124.90	EC002719	E3SL1330R	4536854917424	#		GD	GDX	JPN	9031.4990.00
E3S-RS30B42-30	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, vertical, 2m cable	429.10	EC002717	E3SN1355C	4536853287924	#		GD	GDX	JPN	9031.4990.00
E3S-RS30B4-30	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, horizontal, 2m cable	433.10	EC002717	E3SN1353G	4536853287900	#		GD	GDX	JPN	9031.4990.00
E3H2-DS10B4M-M1-N	Fotoelektrik sensör, M12 piriş gövde, cisimden yansımali, 100mm sabit, PNP, M12, 4-pin	113.50	EC001821	AA065664E	4549734865029	#		GD	GDX	ITA	8536.5019.90
E3H2-DS10B4M-N 2M	Fotoelektrik sensör, M12 piriş gövde, cisimden yansımali, 100mm sabit, PNP, 2m kablolu	98.90	EC001821	AA065665C	4549734865012	#		GD	GDX	ITA	8536.5019.90
E3H2-DS30B4M-M1-N	Fotoelektrik sensör, M12 piriş gövde, cisimden yansımali, 300mm öğretilmeli, M12, 4-pin	115.00	EC001821	AA065668H	4549734864985	#		GD	GDX	ITA	8536.5019.90
E3H2-DS30B4M-N 2M	Fotoelektrik sensör, M12 piriş gövde, cisimden yansımali, 300mm öğretilmeli, PNP, 2m kablolu	175.70	EC001821	AA065669F	4549734864978	#		GD	GDX	ITA	8536.5019.90
E3H2-DS30C4M-M1-N	Fotoelektrik sensör, M12 piriş gövde, cisimden yansımali, 300mm öğretilmeli, NPN, M12, 4-pin	116.10	EC001821	AA065670M	4549734864961	#		GD	GDX	ITA	8536.5019.90
E3H2-R2B4M-M1-N	Fotoelektrik sensör, M12 piriş gövde, polarizasyon reflektörlü, 2m öğretilmeli, PNP, M12, 4-pin	122.30	EC002717	AA065672F	4549734864947	#		GD	GDX	ITA	8536.5019.90
E3H2-R2C4M-M1-N	Fotoelektrik sensör, M12 piriş gövde, polarizasyon reflektörlü 2m öğretilmeli, NPN, M12, 4-pin	138.20	EC002717	AA065674B	4549734864923	#		GD	GDX	ITA	8536.5019.90
E3H2-R2C4M-N 2M	Photoelectric sensor M12 brass housing, retro-reflective with M.S.R. 2m teachable, NPN, 2m cable	120.10	EC002717	AA065675M	4549734864916	#		GD	GDX	ITA	8536.5019.90
E3H2-T4B4M-M1-N	Fotoelektrik sensör, M12 piriş gövde, karşılıklı, 4m ayarlanabilir, PNP, M12, 4-pin	222.10	EC002716	AA065660B	4549734864909	#		GD	GDX	ITA	8536.5019.90
E3H2-T4B4M-N 2M	Fotoelektrik sensör, M12 piriş gövde, karşılıklı, 4m ayarlanabilir, PNP, 2m kablolu	166.40	EC002716	AA065661M	4549734864893	#		GD	GDX	ITA	8536.5019.90
Fotoelektrik Sensörler için Aksesuarlar											
E39-F9	Fine fiber attachment for E3X amplifiers	8.02	EC003015	E39F2002R	4536853297251	#	100	GD	GDZ	JPN	8541.9000.00
E39-L143	Sensor mounting Bracket, for E3X-NA, E3C-LDA, E2C-EDA	11.44	EC003015	E3X 1088F	4536854537578	#	50	GD	GDZ	JPN	8541.9000.00
E39-F1	Long-distance lens unit for E32 through-beam fibers	62.25	EC003015	E39F2032M	4547648667876	#		GD	GDZ	CHN	8541.4900.00
E39-F16	Long-distance lens unit for E32 through-beam fibers	356.20	EC003015	E39F1170D	4547648266178	#		GD	GDZ	JPN	8541.4900.00
E39-F18	Focal lens for E32-CC200 / E32-C11N, 50mm range	260.80	EC003015	E39F1171B	4547648651134	#		GD	GDZ	CHN	8541.4900.00
E39-F2	Focal lens, side view unit for E32 through-beam optical fibers	100.70	EC003015	E39F2033R	4547648667883	#		GD	GDZ	CHN	8541.4900.00
E39-F3A	Small spot lens unit for E32-D32 optical fiber	145.60	EC003015	E39F2038M	4547648667937	#		GD	GDZ	CHN	8541.4900.00
E39-F3A-5	Focus lens for E32-EC41 fiber sensor head, 7mm focus length, 0.1mm spot	116.50	EC003015	E39F2041M	4547648667968	#		GD	GDZ	CHN	8541.4900.00
E39-F3B	Focus lens for E32-EC31 fiber sensor head, 17mm focus length, 0.5mm spot	120.40	EC003015	E39F2042H	4547648667975	#		GD	GDZ	CHN	8541.4900.00
E39-F3C	Focus lens for E32-EC31 fibre sensor head, 20mm focus length, 4mm spot	281.70	EC003015	E39F2043F	4547648667982	#		GD	GDZ	CHN	8541.4900.00
E39-F10	Connector for E32 optical fiber cable	15.20	EC003015	E39F2003G	4536853297268	#		GD	GDZ	JPN	8541.9000.00
E39-F32A 1M	Spiral protective tube for E32, M3, diffuse, optical fibers, 1m	55.85	EC003015	E39F2013D	4536853297367	#		GD	GDZ	JPN	8307.1000.90
E39-F32C 1M	Spiral protective tube for E32, M4, through-beam, optical fibers, 1m	76.60	EC003015	E39F2015M	4536853297381	#		GD	GDZ	JPN	8307.1000.90
E39-F32CS 0.5M	Spiral protective tube for E32, M4, through-beam, optical fibers, 0.5m	74.80	EC003015	E39F2021E	4536853297442	#		GD	GDZ	JPN	8307.1000.90
E39-F32D 1M	Spiral protective tube for E32, M6, diffuse, optical fibers, 1m	52.40	EC003015	E39F2016R	4536853297398	#		GD	GDZ	JPN	8307.1000.90
E39-F4	Cutter for all E32 optical fibers	4.87	EC003015	E39F1004M	4536853297169	#		GD	GDZ	JPN	8203.2000.00
EE-1001	Accessory Connector for Photomicrosensors, 4-pin , solder terminals	2.32	EC003015	EE 1113A	4548583379572	#	100	GD	GDZ	CHN	8536.9095.00
EE-1001-1	Connector for Photomicrosensors, 4-pin , solder terminals, bridge between L and +	4.87	EC003015	EE 1114M	4548583379589	#	100	GD	GDZ	CHN	8536.9095.00
EE-1003	Accessory Photomicrosensor connector	4.46	EC001855	EE 1062C	4536854886485	#	50	GD	GDZ	JPN	8536.9095.00
EE-1006 1M	Accessory Photomicrosensor connector with cable 1m	4.71	EC001855	EE 1058E	4536854831942	#	50	GD	GDZ	CHN	8536.9095.00
EE-1006 2M	Accessory Photomicrosensor connector with cable 2m	6.49	EC001855	EE 1057G	4536854831935	#		GD	GDZ	CHN	8536.9095.00
EE-1006 3M	Accessory Photomicrosensor connector with cable 3m	6.94	EC001855	EE 1059C	4536854831959	#		GD	GDZ	CHN	8536.9095.00
EE-1010 2M	Accessory Photomicro sensor EE-SPX_03, cable connector, PVC, 2m	7.51	EC001855	EE 1041M	4536853231057	#		GD	GDZ	CHN	8536.9095.00
EE-1010-R 2M	Accessory Photomicro sensor EE-SPX_03, cable connector, robotic PVC, 2m	21.16	EC001855	EE 1043G	4536853231071	#		GD	GDZ	CHN	8536.9095.00
EE-2002	Accessory Photomicro sensor EE-SPX_03, NPN/PNP converter and cable connector, 0.5m	24.97	EC003015	EE 1030E	4536853230944	#	20	GD	GDZ	JPN	8536.9095.00
E39-R1	Reflektör, 40x60x7.5mm,	18.46	EC002467	E39 1216R	4548583065079	#	130	GD	GDZ	CHN	9002.9000.00
E39-R10	Reflektör, 52x62x8mm,	20.61	EC002467	E39 2232F	4536854515217	#		GD	GDZ	JPN	9002.9000.00
E39-R1K	Reflektör, 40x60x7.5mm,	44.45	EC002467	E39 1223A	4548583128873	#	15	GD	GDZ	CHN	9002.9000.00
E39-R1S	Reflektör, 40x60x7.5mm,	10.33	EC002467	E39 1224M	4548583128910	#	5	GD	GDZ	CHN	9002.9000.00
E39-R2	Reflektör, 80.8x60x7.5mm,	24.97	EC002467	E39 1221E	4548583128859	#	10	GD	GDZ	CHN	9002.9000.00
E39-R21	Reflektör, 30x35mm	23.58	EC002467	E39 1237A	4548583489325	#		GD	GDZ	JPN	8541.9000.00
E39-R3	Reflektör, 42x22mm	28.20	EC002467	E39 2103F	4536853295950	#		GD	GDZ	JPN	9002.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E39-R37-CA	Sensor reflector, high precision type, 14mm x 23mm	13.02	EC002467	E39 2307A	4547648595193	#		GD	GDZ	JPN	9002.9000.00
E39-R4	Reflektör, 23x14mm	28.74	EC002467	E39 2127C	4536853296193	#		GD	GDZ	JPN	9002.9000.00
E39-R40	Reflektör, 84.5x84.5x8.7mm,	23.70	EC002467	AA035117H	4547648923460	#	100	GD	GDZ	DEU	8541.4900.00
E39-R42	Reflektör, 51x60mm	3.12	EC002467	AA057256E	4549734893008	#		GD	GDZ	DEU	8541.9000.00
E39-R49	Sensor reflector, snap fitting, 30mm dia	9.67	EC002467	AA035122D	4547648923514	#		GD	GDZ	DEU	8541.4900.00
E39-R50	Reflektör, 40x60mm, IP69K, deterjana dayanıklılık	44.45	EC002467	AA057258A	4549734893022	#		GD	GDZ	DEU	8541.9000.00
E39-R51	Reflector, 20x40mm, IP69K, detergent resistant	27.14	EC002467	AA057259M	4549734893039	#		GD	GDZ	DEU	8541.9000.00
E39-R6	Reflektör, 52x40mm,	12.61	EC002467	AA035123B	4547648923521	#		GD	GDZ	DEU	8541.4900.00
E39-R7	Reflektör, 84mm çap	10.33	EC002467	AA035124M	4547648923538	#		GD	GDZ	DEU	8541.4900.00
E39-R8	Reflektör, 100x100mm	19.06	EC002467	AA035125R	4547648923545	#		GD	GDZ	DEU	8541.4900.00
E39-R9	Reflektör, 35x42mm	18.46	EC002467	E39 2231H	4536854515200	#		GD	GDZ	JPN	9002.9000.00
E39-RP1	Reflektör, polarize, 44mm x 64mm	27.24	EC002467	E3ZM0220M	4547648395526	#		GD	GDZ	JPN	9002.9000.00
E39-RS1	Reflektör, 35mm x 10mm	10.85	EC002467	E39 2205R	4536854386329	#		GD	GDZ	JPN	9002.9000.00
E39-RS2	Reflektör, 40 x 35 x 0.6mm	17.93	EC002467	E39 2206G	4536854386336	#		GD	GDZ	JPN	9002.9000.00
E39-RS25 5M	Reflektör, 25mm x 5m	126.30	EC002467	AA035127E	4547648923569	#		GD	GDZ	DEU	9001.2000.00
E39-RS3	Reflektör, 70x80mm	35.24	EC002467	E39 2207E	4536854386343	#		GD	GDZ	JPN	9002.9000.00
E39-RS50 1M	Accessory photoelectric sensor, reflective tape, 50mm x 1m	40.10	EC002467	AA035425H	4547648926843	#		GD	GDZ	DEU	8541.9000.00
E39-RS50 22.8M	Accessory photoelectric sensor, reflective tape, 50mm x 22.8m	623.50	EC002467	AA035128C	4547648923576	#		GD	GDZ	USA	9001.2000.00
E39-RS50 5M	Reflektör, 50mm x 5m	259.10	EC002467	AA035129A	4547648923583	#		GD	GDZ	DEU	9001.2000.00
E39-L104	Mounting bracket for E3Z sensor, standard, vertical mounting	7.77	EC003015	E39 2173G	4536853296643	#		GD	GDZ	JPN	8538.9099.99
E39-L117	Mounting bracket for E3T-S* sensor, rear mounting	9.77	EC003015	E39 2190G	4536853296810	#		GD	GDZ	JPN	8538.9099.99
E39-L142	Mounting Bracket, protective side wall (for E3Z)	12.50	EC003015	E39 2233D	4536854525257	#		GD	GDZ	JPN	8538.9099.99
E39-L144	Sensor mounting Bracket, Protective bracket for E3Z pre-wired	16.27	EC003015	E39 7031B	4548583009004	#	50	GD	GDZ	CHN	8538.9099.99
E39-L150	Sensor mounting Bracket for E3Z, 100mm high post	62.40	EC003015	E39 2239C	4536854806674	#		GD	GDZ	JPN	8538.9099.99
E39-L151	Sensor mounting Bracket, for E3Z, 200mm high post	31.97	EC003015	E39 2240G	4536854806681	#		GD	GDZ	JPN	8538.9099.99
E39-L153	Mounting bracket for E3Z sensor, L shape, for prewired	7.19	EC003015	E39 2242C	4536854817274	#		GD	GDZ	JPN	8538.9099.99
E39-L182	E3FA/R flush mounting bracket	8.49	EC003015	E39 1226F	454858328075	#		GD	GDZ	CHN	8543.9000.00
E39-L183	M18 L-type mounting bracket, stainless steel (SUS304)	8.49	EC003015	E39 1227D	454858328082	#		GD	GDZ	CHN	8543.9000.00
E39-L201	L-shaped mounting bracket for E3AS-F/L cable and pigtail models.	8.15	EC003015	E39 1253C	4549734513111	#		GD	GDZ	CHN	8302.5000.00
E39-L202	Horizontal protective cover bracket for E3AS-F/L cable and pigtail models.	10.87	EC003015	E39 1254A	4549734513148	#		GD	GDZ	CHN	8302.5000.00
E39-L203	Rear mounting bracket for E3AS-F/L models	8.15	EC003015	E39 1255M	4549734513125	#		GD	GDZ	CHN	8302.5000.00
E39-L204	Robust mounting bracket for E3AS-F/L cable and pigtail models.	12.45	EC003015	E39 1256H	4549734513142	#		GD	GDZ	CHN	8302.5000.00
E39-L211	L-shaped mounting bracket for E3AS-F/L models	8.29	EC003015	E39 1257F	4549734513159	#	20	GD	GDZ	CHN	8302.5000.00
E39-L212	Horizontal protective cover bracket for E3AS-F/L cable and pigtail models	11.03	EC003015	E39 1258D	4549734513166	#	28	GD	GDZ	CHN	8541.9000.00
E39-L214	Protective metal cover for E3AS, horizontal surface mounting	17.92	EC003015	E39 1259B	4549734513173	#	20	GD	GDZ	CHN	8302.5000.00
E39-L221	L-shaped mounting bracket for E3AS-HL cable and pigtail models	11.48	EC003015	E39 1262B	4549734663410	#		GD	GDZ	CHN	8541.9000.00
E39-L222	Horizontal protective cover bracket	15.27	EC003015	E39 1263M	4549734663427	#		GD	GDZ	CHN	8541.9000.00
E39-L223	Rear mounting bracket for E3AS-HL models	13.03	EC003015	E39 1264R	4549734663434	#		GD	GDZ	CHN	8541.9000.00
E39-L224	Robust mounting bracket	16.20	EC003015	E39 1265G	4549734663441	#		GD	GDZ	CHN	8541.9000.00
E39-L231	L-shaped mounting bracket for E3AS-HL models	14.58	EC003015	E39 1266E	4549734663458	#		GD	GDZ	CHN	8541.9000.00
E39-L232	Horizontal protective cover bracket	20.27	EC003015	E39 1267C	4549734663465	#		GD	GDZ	CHN	8541.9000.00
E39-L234	Robust mounting bracket	20.95	EC003015	E39 1268A	4549734663472	#		GD	GDZ	CHN	8541.9000.00
E39-L245	L-shaped mounting bracket (180°) for E3AS-HF	24.39	EC003015	E39 1280M	4550431116314	#		GD	GDZ	CHN	8541.9000.00
E39-L255	L-shaped mounting bracket (360°) for E3AS-HF	27.30	EC003015	E39 1281R	4550431116321	#		GD	GDZ	CHN	8541.9000.00
E39-L261	Flexible mounting bracket	53.90	EC003015	E39 1269M	4549734663489	#		GD	GDZ	CHN	8541.9000.00
E39-L262	50mm post for flexible mounting bracket E39-L261 and E39-L264	24.69	EC003015	E39 1270C	4549734663496	#		GD	GDZ	CHN	8541.9000.00
E39-L263	100mm post for flexible mounting bracket E39-L261 and E39-L264	30.50	EC003015	E39 1271A	4549734663502	#		GD	GDZ	CHN	8541.9000.00
E39-L264	Flexible mounting bracket for E3AS-HF	66.30	EC003015	E39 1282G	4550431116338	#		GD	GDZ	CHN	8541.9000.00
E39-L40	Accessory photosensor E3JK, mounting bracket	3.04	EC003015	E39 7024M	4547648825344	#		GD	GDZ	CHN	8538.9099.99
E39-L43	Mounting bracket for E3Z sensor, side mounting	8.26	EC003015	E39 1130H	4536853295721	#		GD	GDZ	JPN	8538.9099.99
E39-L44	Mounting bracket for E3Z sensor, rear mounting	7.38	EC003015	E39 1129D	4536853295714	#		GD	GDZ	JPN	8538.9099.99
E39-L93FH	Mounting bracket for E3Z, 3D telescope mounting	38.47	EC003015	E39 2266M	4536854907517	#		GD	GDZ	JPN	8538.9099.99
E39-L93V	Adjustable Pillar bracket for E3Z, E3SA, Vertical mount fixings	37.91	EC003015	E39 2269E	4536854907548	#		GD	GDZ	JPN	8538.9099.99
E39-L98	Protective metal cover for E3S-A/E3Z vertical sensor	21.17	EC003015	E39 7030D	4548583008991	#		GD	GDZ	CHN	8538.9099.99
E39-E11	Mutual interference filters for the E3Z-TA models	28.23	EC003015	E39 2235M	4536854555923	#		GD	GDZ	JPN	8538.9099.99
E39-S46	Slit, 0.5-2mm, for E3S-A photoelectric sensor	11.98	EC003015	E39 2124R	4536853296162	#		GD	GDZ	JPN	8538.9099.99
E39-S63	Slits for E3T-ST1* types, 0.5mm & 1mm dia pairs supplied	9.76	EC003015	E39 2192C	4536853296834	#		GD	GDZ	JPN	8538.9099.99
E39-S64	Slits for E3T-F1* types, 0.5mm & 1mm dia pairs supplied	9.77	EC003015	E39 2194M	4536853296858	#		GD	GDZ	JPN	8538.9099.99
E39-S65A	Slit for E3Z-T, 0.5mm diameter	9.57	EC003015	E39 2224E	4536854499104	#		GD	GDZ	JPN	8538.9099.99
E39-S65B	Slit for E3Z-T, 1mm diameter	10.53	EC003015	E39 2225C	4536854499111	#		GD	GDZ	JPN	8538.9099.99
E39-S65C	Slit for E3Z-T, 2mm diameter	12.33	EC003015	E39 2226A	4536854499128	#	50	GD	GDZ	JPN	8538.9099.99

Catalog Description (Image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E39-S65E	Slit for E3Z-T, 1x10mm diameter	12.50	EC003015	E39 2228H	4536854499142	#		GD	GDZ	JPN	8538.9099.99
E39-E16	Air blow unit	46.27	EC003015	E39 1272M	4549734663519	#		GD	GDZ	CHN	8538.9099.99
E39-E17	Air blow unit for E3AS-HF	33.01	EC003015	E39 1283E	4550431116345	#		GD	GDZ	CHN	8541.9000.00
E39-E19	Front protection cover for E3AS-HL	37.67	EC003015	E39 1273H	4549734663526	#		GD	GDZ	CHN	8541.9000.00
E39-E20	Front protection cover for E3AS-HF	59.90	EC003015	E39 1284C	4550431116352	#		GD	GDZ	CHN	8541.9000.00
E39-R12	Reflector, E3C-LDA sensor, 23x23mm effective area	47.92	EC002467	E39 3000M	4536854958304	#		GD	GDZ	JPN	8541.9000.00
E39-R16	Reflector, E3C-LDA, highest detergent resistance, SUS316L, 43x30x5 mm	204.90	EC002467	E39 9055M	4548583750814	#		GD	GDZ	NLD	8541.9000.00
E39-R54	Reflective tape, high precision microtripel, self adhesive, 195mm x 22mm	158.10	EC002467	E39 3003E	4536854958335	#		GD	GDZ	JPN	8541.9000.00
E39-R55	Reflective tape, high precision microtripel, self adhesive, 108mm x 46mm	179.30	EC002467	E39 3004C	4536854958342	#		GD	GDZ	JPN	8541.9000.00

İndüktif Proximity Sensör E2EG

E2E-X10BT30 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	56.30	EC002714	E2EN2047A	4549734480567			GE	GEA	CHN	8536.5080.90
E2E-X10BT130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	56.30	EC002714	E2EN2065M	4549734480741			GE	GEA	CHN	8536.5080.90
E2E-X10BTL30 2M	Proximity sensor, inductive, nickel-brass long body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m prewired	70.40	EC002714	E2EN1245A	4549734481540			GE	GEA	CHN	8536.5080.90
E2E-X10BTL30-M1	Proximity sensor, inductive, nickel-brass long body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	70.40	EC002714	E2EN1254M	4549734481632			GE	GEA	CHN	8536.5080.90
E2E-X10C130 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, 2 m cable	56.30	EC002714	E2EN1837M	4549734478465			GE	GEA	CHN	8536.5080.90
E2E-X10MB112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	60.95	EC002714	E2EN0974E	4549734469838			GE	GEA	CHN	8536.5080.90
E2E-X10MB112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.85	EC002714	E2EN0992C	4549734470018	#		GE	GEA	CHN	8536.5080.90
E2E-X10MB118 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49.21	EC002714	E2EN1550H	4549734475594			GE	GEA	CHN	8536.5080.90
E2E-X10MB118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49.21	EC002714	E2EN1568M	4549734475778	#		GE	GEA	CHN	8536.5080.90
E2E-X10MB118 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	60.95	EC002714	E2EN1077H	4549734470865			GE	GEA	CHN	8536.5080.90
E2E-X10MB118-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	60.95	EC002714	E2EN1086G	4549734470957			GE	GEA	CHN	8536.5080.90
E2E-X10MB118 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	52.75	EC002714	E2EN1636R	4549734476454			GE	GEA	CHN	8536.5080.90
E2E-X10MB118-M1	Proximity sensor, inductive, nickel-brass long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	52.75	EC002714	E2EN1645H	4549734476546			GE	GEA	CHN	8536.5080.90
E2E-X10MC112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, M12 connector	60.95	EC002714	E2EN0750E	4549734467599			GE	GEA	CHN	8536.5080.90
E2E-X10MC118 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, 2 m cable	49.21	EC002714	E2EN1328R	4549734473378			GE	GEA	CHN	8536.5080.90
E2E-X10MC118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, M12 connector	49.21	EC002714	E2EN1346G	4549734473552			GE	GEA	CHN	8536.5080.90
E2E-X10MC118 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, 2 m cable	52.75	EC002714	E2EN1414E	4549734474238			GE	GEA	CHN	8536.5080.90
E2E-X10MD112 2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable, DC 2-wire	64.90	EC002714	E2E 8367E	4549734182393			GE	GEA	CHN	8536.5080.90
E2E-X10MD112 5M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 5 m cable, DC 2-wire	67.80	EC002714	E2E 8369A	4549734182416	#		GE	GEA	CHN	8536.5080.90
E2E-X10MD112-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	69.75	EC002714	E2E 8385C	4549734182577			GE	GEA	CHN	8536.5080.90
E2E-X10MD112-T 2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable, DC 2-wire, no polarity	64.90	EC002714	E2E 8377B	4549734182492			GE	GEA	CHN	8536.5080.90
E2E-X10MD212-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 0.3 m pig-tail, DC 2-wire	69.75	EC002714	E2E 8376D	4549734182485			GE	GEA	CHN	8536.5080.90
E2E-X10MD212-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	69.75	EC002714	E2E 8386A	4549734182584			GE	GEA	CHN	8536.5080.90
E2E-X10MD212-T 2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 2 m cable, DC 2-wire, no polarity	64.90	EC002714	E2E 8378M	4549734182508			GE	GEA	CHN	8536.5080.90
E2E-X11D118 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire	64.90	EC002714	E2E 8391H	4549734182638	#		GE	GEA	CHN	8536.5080.90
E2E-X11D118-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire	69.75	EC002714	E2E 8399C	4549734182713			GE	GEA	CHN	8536.5080.90
E2E-X11D118-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	69.75	EC002714	E2E 8409D	4549734182812			GE	GEA	CHN	8536.5080.90
E2E-X11D118-T 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire, no polarity	64.90	EC002714	E2E 8401R	4549734182731			GE	GEA	CHN	8536.5080.90
E2E-X11D118-T 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 5 m cable, DC 2-wire, no polarity	67.80	EC002714	E2E 8403E	4549734182751			GE	GEA	CHN	8536.5080.90
E2E-X11D218 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 2 m cable, DC 2-wire	64.90	EC002714	E2E 8392F	4549734182645			GE	GEA	CHN	8536.5080.90
E2E-X11D218 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable, DC 2-wire	67.80	EC002714	E2E 8394B	4549734182669			GE	GEA	CHN	8536.5080.90
E2E-X11D218-T 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 2 m cable, DC 2-wire, no polarity	64.90	EC002714	E2E 8402G	4549734182744			GE	GEA	CHN	8536.5080.90
E2E-X11D218-T 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable, DC 2-wire, no polarity	67.80	EC002714	E2E 8404C	4549734182768			GE	GEA	CHN	8536.5080.90
E2E-X12B118 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.85	EC002714	E2EN1515M	4549734475242	#		GE	GEA	CHN	8536.5080.90
E2E-X12B118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.85	EC002714	E2EN1533H	4549734475426	#		GE	GEA	CHN	8536.5080.90
E2E-X12B118-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	78.55	EC002714	E2EN1527C	4549734475365		20	GE	GEA	CHN	8536.5080.90
E2E-X12B118 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	60.95	EC002714	E2EN1616D	4549734476256		10	GE	GEA	CHN	8536.5080.90
E2E-X12B118-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	60.95	EC002714	E2EN1625C	4549734476348	#		GE	GEA	CHN	8536.5080.90
E2E-X12B3D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	60.95	EC002714	E2EN1736E	4549734477451	#		GE	GEA	CHN	8536.5080.90
E2E-X12C118 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	60.95	EC002714	E2EN1795M	4549734478045			GE	GEA	CHN	8536.5080.90
E2E-X12C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, 2 m cable	60.95	EC002714	E2EN1293B	4549734473026			GE	GEA	CHN	8536.5080.90
E2E-X14B118 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	60.95	EC002714	E2EN1311D	4549734473200	#		GE	GEA	CHN	8536.5080.90
E2E-X14B118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	66.85	EC002714	E2EN1536B	4549734475457			GE	GEA	CHN	8536.5080.90
E2E-X14B118-M1TJ	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	66.85	EC002714	E2EN1548F	4549734475570	#		GE	GEA	CHN	8536.5080.90
E2E-X14B118-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	66.85	EC002714	E2EN1544C	4549734475532			GE	GEA	CHN	8536.5080.90
E2E-X14B118 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	66.85	EC002714	E2EN1628H	4549734476379		10	GE	GEA	CHN	8536.5080.90
E2E-X14B118-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	66.85	EC002714	E2EN1634B	4549734476430	#		GE	GEA	CHN	8536.5080.90
E2E-X14B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NC, IO-Link COM3, M12 connector	66.85	EC002714	E2EN1549D	4549734475587			GE	GEA	CHN	8536.5080.90
E2E-X14C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, M12 connector	66.85	EC002714	E2EN1326B	4549734473354			GE	GEA	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X20D230 2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire	68.80	EC002714	E2E 8432R	4549734183048			GE	GEA	CHN	8536.5080.90
E2E-X20D230-T 2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	68.80	EC002714	E2E 8442F	4549734183147			GE	GEA	CHN	8536.5080.90
E2E-X20M1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	60.95	EC002714	E2EN1678D	4549734476874			GE	GEA	CHN	8536.5080.90
E2E-X20M1C118 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, NPN NO, 2 m cable	60.95	EC002714	E2EN1438B	4549734474474			GE	GEA	CHN	8536.5080.90
E2E-X20MD1L18-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	71.75	EC002714	E2E 8429R	4549734183017			GE	GEA	CHN	8536.5080.90
E2E-X20MD1L18-T 2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity	66.85	EC002714	E2E 8421C	4549734182953			GE	GEA	CHN	8536.5080.90
E2E-X20MD2L18 2M	Proximity sensor, inductive, nickel-brass, M18, non-shielded, 20 mm, NC, 2 m cable, DC 2-wire	66.85	EC002714	E2E 8412D	4549734182843			GE	GEA	CHN	8536.5080.90
E2E-X20MD2L18-T 2M	Proximity sensor, inductive, nickel-brass, M18, non-shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	66.85	EC002714	E2E 8422A	4549734182942			GE	GEA	CHN	8536.5080.90
E2E-X22B1T30 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	68.00	EC002714	E2EN2089G	4549734480987	#		GE	GEA	CHN	8536.5080.90
E2E-X22B1T30 5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	71.95	EC002714	E2EN2092G	4549734481014			GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	68.00	EC002714	E2EN2107R	4549734481168	#		GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	93.80	EC002714	E2EN2101M	4549734481106		10	GE	GEA	CHN	8536.5080.90
E2E-X22B1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	76.25	EC002714	E2EN2178H	4549734481878		5	GE	GEA	CHN	8536.5080.90
E2E-X22B230 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, 2 m cable	70.40	EC002714	E2EN2090M	4549734480994	#		GE	GEA	CHN	8536.5080.90
E2E-X22B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, M12 connector	70.40	EC002714	E2EN2108G	4549734481175			GE	GEA	CHN	8536.5080.90
E2E-X22B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	70.40	EC002714	E2EN2298R	4549734483070	#		GE	GEA	CHN	8536.5080.90
E2E-X22B3D30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	70.40	EC002714	E2EN2343H	4549734483520			GE	GEA	CHN	8536.5080.90
E2E-X22C130 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, NPN NO, 2 m cable	68.00	EC002714	E2EN1879E	4549734478885	#		GE	GEA	CHN	8536.5080.90
E2E-X22C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, NPN NO, M12 connector	68.00	EC002714	E2EN1897C	4549734479066	#		GE	GEA	CHN	8536.5080.90
E2E-X23B1T30 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	76.25	EC002714	E2EN2110R	4549734481199			GE	GEA	CHN	8536.5080.90
E2E-X23B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	76.25	EC002714	E2EN2122B	4549734481311	#		GE	GEA	CHN	8536.5080.90
E2E-X23B1T30-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	99.65	EC002714	E2EN2118D	4549734481274		15	GE	GEA	CHN	8536.5080.90
E2E-X23B1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	82.05	EC002714	E2EN2187G	4549734481960	#	5	GE	GEA	CHN	8536.5080.90
E2E-X23B230 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NC, 2 m cable	76.25	EC002714	E2EN2111G	4549734481205			GE	GEA	CHN	8536.5080.90
E2E-X23B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NC, M12 connector	76.25	EC002714	E2EN2123M	4549734481328			GE	GEA	CHN	8536.5080.90
E2E-X23C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, NPN NO, M12 connector	76.25	EC002714	E2EN1912M	4549734479219			GE	GEA	CHN	8536.5080.90
E2E-X2B1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	49.21	EC002714	E2EN0855B	4549734468640	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49.21	EC002714	E2EN0873M	4549734468824	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1T8 2M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	52.75	EC002714	E2EN0263E	4549734462723	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1T8 5M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	56.30	EC002714	E2EN0265A	4549734462747	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M1	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	52.75	EC002714	E2EN0275R	4549734462846	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M3	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	52.75	EC002714	E2EN0277E	4549734462860	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M5	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	52.75	EC002714	E2EN0279A	4549734462884	#	20	GE	GEA	CHN	8536.5080.90
E2E-X2B1TL12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	52.75	EC002714	E2EN1009C	4549734470186			GE	GEA	CHN	8536.5080.90
E2E-X2B1TL12-M1	Proximity sensor, inductive, nickel-brass long body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	52.75	EC002714	E2EN1018B	4549734470278	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1TL8 2M	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	58.65	EC002714	E2EN0402F	4549734464116	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1TL8-M1	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	58.65	EC002714	E2EN0408E	4549734464178	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1TL8-M3	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	58.65	EC002714	E2EN0411E	4549734464208			GE	GEA	CHN	8536.5080.90
E2E-X2B1TL8-M5	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	58.65	EC002714	E2EN0413A	4549734464222	#		GE	GEA	CHN	8536.5080.90
E2E-X2B212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	49.21	EC002714	E2EN0856M	4549734468657			GE	GEA	CHN	8536.5080.90
E2E-X2B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	49.21	EC002714	E2EN0874R	4549734468831	#		GE	GEA	CHN	8536.5080.90
E2E-X2B28 2M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	52.75	EC002714	E2EN0264C	4549734462730	#		GE	GEA	CHN	8536.5080.90
E2E-X2B28 5M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, 5 m cable	56.30	EC002714	E2EN0266M	4549734462754			GE	GEA	CHN	8536.5080.90
E2E-X2B28-M1	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	52.75	EC002714	E2EN0276G	4549734462853	#		GE	GEA	CHN	8536.5080.90
E2E-X2B28-M3	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	52.75	EC002714	E2EN0278C	4549734462877	#		GE	GEA	CHN	8536.5080.90
E2E-X2B28-M5	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	52.75	EC002714	E2EN0280E	4549734462891	#		GE	GEA	CHN	8536.5080.90
E2E-X2B2L12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	52.75	EC002714	E2EN1010G	4549734470193			GE	GEA	CHN	8536.5080.90
E2E-X2B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	52.75	EC002714	E2EN1019M	4549734470285			GE	GEA	CHN	8536.5080.90
E2E-X2B2L8 2M	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	58.65	EC002714	E2EN0403D	4549734464123			GE	GEA	CHN	8536.5080.90
E2E-X2B2L8-M1	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	58.65	EC002714	E2EN0409C	4549734464185	#		GE	GEA	CHN	8536.5080.90
E2E-X2B2L8-M5	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	58.65	EC002714	E2EN0414M	4549734464239	#		GE	GEA	CHN	8536.5080.90
E2E-X2B3DL8-M1	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector 4 pins	58.65	EC002714	E2EN0572C	4549734465816			GE	GEA	CHN	8536.5080.90
E2E-X2C112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, NPN NO, 2 m cable	49.21	EC002714	E2EN0613D	4549734466226			GE	GEA	CHN	8536.5080.90
E2E-X2C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, NPN NO, M12 connector	49.21	EC002714	E2EN0631B	4549734466400			GE	GEA	CHN	8536.5080.90
E2E-X2C18 2M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, NPN NO, 2 m cable	52.75	EC002714	E2EN0019E	4549734460286	#		GE	GEA	CHN	8536.5080.90
E2E-X2C18-M1	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, NPN NO, M12 connector	52.75	EC002714	E2EN0031D	4549734460408	#		GE	GEA	CHN	8536.5080.90
E2E-X2C18-M5	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, NPN NO, M8 connector 3 pins	52.75	EC002714	E2EN0035G	4549734460446	#		GE	GEA	CHN	8536.5080.90
E2E-X2C1L8 2M	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, NPN NO, 2 m cable	58.65	EC002714	E2EN0158B	4549734461672	#		GE	GEA	CHN	8536.5080.90
E2E-X2C1L8-M1	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, NPN NO, M12 connector	58.65	EC002714	E2EN0164G	4549734461733	#		GE	GEA	CHN	8536.5080.90
E2E-X2C1L8-M5	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, NPN NO, M8 connector 3 pins	58.65	EC002714	E2EN0169H	4549734461788	#		GE	GEA	CHN	8536.5080.90
E2E-X2C28 2M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	52.75	EC002714	E2EN0020R	4549734460293	#		GE	GEA	CHN	8536.5080.90
E2E-X2C28-M5	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	52.75	EC002714	E2EN0036E	4549734460453			GE	GEA	CHN	8536.5080.90
E2E-X2MB1T8 2M	Proximity sensor, inductive, SUS short body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	52.75	EC002714	E2EN0317H	4549734463263			GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X4B212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	49.21	EC002714	E2EN0877C	4549734468862	#		GE	GEA	CHN	8536.5080.90
E2E-X4B212 5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 5 m cable	52.75	EC002714	E2EN0880C	4549734468893	#		GE	GEA	CHN	8536.5080.90
E2E-X4B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	49.21	EC002714	E2EN0895A	4549734469043	#		GE	GEA	CHN	8536.5080.90
E2E-X4B28 2M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	70.40	EC002714	E2EN0300C	4549734463096	#		GE	GEA	CHN	8536.5080.90
E2E-X4B28-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	70.40	EC002714	E2EN0312G	4549734463218	#		GE	GEA	CHN	8536.5080.90
E2E-X4B28-M3	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	70.40	EC002714	E2EN0314C	4549734463232	#		GE	GEA	CHN	8536.5080.90
E2E-X4B2L12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	52.75	EC002714	E2EN1022M	4549734470315	#		GE	GEA	CHN	8536.5080.90
E2E-X4B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	52.75	EC002714	E2EN1031M	4549734470407	#		GE	GEA	CHN	8536.5080.90
E2E-X4B2L12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	56.30	EC002714	E2EN1028M	4549734470377	#		GE	GEA	CHN	8536.5080.90
E2E-X4B2L8 2M	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	70.40	EC002714	E2EN0428M	4549734464376	#		GE	GEA	CHN	8536.5080.90
E2E-X4B2L8-M3	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	70.40	EC002714	E2EN0436M	4549734464451	#		GE	GEA	CHN	8536.5080.90
E2E-X4B3D12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	49.21	EC002714	E2EN1112M	4549734471213	#		GE	GEA	CHN	8536.5080.90
E2E-X4B3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	49.21	EC002714	E2EN1124C	4549734471336	#		GE	GEA	CHN	8536.5080.90
E2E-X4B3D12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	52.75	EC002714	E2EN1204E	4549734472135	#		GE	GEA	CHN	8536.5080.90
E2E-X4B3DL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	52.75	EC002714	E2EN1210M	4549734472197	#		GE	GEA	CHN	8536.5080.90
E2E-X4C1 12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	49.21	EC002714	E2EN0634G	4549734466431	#		GE	GEA	CHN	8536.5080.90
E2E-X4C1 12 5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, 5 m cable	52.75	EC002714	E2EN0637A	4549734466462	#		GE	GEA	CHN	8536.5080.90
E2E-X4C1 12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	49.21	EC002714	E2EN0652E	4549734466615	#		GE	GEA	CHN	8536.5080.90
E2E-X4C18 2M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	58.65	EC002714	E2EN0055A	4549734460644	#		GE	GEA	CHN	8536.5080.90
E2E-X4C18-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	70.40	EC002714	E2EN0067E	4549734460767	#		GE	GEA	CHN	8536.5080.90
E2E-X4C1L12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	44.53	EC002714	E2EN0779C	4549734467889	#		GE	GEA	CHN	8536.5080.90
E2E-X4C1L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	44.53	EC002714	E2EN0788B	4549734467971	#		GE	GEA	CHN	8536.5080.90
E2E-X4C1L8 2M	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	70.40	EC002714	E2EN0183C	4549734461924	#		GE	GEA	CHN	8536.5080.90
E2E-X4C2 12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NC, 2 m cable	41.01	EC002714	E2EN0635E	4549734466448	#		GE	GEA	CHN	8536.5080.90
E2E-X4C2 12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NC, M12 connector	49.21	EC002714	E2EN0653C	4549734466622	#		GE	GEA	CHN	8536.5080.90
E2E-X4C3L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, NPN NO+NC, M12 connector	52.75	EC002714	E2EN0790D	4549734467995	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8 2M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	52.75	EC002714	E2EN0335F	4549734463447	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8 5M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	56.30	EC002714	E2EN0337B	4549734463461	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	52.75	EC002714	E2EN0347M	4549734463560	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-M3	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	52.75	EC002714	E2EN0349F	4549734463584	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	52.75	EC002714	E2EN0351H	4549734463607	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	58.65	EC002714	E2EN0452B	4549734464611	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	58.65	EC002714	E2EN0458A	4549734464673	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-M5	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	58.65	EC002714	E2EN0463H	4549734464727	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB28 2M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	52.75	EC002714	E2EN0336D	4549734463454	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB28-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	52.75	EC002714	E2EN0348H	4549734463577	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB28-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	52.75	EC002714	E2EN0352F	4549734463614	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB2L8 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	58.65	EC002714	E2EN0453M	4549734464628	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB2L8-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	58.65	EC002714	E2EN0459M	4549734464680	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB2L8-M5	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	58.65	EC002714	E2EN0464F	4549734464734	#		GE	GEA	CHN	8536.5080.90
E2E-X4MC18 2M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	52.75	EC002714	E2EN0091H	4549734461009	#		GE	GEA	CHN	8536.5080.90
E2E-X4MC18-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	52.75	EC002714	E2EN0103E	4549734461122	#		GE	GEA	CHN	8536.5080.90
E2E-X4MC1L8-M5	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN NO, M8 connector 3 pins	58.65	EC002714	E2EN0219H	4549734462280	#		GE	GEA	CHN	8536.5080.90
E2E-X50M81TL30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	82.05	EC002714	E2EN2243A	4549734482523	#		GE	GEA	CHN	8536.5080.90
E2E-X50M82L30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NC, 2 m cable	82.05	EC002714	E2EN2244M	4549734482530	#		GE	GEA	CHN	8536.5080.90
E2E-X50M82L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NC, M12 connector	76.25	EC002714	E2EN2256C	4549734482653	#		GE	GEA	CHN	8536.5080.90
E2E-X50M1L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, NPN NO, M12 connector	76.25	EC002714	E2EN2045E	4549734480543	#		GE	GEA	CHN	8536.5080.90
E2E-X5B1T18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	49.21	EC002714	E2EN1473M	4549734474825	#		GE	GEA	CHN	8536.5080.90
E2E-X5B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49.21	EC002714	E2EN1491R	4549734475006	#		GE	GEA	CHN	8536.5080.90
E2E-X5B1TL18 2M	Proximity sensor, inductive, nickel-brass long body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	52.75	EC002714	E2EN1592C	4549734476010	#		GE	GEA	CHN	8536.5080.90
E2E-X5B1TL18-M1	Proximity sensor, inductive, nickel-brass long body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	52.75	EC002714	E2EN1601F	4549734476102	#		GE	GEA	CHN	8536.5080.90
E2E-X5B218 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, 2 m cable	49.21	EC002714	E2EN1474R	4549734474832	#		GE	GEA	CHN	8536.5080.90
E2E-X5B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, M12 connector	49.21	EC002714	E2EN1492G	4549734475013	#		GE	GEA	CHN	8536.5080.90
E2E-X5C1 18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	49.21	EC002714	E2EN1251G	4549734472609	#		GE	GEA	CHN	8536.5080.90
E2E-X5C1 18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, M12 connector	49.21	EC002714	E2EN1269M	4549734472784	#		GE	GEA	CHN	8536.5080.90
E2E-X5C1L18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	52.75	EC002714	E2EN1370M	4549734473798	#		GE	GEA	CHN	8536.5080.90
E2E-X5C2 18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NC, 2 m cable	49.21	EC002714	E2EN1252E	4549734472616	#		GE	GEA	CHN	8536.5080.90
E2E-X5C2 18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NC, M12 connector	49.21	EC002714	E2EN1270C	4549734472791	#		GE	GEA	CHN	8536.5080.90
E2E-X5D1-M1TIGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	65.55	EC002714	E2E 8569D	4549734184410	#		GE	GEA	CHN	8536.5080.90
E2E-X5D1-N 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 2 m cable, DC 2-wire	50.10	EC002714	E2E 8387M	4549734182591	#		GE	GEA	CHN	8536.5080.90
E2E-X5MB1T12 2M	Proximity sensor, inductive, nickel-brass short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	49.21	EC002714	E2EN0932M	4549734469418	#		GE	GEA	CHN	8536.5080.90
E2E-X5MB1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49.21	EC002714	E2EN0950H	4549734469593	#		GE	GEA	CHN	8536.5080.90
E2E-X5MB1TL12 2M	Proximity sensor, inductive, nickel-brass long body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	52.75	EC002714	E2EN1053M	4549734470629	#		GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X8MB1T8 2M	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	70.40	EC002714	E2EN0371B	4549734463805			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T8-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	70.40	EC002714	E2EN0383F	4549734463928	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1T8-M1TJ 0.3M	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	87.95	EC002714	E2EN0379H	4549734463861			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T8-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	70.40	EC002714	E2EN0387R	4549734463986	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	52.75	EC002714	E2EN1065D	4549734470742	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL12 5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	56.30	EC002714	E2EN1068R	4549734470773	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	52.75	EC002714	E2EN1074C	4549734470834	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL8 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	70.40	EC002714	E2EN0477H	4549734464864			GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL8-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	70.40	EC002714	E2EN0483B	4549734464925			GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL8-M5	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	70.40	EC002714	E2EN0487E	4549734464963			GE	GEA	CHN	8536.5080.90
E2E-X8MB212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	49.21	EC002714	E2EN0954M	4549734469630	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	49.21	EC002714	E2EN0972R	4549734469814	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB28-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	70.40	EC002714	E2EN0384D	4549734463935			GE	GEA	CHN	8536.5080.90
E2E-X8MB212-L1-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	52.75	EC002714	E2EN1075A	4549734470841	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB212-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	70.40	EC002714	E2EN0484M	4549734464932			GE	GEA	CHN	8536.5080.90
E2E-X8MB3D12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	49.21	EC002714	E2EN1161H	4549734471701			GE	GEA	CHN	8536.5080.90
E2E-X8MB3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	58.65	EC002714	E2EN1173A	4549734471824	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB3D12-L1-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	60.95	EC002714	E2EN1238M	4549734472470	#		GE	GEA	CHN	8536.5080.90
E2E-X8MC112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, 2 m cable	49.21	EC002714	E2EN0711D	4549734467209	#		GE	GEA	CHN	8536.5080.90
E2E-X8MC112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, M12 connector	49.21	EC002714	E2EN0729G	4549734467384	#		GE	GEA	CHN	8536.5080.90
E2E-X8MC112 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, 2 m cable	52.75	EC002714	E2EN0823D	4549734468329			GE	GEA	CHN	8536.5080.90
E2E-X8MC112-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, M12 connector	52.75	EC002714	E2EN0832C	4549734468411	#		GE	GEA	CHN	8536.5080.90
E2E-X8MC112 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, 2 m cable	70.40	EC002714	E2EN0233C	4549734462426			GE	GEA	CHN	8536.5080.90
E2E-X8MC212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	49.21	EC002714	E2EN0712B	4549734467216			GE	GEA	CHN	8536.5080.90
E2E-X8MC212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	49.21	EC002714	E2EN0730M	4549734467391			GE	GEA	CHN	8536.5080.90
E2E-X9B1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	66.85	EC002714	E2EN0918D	4549734469272	#		GE	GEA	CHN	8536.5080.90
E2E-X9B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	66.85	EC002714	E2EN0930C	4549734469395	#		GE	GEA	CHN	8536.5080.90
E2E-X9B1T12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	66.85	EC002714	E2EN0926E	4549734469357			GE	GEA	CHN	8536.5080.90
E2E-X9B1TL12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	66.85	EC002714	E2EN1045M	4549734470544	#	10	GE	GEA	CHN	8536.5080.90
E2E-X9B1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	66.85	EC002714	E2EN1051D	4549734470605	#	25	GE	GEA	CHN	8536.5080.90
E2E-X9B212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, 2 m cable	66.85	EC002714	E2EN0919B	4549734469289			GE	GEA	CHN	8536.5080.90
E2E-X9B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, M12 connector	55.10	EC002714	E2EN0931A	4549734469401			GE	GEA	CHN	8536.5080.90
E2E-X9C112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, 2 m cable	55.10	EC002714	E2EN0676B	4549734466851			GE	GEA	CHN	8536.5080.90
E2E-X9C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, M12 connector	66.85	EC002714	E2EN0688F	4549734466974			GE	GEA	CHN	8536.5080.90
E2E-X9C112-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	84.45	EC002714	E2EN0684C	4549734466936		5	GE	GEA	CHN	8536.5080.90
E2EQ-X11D118 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire	115.90	EC002714	E2E 8495G	4549734183673			GE	GEA	CHN	8536.5080.90
E2EQ-X11D118-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	139.70	EC002714	E2E 8505H	4549734183772			GE	GEA	CHN	8536.5080.90
E2EQ-X11D118-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire, no polarity	117.10	EC002714	E2E 8501E	4549734183734			GE	GEA	CHN	8536.5080.90
E2EQ-X11D218 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NC, 2 m cable, DC 2-wire, no polarity	117.10	EC002714	E2E 8502C	4549734183741			GE	GEA	CHN	8536.5080.90
E2EQ-X12B1T18 2M	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	114.80	EC002714	E2EQ7262R	4549734486163			GE	GEA	CHN	8536.5080.90
E2EQ-X12B1T18-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	114.80	EC002714	E2EQ7271H	4549734486255			GE	GEA	CHN	8536.5080.90
E2EQ-X20D130-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire	184.70	EC002714	E2E 8511B	4549734183833			GE	GEA	CHN	8536.5080.90
E2EQ-X20D130-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity	163.10	EC002714	E2E 8513R	4549734183857			GE	GEA	CHN	8536.5080.90
E2EQ-X20D230-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	163.10	EC002714	E2E 8514G	4549734183864			GE	GEA	CHN	8536.5080.90
E2EQ-X2B1T18-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	96.65	EC002714	E2EQ7084G	4549734484381			GE	GEA	CHN	8536.5080.90
E2EQ-X3D18-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	127.20	EC002714	E2E 8481G	4549734183536			GE	GEA	CHN	8536.5080.90
E2EQ-X3D18-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire, no polarity	103.50	EC002714	E2E 8477R	4549734183499			GE	GEA	CHN	8536.5080.90
E2EQ-X3D28 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire	102.30	EC002714	E2E 8472H	4549734183444			GE	GEA	CHN	8536.5080.90
E2EQ-X3D28-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire, no polarity	103.50	EC002714	E2E 8478G	4549734183505			GE	GEA	CHN	8536.5080.90
E2EQ-X6B1T12-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	108.70	EC002714	E2EQ7175D	4549734485296			GE	GEA	CHN	8536.5080.90
E2EQ-X7D112-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	119.30	EC002714	E2E 8493M	4549734183659			GE	GEA	CHN	8536.5080.90
E2EQ-X7D112-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire, no polarity	100.80	EC002714	E2E 8489B	4549734183611			GE	GEA	CHN	8536.5080.90
E2EQ-X7D212-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	119.30	EC002714	E2E 8494R	4549734183666			GE	GEA	CHN	8536.5080.90
E2EQ-X7D212-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire, no polarity	100.80	EC002714	E2E 8490F	4549734183628			GE	GEA	CHN	8536.5080.90
E2EQ-X8B1T18-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	90.65	EC002714	E2EQ7259R	4549734486132			GE	GEA	CHN	8536.5080.90
İndüktif Proximity Sensör E2E											
E2E-X10D1-N 2M	Endüktif sensör, M30, düz kafa, 10mm, DC, 2 kablolu, NA, 2m kablolu	99.75	EC002714	E2E 8710G	4549734743631	#		GE	GEC	CHN	8536.5080.90
E2E-X10MY1 2M	Endüktif sensör, M18, çıkık kafa, 10mm, AC, 2 kablolu, NA, 2m kablolu	122.30	EC002714	E2E 7327M	4547648404723	#		GE	GEC	CHN	8536.5080.90
E2E-X10MY2 2M	Endüktif sensör, M18, çıkık kafa, 10mm, AC, 2 kablolu, NK, 2m kablolu	114.60	EC002714	E2E 7328R	4547648404730	#		GE	GEC	CHN	8536.5080.90
E2E-X10T1 2M	Proximity sensor, inductive, M30, shielded, 10 mm, AC/DC, 2-wire, NO, cable 2 m	109.30	EC002714	E2E 7549D	4547648406949			GE	GEC	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-S04SR8-WC-B1 2M	Endüktif sensör, M4, düz kafa, 0,8mm, DC, 3 kablolu, 2m kablolu, PNP-NA	75.10	EC002714	E2E 8082M	4548583405585	#		GE	GEC	CHN	8536.5080.90
E2E-S04SR8-WC-C1 2M	Endüktif sensör, M4, düz kafa, 0,8mm, DC, 3 kablolu, 2m kablolu, NPN-NA	75.10	EC002714	E2E 8084F	4548583405608	#		GE	GEC	CHN	8536.5080.90
E2E-S05N03-CJ-B1 0.3M	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, Pig-Tail, PNP NO	89.00	EC002714	E2E 8138R	4548583406148	#		GE	GEC	CHN	8536.5080.90
E2E-S05N03-MC-B1	Endüktif sensör, M5, çikk kafa, 3mm, DC, 3 kablolu, M8(3pin), PNP-NA	82.75	EC002714	E2E 8142G	4548583406186	#		GE	GEC	CHN	8536.5080.90
E2E-S05N03-WC-B1 2M	Endüktif sensör, M5, çikk kafa, 3mm, DC, 3 kablolu, 2m kablolu, PNP-NA	75.10	EC002714	E2E 8134F	4548583406100	#		GE	GEC	CHN	8536.5080.90
E2E-S05N03-WC-C1 2M	Endüktif sensör, M5, çikk kafa, 3mm, DC, 3 kablolu, 2m kablolu, NPN-NA	75.10	EC002714	E2E 8136B	4548583406124	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-CJ-B1 0.3M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, Pig-Tail, PNP NO	61.45	EC002714	E2E 8126E	4548583406025	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-CJ-B2 0.3M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, Pig-Tail, PNP NC	61.45	EC002714	E2E 8127C	4548583406032	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-CJ-C1 0.3M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, Pig-Tail, NPN NO	61.45	EC002714	E2E 8128A	4548583406049	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-MC-B1	Endüktif sensör, M5, düz kafa, 1,2mm, DC, 3 kablolu, M8(3pin), PNP-NA	54.60	EC002714	E2E 8130C	4548583406063	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-MC-B2	Endüktif sensör, M5, düz kafa, 1,2mm, DC, 3 kablolu, M8(3pin), PNP-NK	54.60	EC002714	E2E 8131A	4548583406070	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-MC-C1	Endüktif sensör, M5, düz kafa, 1,2mm, DC, 3 kablolu, M8(3pin), PNP-NA	54.60	EC002714	E2E 8132M	4548583406087	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-MC-C2	Endüktif sensör, M5, düz kafa, 1,2mm, DC, 3 kablolu, M8(3pin), NPN-NK	54.60	EC002714	E2E 8133H	4548583406094	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-B1 2M	Endüktif sensör, M5, düz kafa, 1,2mm, DC, 3 kablolu, 2m kablolu, PNP-NA	47.92	EC002714	E2E 8122B	4548583405981	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-B1 5M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, PW 5m, PNP NO	54.50	EC002714	E2E 8206G	4548583498112	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-B2 2M	Endüktif sensör, M5, düz kafa, 1,2mm, DC, 3 kablolu, 2m kablolu, PNP-NK	47.92	EC002714	E2E 8123M	4548583405998	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-C1 2M	Endüktif sensör, M5, düz kafa, 1,2mm, DC, 3 kablolu, 2m kablolu, NPN-NA	47.92	EC002714	E2E 8124R	4548583406001	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-C2 2M	Endüktif sensör, M5, düz kafa, 1,2mm, DC, 3 kablolu, 2m kablolu, NPN-NK	47.92	EC002714	E2E 8125G	4548583406018	#		GE	GEC	CHN	8536.5080.90
E2E-X3D1-MITGJ-U 0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC 2-wire no polarity, NO, M12 pig-tail 0.3m	160.70	EC002714	E2E 6130B	4547648625371	#		GE	GEC	CHN	8536.5080.90
İndüktif Proximity Sensör E2E											
E2FQ-X10F1	Endüktif sensör, PTFE gövde, ksa, M30, düz kafa, 10mm, DC, PNP-NA, 2m kablolu	263.60	EC002714	E2FQ1009M	4536853263355	#		GE	GED	JPN	8536.5080.90
E2FQ-X2F1	Endüktif sensör, PTFE gövde, ksa, M12, düz kafa, 2mm, 3 kablolu, DC, PNP-NA, 2m kablolu	216.90	EC002714	E2FQ1021M	4536853263461	#		GE	GED	JPN	8536.5080.90
E2FQ-X5F1	Endüktif sensör, PTFE gövde, ksa, M18, düz kafa, 5mm, 3 kablolu, DC, PNP-NA, 2m kablolu	200.60	EC002714	E2FQ1003A	4536853263300	#		GE	GED	JPN	8536.5080.90
E2F-X10F1 2M	Proximity sensor, plastic body, inductive, M30 shielded, 10mm, DC 3-wire, PNP-NO	115.60	EC002714	E2F 7108E	4547648321235	#		GE	GED	CHN	8536.5080.90
E2F-X2F1 2M	Proximity sensor, plastic body, inductive, M12, shielded, 2mm, DC, 3-wire, PNP-NO, 2m cable	112.80	EC002714	E2F 7104B	4547648321198	#		GE	GED	CHN	8536.5080.90
Kapasitif Sensör E2K											
E2K-X15ME1	Kapasitif sensör, M30, çikk kafa, 15mm, DC, 3 kablolu, NPN-NA, 2m kablolu	168.30	EC002715	E2KX1021M	4536853264352	#		GE	GEE	JPN	8536.5080.90
E2K-X15MF1	Kapasitif sensör, M30, çikk kafa, 15mm, DC, 3 kablolu, PNP-NA, 2m kablolu	168.30	EC002715	E2KX1073C	4536853264635	#		GE	GEE	JPN	8536.5080.90
E2K-X15MF2	Kapasitif sensör, M30, çikk kafa, 15mm, DC, 3 kablolu, PNP-NK, 2m kablolu	168.30	EC002715	E2KX1076H	4536853264659	#		GE	GEE	JPN	8536.5080.90
E2K-X4ME1 2M	Kapasitif sensör, M12, çikk kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu	143.30	EC002715	E2KX1001F	4536853264253	#		GE	GEE	JPN	8536.5080.90
E2K-X4ME2	Proximity sensor, capacitive, M12, unshielded, 4mm, DC, 3-wire, NPN-NC, 2m cable	143.30	EC002715	E2KX1006G	4536853264284	#		GE	GEE	JPN	8536.5080.90
E2K-X4MF1	Kapasitif sensör, M12, çikk kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu	143.30	EC002715	E2KX1061M	4536853264550	#		GE	GEE	JPN	8536.5080.90
E2K-X4MF2	Kapasitif sensör, M12, çikk kafa, 4mm, DC, 3 kablolu, PNP-NK, 2m kablolu	160.70	EC002715	E2KX1064D	4536853264574	#		GE	GEE	JPN	8536.5080.90
E2K-X8ME1 2M	Kapasitif sensör, M18, çikk kafa, 8mm, DC, 3 kablolu, NPN-NA, 2m kablolu	162.40	EC002715	E2KX1011C	4536853264307	#		GE	GEE	JPN	8536.5080.90
E2K-X8MF1 2M	Kapasitif sensör, M18, çikk kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu	162.40	EC002715	E2KX1067R	4536853264598	#		GE	GEE	JPN	8536.5080.90
E2K-C25ME1 2M	Kapasitif sensör, 34mm çap, çikk kafa, 25mm, DC, 3 kablolu, NPN-NA, 2m kablolu	209.20	EC002715	E2K 5003B	4536853263683	#		GE	GEE	JPN	8536.5080.90
E2K-C25ME2 2M	Kapasitif sensör, 34mm çap, çikk kafa, 25mm, DC, 3 kablolu, NPN-NK, 2m kablolu	213.30	EC002715	E2K 5005R	4536853263706	#		GE	GEE	JPN	8536.5080.90
E2K-C25MF1	Kapasitif sensör, 34mm çap, çikk kafa, 25mm, DC, 3 kablolu, PNP-NA, 2m kablolu	209.20	EC002715	E2K 5004M	4536853263690	#		GE	GEE	JPN	8536.5080.90
E2K-C25MF2	Kapasitif sensör, 34mm çap, çikk kafa, 25mm, DC, 3 kablolu, PNP-NK, 2m kablolu	209.20	EC002715	E2K 5006G	4536853263713	#		GE	GEE	JPN	8536.5080.90
E2K-F10MC1 2M	Kapasitif sensör, yassı, çikk kafa, 10mm, DC, 3 kablolu, NPN-NA, 2m kablolu	102.10	EC002715	E2KF1001A	4536853264048	#		GE	GEE	JPN	8536.5080.90
E2K-F10MC1-A 2M	Proximity sensor, capacitive, flat, unshielded, 10mm, DC, 3-wire, NPN-NO, 2m cable	136.90	EC002715	E2KF1020H	4547648085656	#		GE	GEE	JPN	8536.5080.90
E2K-F10MC2	Kapasitif sensör, yassı, çikk kafa, 10mm, DC, 3 kablolu, NPN-NK, 2m kablolu	102.10	EC002715	E2KF1004F	4536853264079	#		GE	GEE	JPN	8536.5080.90
E2K-L13MC1 2M	Capacitive, Liquid level sensing, 8 to 11mm tube, NPN, 2m cable	252.20	EC002715	E2KF1015A	4536854711954	#		GE	GEE	JPN	8536.5080.90
E2K-L26MC1 2M	Capacitive, Liquid level sensing, 12 to 26mm tube, NPN	173.90	EC002715	E2KF1014C	4536854711947	#		GE	GEE	JPN	8536.5080.90
İndüktif Proximity Sensör TL-TL-T/W											
TL-W1R5MB1 2M	Endüktif sensör, çikk kafa, 1,5mm, DC, 3 kablolu, PNP-NA, 2m kablolu	82.35	EC002714	TLW 1026H	4536854116407	#	5	GE	GEG	JPN	8536.5080.90
TL-W1R5MC1	Endüktif sensör, çikk kafa, 1,5mm, DC, 3 kablolu, NPN-NA, 2m kablolu	73.25	EC002714	TLW 1014D	4536854116315	#	5	GE	GEG	JPN	8536.5080.90
TL-W3MB1 2M	Endüktif sensör, çikk kafa, 3mm, DC, 3 kablolu, PNP-NA, 2m kablolu	65.55	EC002714	TLW 1024A	4536854116384	#	5	GE	GEC	CHN	8536.5080.90
TL-W3MB1-R 2M	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, PNP-NO, 2m robotic cable	100.60	EC002714	TLW 1089F	4536854116995	#		GE	GEG	JPN	8536.5080.90
TL-W3MB2	Endüktif sensör, çikk kafa, 3mm, DC, 3 kablolu, PNP-NK, 2m kablolu	123.50	EC002714	TLW 1059D	4536854116698	#	5	GE	GEG	JPN	8536.5080.90
TL-W3MC1 2M	Endüktif sensör, çikk kafa, 3mm, DC, 3 kablolu, NPN-NA, 2m kablolu	66.10	EC002714	TLW 1012H	4536854116292	#	5	GE	GEC	CHN	8536.5080.90
TL-W3MC2 2M	Endüktif sensör, çikk kafa, 3mm, DC, 3 kablolu, NPN-NK, 2m kablolu	67.05	EC002714	TLW 1019E	4536854116353	#	5	GE	GEG	CHN	8536.5080.90

Item Long Description (Web page)	Item Code (Dsheat)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NK, M12 konektör	E2A 7260A	4547648162845	#		GE	GEI	CHN	8536.5080.90
Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, M12 konektör	E2A 7205R	4547648149365	#		GE	GEI	CHN	8536.5080.90
Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M8 connector (4 pin)	E2A 7340C	4547648525039	#		GE	GEI	CHN	8536.5080.90
Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 4 kablolü, PNP-NA+NK, M8 4pin konektör	E2A 7601A	4548583724907	#		GE	GEI	CHN	8536.5080.90
Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, M8 konektör (3-pin)	E2A 7206G	4547648149372	#		GE	GEI	CHN	8536.5080.90
Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NK, M8 konektör (3-pin)	E2A 7262H	4547648162869	#		GE	GEI	CHN	8536.5080.90
Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, M8 konektör (3-pin)	E2A 7263F	4547648162876	#		GE	GEI	CHN	8536.5080.90
Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, 2m kablolü	E2A 7207E	4547648149389	#		GE	GEI	CHN	8536.5080.90
Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 2m prewired	E2A 7265B	4547648162890	#		GE	GEI	CHN	8536.5080.90
Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, 2m kablolü	E2A 7268G	4547648162920	#		GE	GEI	CHN	8536.5080.90
Proximity sensor, inductive, stainless steel, short body, M12, non-shielded, 8 mm, DC, 3-wire, PNP-NO, M12 connector	E2A 7382R	4548583130456	#		GE	GEI	CHN	8536.5080.90
Endüktif sensör, paslanmaz çelik, kısa gövde, M12, çikk kafa, 8mm, DC, 3 kablolü, PNP-NA, 2m kablolü	E2A 7318G	4547648475082	#		GE	GEI	CHN	8536.5080.90
Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	E2A 7368C	4548583020894	#		GE	GEI	CHN	8536.5080.90
Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NC, M12 connector	E2A 7440M	4548583723290	#		GE	GEI	CHN	8536.5080.90
Endüktif sensör, paslanmaz çelik, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolü, NPN-NA, M12 konektör	E2A 7394B	4548583722835	#		GE	GEI	CHN	8536.5080.90
Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 2m prewired	E2A 7367E	4548583004917	#		GE	GEI	CHN	8536.5080.90
Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	E2A 7403E	4548583722927	#		GE	GEI	CHN	8536.5080.90
Proximity sensor, inductive, stainless steel, short body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, M12 connector	E2A 7155R	4547648048613	#		GE	GEI	CHN	8536.5080.90
Endüktif sensör, paslanmaz çelik, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolü, PNP-NA, M12 konektör	E2A 7154M	4547648048066	#		GE	GEI	CHN	8536.5080.90
Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 2m prewired	E2A 7409D	4548583722989	#		GE	GEI	CHN	8536.5080.90
Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 5m prewired	E2A 7404C	4548583722934	#		GE	GEI	CHN	8536.5080.90
Endüktif sensör, paslanmaz çelik, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolü, PNP-NA, M12 konektör	E2A 7405A	4548583722941	#		GE	GEI	CHN	8536.5080.90
Proximity sensor, inductive, stainless steel, short body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, M12 plug-in	E2A 7156G	4547648048620	#		GE	GEI	CHN	8536.5080.90

İndüktif Proximity Sensör E2B

Endüktif sensör, piring-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolü, PNP-NA, M12 konektör	E2B 2128H	4548583549517	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolü, PNP-NK, M12 konektör	E2B 2130M	4548583549531	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolü, PNP-NA, 2m kablolü	E2B 2120B	4548583549432	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolü, NPN-NA, 2m kablolü	E2B 2124E	4548583549470	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolü, PNP-NA, M12 konektör	E2B 2176H	4548583549999	#		GE	GEJ	IDN	8536.5080.90
Multi-pack E2B-M12KN08-M1-B1 OMS 1 pcs = 1 box of 20 pcs	E2B 7724M	4548583879317	#		GE	GEJ	CHN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolü, PNP-NK, M12 konektör	E2B 2178D	4548583550018	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolü, NPN-NA, M12 konektör	E2B 2177F	4548583550001	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolü, PNP-NA, 2m kablolü	E2B 2168G	4548583549913	#		GE	GEJ	IDN	8536.5080.90
Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-wire, PNP-NO, 5m cable	E2B 2169E	4548583549920	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolü, PNP-NK, 2m kablolü	E2B 2170R	4548583549937	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolü, NPN-NA, 2m kablolü	E2B 2172E	4548583549951	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, M12 konektör	E2B 2104M	4548583549272	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolü, NPN-NK, M12 konektör	E2B 2106G	4548583549296	#	40	GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, 2m kablolü	E2B 2096F	4548583549197	#		GE	GEJ	IDN	8536.5080.90
Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2mm, DC, 3-wire, PNP-NO, 5m Prewired	E2B 2097D	4548583549203	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, 2m kablolü	E2B 2100H	4548583549234	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolü, PNP-NA, M12 konektör	E2B 2152M	4548583549753	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, Çoklu paket (E2B-M12KS04-M1-B1 OMS' den 20 adet)	E2B 7587F	4548583552487	#		GE	GEJ	CHN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolü, PNP-NK, M12 konektör	E2B 2154G	4548583549777	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolü, NPN-NA, M12 konektör	E2B 2153R	4548583549760	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolü, NPN-NK, M12 konektör	E2B 2155E	4548583549784	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolü, PNP-NA, 2m kablolü	E2B 2144M	4548583549678	#		GE	GEJ	IDN	8536.5080.90
Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 5m cable	E2B 2145H	4548583549685	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolü, PNP-NK, 2m kablolü	E2B 2146F	4548583549692	#		GE	GEJ	IDN	8536.5080.90
Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NC, 5m cable	E2B 2147D	4548583549708	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolü, NPN-NA, 2m kablolü	E2B 2148B	4548583549715	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolü, NPN-NK, 2m kablolü	E2B 2150D	4548583549739	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, uzun gövde, M12, çıkık kafa, 5mm, DC, 3 kablolü, PNP-NA, M12 konektör	E2B 2140G	4548583549630	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolü, PNP-NA, M12 konektör	E2B 2188A	4548583550117	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolü, PNP-NK, M12 konektör	E2B 2190C	4548583550131	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolü, NPN-NA, M12 konektör	E2B 2189M	4548583550124	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolü, PNP-NA, 2m kablolü	E2B 2180F	4548583550032	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolü, PNP-NK, 2m kablolü	E2B 2182B	4548583550056	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolü, NPN-NA, 2m kablolü	E2B 2184R	4548583550070	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, uzun gövde, M12, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, M12 konektör	E2B 2116D	4548583549395	#		GE	GEJ	IDN	8536.5080.90
Endüktif sensör, piring-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolü, PNP-NA, M12 konektör	E2B 2164D	4548583549876	#		GE	GEJ	IDN	8536.5080.90

Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2B-M12LS04-M1-B1-20	246.90	EC002714	E2B 7588D	4548583552494	#		GE	GEJ	CHN	8536.5080.90
E2B-M12LS04-M1-B2	13.07	EC002714	E2B 2166M	4548583549890	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-M1-C1	13.07	EC002714	E2B 2165F	4548583549883	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-M1-C2	13.07	EC002714	E2B 2167H	4548583549906	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-WP-B1 2M	13.07	EC002714	E2B 2156C	4548583549791	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-WP-B1 5M	15.49	EC002714	E2B 2157A	4548583549807	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-WP-B2 2M	13.07	EC002714	E2B 2158M	4548583549814	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-WP-C1 2M	13.07	EC002714	E2B 2160A	4548583549838	#	50	GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-WP-C2 2M	13.07	EC002714	E2B 2162H	4548583549852	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN10-M1-B1	16.41	EC002714	E2B 2296R	4548583551190	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-M1-B1	19.15	EC002714	E2B 2344B	4548583551671	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-M1-B1-20	341.70	EC002714	E2B 7726G	4548583879331	#		GE	GEJ	CHN	8536.5080.90
E2B-M18KN16-M1-B2	19.15	EC002714	E2B 2346R	4548583551695	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-M1-C1	19.15	EC002714	E2B 2345M	4548583551688	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-M1-C2	19.15	EC002714	E2B 2347G	4548583551701	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-WP-B1 2M	19.15	EC002714	E2B 2336A	4548583551596	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-WP-B2 2M	19.15	EC002714	E2B 2338H	4548583551619	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-WP-C1 2M	19.15	EC002714	E2B 2340M	4548583551633	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-WP-C1 5M	21.86	EC002714	E2B 2341H	4548583551640	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS05-M1-B1	16.41	EC002714	E2B 2272A	4548583550957	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS05-M1-B2	16.41	EC002714	E2B 2274H	4548583550971	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS05-WP-B1 2M	16.41	EC002714	E2B 2192M	4548583550155	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS05-WP-C1 2M	16.41	EC002714	E2B 2196B	4548583550193	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-M1-B1	19.15	EC002714	E2B 2320E	4548583551435	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-M1-B1-20	341.70	EC002714	E2B 7589B	4548583552500	#		GE	GEJ	CHN	8536.5080.90
E2B-M18KS08-M1-B2	19.15	EC002714	E2B 2322A	4548583551459	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-M1-C1	19.15	EC002714	E2B 2321C	4548583551442	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-WP-B1 2M	19.15	EC002714	E2B 2312D	4548583551350	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-WP-B1 5M	21.86	EC002714	E2B 2313B	4548583551367	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-WP-B2 2M	19.15	EC002714	E2B 2314M	4548583551374	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-WP-C1 2M	19.15	EC002714	E2B 2316G	4548583551398	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-WP-C2 2M	19.15	EC002714	E2B 2318C	4548583551411	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LN10-M1-C1	16.41	EC002714	E2B 2309D	4548583551329	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LN10-M1-C2	16.41	EC002714	E2B 2311F	4548583551343	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LN16-M1-B1	19.15	EC002714	E2B 2356F	4548583551794	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LN16-M1-B2	19.15	EC002714	E2B 2358B	4548583551817	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LN16-WP-B1 2M	19.15	EC002714	E2B 2348E	4548583551718	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LN16-WP-B2 2M	19.15	EC002714	E2B 2350G	4548583551732	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS05-M1-B1	16.41	EC002714	E2B 2284E	4548583551077	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-M1-B1	19.15	EC002714	E2B 2332R	4548583551558	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-M1-B2	19.15	EC002714	E2B 2334E	4548583551572	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-M1-C1	19.15	EC002714	E2B 2333G	4548583551565	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-WP-B1 2M	19.15	EC002714	E2B 2324H	4548583551473	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-WP-B1 5M	21.86	EC002714	E2B 2325F	4548583551480	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-WP-B2 2M	19.15	EC002714	E2B 2326D	4548583551497	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-WP-C1 2M	19.15	EC002714	E2B 2328M	4548583551510	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KN20-M1-B1	22.57	EC002714	E2B 2220R	4548583550438	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KN20-WP-B1 2M	22.57	EC002714	E2B 2212H	4548583550353	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KN20-WP-C1 2M	22.57	EC002714	E2B 2216M	4548583550391	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS10-M1-B1	22.57	EC002714	E2B 2368M	4548583551916	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS10-WP-B1 2M	22.57	EC002714	E2B 2360D	4548583551831	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-M1-B1	25.59	EC002714	E2B 2244F	4548583550674	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-M1-B2	25.59	EC002714	E2B 2246B	4548583550698	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-M1-C1	25.59	EC002714	E2B 2245D	4548583550681	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-B1 2M	25.59	EC002714	E2B 2236E	4548583550599	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-B1 5M	28.69	EC002714	E2B 2237C	4548583550605	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-B2 2M	25.59	EC002714	E2B 2238A	4548583550612	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-C1 2M	25.59	EC002714	E2B 2240C	4548583550636	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN20-WP-B1 2M	22.57	EC002714	E2B 2224A	4548583550476	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN30-M1-B1	25.59	EC002714	E2B 2268C	4548583550919	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN30-M1-B2	25.59	EC002714	E2B 2270E	4548583550933	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN30-WP-B1 2M	25.59	EC002714	E2B 2260H	4548583550834	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LS10-WP-B2 2M	22.57	EC002714	E2B 2202M	4548583550254	#		GE	GEJ	IDN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2B-M30L515-M1-B1	Endüktif sensör, piring-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NA, M12 konnektör	25.59	EC002714	E2B 2256M	4548583550797	#		GE	GEJ	IDN	8536.5080.90
E2B-M30L515-M1-B2	Endüktif sensör, piring-nikel, uzun gövde, M30/düz kafa, 15mm, DC, 3 kablolu, PNP-NK, M12 konnektör	25.59	EC002714	E2B 2258F	4548583550810	#		GE	GEJ	IDN	8536.5080.90
E2B-M30L515-WP-B1 2M	Endüktif sensör, piring-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NA, 2m kablolu	25.59	EC002714	E2B 2248R	4548583550711	#		GE	GEJ	IDN	8536.5080.90
E2B-M30L515-WP-B2 2M	Endüktif sensör, piring-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NK, 2m kablolu	25.59	EC002714	E2B 2250M	4548583550735	#		GE	GEJ	IDN	8536.5080.90
E2B-M30L515-WP-C1 2M	Endüktif sensör, piring-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, NPN-NA, 2m kablolu	25.59	EC002714	E2B 2252G	4548583550759	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN02-MC-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konnektör	13.07	EC002714	E2B 2032M	4548583548558	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN02-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu	13.07	EC002714	E2B 2024R	4548583548473	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-MC-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, PNP-NA, M8 konnektör	15.49	EC002714	E2B 2080M	4548583549036	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-MC-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, PNP-NK, M8 konnektör	15.49	EC002714	E2B 2082F	4548583549050	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-MC-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, NPN-NA, M8 konnektör	15.49	EC002714	E2B 2081H	4548583549043	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-MC-C2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, NPN-NK, M8 konnektör	15.49	EC002714	E2B 2083D	4548583549067	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-WP-B1 5M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu	15.49	EC002714	E2B 2072R	4548583548954	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-WP-B1 5M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3-wire, PNP-NO, 5m cable	17.93	EC002714	E2B 2073G	4548583548961	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-WP-B2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, PNP-NK, 2m kablolu	15.49	EC002714	E2B 2074E	4548583548978	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-WP-C1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu	15.49	EC002714	E2B 2076A	4548583548992	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS01-MC-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 1mm, DC, 3 kablolu, PNP-NA, M8 konnektör	13.07	EC002714	E2B 2008G	4548583548312	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS01-MC-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 1mm, DC, 3 kablolu, PNP-NK, M8 konnektör	13.07	EC002714	E2B 2010R	4548583548336	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS01-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 1mm, DC, 3 kablolu, PNP-NA, 2m kablolu	13.07	EC002714	E2B 2000A	4548583548237	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-MC-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konnektör	15.49	EC002714	E2B 2056G	4548583548794	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-MC-B1-20	Endüktif sensör, Çoklu paket (E2B-S08KS02-MC-B1 OMS 'den 20 adet)	307.90	EC002714	E2B 7586H	4548583552470	#		GE	GEJ	CHN	8536.5080.90
E2B-S08KS02-MC-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M8 konnektör	15.49	EC002714	E2B 2058C	4548583548817	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-MC-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, M8 konnektör	15.49	EC002714	E2B 2057E	4548583548800	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-MC-C2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NK, M8 konnektör	15.49	EC002714	E2B 2059A	4548583548824	#	36	GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu	15.49	EC002714	E2B 2048F	4548583548718	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-B1 5M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m cable	17.93	EC002714	E2B 2049D	4548583548725	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-B2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, 2m kablolu	15.49	EC002714	E2B 2050H	4548583548732	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-C1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, 2m kablolu	15.49	EC002714	E2B 2052D	4548583548756	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-C1 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, 5m Prewired	17.93	EC002714	E2B 2053B	4548583548763	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-C2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NK, 2m kablolu	15.49	EC002714	E2B 2054M	4548583548770	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-C2 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NC, 5m Prewired	17.93	EC002714	E2B 2055R	4548583548787	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LN04-MC-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, PNP-NA, M8 konnektör	15.49	EC002714	E2B 2092C	4548583549159	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LN04-MC-B2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, PNP-NK, M8 konnektör	15.49	EC002714	E2B 2094M	4548583549173	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LN04-MC-C1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, NPN-NA, M8 konnektör	15.49	EC002714	E2B 2093A	4548583549166	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LN04-WP-B1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu	15.49	EC002714	E2B 2084B	4548583549074	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LN04-WP-C1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu	15.49	EC002714	E2B 2088E	4548583549111	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L501-MC-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 1mm, DC, 3 kablolu, PNP-NA, M8 konnektör	13.07	EC002714	E2B 2020F	4548583548435	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L502-MC-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konnektör	15.49	EC002714	E2B 2068M	4548583548916	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L502-MC-B2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M8 konnektör	15.49	EC002714	E2B 2070B	4548583548930	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L502-MC-C1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, M8 konnektör	15.49	EC002714	E2B 2069R	4548583548923	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L502-WP-B1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu	15.49	EC002714	E2B 2060E	4548583548831	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L502-WP-B1 5M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m Prewired	17.93	EC002714	E2B 2061C	4548583548848	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L502-WP-B2 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, 2m kablolu	15.49	EC002714	E2B 2062A	4548583548855	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L502-WP-C1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, 2m kablolu	15.49	EC002714	E2B 2064H	4548583548879	#		GE	GEJ	IDN	8536.5080.90

Diğer İndüktif Proximity Sensörler

E2E2-X2Y1 2M	Proximity sensor, long body, M12, shielded, 2mm, NO, AC, 2-wire, 2m cable	86.50	EC002714	E2E27100E	4547648310079	#		GE	GEX	CHN	8536.5080.90
E2E2-X5M1Y1 2M	Proximity sensor, long body, M12, non shielded, 5 mm, NO, AC, 2-wire, 2 m cable	88.15	EC002714	E2E27097A	4547648310048	#		GE	GEX	CHN	8536.5080.90
E2E2-X5Y1 2M	Endüktif sensör, uzun gövde, M18, düz kafa, 5mm, NA, AC, 2 kablolu, 2m kablolu	104.60	EC002714	E2E27106D	4547648310130	#		GE	GEX	CHN	8536.5080.90
E2EC-C3D1-M11-1	Proximity sensor, 8mm diameter, 3mm range, 2 wire DC, 2m cable	335.20	EC002714	E2EC1105H	4536854887864	#		GE	GEX	JPN	8536.5080.90
E2EC-C3D1-M1T1-0.3M	Proximity sensor, inductive, cable integrated amplifier, 8 mm diameter, 3 mm sensing range, NO, DC-2 wire, M12 pigtail SmartClick connector 0.3 m	386.20	EC002714	E2EC1114G	4547648497350	#		GE	GEX	JPN	8536.5080.90
E2EC-QC2D1-M1GJ-T 0.3M	Proximity sensor, inductive, Dia 8 mm, Shielded, 2 mm, DC, 2-wire, PW, NC, DC-2-wire (no polarity) (3)-(4) pin arrangement	499.50	EC002714	E2EC1107D	4547648313100	#		GE	GEX	JPN	8536.5080.90
E2EC-C1R5D1 2M	Endüktif sensör, çap 5.4mm, düz kafa, 1.5mm, DC, 2 kablolu, NA, 2m kablolu	227.90	EC002714	E2EC1024H	4536853257514	#		GE	GEX	JPN	8536.5080.90
E2EC-CR8D1	Endüktif sensör, çap 3mm, düz kafa, 0.8mm, DC, 2 kablolu, NA, 2m kablolu	239.20	EC002714	E2EC1016G	4536853257439	#		GE	GEX	JPN	8536.5080.90
E2S-Q11 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çikik kafa, 1.6mm, 2 kablolu DC, NA, 1m kablolu	51.90	EC002714	E2S 7001G	4536854841552	#		GE	GEX	CHN	8536.5080.90
E2S-Q12 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çikik kafa, 1.6mm, 2 kablolu DC, NK, 1m kablolu	55.25	EC002714	E2S 7003C	4536854841576	#	10	GE	GEX	CHN	8536.5080.90
E2S-Q13 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çikik kafa, 1.6mm, NPN, NA, 1m kablolu	51.90	EC002714	E2S 7004A	4536854841583	#	10	GE	GEX	CHN	8536.5080.90
E2S-Q14 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çikik kafa, 1.6mm, DC, 3 kablolu, NPN-NK, 1m kablolu	55.25	EC002714	E2S 7009B	4536854841637	#		GE	GEX	CHN	8536.5080.90
E2S-Q15 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çikik kafa, 1.6mm, PNP, NA, 1m kablolu	55.25	EC002714	E2S 7011D	4536854841651	#		GE	GEX	CHN	8536.5080.90
E2S-Q21 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çikik kafa, 2.5mm, 2 kablolu DC, NA, 1m kablolu	55.25	EC002714	E2S 7014R	4536854841682	#	10	GE	GEX	CHN	8536.5080.90
E2S-Q22 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çikik kafa, 2.5mm, 2 kablolu DC, NK, 1m kablolu	60.60	EC002714	E2S 7019M	4536854841736	#		GE	GEX	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2S-Q25 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2,5mm, PNP, NA, 1m kablolu	60.05	EC002714	E2S 7025D	4536854841798	#	10	GE	GEX	CHN	8536.5080.90
E2S-Q25 2M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2,5mm, PNP, NA, 2m kablolu	65.90	EC002714	E2S 7086F	4547648285933	#		GE	GEX	CHN	8536.5080.90
E2S-Q25B 1M	Miniature rectangular Inductive, end face sensing, unshielded, 2,5mm, PNP, NO, alternative frequency, 1M cable	60.75	EC002714	E2S 7026B	4536854841804			GE	GEX	CHN	8536.5080.90
E2S-W11 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1,6mm, 2 kablolu DC, NA, 1m kablolu	55.25	EC002714	E2S 7029G	4536854841835			GE	GEX	CHN	8536.5080.90
E2S-W12 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1,6mm, 2 kablolu DC, NK, 1m kablolu	55.25	EC002714	E2S 7032G	4536854841866		10	GE	GEX	CHN	8536.5080.90
E2S-W14 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1,6mm, NPN, NK, 1m kablolu	55.25	EC002714	E2S 7036M	4536854841903			GE	GEX	CHN	8536.5080.90
E2S-W15 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1,6mm, PNP, NA, 1m kablolu	78.50	EC002714	E2S 7038F	4536854841927	#	10	GE	GEX	CHN	8536.5080.90
E2S-W16 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1,6mm, PNP, NK, 1m kablolu	55.25	EC002714	E2S 7040H	4536854841941			GE	GEX	CHN	8536.5080.90
E2S-W21 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2,5mm, 2 kablolu DC, NA, 1m kablolu	51.90	EC002714	E2S 7041F	4536854841958	#	10	GE	GEX	CHN	8536.5080.90
E2S-W22 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2,5mm, 2 kablolu DC, NK, 1m kablolu	55.25	EC002714	E2S 7046G	4536854842009	#	10	GE	GEX	CHN	8536.5080.90
E2S-W23 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2,5mm, NPN, NA, 1m kablolu	60.05	EC002714	E2S 7051C	4536854842054	#	10	GE	GEX	CHN	8536.5080.90
E2S-W25 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2,5mm, PNP, NA, 1m kablolu	60.05	EC002714	E2S 7058M	4536854842122	#	10	GE	GEX	CHN	8536.5080.90
E2S-W26 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2,5mm, PNP, NK, 1m kablolu	51.45	EC002714	E2S 7060B	4536854842146	#		GE	GEX	CHN	8536.5080.90
E2S-W26 2M	Miniature rectangular Inductive, front face sensing, unshielded, 2,5mm, PNP, NC, 2M cable	62.50	EC002714	E2S 7120M	4547648286305		5	GE	GEX	CHN	8536.5080.90
TL-N10MD1	Endüktif sensör, çıkık kafa, dikdörtgen, 10mm, 2 kablolu DC, NA, 2m kablolu	145.80	EC002714	TLNN1231F	4536854113482			GE	GEX	JPN	8536.5080.90
TL-N10ME1 2M	Endüktif sensör, 10mm, çıkık kafa, NPN/NA 2m kablolu	115.50	EC002714	TLNN1251M	4536854478543	#		GE	GEX	CHN	8536.5080.90
TL-N5ME15	Inductive proximity sensor, 5 mm, unshielded, NPN/NO, different frequency, 2 m cable	148.60	EC002714	TLNN1002M	4536854112539			GE	GEX	JPN	8536.5080.90
TL-N7MD1 2M	Endüktif sensör,	170.50	EC002714	TLNN1255C	4536854478581			GE	GEX	CHN	8536.5080.90
TL-Q5MB1 2M	Endüktif sensör, 5mm, PNP, NA, 2m kablolu	88.50	EC002714	TLQ 2035M	4536854115127	#		GE	GEX	JPN	8536.5080.90
TL-Q5MC1 2M	Endüktif sensör, 5mm, NPN, NA	76.55	EC002714	TLQ 2001E	4536854114854	#		GE	GEX	CHN	8536.5080.90
TL-Q5MC15	Proximity sensor, inductive, unshielded, 5mm, 3 wire, NPN, NO, 2m cable	51.45	EC002714	TLQ 2034A	4536854115110			GE	GEX	JPN	8536.5080.90
TL-Q5MC2 2M	Endüktif sensör, 5mm, NPN, NK	36.17	EC002714	TLQ 2006F	4536854114885	#		GE	GEX	CHN	8536.5080.90
TL-Q5MD1 2M	Endüktif sensör, 5mm, DC, 2 kablolu, NA	77.45	EC002714	TLQ 2020A	4536854114991			GE	GEX	CHN	8536.5080.90
E2FM-X1RSB1 2M	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M8, düz kafa, 1,5mm, DC, 3 kablolu, PNP-NA, 2m kablolu	166.80	EC002714	E2FM0031C	4547648348669			GE	GEX	JPN	8536.5015.90
E2FM-X1RSB1-M1	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M8, düz kafa, 1,5mm, DC, 3 kablolu, PNP-NA, M12 konnektör	156.60	EC002714	E2FM0008R	4547648228398			GE	GEX	JPN	8536.5015.90
E2FM-X1RSC1-M1	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M8, düz kafa, 1,5mm, DC, 3 kablolu, NPN-NA, M12 konnektör	197.20	EC002714	E2FM0036D	4547648348713			GE	GEX	JPN	8536.5015.90
E2FM-X1RSD1 2M	Endüktif sensör,	179.60	EC002714	E2FM0013E	4547648325790			GE	GEX	JPN	8536.5015.90
E2FM-X1RSD1-M1TGJ 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.5mm, DC, 2-wire, NO, M12 with 0.3m pigtail	204.70	EC002714	E2FM0069M	4547648525176			GE	GEX	JPN	8536.5015.90
E2EH-X12B1 2M	Endüktif sensör, M30, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 12mm algılama mesafesi, DC PNP, NA, 2m kablolu	159.70	EC002714	E2EH7019G	4547648628662	#		GE	GEX	CHN	8536.5080.90
E2EH-X12B1-M1	Endüktif sensör, M30, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 12mm algılama mesafesi, DC PNP, NA, M12 konnektör	234.30	EC002714	E2EH7020M	4547648628679			GE	GEX	CHN	8536.5080.90
E2EH-X3B1 2M	Endüktif sensör, M12, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 3mm algılama mesafesi, DC PNP, NA, 2m kablolu	83.25	EC002714	E2EH7002B	4547648628495	#		GE	GEX	CHN	8536.5080.90
E2EH-X3B1-M1	Endüktif sensör, M12, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 3mm algılama mesafesi, DC PNP, NA, kablolu, M12 konnektör	143.30	EC002714	E2EH7003M	4547648628501	#		GE	GEX	CHN	8536.5080.90
E2EH-X3B2-M1	Proximity sensor M12, high temperature (120°C) stainless steel, 3mm sensing range, DC PNP, NC, prewired, 5m	137.30	EC002714	E2EH7005G	4547648628525			GE	GEX	CHN	8536.5080.90
E2EH-X3D1 2M	Endüktif sensör, M12, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 3mm algılama mesafesi, DC 2 kablolu, NA, kablolu, M12 konnektör	80.35	EC002714	E2EH7012M	4547648628594			GE	GEX	CHN	8536.5080.90
E2EH-X3D1-M1G	Endüktif sensör, M12, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 3mm algılama mesafesi, DC 2 kablolu, NA, kablolu, M12 konnektör	120.60	EC002714	E2EH7013H	4547648628600			GE	GEX	CHN	8536.5080.90
E2EH-X7B1 2M	Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılama mesafesi, DC PNP, NA, 2m kablolu	159.30	EC002714	E2EH7034M	4547648628815	#		GE	GEX	CHN	8536.5080.90
E2EH-X7B1-M1	Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılama mesafesi, DC PNP, NA, M12 konnektör	161.70	EC002714	E2EH7036G	4547648628839	#		GE	GEX	CHN	8536.5080.90
E2EH-X7D1 2M	Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılama mesafesi, DC 2 kablolu, NA, 2m kablolu	83.25	EC002714	E2EH7046D	4547648628938			GE	GEX	CHN	8536.5080.90
E2EH-X7D1-M1G	Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılama mesafesi, DC 2 kablolu, NA, kablolu, M12 konnektör	135.60	EC002714	E2EH7047B	4547648628945	#		GE	GEX	CHN	8536.5080.90
E2F-X10Y1 2M	Endüktif sensör, plastik gövde, M30, düz kafa, 10mm, AC, 2 kablolu, NA, 2m kablolu	175.30	EC002714	E2F 7140R	4547648321556			GE	GEX	CHN	8536.5080.90
E2EQ-X10D2R-M1GJ-T4 0.3M	Proximity sensor, inductive, Spatter resistant coating, M12, shielded, 10 mm, DC, 2-wire DC, no polarity, NC, M12 pigtail robotic cable 0.3 m	115.30	EC002714	E2EQ7003M	4547648631488			GE	GEX	CHN	8536.5080.90
E2EW-QX7B1T12-M1	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, shielded, 7 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	169.30	EC002714	E2EW0460H	4549734528689			GE	GEX	CHN	8536.5080.90
E2EW-X12B1T18-M1	Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	176.20	EC002714	E2EW0204D	4549734526128			GE	GEX	CHN	8536.5080.90
E2V-X8B1-M1TJ 0.3M	Proximity sensor, inductive, all metal sensing, brass-nickel, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, 0.3 m cable with M12 SmartClick connector	203.60	EC002714	E2V 0039G	4547648456517			GE	GEX	JPN	8536.5080.90
E2K-X15MY1	Kapasitif sensör, M30, çıkık kafa, 15mm, AC, 2 kablolu, NA, 2m kablolu	86.35	EC002715	E2KX1051B	4536853264505			GE	GEX	JPN	8536.5080.90
E2K-X15MY2	Proximity sensor, capacitive, M30, unshielded, 15mm, AC, 2-wire, NC, 2m cable	90.55	EC002715	E2KX1056C	4536853264536			GE	GEX	JPN	8536.5080.90
E2K-C25MY1	Kapasitif sensör, 34mm çap, çıkık kafa, 25mm, AC, 2 kablolu, NA, 2m kablolu	181.10	EC002715	E2K 5001F	4536853263669	#		GE	GEX	JPN	8536.5080.90
GLS-1	Magnetik endüktif sensör, sensör & mıknatıs set	25.50	EC002544	GLS 1019M	4549734511469	#	10	GE	GEX	JPN	9031.9000.00
GLS-M1	Magnetik endüktif sensör, mıknatıs, GLS-1 için	11.34	EC003015	GLS 1018A	4549734511452	#	20	GE	GEX	JPN	8536.5015.90
GLS-S1	Magnetik endüktif sensör, sensör, GLS-1 için	18.14	EC002544	GLS 1017C	4549734511445		20	GE	GEX	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
İndüktif Proximity Sensörler için Aksesuarlar											
XS2F-D421-D80-F	Cable M12 4-pin, Socket, Straight, Fire-retardant, Robot cable, 4 wire, 2 m	24.70	EC001855	XS2F0182C	4536854224805	#	5	GE	GEZ	JPN	8544.4290.90
XS2F-D421-E80-F	Sensor Cable	35.57	EC001855	XS2F0258G	4536854478857	#	5	GE	GEZ	JPN	8544.4290.90
XS2F-D421-G80-F	Cable M12 4-pin, Socket, Straight, Fire-retardant, Robot cable, 4 wire, 5 m	40.50	EC001855	XS2F0183A	4536854224812	#	5	GE	GEZ	JPN	8544.4290.90
XS2F-D421-GC0-F	Cable socket, M12 4-pin, straight, 3-wire (1,3,4), PVC fire retardant, robotic, cable length 5m	33.83	EC001855	XS2F0571C	4548583080713	#		GE	GEZ	JPN	8544.4290.90
XS2F-D421-J80-F	Sensor connector, M12 straight, 10m, Fire-retardant, vibration-proof	64.65	EC001855	XS2F0190D	4536854224881	#		GE	GEZ	JPN	8544.4290.90
XS2F-D422-D80-F	Cable M12 4-pin, Socket, Angled, Fire-retardant, Robot cable, 4 wire, 2 m	28.46	EC001855	XS2F0504G	4547648698047	#	5	GE	GEZ	JPN	8544.4290.90
XS2F-D422-G80-F	Cable M12 4-pin, Socket, Angled, Fire-retardant, Robot cable, 4 wire, 5 m	45.61	EC001855	XS2F0484R	4547648622073	#	2	GE	GEZ	JPN	8544.4290.90
XS2F-D521-GG0-A	Sensor connector, M12, 5 PIN, straight, 2m cable	36.11	EC001855	XS2F0153M	4536854224522	#	5	GE	GEZ	JPN	8544.4290.90
XS2F-D521-JG0-A	Sensor cable, M12 straight socket (female), 5-poles, A coded, PVC standard cable, IP67, 10 m	30.49	EC001855	XS2F0324R	4536854705168	#		GE	GEZ	JPN	8544.4290.90
XS2F-LM12PVC3A10M	Sensör kablosu, M12, 3 kablolu, açılı diji konnektör, PVC, 10m	15.92	EC001855	XS2F5217G	4548583135260	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC3A2M	Sensör kablosu, M12, 3 kablolu, açılı diji konnektör, PVC, 2m	8.92	EC001855	XS2F5205C	4548583127135	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC3A5M	Sensör kablosu, M12, 3 kablolu, açılı diji konnektör, PVC, 5m	11.31	EC001855	XS2F5206A	4548583127159	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC3S10M	Sensör kablosu, M12, 3 kablolu, düz diji konnektör, PVC, 10m	15.92	EC001855	XS2F5218E	4548583135277	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC3S5M	Sensör kablosu, M12, 3 kablolu, düz diji konnektör, PVC, 5m	11.31	EC001855	XS2F5208H	4548583127210	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4A10M	Sensör kablosu, M12, 4 kablolu, açılı diji konnektör, PVC, 10m	15.92	EC001855	XS2F5211H	4548583127258	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4A2M	Sensör kablosu, M12, 4 kablolu, açılı diji konnektör, PVC, 2m	8.92	EC001855	XS2F5209F	4548583127227	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4A5M	Sensör kablosu, M12, 4 kablolu, açılı diji konnektör, PVC, 5m	11.31	EC001855	XS2F5210M	4548583127234	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4S10M	Sensör kablosu, M12, 4 kablolu, düz diji konnektör, PVC, 10m	15.92	EC001855	XS2F5214B	4548583127302	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4S2M	Sensör kablosu, M12, 4 kablolu, düz diji konnektör, PVC, 2m	8.92	EC001855	XS2F5212F	4548583127272	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4S5M	Sensör kablosu, M12, 4 kablolu, düz diji konnektör, PVC, 5m	11.31	EC001855	XS2F5213D	4548583127289	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC3A5M	Sensor connector, M12 3-wire, Angled female connector, PVC, 5m	19.59	EC001855	XS2F0705H	4548583435223	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC3S2M	Sensor connector, M12 3-wire, Straight female connector, PVC, 2m	15.50	EC001855	XS2F0707D	4548583435247	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC3S5M	Sensor connector, M12 3-wire, Straight female connector, PVC, 5m	19.21	EC001855	XS2F0708B	4548583435254	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A10M	Sensor connector, M12 4-pin, Angled female connector, PVC, 10m	26.49	EC001855	XS2F0709M	4548583435261	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A10MPLED	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 10M, LED indicator (PNP)	39.63	EC001855	XS2F0732E	4548583440319	#		GE	GEZ	JPN	8544.4290.90
XS2F-M12PVC4A15M	Sensor connector, M12 4-pin, Angled female connector, PVC, 15m	32.74	EC001855	XS2F0710D	4548583435278	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A20M	Sensor connector, M12 4-pin, Angled female connector, PVC, 20m	29.60	EC001855	XS2F0711B	4548583435285	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A2M	Sensor connector, M12 4-pin, Angled female connector, PVC, 2m	12.44	EC001855	XS2F0712M	4548583435292	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A2MPLED	Sensör kablosu, diji, M12, PVC, 4-pin, açılı, 2M, LED göstergeli (PNP)	35.00	EC001855	XS2F0730R	4548583440296	#		GE	GEZ	JPN	8544.4290.90
XS2F-M12PVC4A5M	Sensör kablosu, M12, 4-pin, açılı diji konnektör, PVC, 5m	17.88	EC001855	XS2F0713R	4548583435308	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A5MPLED	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 5M, LED indicator (PNP)	37.75	EC001855	XS2F0731G	4548583440302	#		GE	GEZ	JPN	8544.4290.90
XS2F-M12PVC4S10M	Sensor connector, M12 4-pin, Straight female connector, PVC, 10m	24.28	EC001855	XS2F0714G	4548583435315	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4S15M	Sensor connector, M12 4-pin, Straight female connector, PVC, 15m	29.00	EC001855	XS2F0715E	4548583435322	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4S20M	Sensor connector, M12 4-pin, Straight female connector, PVC, 20m	40.38	EC001855	XS2F0716C	4548583435339	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4S2M	Sensor connector, M12 4-pin, Straight female connector, PVC, 2m	13.28	EC001855	XS2F0717A	4548583435346	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4S5M	Sensör kablosu, M12, 4-pin, düz diji konnektör, PVC, 5m	17.88	EC001855	XS2F0719H	4548583435360	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5A10M	Sensor connector, M12 5-pin, Angled female connector, PVC, 10m	21.20	EC001855	XS2F0720A	4548583435377	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5A5M	Sensor connector, M12 5-pin, Angled female connector, PVC, 5m	19.05	EC001855	XS2F0722H	4548583435391	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5S10M	Sensor connector, M12 5-pin, Straight female connector, PVC, 10m	28.09	EC001855	XS2F0723F	4548583435407	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5S2M	Sensor connector, M12 5-pin, Straight female connector, PVC, 2m	15.51	EC001855	XS2F0725B	4548583435421	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5S5M	Sensor connector, M12 5-pin, Straight female connector, PVC, 5m	18.73	EC001855	XS2F0726M	4548583435438	#		GE	GEZ	CHN	8544.4290.90
XS2W-D421-C81-F	Cable M12 4-pin, Sockets and Plugs on Cable Ends, Straight/Straight, Fire-retardant, Robot cable, 1 m	35.57	EC001855	XS2W0100R	4536854228056	#	8	GE	GEZ	JPN	8544.4290.90
XS2W-D421-D81-F	Cable M12 4-pin, Sockets and Plugs on Cable Ends, Straight/Straight, Fire-retardant, Robot cable, 2 m	41.59	EC001855	XS2W0137H	4536854465024	#		GE	GEZ	JPN	8544.4290.90
XS2W-D421-E81-F	Connector cable M12, fire-retardant, vibration proof, 3m	47.92	EC001855	XS2W0122M	4536854342462	#	5	GE	GEZ	JPN	8544.4290.90
XS2W-D421-G81-F	Sensor connector, M12, 4-wire, straight, female-male, PVC, 5m	65.05	EC001855	XS2W0138F	4536854465031	#		GE	GEZ	JPN	8544.4290.90
XS2W-D421-J81-F	Sensor connector	98.00	EC001855	XS2W0101G	4536854228063	#		GE	GEZ	JPN	8544.4290.90
XS3F-E421-405-A	M8 4-pin, Straight female SUS-connector, IP69K, PVC, 5m	36.63	EC001855	XS3F0104E	4547648386463	#		GE	GEZ	JPN	8544.4290.90
XS3F-LM8PVC3A2M	Sensör kablosu, M8, 3 kablolu, açılı diji konnektör, PVC, 2m	7.86	EC001855	XS3F0175D	4548583127005	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC3A5M	Sensör kablosu, M8, 3 kablolu, açılı diji konnektör, PVC, 5m	10.24	EC001855	XS3F0176B	4548583127012	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC3S2M	Sensör kablosu, M8, 3 kablolu, düz diji konnektör, PVC, 2m	7.86	EC001855	XS3F0177M	4548583127036	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC3S5M	Sensör kablosu, M8, 3 kablolu, düz diji konnektör, PVC, 5m	10.24	EC001855	XS3F0178R	4548583127043	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC4A2M	Sensör kablosu, M8, 4 kablolu, açılı diji konnektör, PVC, 2m	7.86	EC001855	XS3F0179G	4548583127050	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC4A5M	Sensör kablosu, M8, 4 kablolu, açılı diji konnektör, PVC, 5m	10.24	EC001855	XS3F0180M	4548583127067	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC4S2M	Sensör kablosu, M8, 4 kablolu, düz diji konnektör, PVC, 2m	7.86	EC001855	XS3F0181R	4548583127081	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC4S5M	Sensör kablosu, M8, 4 kablolu, düz diji konnektör, PVC, 5m	10.24	EC001855	XS3F0182G	4548583127098	#		GE	GEZ	CHN	8544.4290.90
XS3F-M321-302-R	Sensor cable, M8 straight socket (female), 3-poles, PVC robot cable, IP67, 2 m	9.74	EC001855	XS3F0188F	4548583359482	#	5	GE	GEZ	JPN	8544.4290.90
XS3F-M321-305-R	Sensor cable, M8 straight socket (female), 3-poles, PVC robot cable, IP67, 5 m	12.63	EC001855	XS3F0189D	4548583359499	#	5	GE	GEZ	JPN	8544.4290.90
XS3F-M321-310-R	Sensor cable, M8 straight socket (female), 3-poles, PVC robot cable, IP67, 10 m	30.08	EC001855	XS3F0260B	4548583476424	#		GE	GEZ	JPN	8544.4290.90
XS3F-M322-305-R	Sensor cable, M8 right-angle socket (female), 3-poles, PVC robot cable, IP67, 5 m	12.63	EC001855	XS3F0191F	4548583359512	#	5	GE	GEZ	JPN	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
X53F-M421-402-A	M8 4-pin, Straight female connector, IP67, standard cable 2m	17.53	EC001855	X53F0033B	4536854505812	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M421-402-R	Sensor connector, M8 4-pin, Straight female connector, IP67, robot cable 2m	19.22	EC001855	X53F0002B	4536854228599	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M421-405-A	M8 4-pin, Straight female connector, IP67, standard cable 5m	21.89	EC001855	X53F0034M	4536854505829	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M421-405-R	M8 4-pin, Straight female connector, IP67, robot cable 5m	18.26	EC001855	X53F0003M	4536854228605	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M421-410-A	M8 4-pin, Straight female connector, IP67, standard cable 10m	23.33	EC001855	X53F0052R	4536854537776	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M422-402-A	M8 4-pin, 90° female connector, IP67, standard cable 2m	17.53	EC001855	X53F0035R	4536854505843	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M422-405-A	M8 4-pin, 90° female connector, IP67, standard cable 5m	21.89	EC001855	X53F0036G	4536854505850	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M422-405-R	M8 4-pin, 90° female connector, IP67, robot cable 5m	23.20	EC001855	X53F0006E	4536854228636	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M8PVC3A10M	Sensor connector, M8 3-wire, Angled female connector, PVC, 10m	16.26	EC001855	X53F0233E	4548583436800	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC3A2M	Sensor connector, M8 3-wire, Angled female connector, PVC, 2m	9.91	EC001855	X53F0236M	4548583436831	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC3A5M	Sensör kablosu, M8, 3 kablolu, açılı dişi konnektör, PVC, 5m	16.75	EC001855	X53F0237H	4548583436848	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC3S10M	Sensor connector, M8 3-wire, Straight female connector, PVC, 10m	25.33	EC001855	X53F0238F	4548583436855	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC3S2M	Sensor connector, M8 3-wire, Straight female connector, PVC, 2m	9.29	EC001855	X53F0241F	4548583436886	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC3S5M	Sensor connector, M8 3-wire, Straight female connector, PVC, 5m	16.12	EC001855	X53F0242D	4548583436893	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4A10M	Sensor connector, M8 4-wire, Angled female connector, PVC, 10m	77.05	EC001855	X53F0245R	4548583436923	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4A2M	Sensor connector, M8 3-wire, Angled female connector, PVC, 2m	13.62	EC001855	X53F0248C	4548583436954	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4A5M	Sensor connector, M8 4-wire, Angled female connector, PVC, 5m	14.47	EC001855	X53F0249A	4548583436961	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S10M	Sensor connector, M8 4-wire, Straight female connector, PVC, 10m	25.33	EC001855	X53F0250E	4548583436978	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S15M	Sensor connector, M8 4-wire, Straight female connector, PVC, 15m	29.00	EC001855	X53F0251C	4548583436985	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S20M	Sensor connector, M8 4-wire, Straight female connector, PVC, 20m	35.94	EC001855	X53F0252A	4548583436992	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S2M	Sensor connector, M8 4-wire, Straight female connector, PVC, 2m	7.91	EC001855	X53F0253M	4548583437005	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S5M	Sensör konnektörü, M8 4 telli, Düz dişi konnektör, PVC, 5m	16.55	EC001855	X53F0254H	4548583437012	#		GE	GEZ	CHN	8544.4290.90
X53W-M421-405-R	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PVC robot cable, IP67, 5 m	42.64	EC001855	X53W0003M	4536854228896	#		GE	GEZ	JPN	8544.4290.90
X53W-M42C-4C2-A	Cable with connectors on both cable ends, M8 straight socket (female), Smartclick M12 straight plug (male), 4-poles, PVC standard cable, IP67, 0.2 m	75.75	EC001855	X53W0188F	4548583521858	#		GE	GEZ	JPN	8544.4290.90
X55F-D421-D80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 2m	25.19	EC001855	X55F0007M	4547648305099	#	5	GE	GEZ	JPN	8536.9010.00
X55F-D421-D80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 2 m	19.29	EC001855	X55F1002E	4549734197946	#		GE	GEZ	JPN	8544.4290.90
X55F-D421-D80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 2 m	27.52	EC001855	X55F1007F	4549734488280	#		GE	GEZ	JPN	8544.4290.90
X55F-D421-G80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 5m	35.57	EC001855	X55F0009G	4547648305112	#	5	GE	GEZ	JPN	8536.9010.00
X55F-D421-G80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 5 m	23.41	EC001855	X55F1004A	4549734197960	#		GE	GEZ	JPN	8544.4290.90
X55F-D421-G80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 5 m	43.99	EC001855	X55F1009B	4549734488308	#		GE	GEZ	JPN	8544.4290.90
X55F-D421-J80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 10m	52.40	EC001855	X55F0010M	4547648305129	#		GE	GEZ	JPN	8536.9010.00
X55F-D421-J80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 10 m	30.27	EC001855	X55F1005M	4549734197977	#		GE	GEZ	JPN	8544.4290.90
X55F-D421-J80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 10 m	89.60	EC001855	X55F1010F	4549734488310	#		GE	GEZ	JPN	8544.4290.90
X55F-D421-L80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 20 m	96.30	EC001855	X55F0074G	4548583081857	#		GE	GEZ	JPN	8536.9010.00
X55H-D421-G80-F	Smartclick sensor connector plug, M12, straight, 5m robot cable	32.97	EC001855	X55H0008H	4547648305303	#	5	GE	GEZ	JPN	8536.9010.00
X55W-D421-C81-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 1 m	38.52	EC001855	X55W1006H	4549734488327	#		GE	GEZ	JPN	8544.4290.90
X55W-D421-D81-F	Cable, vibration proof 2m	34.76	EC001855	X55W0007M	4547648305198	#		GE	GEZ	JPN	8536.9010.00
X55W-D421-D81-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 2 m	35.75	EC001855	X55W1002E	4549734197991	#		GE	GEZ	JPN	8544.4290.90
X55W-D421-D81-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 2 m	43.99	EC001855	X55W1007F	4549734488334	#		GE	GEZ	JPN	8544.4290.90
X55W-D421-G81-F	Cable, vibration proof 5m	51.45	EC001855	X55W0009G	4547648305211	#	5	GE	GEZ	JPN	8536.9010.00
X55W-D421-G81-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 5 m	39.90	EC001855	X55W1004A	4549734198011	#		GE	GEZ	JPN	8544.4290.90
X55W-D421-G81-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 5 m	60.60	EC001855	X55W1009B	4549734488358	#		GE	GEZ	JPN	8544.4290.90
X55W-D421-J81-F	Cable, Vibration proof 10m	65.55	EC001855	X55W0010M	4547648305228	#		GE	GEZ	JPN	8536.9010.00
X55W-D421-L81-F	Cable, 4-pin, 2 connectors Smart-click, PVC, Vibration proof 20 m	98.50	EC001855	X55W0057G	4547648617116	#		GE	GEZ	JPN	8536.9010.00
X52F-M12PUR3A5M	Sensor connector, M12 3-wire, Angled female connector, PUR, 5m	19.83	EC001855	X52F0683C	4548583435001	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A10M	Sensor connector, M12 4-wire, Angled female connector, PUR, 10m	30.16	EC001855	X52F0687F	4548583435049	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A10MPLED	Sensör kablosu, M12, PUR, 4-pin, açılı, dişi, 10M, LED göstergeli (PNP)	59.20	EC001855	X52F0738D	4548583440371	#		GE	GEZ	JPN	8544.4290.90
X52F-M12PUR4A15M	Sensor connector, M12 4-wire, Angled female connector, PUR, 15m	29.26	EC001855	X52F0688D	4548583435056	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A20M	Sensor connector, M12 4-wire, Angled female connector, PUR, 20m	55.05	EC001855	X52F0689B	4548583435063	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A2M	Sensor connector, M12 4-wire, Angled female connector, PUR, 2m	14.88	EC001855	X52F0690F	4548583435070	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A5M	Sensor connector, M12 4-wire, Angled female connector, PUR, 5m	19.01	EC001855	X52F0691D	4548583435087	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4ASMPLED	Sensor Connector, female, M12, PUR, 4 Pin, Angled, 5M, LED indicator (PNP)	40.42	EC001855	X52F0737F	4548583440364	#		GE	GEZ	JPN	8544.4290.90
X52F-M12PUR4S10M	Sensor connector, M12 4-wire, Straight female connector, PUR, 10m	30.41	EC001855	X52F0692B	4548583435094	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4S20M	Sensor connector, M12 4-wire, Straight female connector, PUR, 20m	55.05	EC001855	X52F0694R	4548583435117	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4S2M	Sensor connector, M12 4-wire, Straight female connector, PUR, 2m	14.90	EC001855	X52F0695G	4548583435124	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4S5M	Sensor connector, M12 4-wire, Straight female connector, PUR, 5m	19.83	EC001855	X52F0696E	4548583435131	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR5A5M	Sensor connector, M12 5-wire, Angled female connector, PUR, 5m	24.12	EC001855	X52F0698A	4548583435155	#		GE	GEZ	CHN	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
X52F-M12PUR5S10M	Sensor connector, M12 5-wire, Straight female connector, PUR, 10m	2041	EC001855	X52F0699M	4548583435162	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR5S5M	Sensor connector, M12 5-wire, Straight female connector, PUR, 5m	24.12	EC001855	X52F0702C	4548583435193	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3A10M	Sensor connector, M8 3-wire, Angled female connector, PUR, 10m	29.24	EC001855	X53F0211D	4548583436589	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3A2M	Sensor connector, M8 3-wire, Angled female connector, PUR, 2m	12.70	EC001855	X53F0214R	4548583436619	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3A5M	Sensor connector, M8 3-wire, Angled female connector, PUR, 5m	18.81	EC001855	X53F0215G	4548583436626	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3S10M	Sensor connector, M8 3-wire, Straight female connector, PUR, 10m	24.66	EC001855	X53F0216E	4548583436633	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3S2M	Sensor connector, M8 3-wire, Straight female connector, PUR, 2m	9.00	EC001855	X53F0219M	4548583436664	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3S5M	Sensor connector, M8 3-wire, Straight female connector, PUR, 5m	18.81	EC001855	X53F0220C	4548583436671	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR4A10M	Sensor connector, M8 4-wire, Angled female connector, PUR, 10m	29.24	EC001855	X53F0223H	4548583436701	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR4A2M	Sensor connector, M8 4-wire, Angled female connector, PUR, 2m	9.00	EC001855	X53F0226B	4548583436732	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR4A5M	Sensor connector, M8 4-wire, Angled female connector, PUR, 5m	19.59	EC001855	X53F0227M	4548583436749	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR4S10M	Sensor connector, M8 4-wire, Straight female connector, PUR, 10m	29.24	EC001855	X53F0228R	4548583436756	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR4S2M	Sensor connector, M8 4-wire, Straight female connector, PUR, 2m	13.81	EC001855	X53F0231R	4548583436787	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR4S5M	Sensor connector, M8 4-wire, Straight female connector, PUR, 5m	18.68	EC001855	X53F0232G	4548583436794	#		GE	GEZ	CHN	8544.4290.90
X53W-M421-401-PR	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 1 m	51.50	EC001855	X53W015A	4549734113007		5	GE	GEZ	JPN	8544.4290.90
X53W-M421-402-PR	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m	56.70	EC001855	X53W0189D	4548583585751		5	GE	GEZ	JPN	8544.4290.90
X53W-M421-405-PR	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 5 m	69.10	EC001855	X53W0190H	4548583585768			GE	GEZ	JPN	8544.4290.90
X55F-D421-C80-F	M12 4-pin, Straight female connector, IP69K, Robot cable, 1m	21.89	EC001855	X55F0006B	4547648305082	#	10	GE	GEZ	JPN	8536.9010.00
X55F-D421-E80-F	M12 4-pin, Straight female connector, IP69K, Robot cable, 3m	31.20	EC001855	X55F0008R	4547648305105	#	5	GE	GEZ	JPN	8536.9010.00
X55W-D421-C81-F	Sensor connector	32.97	EC001855	X55W0006B	4547648305181			GE	GEZ	JPN	8536.9010.00
X55W-D421-E81-F	Smartclick sensor connector plug and socket, M12, straight, 3m robot cable	38.84	EC001855	X55W0008R	4547648305204	#	5	GE	GEZ	JPN	8536.9010.00
Y92E-M12FSM12MSPURSH806M-L	Receiver M12 8-pin shielded cable, male-female, for control box F39-TGR-W-IBOX, 0.6m	52.95	EC001855	AA032200C	4547648887007			GE	GEZ	CZE	8544.4290.90
Y92E-M12FSM12MSPURSH82M-L	Receiver cable M12 8-pin, male/female, for control box F39-TGR-W-IBOX, 2m	58.10	EC001855	AA032201A	4547648887014			GE	GEZ	CZE	8544.4290.90
Y92E-M12FSM12MSPURSH85M-L	Receiver cable M12 8-pin, male/female, for control box F39-TGR-W-IBOX, 5m	78.20	EC001855	AA032202M	4547648887021			GE	GEZ	CZE	8544.4290.90
Y92E-M12PUR4S2M-L	M12 4-pin, Straight female connector, PUR, 2m	19.12	EC001855	AA018037C	4536853901332			GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH4S10M-L	Emitter cable M12 4-pin, female connector, shielded cable 10m	77.30	EC001855	AA032198H	4547648886987	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH4S25M-L	Emitter cable M12 4-pin, female connector, shielded cable 25m	149.80	EC001855	AA032199F	4547648886994	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH4S5M-L	Emitter cable M12 4-pin, female connector, shielded cable 5m	41.08	EC001855	AA032197M	4547648886970	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH8S10M-L	Receiver cable M12 8-pin, female connector, shielded cable 10m	69.05	EC001855	AA032194E	4547648886949	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH8S25M-L	Receiver cable M12 8-pin, female connector, shielded cable 25m	185.00	EC001855	AA032195C	4547648886956	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH8S2M-L	Receiver cable M12 8-pin, female connector, shielded cable 2m	45.26	EC001855	AA032192R	4547648886925	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH8S5M-L	Receiver cable M12 8-pin, female connector, shielded cable 5m	53.55	EC001855	AA032193G	4547648886932	#		GE	GEZ	CZE	8544.4290.90
Y92E-S08PP3A 5M	Cable connector M8, Polypropylene, single ended cordset, female, angled, 3 pole, 5 M	31.67	EC001855	AA041396C	4547648986335			GE	GEZ	CZE	8544.4290.90
Y92E-S08PP3S 5M	Cable connector M8, Polypropylene, single ended cordset, female, straight, 3 pole, 5 M	31.64	EC001855	AA041402A	4547648986397			GE	GEZ	CZE	8544.4290.90
Y92E-S08PP4A 5M	Cable connector M8, Polypropylene, single ended cordset, female, angled, 4 pole, 5 M	39.06	EC001855	AA041408M	4547648986458			GE	GEZ	CZE	8544.4290.90
Y92E-S08PP4S 5M	Cable connector M8, Polypropylene, single ended cordset, female, straight, 4 pole, 5 M	39.28	EC001855	AA041414E	4547648986519	#		GE	GEZ	CZE	8544.4290.90
Y92E-S12PP4A 10M	Cable connector M12, Polypropylene, single ended cordset, female, angled, 4 pole, 10 M	38.79	EC001855	AA041415C	4547648986526	#		GE	GEZ	CZE	8544.4290.90
Y92E-S12PP4A 20M	Cable connector M12, Polypropylene, single ended cordset, female, angled, 4 pole, 20 M	62.55	EC001855	AA041417M	4547648986540	#		GE	GEZ	CZE	8544.4290.90
Y92E-S12PP4A 2M	Cable connector M12, Polypropylene, single ended cordset, female, angled, 4 pole, 2 M	23.76	EC001855	AA041419F	4547648986564	#		GE	GEZ	CZE	8544.4290.90
Y92E-S12PP4A 5M	Cable connector M12, Polypropylene, single ended cordset, female, angled, 4 pole, 5 M	32.26	EC001855	AA041420M	4547648986571	#		GE	GEZ	CZE	8544.4290.90
Y92E-S12PP4S 10M	Cable connector M12, Polypropylene, single ended cordset, female, straight, 4 pole, 10 M	38.79	EC001855	AA041421H	4547648986588	#		GE	GEZ	CZE	8544.4290.90
Y92E-S12PP4S 5M	Cable connector M12, Polypropylene, single ended cordset, female, straight, 4 pole, 5 M	32.26	EC001855	AA041426R	4547648986632	#		GE	GEZ	CZE	8544.4290.90
Y92E-M08PVC3Sconf-L	M8 3-pin, Straight female screw connector, for 3.5-5mm cable	31.73	EC002635	AA017984G	4536853900519	#		GE	GEZ	DEU	8544.4290.90
Y92E-M08PVC4Sconf-L	Sensör konnektörü, M8, 4-pin, düz, dişi	34.40	EC002635	AA018040C	4536853901219	#		GE	GEZ	HUN	8544.4290.90
Y92E-M12PVC4Aconf-L	Sensor connector, M12 4 pin	15.08	EC002635	AA017990A	4536853900588	#		GE	GEZ	HUN	8544.4290.90
Y92E-M12PVC4Sconf-L	Sensor Connector, female, M12, PVC, 4 Pin, Straight	15.96	EC002635	AA017991M	4536853900618	#		GE	GEZ	HUN	8544.4290.90
Y92E-MM08PVC3Sconf-L	Sensor Connector field assembly, male, M8, PVC, 3 pin, Straight	28.68	EC002635	AA018041A	4536853900922	#		GE	GEZ	DEU	8544.4290.90
Y92E-MM08PVC4Sconf-L	Sensor Connector field assembly, male, M8, PVC, 4 pin, Straight	35.14	EC002635	AA018042M	4536853900939	#		GE	GEZ	HUN	8544.4290.90
Y92E-MM12PVC4Aconf-L	Field assembly connector, M12 right-angle plug (male), 4-poles, screw connection, for cable diameters 3.0-6.5 mm	18.22	EC002635	AA018020R	4536853900946	#		GE	GEZ	HUN	8544.4290.90
Y92E-MM12PVC4Sconf-L	Sensor Connector field assembly, male, M12, PVC, 4 pin, Straight	18.22	EC002635	AA018021G	4536853900953	#		GE	GEZ	HUN	8544.4290.90
X52C-D421	Sensor connector, M12, female, straight for DC type	12.10	EC002635	X52C0001G	4536854222320	#	50	GE	GEZ	JPN	8544.4290.90
X52C-D422	Connector, M12	12.23	EC002635	X52C0002E	4536854222337	#	50	GE	GEZ	JPN	8544.4290.90
X52C-D423	Field assembly connector, M12 straight socket (female), 4-poles, A coded, solder connection, for cable diameters 4-5 mm	13.40	EC002635	X52C0003C	4536854222344		50	GE	GEZ	JPN	8544.4290.90
X52C-D451	M12 4-pin, straight female screw connector, for 5-6mm cable	9.16	EC002635	X52C0013M	4536854455919	#	30	GE	GEZ	JPN	8544.4290.90
X52C-D452	M12 4-pin, Angled female screw connector, for 7-8mm cable	9.11	EC002635	X52C0014R	4536854455926	#		GE	GEZ	JPN	8544.4290.90
X52C-D551	Plug (male) connector M12, 5 pin, screw fix, straight	13.34	EC002635	X52C0019M	4536854735523	#		GE	GEZ	JPN	8544.4290.90
X52C-D552	Plug (male) connector M12, 5 pin, screw fix, angled	13.34	EC002635	X52C0026B	4536854735592			GE	GEZ	JPN	8544.4290.90
X52G-D421	Sensor connector, M12, male, straight for DC type	13.75	EC002635	X52G0001E	4536854225642	#	50	GE	GEZ	JPN	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XS2G-D451	M12 4-pin, straight male screw connector, for 5-6mm cable	11.10	EC002635	XS2G0011B	4536854455971	#	30	GE	GEZ	JPN	8544.4290.90
XS2G-D452	M12 4-pin, angled male screw connector, for 5-6mm cable	10.65	EC002635	XS2G0012M	4536854455988	#		GE	GEZ	JPN	8544.4290.90
XS2G-D551	Plug (male) connector M12, 5 pin, screw fix, straight	13.34	EC002635	XS2G0033C	4536854735516	#		GE	GEZ	JPN	8544.4290.90
XS2G-D557	M12 5-pin, straight male screw connector, for 7-8mm cable	14.02	EC002635	XS2G0032E	4536854735509	#		GE	GEZ	JPN	8544.4290.90
XS2R-D426-1	Y-Joint plug/socket M12 without cable	57.30	EC002925	XS2R0007C	4536854226793	#	10	GE	GEZ	JPN	8544.4290.90
XSSC-D418	Sensor Connector, female, M12, PVC, 4 Pin, Straight, ICD connection	10.27	EC002635	XSSC0030A	4548583407824	#	50	GE	GEZ	JPN	8536.9010.00
XSSG-D418	Sensor Connector, male, M12, PVC, 4 Pin, Straight, ICD connection	10.27	EC002635	XSSG0035M	4548583407831	#	50	GE	GEZ	JPN	8536.9010.00
XSSR-D426-1	Y-Joint plug/socket M12 SmartClick without cable (4-4, 4-2)	56.95	EC002925	XSSR0009M	45476488386449	#	10	GE	GEZ	JPN	8536.9010.00
XS2Z-22	Water-resistive cover for M12-female connector	8.99	EC003015	XS2Z0010C	4536854557408	#	20	GE	GEZ	JPN	8538.9099.99
Y92E-A34	Mounting Bracket for E2K sensor	7.69	EC003015	Y92E2010M	4536854247293	#	10	GE	GEZ	JPN	9031.9000.00
Y92E-B12	Sensor mounting bracket, M12 size	5.01	EC003015	Y92E6002A	4549734156547	#	50	GE	GEZ	THA	9031.9000.00
Y92E-B18	Sensor mounting bracket, M18 size	5.01	EC003015	Y92E6003M	4549734156554	#	50	GE	GEZ	THA	9031.9000.00
Y92E-B30	Sensor mounting bracket, M30 size	5.00	EC003015	Y92E2004F	4536854247286	#		GE	GEZ	JPN	9031.9000.00
Y92E-J12S18	Mounting Sleeves e-jig for M12 Prox	14.65	EC003015	Y92E7134A	4549734190770	#		GE	GEZ	CHN	9031.9000.00
Y92E-J18R30	Spare part, rubber O-ring for IP67 e-jig for M18 Prox	4.53	EC003015	Y92E7138D	4549734190817	#		GE	GEZ	CHN	9031.9000.00
Y92E-J18S30	Mounting Sleeves e-jig for M18 Prox	22.12	EC003015	Y92E7135M	4549734190787	#		GE	GEZ	CHN	9031.9000.00
Y92E-J8R12	Spare part, rubber O-ring for IP67 e-jig for M8 Prox	3.61	EC003015	Y92E7136H	4549734190794	#		GE	GEZ	CHN	9031.9000.00
Y92E-J8S12	Mounting Sleeves e-jig for M8 Prox	13.69	EC003015	Y92E7133C	4549734190763	#		GE	GEZ	CHN	9031.9000.00
Görsel Denetim Sistemi FQ											
FQ2-S35050F-08	FQ2 vision sensor, high resolution, color, PNP, standard view(50mm)	5,885.00	EC004672	FQ2 1223D	4548583322479	#		GF	GFL	JPN	9031.9000.00
FQ2-S35050F-08M	FQ2 vision sensor, high resolution, mono, PNP, standard view(50mm)	5,885.00	EC004672	FQ2 1306M	4548583107687	#		GF	GFL	JPN	9031.9000.00
FQ2-S351100F-08M	FQ2 vision sensor, high resolution, mono, PNP, wide view(240mm), long distance(970mm)	6,510.00	EC004672	FQ2 1307R	4548583107694	#		GF	GFL	JPN	9031.9000.00
FQ2-S35100N-08	FQ2 vision sensor, high resolution, color, PNP, wide view(300mm), short distance(380mm)	5,650.00	EC004672	FQ2 1225M	4548583322493	#		GF	GFL	JPN	9031.9000.00
FQ2-S35-13	FQ2 vision sensor, c-mount type, color, PNP	4,343.00	EC004672	FQ2 1402D	4548583107724	#		GF	GFL	JPN	9031.9000.00
FQ2-S35-13M	FQ2 vision sensor, c-mount type, mono, PNP	5,695.00	EC004672	FQ2 1404M	4548583107748	#		GF	GFL	JPN	9031.9000.00
FQ2-S45050F	FQ2 vision sensor, ID + Inspection, color, PNP, standard view(50mm)	5,260.00	EC004672	FQ2 1606M	4548583361980	#		GF	GFL	JPN	9031.9000.00
FQ2-S45100F-08	FQ2 vision sensor, high resolution, ID + Inspection, color, PNP, wide view(240mm), long distance(970mm)	6,465.00	EC004672	FQ2 1623M	4548583362154	#		GF	GFL	JPN	9031.9000.00
FQ2-S45100F-08M	FQ2 vision sensor, high resolution, ID + Inspection, mono, PNP, wide view(240mm), long distance(970mm)	6,465.00	EC004672	FQ2 1631M	4548583362239	#		GF	GFL	JPN	9031.9000.00
FQ2-S45100F-M	FQ2 vision sensor, ID + Inspection, mono, PNP, wide view(240mm), long distance(970mm)	5,125.00	EC004672	FQ2 1615R	4548583362079	#		GF	GFL	JPN	9031.9000.00
FQ2-S45100N	FQ2 vision sensor, ID + Inspection, color, PNP, wide view(300mm), short distance(380mm)	4,169.00	EC004672	FQ2 1608F	4548583362000	#		GF	GFL	JPN	9031.9000.00
FQ2-S45100N-08	FQ2 vision sensor, high resolution, ID + Inspection, color, PNP, wide view(300mm), short distance(380mm)	6,600.00	EC004672	FQ2 1624H	4548583362161	#		GF	GFL	JPN	9031.9000.00
FQ2-S45100N-08M	FQ2 vision sensor, high resolution, ID + Inspection, mono, PNP, wide view(300mm), short distance(380mm)	6,465.00	EC004672	FQ2 1632R	4548583362246	#		GF	GFL	JPN	9031.9000.00
FQ2-S45100N-M	FQ2 vision sensor, ID + Inspection, mono, PNP, wide view(300mm), short distance(380mm)	4,418.00	EC004672	FQ2 1616G	4548583362086	#		GF	GFL	JPN	9031.9000.00
FQ2-S15010F	FQ2 görsel denetim sensörü, tekli denetim, PNP, dar görüş(13mm)	1,604.00	EC004672	FQ2 1214E	4548583322387	#		GF	GFL	JPN	9031.9000.00
FQ2-S15050F	FQ2 görsel denetim sensörü, tekli denetim, PNP, standart görüş(50mm)	1,580.00	EC004672	FQ2 1215C	4548583322394	#		GF	GFL	JPN	9031.9000.00
FQ2-S15100F	FQ2 görsel denetim sensörü, tekli denetim, PNP, geniş görüş(300mm), kısa mesafe(380mm)	2,318.00	EC004672	FQ2 1217M	4548583322417	#		GF	GFL	JPN	9031.9000.00
FQ2-S25050F	FQ2 görsel denetim sensörü, standart, PNP, standart görüş(50mm)	2,576.00	EC004672	FQ2 1206D	4548583107601	#		GF	GFL	JPN	9031.9000.00
FQ2-S25100F	FQ2 görsel denetim sensörü, standart, PNP, geniş görüş(240mm), uzun mesafe(970mm)	2,629.00	EC004672	FQ2 1207B	4548583107618	#		GF	GFL	JPN	9031.9000.00
FQ2-S25100N	FQ2 görsel denetim sensörü, standart, PNP, geniş görüş(300mm), kısa mesafe(380mm)	3,630.00	EC004672	FQ2 1208M	4548583107625	#		GF	GFL	JPN	9031.9000.00
FQ-WD002-E	FQ2 paralel I/O kablosu, 2m	237.00	EC003015	AA050218D	4549734922951	#		GF	GFL	CZE	8544.4290.90
FQ-WD003-E	FQ I/O kablosu, 3m	157.40	EC003015	AA050219B	4549734922968	#		GF	GFL	CZE	8544.4290.90
FQ-WD005	FQ I/O cable, 5m	142.80	EC003015	FQ 3204A	4548583107465	#		GF	GFL	CHN	9031.9000.00
FQ-WD005-E	FQ I/O kablosu, 5m	192.90	EC003015	AA050220F	4549734922975	#		GF	GFL	CZE	8544.4290.90
FQ-WD010-E	FQ I/O cable, 10m	318.40	EC003015	AA050221D	4549734922982	#		GF	GFL	CZE	8544.4290.90
FQ-WD020	FQ I/O cable, 20m	915.00	EC003015	FQ 3203C	4547648830119	#		GF	GFL	CHN	8544.4290.90
FQ-WN002	FQ Ethernet cable, 2m	236.50	EC002599	FQ 3101M	4547648830065	#		GF	GFL	JPN	8544.4290.90
FQ-WN002-E	FQ Ethernet kablosu, 2m	102.30	EC002599	XSSW0157C	4548583129269	#		GF	GFL	JPN	8544.4290.90
FQ-WN003-E	FQ Ethernet kablosu, 3m	114.40	EC002599	XSSW0158A	4548583129276	#		GF	GFL	JPN	8544.4290.90
FQ-WN005	FQ Ethernet cable, bend resistant, 5 m	292.50	EC002599	FQ 3104E	4548583056312	#		GF	GFL	JPN	8544.4290.90
FQ-WN005-E	FQ Ethernet kablosu, 5m	136.90	EC002599	XSSW0159M	4548583129283	#		GF	GFL	JPN	8544.4290.90
FQ-WN010	Cable robotizado Ethernet FQ 10m	365.40	EC002599	FQ 3102R	4547648830072	#		GF	GFL	JPN	8544.4290.90
FQ-WN010-E	FQ2 Ethernet kablosu, 10m	191.30	EC002599	XSSW0160C	4548583129290	#		GF	GFL	JPN	8544.4290.90
FQ-WN020	FQ Ethernet cable, 20m	859.00	EC002599	FQ 3103G	4547648830089	#		GF	GFL	JPN	8544.4290.90
FQ-WU002	FQ sensor data unit cable for FQ-SDU*, 2m	314.20	EC003015	FQ 3301C	4548583107472	#		GF	GFL	JPN	9031.9000.00
FQ-WU010	FQ sensor data unit cable for FQ-SDU*, 10m	664.50	EC003015	FQ 3303M	4548583107496	#		GF	GFL	JPN	9031.9000.00
FQ-WU020	FQ sensor data unit cable for FQ-SDU*, 20m	1,102.00	EC003015	FQ 3304H	4548583107502	#		GF	GFL	JPN	9031.9000.00
FQ-XF1	FQ Polarizing Filter, (enclosed with sensor)	433.40	EC003015	FQ 9004A	4547648830157	#		GF	GFL	JPN	9031.9000.00
FQ-XL	Accessory FQ/FQ2 Mounting Bracket, (enclosed with sensor)	131.40	EC003015	FQ 9001G	4547648830126	#		GF	GFL	CHN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FQ-XPM	Accessory FQ/FQ2 Panel Mounting Adapter, for Touch Finder	382.60	EC003015	FQ 9003C	4547648830140	#		GF	GFL	CHN	9031.9000.00
FQ2-D30	FQ2 ayar konsolu, 3.5" dokunmatik renkli LCD ekran, SD card, 24VDC	1,887.00	EC003015	FQ2 2001F	4548583107755	#		GF	GFL	JPN	9031.9000.00
FQ-CR15010F-M	Code reader, multi code, distance 38-60mm, view 7-13mm, PNP	2,402.00	EC002999	FQ 5302B	4548583343337			GF	GFL	JPN	9031.8080.00
FQ-CR15100F-M	Code reader, multi code, long distance 220-970mm, view 53-240mm, PNP	2,512.00	EC002999	FQ 5306E	4548583343382			GF	GFL	JPN	9031.8080.00
Xpectia Görüntü Sistemi FZ OEM											
FH-2051	FH medium speed & performance controller 2-core, NPN/PNP, 2 cameras, W10 IoT Enterprise LTSC 2019 64bit	13,530.00	EC004672	FH 0126M	4549734751391	#		GF	GFR	JPN	9031.9000.00
FH-2051-10	FH Next generation medium speed & performance controller 2-core, NPN/PNP, 4 cameras, W10 IoT Enterprise LTSC 2019 64bit	17,290.00	EC004672	FH 0127H	4549734751407	#		GF	GFR	JPN	9031.9000.00
FH-2051-20	FH medium speed & performance controller 2-core, NPN/PNP, 8 cameras, W10 IoT Enterprise LTSC 2019 64bit	19,260.00	EC004672	FH 0128F	4549734751414	#		GF	GFR	JPN	9031.9000.00
FH-2052	FH Next generation medium speed & performance controller 2-core, NPN/PNP, 2 cameras, W10 IoT Enterprise LTSC 2019 64bit	14,530.00	EC004672	FH 0149R	4550431072184	#		GF	GFR	JPN	9031.9000.00
FH-2052-10	FH Next generation medium speed & performance controller 2-core, NPN/PNP, 4 cameras, W10 IoT Enterprise LTSC 2019 64bit	17,650.00	EC004672	FH 0150B	4550431072191	#		GF	GFR	JPN	9031.9000.00
FH-2052-20	FH Next generation medium speed & performance controller 2-core, NPN/PNP, 8 cameras, W10 IoT Enterprise LTSC 2019 64bit	20,760.00	EC004672	FH 0151M	4550431072207	#		GF	GFR	JPN	9031.9000.00
FH-5051	FH high-speed / high performance controller 4-core, NPN/PNP, 2 cameras, W10 IoT Enterprise LTSC 2019 64bit	20,400.00	EC004672	FH 0115D	4549734711968	#		GF	GFR	JPN	9031.9000.00
FH-5051-10	FH high-speed / high performance controller 4-core, NPN/PNP, 4 cameras, W10 IoT Enterprise LTSC 2019 64bit	25,120.00	EC004672	FH 0116B	4549734711975	#		GF	GFR	JPN	9031.9000.00
FH-5051-20	FH high-speed / high performance controller 4-core, NPN/PNP, 8 cameras, W10 IoT Enterprise LTSC 2019 64bit	27,690.00	EC004672	FH 0117M	4549734711982	#		GF	GFR	JPN	9031.9000.00
FH-5052	FH Next generation high-speed / high performance controller 8-core, NPN/PNP, 2 cameras, W10 IoT Enterprise LTSC 2019 64bit	21,800.00	EC004672	FH 0155C	4550431072245	#		GF	GFR	JPN	9031.9000.00
FH-5052-10	FH Next generation high-speed / high performance controller 8-core, NPN/PNP, 4 cameras, W10 IoT Enterprise LTSC 2019 64bit	25,950.00	EC004672	FH 0156A	4550431072252	#		GF	GFR	JPN	9031.9000.00
FH-5052-20	FH Next generation high-speed / high performance controller 8-core, NPN/PNP, 8 cameras, W10 IoT Enterprise LTSC 2019 64bit	29,060.00	EC004672	FH 0157M	4550431072269	#		GF	GFR	JPN	9031.9000.00
FH-5551	FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 2 cameras, W10 IoT Enterprise LTSC 2019 64bit	21,100.00	EC004672	FH 0135R	4549734751483	#		GF	GFR	JPN	9031.9000.00
FH-5551-10	FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 4 cameras, W10 IoT Enterprise LTSC 2019 64bit	25,810.00	EC004672	FH 0136G	4549734751490	#		GF	GFR	JPN	9031.9000.00
FH-5551-20	FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 8 cameras, W10 IoT Enterprise LTSC 2019 64bit	28,360.00	EC004672	FH 0137E	4549734751506	#		GF	GFR	JPN	9031.9000.00
FH-5552	FH Next generation high-speed / high performance / extended storage, controller 8-core, NPN/PNP, 2 cameras, W10 IoT Enterprise LTSC 2019 64bit	22,840.00	EC004672	FH 0161H	4550431072306	#		GF	GFR	JPN	9031.9000.00
FH-5552-10	FH Next generation high-speed / high performance / extended storage, controller 8-core, NPN/PNP, 4 cameras, W10 IoT Enterprise LTSC 2019 64bit	26,990.00	EC004672	FH 0162F	4550431072313	#		GF	GFR	JPN	9031.9000.00
FH-5552-20	FH Next generation high-speed / high performance / extended storage, controller 8-core, NPN/PNP, 8 cameras, W10 IoT Enterprise LTSC 2019 64bit	30,100.00	EC004672	FH 0163D	4550431072320	#		GF	GFR	JPN	9031.9000.00
FH-L551	FH-Lite controller, standard grade, box type, 2 camera, W10 IoT Enterprise LTSC 2019 64bit	8,655.00	EC004672	FH 0122G	4549734751353	#		GF	GFR	JPN	9031.9000.00
FH-L551-10	FH-Lite controller, standard grade, box type, 4 camera, W10 IoT Enterprise LTSC 2019 64bit	10,170.00	EC004672	FH 0123E	4549734751360	#		GF	GFR	JPN	9031.9000.00
FH-SC02	FH kamera, yüksek çözünürlük 2M pixel, renkli	5,595.00	EC004672	FH 0011E	4548583385474	#		GF	GFR	JPN	9031.9000.00
FH-SC04	FH kamera, yüksek çözünürlük 4M pixel, renkli	11,160.00	EC004672	FH 0009C	4548583385450	#		GF	GFR	JPN	9031.9000.00
FH-SC05R	FH kamera, high resolution 5M pixel, color, rolling shutter	3,259.00	EC004672	FH 0061A	4548583785809	#		GF	GFR	JPN	9031.9000.00
FH-SCX	FH Kamera, high speed, 0.4 MPixel, c-Mount, global shutter, color	2,210.00	EC004672	FH 0084M	4549734145695	#		GF	GFR	JPN	9031.9000.00
FH-SCX01	FH Kamera, high speed, 1.6 MPixel, C-Mount, global shutter, colour	3,112.00	EC004672	FH 0144H	4549734771131	#		GF	GFR	JPN	9031.9000.00
FH-SCX03	FH Kamera, high speed, 3.2 MPixel, C-Mount, global shutter, colour	4,130.00	EC004672	FH 0146D	4549734771155	#		GF	GFR	JPN	9031.9000.00
FH-SCX05	FH Kamera, high speed, 5 MPixel, c-Mount, global shutter, color	7,195.00	EC004672	FH 0080H	4549734145657	#		GF	GFR	JPN	9031.9000.00
FH-SCX12	FH Kamera, high speed, 12 MPixel, C-Mount, global shutter, color	12,400.00	EC004672	FH 0086G	4549734145718	#		GF	GFR	JPN	9031.9000.00
FH-SM02	FH kamera, yüksek çözünürlük 2M pixel, renksiz	5,595.00	EC004672	FH 0012C	4548583385481	#		GF	GFR	JPN	9031.9000.00
FH-SM04	FH kamera, yüksek çözünürlük 4M pixel, renksiz	11,160.00	EC004672	FH 0010G	4548583385467	#		GF	GFR	JPN	9031.9000.00
FH-SM05R	FH kamera, high resolution 5M pixel, monochrome, rolling shutter	3,259.00	EC004672	FH 0060C	4548583785793	#		GF	GFR	JPN	9031.9000.00
FH-SM21R	FH Kamera, high speed, 20.4 MPixel, c-Mount, rolling shutter, monochrome	11,610.00	EC004672	FH 0081F	4549734145664	#		GF	GFR	JPN	9031.9000.00
FH-SMX	FH Kamera, high speed, 0.4 MPixel, c-Mount, global shutter, monochrome	2,210.00	EC004672	FH 0083B	4549734145688	#		GF	GFR	JPN	9031.9000.00
FH-SMX01	FH Kamera, high speed, 1.6 MPixel, C-Mount, global shutter, monochrome	3,112.00	EC004672	FH 0143M	4549734771124	#		GF	GFR	JPN	9031.9000.00
FH-SMX03	FH Kamera, high speed, 3.2 MPixel, C-Mount, global shutter, monochrome	4,130.00	EC004672	FH 0145F	4549734771148	#		GF	GFR	JPN	9031.9000.00
FH-SMX05	FH Kamera, high speed, 5 MPixel, c-Mount, global shutter, monochrome	7,195.00	EC004672	FH 0079D	4549734145640	#		GF	GFR	JPN	9031.9000.00
FH-SMX12	FH Kamera, high speed, 12 MPixel, C-Mount, global shutter, monochrome	12,400.00	EC004672	FH 0085R	4549734145701	#		GF	GFR	JPN	9031.9000.00
FZ-S	FZ kamera, standart çözünürlük, renksiz	2,375.00	EC004672	FZ3 0254M	4548583329508	#		GF	GFR	CHN	9031.9000.00
FZ-SC	FZ kamera, standart çözünürlük, renkli	2,375.00	EC004672	FZ3 0255R	4548583329522	#		GF	GFR	CHN	9031.9000.00
FZ-SC2M	FZ kamera, yüksek çözünürlük, 2M pixel, renkli	7,490.00	EC004672	FZ3 0257E	4548583368064	#		GF	GFR	CHN	9031.9000.00
FZ-SQ050F	FZ-SQ intelligent compact color camera, high-power lighting, distance 56-215mm, standard view 13-53mm	1,905.00	EC004672	FZ3 0235D	4548583008809	#		GF	GFR	JPN	9031.9000.00
FZ-SQ100F	FZ-SQ intelligent compact color camera, high-power lighting, long-distance 220-970mm, wide view 53-240mm	1,980.00	EC004672	FZ3 0236B	4548583008816	#		GF	GFR	JPN	9031.9000.00
FZ-SQ100N	FZ-SQ intelligent compact color camera, high-power lighting, short-distance 32-380mm, wide view 29-300mm	2,680.00	EC004672	FZ3 0237M	4548583008823	#		GF	GFR	JPN	9031.9000.00
FJ-S12MG2	FJ Kamera, GigE, 12 MPixel, C-Mount, global shutter, monochrome	10,900.00	EC004672	FJ 0129G	4549734739580			GF	GFR	JPN	9031.9000.00
FJ-S12MGR2	FJ Kamera, GigE, 12 MPixel, C-Mount, rolling shutter, monochrome	4,152.00	EC004672	FJ 0131R	4549734739603			GF	GFR	JPN	9031.9000.00
FJ-S20MGR2	FJ Kamera, GigE, 20 MPixel, C-Mount, rolling shutter, monochrome	5,295.00	EC004672	FJ 0133E	4549734739627			GF	GFR	JPN	9031.9000.00
FJ-S3MG2	FJ Kamera, GigE, 3.2 MPixel, C-Mount, global shutter, monochrome	4,256.00	EC004672	FJ 0127M	4549734739566			GF	GFR	JPN	9031.9000.00
FJ-S6MGR2	FJ Kamera, GigE, 6 MPixel, C-Mount, rolling shutter, monochrome	3,010.00	EC004672	FJ 0141F	4550431062796			GF	GFR	JPN	9031.9000.00
FJ-SC12MG2	FJ Kamera, GigE, 12 MPixel, C-Mount, global shutter, colour	10,900.00	EC004672	FJ 0128R	4549734739573			GF	GFR	JPN	9031.9000.00
FJ-SC12MGR2	FJ Kamera, GigE, 12 MPixel, C-Mount, rolling shutter, colour	4,152.00	EC004672	FJ 0130M	4549734739597			GF	GFR	JPN	9031.9000.00
FJ-SC20MGR2	FJ Kamera, GigE, 20 MPixel, C-Mount, rolling shutter, colour	5,295.00	EC004672	FJ 0132G	4549734739610			GF	GFR	JPN	9031.9000.00
FJ-SC3MG2	FJ Kamera, GigE, 3.2 MPixel, C-Mount, global shutter, colour	4,256.00	EC004672	FJ 0126B	4549734739559			GF	GFR	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FJ-SC6MGR2	FJ Camera, GiGE, 6 MPixel, C-Mount, rolling shutter, colour	3,010.00	EC004672	FJ 0140H	4550431062789			GF	GFR	JPN	9031.9000.00
FH-UDLIC-SIM	Licensed FH Application Simulator, license key dongle	1,661.00	EC003015	FH 0181B	4550431099921	#		GF	GFR	JPN	9031.9000.00
FH-UJMA11	AI filter installer for FH controller, USB license key dongle	10,360.00	EC003015	FH 0104R	4549734594783			GF	GFR	JPN	9031.9000.00
FH-UMLIC-03	Licensed FH Application software, USB license key for Halcon & Open Vino Model Loading	2,491.00	EC003015	FH 0173A	4550431099846			GF	GFR	JPN	9031.9000.00
FH-UMLIC-07	Licensed FH Application software, USB license key, 3D Bin Picking, Photonoo camera support	5,920.00	EC003015	FH 0177D	4550431099884			GF	GFR	JPN	9031.9000.00
FH-UMLIC-08	Licensed FH application software, USB license key, AI defect inspection	5,190.00	EC003015	FH 0178B	4550431099891	#		GF	GFR	JPN	9031.9000.00
FJ-SW-R01	FJ software and license dongle key - Full FJ camera portfolio support	1,557.00	EC003015	FJ 0137H	4549734739665			GF	GFR	JPN	9031.9000.00
FJ-VSG 10M	FJ Gig-E camera interface cable, 10m	539.00	EC003015	FJ 0202A	4548583060937			GF	GFR	JPN	9031.9000.00
FJ-VSG 20M	FJ Gig-E camera interface cable, 20m	807.50	EC003015	FJ 0203M	4548583060944			GF	GFR	JPN	9031.9000.00
FJ-VSG 3M	FJ Gig-E camera interface cable, 3m	405.10	EC003015	FJ 0200E	4548583060913			GF	GFR	JPN	9031.9000.00
FJ-VSG 5M	FJ Gig-E camera interface cable, 5m	371.80	EC003015	FJ 0201C	4548583060920			GF	GFR	JPN	9031.9000.00
FJ-VSP2 10M	FJ Gig-E power and I/O cable, 10 m	429.60	EC003015	FJ 0214E	4549734597784			GF	GFR	JPN	8544.4290.90
FJ-VSP2 3M	FJ Gig-E power and I/O cable, 3 m	265.70	EC003015	FJ 0212R	4549734597760			GF	GFR	JPN	8544.4290.90
FJ-VSP2 5M	FJ Gig-E power and I/O cable, 5 m	309.50	EC003015	FJ 0213G	4549734597777			GF	GFR	JPN	8544.4290.90
FZ-VS3 10M	Accessory vision, FH and FZ, standard camera cable, 10m	843.00	EC003015	FZ3 0404G	4548583533721	#		GF	GFR	CHN	8544.4290.90
FZ-VS3 2M	FH ve FZ standart kamera kablosu, 2m	483.60	EC003015	FZ3 0401B	4548583533691	#		GF	GFR	CHN	8544.4290.90
FZ-VS3 3M	Accessory vision, FH and FZ, standard camera cable, 3m	547.00	EC003015	FZ3 0402M	4548583533707	#		GF	GFR	CHN	8544.4290.90
FZ-VS3 5M	FH ve FZ standart kamera kablosu, 5m	685.00	EC003015	FZ3 0403R	4548583533714	#		GF	GFR	CHN	8544.4290.90
FZ-VS4 15M	Accessory vision, FH and FZ, camera cable, long distance, 15m	2,144.00	EC003015	FZ3 0405E	4548583533738	#		GF	GFR	JPN	8544.4290.90
FZ-VSB3 10M	Accessory vision, FH and FZ, camera cable, bend resistant, 10m	1,011.00	EC003015	FZ3 0424A	4549734126922	#	3	GF	GFR	CHN	8544.4290.90
FZ-VSB3 5M	Accessory vision, FH and FZ, camera cable, bend resistant, 5m	856.00	EC003015	FZ3 0423C	4549734126915	#		GF	GFR	CHN	8544.4290.90
FZ-VSJ	FZ Camera cable extension hub (max 3 cables 45m)	1,963.00	EC003015	FZ3 0402D	4547648445849	#		GF	GFR	JPN	9031.9000.00
FZ-VSL3 10M	Accessory vision, FH and FZ, camera cable, standard, right angled connector, 10m	1,110.00	EC003015	FZ3 0409H	4548583533776	#		GF	GFR	JPN	8544.4290.90
FZ-VSL3 2M	Accessory vision, FH and FZ, camera cable, standard, right angled connector, 2m	700.00	EC003015	FZ3 0406C	4548583533745	#		GF	GFR	JPN	8544.4290.90
FZ-VSL3 5M	Accessory vision, FH and FZ, camera cable, standard, right angled connector, 5m	857.00	EC003015	FZ3 0408M	4548583533769	#		GF	GFR	JPN	8544.4290.90
FH-XDM-L	FH-L DIN rail mounting bracket	117.40	EC003015	FH 0052B	4548583763722	#		GF	GFR	JPN	9031.9000.00
FZ-MEM16G	Accessory FH, USB memory 16G	301.00	EC003015	FZ3 0067M	4549734765879			GF	GFR	JPN	9031.9000.00
Görüntü Sistemleri											
FH-SMX01-SWIR	FH SWIR Camera, 1.3 MPixel, C-Mount, global shutter, monochrome	24,910.00	EC004672	FH 0170G	4550431090348			GF	GFX	JPN	9031.9000.00
FH-SMX-SWIR	FH SWIR Camera, 0.3 MPixel, C-Mount, global shutter, monochrome	18,690.00	EC004672	FH 0169C	4550431090331			GF	GFX	JPN	9031.9000.00
Görüntü Sistemleri için Aksesuarlar											
FH-VMDA 2M	Vision system accessory FH conversion cable monitor DVI-RGB 2m	147.90	EC003015	FH 0032H	4548583564480	#		GF	GFZ	CHN	9031.9000.00
FH-VMDA 5M	Vision system accessory FH conversion cable monitor DVI-RGB 5m	253.50	EC003015	FH 0033F	4548583564497	#		GF	GFZ	CHN	9031.9000.00
FH-VUAB 2M	Vision system accessory FH USB cable touch panel 2m	74.00	EC001681	FH 0037R	4548583564534	#		GF	GFZ	JPN	9031.9000.00
FH-VUAB 5M	Vision system accessory FH USB cable touch panel 5m	95.25	EC001681	FH 0038G	4548583564541	#		GF	GFZ	JPN	9031.9000.00
FL-TCC1	Strobe controller for vision lighting, 1-channel, separate holder to be mounted on the FZ camera	740.00	EC003015	FL 2101D	4548583067011	#		GF	GFZ	JPN	9032.9000.90
XW22-050EE	Parallel I/O cable for terminal block XW2R-34G-T, 0.5m	236.90	EC000237	XW220533G	4548583484962	#		GF	GFZ	JPN	9031.9000.00
XW22-100EE	Parallel I/O cable for terminal block XW2R-34G-T, 1m	155.30	EC000237	XW220534E	4548583484979	#		GF	GFZ	JPN	9031.9000.00
XW22-200EE	Parallel I/O cable for terminal block XW2R-34G-T, 2m	138.10	EC000237	XW220536A	4548583484993	#		GF	GFZ	JPN	9031.9000.00
XW22-S013-2	FH Paralel I/O kablosu, 2m	210.90	EC003015	XW220445D	4548583434455	#		GF	GFZ	JPN	9031.9000.00
XW22-S013-5	FH Paralel I/O kablosu, 5m	351.30	EC003015	XW220446B	4548583434462	#		GF	GFZ	JPN	9031.9000.00
FH-MT12	Vision system FH touch panel monitor 12	1,774.00	EC003015	FH 0031M	4548583564473	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE SV-04514V	Lens 4.5mm	368.50	EC003015	3Z455125R	4548583496897	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-0614H	Accessory vision, lens 6mm, high resolution, low distorsion	961.50	EC003015	3Z455109G	4548583335479	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE SV-0614V	Lens 6mm	608.50	EC003015	3Z455100C	4548583335387	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-0813V	Lens 8mm	501.50	EC003015	3Z455101A	4548583335394	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-0814H	Accessory vision, lens 8mm, high resolution, low distorsion	860.50	EC003015	3Z455110M	4548583335486	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE SV-10028H	Lens 100mm,	777.00	EC003015	3Z455133M	4549734509503	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-1214H	Accessory vision, lens 12mm, high resolution, low distorsion	835.50	EC003015	3Z455111R	4548583335493	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE SV-1214V	Lens 12mm	354.50	EC003015	3Z455102M	4548583335400	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-1614H	Accessory vision, lens 16mm, high resolution, low distorsion	804.00	EC003015	3Z455112G	4548583335509	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE SV-1614V	Lens 16mm	461.60	EC003015	3Z455103H	4548583335417	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-2514H	Accessory vision, lens 25mm, high resolution, low distorsion	506.50	EC003015	3Z455113E	4548583335516	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE SV-2514V	Lens 25mm	439.00	EC003015	3Z455104F	4548583335424	#		GF	GFZ	CHN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3Z45-LE SV-3514H	Accessory vision, lens 35mm, high resolution, low distortion	712.50	EC003015	3Z455114C	4548583335523	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE SV-3518V	Lens 35mm	501.50	EC003015	3Z455105D	4548583335431			GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-5014H	Accessory vision, lens 50mm, high resolution, low distortion	726.00	EC003015	3Z455115A	4548583335530	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE SV-7525H	Accessory vision, lens 75mm, high resolution, low distortion	660.00	EC003015	3Z455132A	4549734509497			GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-EXR	Uzatma tüpleri (40, 20, 10, 5, 2, 1,05mm)	202.70	EC003015	3Z455949G	4549734770194	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-EXR05	Extension tube 0,5mm	23.22	EC003015	3Z455950M	4549734776875	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-EXR1	Extension tube 1mm	22.37	EC003015	3Z455951R	4549734776882	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-EXR2	Extension tube 2mm	25.25	EC003015	3Z455952G	4549734776899			GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-EXR20	Extension tube 20mm	62.55	EC003015	3Z455956M	4549734776936	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-EXR40	Extension tube 40mm	90.10	EC003015	3Z455959D	4549734776967			GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-EXR5	Extension tube 5mm	43.90	EC003015	3Z455904G	4548583335585	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-0618H1	Vision lens, high resolution, low distortion 6mm for 1-inch sensor size	1,048.00	EC003015	3Z455134H	4549734552172			GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-0814H1	Vision lens, high resolution, low distortion 8mm for 1-inch sensor size	852.00	EC003015	3Z455118F	4548583417854	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE VS-1214H1	Vision lens, high resolution, low distortion 12mm for 1-inch sensor size	777.50	EC003015	3Z455127E	4549734181426	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-1614H1N	Vision lens, high resolution, low distortion, 16 mm for 1-inch sensor size	777.50	EC003015	3Z455128C	4549734181433	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-2514H1	Vision lens, high resolution, low distortion 25mm for 1-inch sensor size	777.00	EC003015	3Z455129A	4549734181440	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-3514H1	Vision lens, high resolution, low distortion 35mm for 1-inch sensor size	777.50	EC003015	3Z455130E	4549734181457	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-5018H1	Vision lens, high resolution, low distortion 50mm for 1-inch sensor size	758.50	EC003015	3Z455131C	4549734181464	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-HVA1226	Accessory vision lens, ultra high resolution, low distortion 12 mm for 1/1-inch sensor size, C-Mount,	1,161.00	EC003015	3Z456100R	4549734782609			GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-HVA1626	Accessory vision lens, ultra high resolution, low distortion 16 mm for 1/1-inch sensor size, C-Mount,	1,161.00	EC003015	3Z456101G	4549734782616			GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-HVA2524	Accessory vision lens, ultra high resolution, low distortion 25 mm for 1/1-inch sensor size, C-Mount,	1,161.00	EC003015	3Z456102E	4549734782623			GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-HVA3522	Accessory vision lens, ultra high resolution, low distortion 35 mm for 1/1-inch sensor size, C-Mount,	1,161.00	EC003015	3Z456103C	4549734782630			GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-HVA5024	Accessory vision lens, ultra high resolution, low distortion 50 mm for 1/1-inch sensor size, C-Mount,	1,161.00	EC003015	3Z456104A	4549734782647			GF	GFZ	CHN	9031.9000.00
FL-BR13120W	Bar ODR-light, 131x20mm, wide area model, white LED, IP20, cable 0,3m	1,415.00	EC003015	FL 0010F	4548583032965			GF	GFZ	JPN	9031.9000.00
FL-BR5020W	Bar ODR-light, 50x20mm, wide area model, white LED, IP20, cable 0,3m	618.50	EC003015	FL 0006H	4548583032927	#		GF	GFZ	JPN	9031.9000.00
FL-BR5020W-H	Bar ODR-light, 50x20mm, high-brightness model, white LED, IP20, cable 0,3m	763.50	EC003015	FL 0007F	4548583032934			GF	GFZ	JPN	9031.9000.00
FL-BR9120W	Bar ODR-light, 91x20mm, wide area model, white LED, IP20, cable 0,3m	1,009.00	EC003015	FL 0008D	4548583032941	#		GF	GFZ	JPN	9031.9000.00
FL-BR9120W-H	Bar ODR-light, 91x20mm, high-brightness model, white LED, IP20, cable 0,3m	1,264.00	EC003015	FL 0009B	4548583032958			GF	GFZ	JPN	9031.9000.00
FL-DR32W	Ring ODR-light, 32/10mm, wide area model, white LED, IP20, cable 0,3m	1,159.00	EC003015	FL 0012B	4548583035690			GF	GFZ	JPN	9031.9000.00
FL-DR32W-H	Ring ODR-light, 32/10mm, high-brightness model, white LED, IP20, cable 0,3m	1,479.00	EC003015	FL 0013M	4548583035706			GF	GFZ	JPN	9031.9000.00
FL-DR50W-H	Ring ODR-light, 50/28mm, high-brightness model, white LED, IP20, cable 0,3m	1,612.00	EC003015	FL 0015G	4548583035720			GF	GFZ	JPN	9031.9000.00
FL-DR90DF	Ring light Diffusion plate, 90/50x4mm	100.10	EC003015	FL 3020M	4548583035775			GF	GFZ	JPN	9032.9000.90
FL-DR90W	Ring ODR-light, 90/50mm, wide area model, white LED, IP20, cable 0,3m	2,420.00	EC003015	FL 0016E	4548583035737	#		GF	GFZ	JPN	9031.9000.00
FL-DR90W-H	Ring ODR-light, 90/50mm, high-brightness model, white LED, IP20, cable 0,3m	3,067.00	EC003015	FL 0017C	4548583035744	#		GF	GFZ	JPN	9031.9000.00
FL-PS140W	Photometric Stereo Light, inner Diameter 100 mm, outer Diameter 140 mm, white	3,091.00	EC003015	FL 0019M	4549734168922			GF	GFZ	JPN	9031.9000.00
FL-PS90W	Photometric Stereo Light, inner Diameter 50 mm, outer Diameter 90 mm, white	2,252.00	EC003015	FL 0018A	4549734168915			GF	GFZ	JPN	9031.9000.00
FL-STC15	Lighting controller, 1-channel, light adjustment 400 levels, continuous light or triggered light or strobe light, 24 VDC, I/O interface D-SUB, PNP	740.00	EC003015	FL 2002F	4548583032996	#		GF	GFZ	JPN	9032.9000.90
FL-STC25	Lighting controller, 2-channel, light adjustment 400 levels, continuous light or triggered light or strobe light, 24 VDC, I/O interface D-SUB, PNP	943.50	EC003015	FL 2004B	4548583033016	#		GF	GFZ	JPN	9032.9000.90
FL-TCC1P5	Lighting Controller for Photometric Stereo Lights	914.50	EC003015	FL 0021A	4549734168946			GF	GFZ	JPN	9032.9000.90
FLV-ATC41024-C	Analog lighting controller dimming 4ch 24	653.00	EC003015	FL 3220B	4548583426016			GF	GFZ	CHN	9032.9000.90
FLV-BR11222W	Bar Light 112 x 22mm, white	1,910.00	EC003015	FL 4134A	4548583427297			GF	GFZ	CHN	9031.9000.00
FLV-BR21230W	Bar Light 212 x 30mm, white	1,909.00	EC003015	FL 4131G	4548583427266			GF	GFZ	CHN	9031.9000.00
FLV-BR38037W	Bar Light 380 x 37mm, white	3,677.00	EC003015	FL 4129E	4548583427242			GF	GFZ	CHN	9031.9000.00
FLV-BR6022W	Bar Light 60 x 22mm, white	805.50	EC003015	FL 4136H	4548583427310			GF	GFZ	CHN	9031.9000.00
FLV-DB130130R	Accessory vision, back light, direct, 130 x 130, red	2,738.00	EC003015	FL 8160B	4548583503090			GF	GFZ	JPN	9031.9000.00
FLV-DB212152W	Accessory vision, back light, direct, 212 x 152, white	3,790.00	EC003015	FL 8155F	4548583503045			GF	GFZ	JPN	9031.9000.00
FLV-DD150W	Accessory vision, dome light, 150mm dia, white	1,560.00	EC003015	FL 8182C	4548583503311			GF	GFZ	JPN	9031.9000.00
FLV-DR9030W	Ring light, direct, 90mm dia, 30 deg, white	1,531.00	EC003015	FL 4103A	4548583426986			GF	GFZ	CHN	9031.9000.00
FLV-TCC1	standard camera-mount lighting controller 1ch for FLV	382.50	EC003015	FL 3101M	4548583425774	#		GF	GFZ	CHN	9032.9000.90
FLV-TCC4	standard camera-mount lighting controller 4ch for FLV	768.50	EC003015	FL 3102H	4548583425781			GF	GFZ	CHN	9032.9000.90
FLV-XC5	Extension cable 5m for standard lighting	68.85	EC003015	FL 4850H	4548583429178			GF	GFZ	CHN	8544.4290.90
FL-XCS	Extension standard cable, 5m	188.80	EC003015	FL 3004H	4548583032750	#		GF	GFZ	JPN	8544.4290.90
Makine Otomasyon KontrolörleriNJS											
NJS01-R300	Robotic Integrated Controller NJS: 8 robots and 16 servo axes	8,810.00	EC000236	NX010224R	4549734665704	#		HA	HAA	JPN	8471.5000.00
NJS01-R320	Robotic Integrated Controller NJS: 8 robots and 16 servo axes, SQL client	9,485.00	EC000236	NX010227C	4549734665735	#		HA	HAA	JPN	8471.5000.00
NJS01-R400	Robotic Integrated Controller NJS: 8 robots and 32 servo axes	10,160.00	EC000236	NX010225G	4549734665711			HA	HAA	JPN	8471.5000.00
NJS01-R420	Robotic Integrated Controller NJS: 8 robots and 32 servo axes, SQL client	10,840.00	EC000236	NX010228A	4549734665742			HA	HAA	JPN	8471.5000.00
NJS01-R500	Robotic Integrated Controller NJS: 8 robots and 64 servo axes	11,510.00	EC000236	NX010226E	4549734665728			HA	HAA	JPN	8471.5000.00
NJS01-R520	Robotic Integrated Controller NJS: 8 robots and 64 servo axes, SQL client	12,190.00	EC000236	NX010229M	4549734665759			HA	HAA	JPN	8471.5000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NJ501-1300	Sysmac NJ5 CPU, 20MB hafıza, dahili EtherCAT (16 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	4,613.00	EC000236	NX010002E	4548583020450	#		HA	HAA	JPN	8471.4100.00
NJ501-1320	Sysmac NJ5 CPU, Database Bağlantısı, 20MB hafıza, dahili EtherCAT (16 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	5,520.00	EC000236	NX010015G	4548583418028	#		HA	HAA	JPN	8471.4100.00
NJ501-1400	Sysmac NJ5 CPU, 20MB hafıza, dahili EtherCAT (32 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	5,015.00	EC000236	NX010003C	4548583020467	#		HA	HAA	JPN	8471.4100.00
NJ501-1420	Sysmac NJ5 CPU, Database Bağlantısı, 20MB hafıza, dahili EtherCAT (32 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	6,020.00	EC000236	NX010016E	4548583418035	#		HA	HAA	JPN	8471.4100.00
NJ501-1500	Sysmac NJ5 CPU, 20MB hafıza, dahili EtherCAT (64 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	6,020.00	EC000236	NX010004A	4548583020474	#		HA	HAA	JPN	8471.4100.00
NJ501-1520	Sysmac NJ5 CPU, Database Bağlantısı, 20MB hafıza, dahili EtherCAT (64 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	6,805.00	EC000236	NX010017C	4548583418042	#		HA	HAA	JPN	8471.4100.00
NJ501-4300	Sysmac NJ5 CPU, Robot kinematik (max 4 robot), 20MB hafıza, dahili EtherCAT (16 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	6,020.00	EC000236	NX010009B	4548583137745	#		HA	HAA	JPN	8471.4100.00
NJ501-4400	Sysmac NJ5 CPU with Robot kinematik, (max 8 robot), 20MB hafıza, dahili EtherCAT (32 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	6,520.00	EC000236	NX010010F	4548583137752	#		HA	HAA	JPN	8471.4100.00
NJ501-4500	Sysmac NJ5 CPU with Robot kinematik, (max 8 robot), 20MB hafıza, dahili EtherCAT (64 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	7,535.00	EC000236	NX010011D	4548583137769	#		HA	HAA	JPN	8471.4100.00
NJ301-1100	Sysmac NJ3 CPU, 5MB hafıza, dahili EtherCat (4 servo eksen, toplamda 192 Ethercat cihazı) ve Ethernet IP	3,248.00	EC000236	NX010007F	4548583113121	#		HA	HAA	JPN	8471.4100.00
NJ301-1200	Sysmac NJ3 CPU, 5MB hafıza, dahili EtherCat (8 servo eksen, toplamda 192 Ethercat cihazı) ve Ethernet IP	3,901.00	EC000236	NX010008D	4548583113138	#		HA	HAA	JPN	8471.4100.00
NJ101-1000	Sysmac NJ1 CPU, 3MB hafıza, dahili EtherCAT (2 servo eksen, toplam 64 EtherCAT nodu) ve Ethernet IP	2,764.00	EC000236	NX010043B	4548583593749	#		HA	HAA	JPN	8471.4100.00
NJ101-1020	Sysmac NJ1 CPU, Database Bağlantısı, 3MB hafıza, dahili EtherCAT (2 servo eksen, toplamda 64 EtherCAT cihazı) ve EtherNet/IP	3,464.00	EC000236	NX010045R	4548583758803	#		HA	HAA	JPN	8471.4100.00
NJ101-9000	Sysmac NJ1 CPU, 3MB hafıza, dahili EtherCAT (0 servo eksen, toplam 64 EtherCAT nodu) ve Ethernet IP	2,425.00	EC000236	NX010044M	4548583593756	#		HA	HAA	JPN	8471.4100.00
NJ101-9020	Sysmac NJ1 CPU, Database Bağlantısı, 3MB hafıza, dahili EtherCAT (0 servo eksen, toplamda 64 EtherCAT cihazı) ve EtherNet/IP	3,032.00	EC000236	NX010046G	4548583758810	#		HA	HAA	JPN	8471.4100.00
NJ501-5300	Sysmac NJ5 CNC CPU, 20MB bellek, dahili EtherCAT (16 servo eksen, toplam 192 EtherCAT düğümü) ve EtherNet / IP	8,865.00	EC000236	NX010104H	4549734145435	#		HA	HAA	JPN	8471.5000.00
NJ501-5300-1	Sysmac NJ5 CNC CPU, 20MB memory, built-in EtherCAT (16 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP. USB license not included.	7,880.00	EC000236	NX010243E	4549734711524	#		HA	HAA	JPN	8471.5000.00
Makine Otomasyon KontrolörleriNX1											
NX502-1300	Sysmac NX5 CPU with SQL Database Connectivity, 80 MB program and 260 MB data memory, built-in EtherCAT (16 servo axes, in total 256 EtherCAT nodes) and 2 Ethernet ports (OPC-UA and EtherNet/IP)	5,810.00	EC000236	NX010307E	4550431037930	#		HA	HAB	JPN	8471.5000.00
NX502-1400	Sysmac NX5 CPU with SQL Database Connectivity, 80 MB program and 260 MB data memory, built-in EtherCAT (32 servo axes, in total 256 EtherCAT nodes) and 2 Ethernet ports (OPC-UA and EtherNet/IP)	6,305.00	EC000236	NX010308C	4550431037947	#		HA	HAB	JPN	8471.5000.00
NX502-1500	Sysmac NX5 CPU with SQL Database Connectivity, 80 MB program and 260 MB data memory, built-in EtherCAT (64 servo axes, in total 256 EtherCAT nodes) and 2 Ethernet ports (OPC-UA and EtherNet/IP)	7,075.00	EC000236	NX010309A	4550431037954	#		HA	HAB	JPN	8471.5000.00
NX502-1600	Sysmac NX5 CPU with SQL Database Connectivity, 80 MB program and 260 MB data memory, built-in EtherCAT (128 servo axes, in total 256 EtherCAT nodes) and 2 Ethernet ports (OPC-UA and EtherNet/IP)	7,555.00	EC000236	NX010316D	4550431102812	#		HA	HAB	JPN	8471.5000.00
NX502-1700	Sysmac NX5 CPU with SQL Database Connectivity, 80 MB program and 260 MB data memory, built-in EtherCAT (256 servo axes, in total 256 EtherCAT nodes) and 2 Ethernet ports (OPC-UA and EtherNet/IP)	8,135.00	EC000236	NX010317B	4550431102829	#		HA	HAB	JPN	8471.5000.00
NX102-1000	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory, built-in EtherCAT (2 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2,786.00	EC000236	NX010138B	4549734205313	#		HA	HAB	CHN	8471.4100.00
NX102-1020	Sysmac NX1 Modular CPU with with Database Connectivity, 5MB program and 33.5MB data memory, built-in EtherCAT (2 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	3,280.00	EC000236	NX010142M	4549734205351	#		HA	HAB	CHN	8471.4100.00
NX102-1100	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory, built-in EtherCAT (4 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	3,478.00	EC000236	NX010139M	4549734205320	#		HA	HAB	CHN	8471.4100.00
NX102-1120	Sysmac NX1 Modular CPU with with Database Connectivity, 5MB program and 33.5MB data memory, built-in EtherCAT (4 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	3,913.00	EC000236	NX010143R	4549734205368	#		HA	HAB	CHN	8471.4100.00
NX102-1200	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory, built-in EtherCAT (8 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	4,728.00	EC000236	NX010140D	4549734205337	#		HA	HAB	CHN	8471.4100.00
NX102-1220	Sysmac NX1 Modular CPU with with Database Connectivity, 5MB program and 33.5MB data memory, built-in EtherCAT (8 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	5,045.00	EC000236	NX010144G	4549734205375	#		HA	HAB	CHN	8471.4100.00
NX102-9000	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory, built-in EtherCAT (0 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2,091.00	EC000236	NX010137D	4549734205306	#		HA	HAB	CHN	8471.4100.00
NX102-9020	Sysmac NX1 Modular CPU with with Database Connectivity, 5MB program and 33.5MB data memory, built-in EtherCAT (0 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2,654.00	EC000236	NX010141B	4549734205344	#		HA	HAB	CHN	8471.4100.00
NX-END02	Yedek parça - NX1P denetleyicisi için uç plakası	21.50	EC002584	NX010075M	4548583866553	#		HA	HAB	CHN	8471.6070.00
Hareket Kontrolörleri CK3E											
CK3E-1210	Programmable Multi-Axis Controller µPower PMAC, 8 axes	4,432.00	EC000236	CK3E0008H	4549734695275	#		HA	HAC	JPN	8471.4100.00
CK3E-1310	Programmable Multi-Axis Controller µPower PMAC, 16 axes	6,440.00	EC000236	CK3E0009F	4549734695282	#		HA	HAC	JPN	8471.4100.00
CK3E-1410	Programmable Multi-Axis Controller µPower PMAC, 32 axes	10,190.00	EC000236	CK3E0010M	4549734695299	#		HA	HAC	JPN	8471.4100.00
Hareket Kontrolörleri CK3M											
CK5M-CPU131	CK5M Quad Core 1040 CPU, 2 GB RAM, 4 GB Flash, 16 EtherCAT axes. Up to 8 axis interface units can be connected via Expansion units, max 32 axis local.	8,675.00	EC000236	CK5M0001C	4549734770583	#		HA	HAD	JPN	8471.4100.00
CK5M-CPU141	CK5M Quad Core 1040 CPU, 2 GB RAM, 4 GB Flash, 32 EtherCAT axes. Up to 8 axis interface units can be connected via Expansion units, max 32 axis local.	12,160.00	EC000236	CK5M0002A	4549734770590	#		HA	HAD	JPN	8471.4100.00
CK3W-AD2100	CK3W Analog IN, 4 points, +/-10 V, 16 bit (full scale)	1,616.00	EC001420	CK3W0024D	4549734537902	#		HA	HAD	CHN	8471.6070.00
CK3W-AD3100	CK3W Analog IN, 8 points, +/-10 V, 16 bit (full scale)	1,990.00	EC001420	CK3W0023F	4549734537896	#		HA	HAD	CHN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CK3W-MD7120	CK3W Digital I/O, IN/OUT:16/16, PNP	1,243.00	EC001419	CK3W0022H	4549734537889			HA	HAD	CHN	8471.6070.00
CK3W-PD048	CK3W Power Supply Unit for CK[M-CPU1][1], 5 VDC / 24 VDC, max current 8 A (5 VDC)	405.60	EC000599	CK3W0011B	4549734278881			HA	HAD	JPN	8471.8000.00
CK5W-EX501	Expansion Slave Unit. Use this in the Expansion Rack located in the middle. This unit can only be used with the CK5M CPU Unit.	1,241.00	EC002584	CK5M0003M	4549734770606			HA	HAD	CHN	8471.8000.00
Makine Otomasyon KontrolörleriNX1P2											
NX1P2-1040DT	Sysmac NX1P CPU, 40 Dijital Transistor I/O (NPN), 1.5 MB hafıza, EtherCAT (2 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	1,486.00	EC000236	NX010065C	4548583866454	#		HA	HAE	CHN	8471.4100.00
NX1P2-1040DT1	Sysmac NX1P CPU, 40 Dijital Transistor I/O (PNP), 1.5 MB hafıza, EtherCAT (2 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	1,486.00	EC000236	NX010066A	4548583866461	#		HA	HAE	CHN	8471.4100.00
NX1P2-1140DT1	Sysmac NX1P CPU, 40 Dijital Transistor I/O (PNP), 1.5 MB hafıza, EtherCAT (4 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	2,159.00	EC000236	NX010068H	4548583866485	#		HA	HAE	CHN	8471.4100.00
NX1P2-9024DT	Sysmac NX1P CPU, 24 Dijital Transistor I/O (NPN), 1.5 MB hafıza, EtherCAT (0 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	1,103.00	EC000236	NX010063G	4548583866430	#		HA	HAE	CHN	8471.4100.00
NX1P2-9024DT1	Sysmac NX1P CPU, 24 Dijital Transistor I/O (PNP), 1.5 MB hafıza, EtherCAT (0 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	1,112.00	EC000236	NX010064E	4548583866447	#		HA	HAE	CHN	8471.4100.00
NX1P2-9B24DT	Sysmac NX1P CPU with 24 Digital Transistor I/O (NPN), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 1 serial option port	783.00	EC000236	NX010202H	4549734556712	#		HA	HAE	CHN	8471.4100.00
NX1P2-9B24DT1	Sysmac NX1P CPU with 24 Digital Transistor I/O (PNP), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 1 serial option port	783.00	EC000236	NX010203F	4549734556729	#		HA	HAE	CHN	8471.4100.00
NX1P2-9B40DT	Sysmac NX1P CPU with 40 Digital Transistor I/O (NPN), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 2 serial option port	989.00	EC000236	NX010204D	4549734556736	#		HA	HAE	CHN	8471.4100.00
NX1P2-9B40DT1	Sysmac NX1P CPU with 40 Digital Transistor I/O (PNP), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 2 serial option port	989.00	EC000236	NX010205B	4549734556743	#		HA	HAE	CHN	8471.4100.00
NX1P seçene karta?											
NX1W-ADB21	Sysmac NX1P Analog I/O vidasz opsiyon kartı, 2 x analog giriş 0 to 10 V, çözünürlük 1/4000 veya 0 to 20 mA, çözünürlük 1:2000	135.80	EC001596	NX010072F	4548583866522	#		HA	HAF	CHN	8471.6070.00
NX1W-CIF01	Sysmac NX1P RS-232C vidasz (15 m max.) opsiyonel seri haberleşme kartı	67.40	EC001604	NX010069F	4548583866492	#		HA	HAF	CHN	8471.8000.00
NX1W-CIF11	Sysmac NX1P RS422/485 vidasz (50 m max.) opsiyonel seri haberleşme kartı	67.40	EC001604	NX010070M	4548583866508	#		HA	HAF	CHN	8471.8000.00
NX1W-CIF12	Sysmac NX1P RS422/485 vidasz (izole 500 m max.) opsiyonel seri haberleşme kartı	134.90	EC001604	NX010071H	4548583866515	#		HA	HAF	CHN	8471.8000.00
NX1W-DAB21V	Sysmac NX1P Analog I/O vidasz opsiyon kartı, 2 x analog çıkış 0 to 10 V, çözünürlük 1:4000	148.90	EC001596	NX010073D	4548583866539	#		HA	HAF	CHN	8471.6070.00
NX1W-MAB221	Sysmac NX1P Analog I/O vidasz opsiyon kartı, 2 x analog inputs 0 to 10 V, çözünürlük 1:4000 veya 0 to 20 mA, çözünürlük 1:2000, 2 x analog outputs 0 to 10 V, çözünürlük 1:4000	283.30	EC001596	NX010074B	4548583866546	#		HA	HAF	CHN	8471.6070.00
Makine Kontrolörleri NX701											
NX701-1600	Sysmac NX7 CPU, 80MB hafıza, dahili EtherCAT (128 servo eksen, toplamda 512 Ethercat cihazı) ve 2 Ethernet IP pveyatu	7,050.00	EC000236	NX010038F	4548583593695	#		HA	HAG	JPN	8471.4100.00
NX701-1620	Sysmac NX7 CPU with Database Connectivity, 80MB memory, built-in EtherCAT (128 servo axes, in total 512 EtherCAT nodes) and 2 EtherNet/IP ports	10,600.00	EC000236	NX010135H	4549734193863	#		HA	HAG	JPN	8471.4100.00
NX701-2600	Sysmac NX7 AI Controller, 80MB memory, built-in EtherCAT (128 servo axes, in total 512 EtherCAT nodes) and 2 EtherNet/IP ports	14,390.00	EC000236	NX010173M	4549734450201	#		HA	HAG	JPN	8471.5000.00
Aksesuarlar NJ'ler ve NX1											
NJ-PA3001	Sysmac NJ güç kaynağı 100-240 VAC, 30 W, "RUN" çıkış rölesi	344.50	EC000599	NX010005M	4548583020665	#		HA	HAZ	CHN	8504.4083.90
NJ-PD3001	Sysmac NJ güç kaynağı 24 VDC, 30 W, "RUN" çıkış rölesi	352.90	EC000599	NX010006H	4548583020672	#		HA	HAZ	CHN	8504.4083.90
NX-PA9001	Sysmac NX güç kaynağı, 100-240 VAC, 90 W, "RUN" çıkış rölesi	822.50	EC000599	NX010041F	4548583593725	#		HA	HAZ	JPN	8504.4083.90
NX-PD7001	Sysmac NX güç kaynağı, 24 VDC, 70 W, "RUN" çıkış rölesi	674.00	EC000599	NX010042D	4548583593732	#		HA	HAZ	JPN	8504.4083.90
HMC-SD293	2 GB SD hafıza kartı	298.40	EC000192	HMC 1045H	4550431072856	#		HA	HAZ	JPN	8471.9000.00
HMC-SD493	SD memory card, 4 GB	448.10	EC000192	HMC 1046F	4550431072863	#		HA	HAZ	JPN	8471.9000.00
NX Serisi Uzak G/Ç											
NX-ID3317	4 Dijital Giriş, Standart Hız, NPN 24 VDC, 12 mm genişlik	69.40	EC001599	NX020001A	4548583353008	#		HB	HBA	CHN	8517.6200.00
NX-ID3343	4 Dijital Giriş, Yüksek hız, NPN 24 VDC, 12 mm genişlik	135.40	EC001599	NX020007M	4548583353060	#		HB	HBA	CHN	8517.6200.00
NX-ID3344	4 Dijital Giriş, Yüksek hız, Zaman Damgalı, NPN 24 VDC, 12 mm genişlik	238.80	EC001599	NX020009G	4548583353084	#		HB	HBA	CHN	8517.6200.00
NX-ID3417	4 Dijital giriş, Standart hız, PNP 24 VDC, 12 mm genişlik	69.40	EC001599	NX029094M	4549734450478	#		HB	HBA	NLD	8517.6200.00
NX-ID3443	4 Dijital Giriş, Yüksek hız, PNP 24 VDC, 12 mm genişlik	135.40	EC001599	NX020080A	4548583368378	#		HB	HBA	CHN	8517.6200.00
NX-ID3444	4 Dijital giriş, Yüksek hız, Zaman Damgalı, PNP 24 VDC, 12 mm genişlik	238.80	EC001599	NX020010M	4548583353091	#		HB	HBA	CHN	8517.6200.00
NX-ID4342	8 Dijital giriş, Standart hız, NPN 24 VDC, 12 mm genişlik	92.10	EC001599	NX029095R	4549734450485	#		HB	HBA	NLD	8517.6200.00
NX-ID4442	8 Dijital giriş, Standart hız, PNP 24 VDC, 12 mm genişlik	92.10	EC001599	NX029096G	4549734450492	#		HB	HBA	NLD	8517.6200.00
NX-ID5142-1	16 Dijital Inputs, Standard speed, NPN/PNP 24 VDC, screw connector, 30 mm wide	156.20	EC001599	NX020106R	4548583572881	#		HB	HBA	CHN	8517.6200.00
NX-ID5142-5	16 Dijital Giriş, Standart Hız, NPN/PNP 24 VDC, 30 mm genişlik, MIL konektör (dahil değildir)	171.00	EC001599	NX020093C	4548583552029	#		HB	HBA	CHN	8517.6200.00
NX-ID5342	16 Dijital giriş, Standart hız, NPN 24 VDC, 12 mm genişlik	158.80	EC001599	NX029097E	4549734450508	#		HB	HBA	NLD	8517.6200.00
NX-ID5442	16 Dijital giriş, Standart hız, PNP 24 VDC, 12 mm genişlik	158.80	EC001599	NX029098C	4549734450515	#		HB	HBA	NLD	8517.6200.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NX-ID6142-5	32 Dijital giriş, Standart hız, NPN/PNP 24 VDC, 30 mm genişlik, MIL konnektör (dahil değil)	289.30	EC001599	NX020183B	4549734761680	#		HB	HBA	JPN	8471.6070.00
NX-ID6142-6	32 Digital Inputs, Standard speed, NPN/PNP 24 VDC, FCN40 connector (not included), 30 mm wide	289.30	EC001599	NX020184M	4549734761697	#		HB	HBA	JPN	8471.6070.00
NX-ID6342	32 Digital Inputs, Standard speed, NPN 24 VDC, screwless push-in connector, 24 mm wide	266.50	EC001599	NX020209M	4550431043061	#		HB	HBA	CHN	8471.6070.00
NX-ID6442	32 Digital Inputs, Standard speed, PNP 24 VDC, screwless push-in connector, 24 mm wide	302.30	EC001599	NX020210C	4550431043078	#		HB	HBA	CHN	8471.6070.00
NX-OC2633	2 Dijital çıkış, Standart NA röle, 2 A, 250 VAC, 12 mm genişlik	86.90	EC001599	NX029099A	4549734450522	#		HB	HBA	NLD	8517.6200.00
NX-OC2733	2 Dijital Çıkış, NA+NR röle, 2 A, 250 VAC, 12 mm genişlik	91.10	EC001599	NX029100R	4549734450539	#		HB	HBA	NLD	8517.6200.00
NX-OC4633	8 Dijital Çıkış, NA Röle, 2A, 250VAC, 24mm genişlik	227.20	EC001599	NX020124G	4548583863569	#		HB	HBA	CHN	8517.6200.00
NX-OD2154	2 Dijital Çıkış, Yüksek hız, Zaman Damgalı, NPN 24 VDC, 0.5 A/point, 1 A/NX ünitesi, 12 mm genişlik	175.70	EC001599	NX020081M	4548583407596	#		HB	HBA	CHN	8517.6200.00
NX-OD2258	2 Dijital çıkış, Yüksek hız, Zaman Damgalı, PNP 24 VDC, 0.5 A/point, 1 A/NX Ünite, 12 mm genişlik	175.70	EC001599	NX020082H	4548583407602	#		HB	HBA	CHN	8517.6200.00
NX-OD3121	4 Dijital Çıkış, Standart Hız, NPN 24 VDC, 0.5 A/point, 2 A/NX ünitesi, 12 mm genişlik	78.90	EC001599	NX020012G	4548583353114	#		HB	HBA	CHN	8517.6200.00
NX-OD3153	4 Dijital Çıkış, Yüksek hız, NPN 24 VDC, 0.5 A/point, 2 A/NX ünitesi, 12 mm genişlik	150.60	EC001599	NX020018F	4548583353176	#		HB	HBA	CHN	8517.6200.00
NX-OD3256	4 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 2 A/NX Ünite, 12 mm genişlik	74.65	EC001599	NX029101G	4549734450546	#		HB	HBA	NLD	8517.6200.00
NX-OD3257	4 Dijital çıkış, Yüksek hız, PNP 24 VDC, 0.5 A/point, 2 A/NX Ünite, 12 mm genişlik	143.90	EC001599	NX020019D	4548583353183	#		HB	HBA	CHN	8517.6200.00
NX-OD3261	4 Digital Outputs, Standard speed, PNP 24 VDC, 2 A/point, 8 A/NX unit, screwless push-in connector, 12 mm wide	101.90	EC001599	NX020110G	4548583572928	#		HB	HBA	CHN	8517.6200.00
NX-OD3128	8 Dijital Çıkış, Standart Hız, NPN 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 12 mm genişlik	103.60	EC001599	NX020014C	4548583353138	#		HB	HBA	CHN	8517.6200.00
NX-OD4256	8 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 4 A/NX Ünite, 12 mm genişlik	109.20	EC001599	NX029102E	4549734450553	#		HB	HBA	NLD	8517.6200.00
NX-OD5121	16 Dijital çıkış, Standart hız, NPN 24 VDC, 0.5 A/point, 4 A/NX Ünite, 12 mm genişlik	170.70	EC001599	NX029103C	4549734450560	#		HB	HBA	NLD	8517.6200.00
NX-OD5121-5	16 Dijital Çıkış, Standart Hız, NPN 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 30 mm genişlik, MIL konnektör (dahil değil)	183.00	EC001599	NX020095M	454858352043	#		HB	HBA	CHN	8517.6200.00
NX-OD5256	16 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 4 A/NX Ünite, 12 mm genişlik	170.70	EC001599	NX029104A	4549734450577	#		HB	HBA	NLD	8517.6200.00
NX-OD5256-1	16 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 5 A/NX Unit, screw connector, 30 mm wide	221.40	EC001599	NX020111E	4548583572935	#		HB	HBA	CHN	8517.6200.00
NX-OD5256-5	16 Dijital Çıkış, Standart Hız, PNP 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 30 mm genişlik, MIL konnektör (dahil değil)	188.10	EC001599	NX020097F	4548583552067	#		HB	HBA	CHN	8517.6200.00
NX-OD6121-5	32 Dijital Çıkış, Standart Hız, NPN 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 30 mm genişlik, MIL konnektör (dahil değil)	310.70	EC001599	NX020190E	4549734761758	#		HB	HBA	JPN	8471.6070.00
NX-OD6121-6	32 Digital Outputs, Standard speed, NPN 24 VDC, 0.5 A/point, 4 A/NX Unit, FCN40 connector (not included), 30 mm wide	310.70	EC001599	NX020109C	4548583572911	#		HB	HBA	CHN	8517.6200.00
NX-OD6256	32 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 4 A/NX Unit, screwless push-in connector, 24 mm wide	279.00	EC001599	NX020212M	4550431043092	#		HB	HBA	CHN	8471.6070.00
NX-OD6256-5	32 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 4 A/NX Ünite, 30 mm genişlik, MIL konnektör (dahil değil)	310.70	EC001599	NX020098D	4548583552074	#		HB	HBA	CHN	8517.6200.00
NX-MD6121-5	16 Dijital Giriş + 16 Dijital NPN Çıkış, Standart Hız, 24 VDC, 30 mm genişlik, MIL konnektör (dahil değil)	300.20	EC001599	NX020099B	4548583552081	#		HB	HBA	CHN	8517.6200.00
NX-MD6121-6	16 Digital Inputs + 16 Digital NPN Outputs, Standard speed, 24 VDC, 2 x FCN24 connectors (not included), 30 mm wide	300.20	EC001599	NX020112C	4548583572942	#		HB	HBA	CHN	8517.6200.00
NX-AD2203	2 Analog Giriş, 4-20 mA, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	273.10	EC001596	NX029085A	4549734450386	#		HB	HBA	NLD	8517.6200.00
NX-AD2204	2 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	273.10	EC001596	NX020034H	4548583353336	#		HB	HBA	CHN	8517.6200.00
NX-AD2208	2 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	350.90	EC001596	NX020035F	4548583353343	#		HB	HBA	CHN	8517.6200.00
NX-AD2603	2 Analog Giriş, +/- 10 V, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	273.10	EC001596	NX029086M	4549734450393	#		HB	HBA	NLD	8517.6200.00
NX-AD2604	2 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	273.10	EC001596	NX020025R	4548583353244	#		HB	HBA	CHN	8517.6200.00
NX-AD2608	2 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	350.90	EC001596	NX020026G	4548583353251	#		HB	HBA	CHN	8517.6200.00
NX-AD3203	4 Analog Giriş, 4-20 mA, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	311.30	EC001596	NX029087H	4549734450409	#		HB	HBA	NLD	8517.6200.00
NX-AD3204	4 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	311.30	EC001596	NX029088F	4549734450416	#		HB	HBA	NLD	8517.6200.00
NX-AD3208	4 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	484.40	EC001596	NX020038M	4548583353374	#		HB	HBA	CHN	8517.6200.00
NX-AD3603	4 Analog Giriş, +/- 10 V, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	311.30	EC001596	NX020172G	4549734761574	#		HB	HBA	JPN	8471.6070.00
NX-AD3604	4 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	311.30	EC001596	NX020028C	4548583353275	#		HB	HBA	CHN	8517.6200.00
NX-AD3608	4 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	484.40	EC001596	NX020029A	4548583353282	#		HB	HBA	CHN	8517.6200.00
NX-AD4203	8 Analog Giriş, 4-20 mA, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	428.20	EC001596	NX029089D	4549734450423	#		HB	HBA	NLD	8517.6200.00
NX-AD4204	8 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	428.20	EC001596	NX029090H	4549734450430	#		HB	HBA	NLD	8517.6200.00
NX-AD4208	8 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	622.00	EC001596	NX020041M	4548583353404	#		HB	HBA	CHN	8517.6200.00
NX-AD4603	8 Analog Giriş, +/- 10 V, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	428.20	EC001596	NX020030E	4548583353299	#		HB	HBA	CHN	8517.6200.00
NX-AD4604	8 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	428.20	EC001596	NX020031C	4548583353305	#		HB	HBA	CHN	8517.6200.00
NX-AD4608	8 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	622.00	EC001596	NX020032A	4548583353312	#		HB	HBA	CHN	8517.6200.00
NX-HAD402	4 High Speed Analog Inputs, -10 to 10 V, -5 to 5 V, 0 to 10 V, 0 to 5 V, 1 to 5V, 0 to 20 mA, 4 to 20 mA, differential, resolution 16 bit, 5 µs/ch, screwless push-in connector, 24 mm wide, PNP	1,417.00	EC001596	NX020145M	4549734209663	#		HB	HBA	CHN	8517.6200.00
NX-HB3101	Heater Burnout Saptama Ünitesi, 4 CT Giriş, 4 NPN Çıkış, vidasız push-in bağlantı, 12 mm genişlik	534.50	EC001597	NX020122M	4548583801981	#		HB	HBA	CHN	8517.6200.00
NX-HB3201	Heater Burnout Saptama Ünitesi, 4 CT Giriş, 4 PNP Çıkış, vidasız push-in bağlantı, 12 mm genişlik	534.50	EC001597	NX020123R	4548583801998	#		HB	HBA	CHN	8517.6200.00
NX-RS1201	1 x Load Cell Giriş, -5.0 to 5.0 mV/V, 24 bit, 125 µs, vidasız push-in bağlantı, 12 mm genişlik	647.50	EC001596	NX020121B	4548583799158	#		HB	HBA	JPN	8517.6200.00
NX-RS1201-K	1 x Load Cell Input with certification, -5.0 to 5.0 mV/V, 24 bit, 125 µs, screwless push-in connector, 12 mm wide	929.50	EC001596	NX020125E	4549734110235	#		HB	HBA	JPN	8517.6200.00
NX-TS2101	2 Termokupl Giriş, K,J,T,E,L,U,N,R,S,B,WReS-26,PLII, çözünürlük 0.1°C, 250 ms/Ünite, 12 mm genişlik	318.70	EC001596	NX020050M	4548583353497	#		HB	HBA	CHN	8517.6200.00
NX-TS2201	2 Sıcaklık Sensörü Giriş, RTD Pt100 (3-kablolu), Pt1000, çözünürlük 0.1 °C, 250 ms/Ünite, 12 mm genişlik	318.70	EC001596	NX020056F	4548583353558	#		HB	HBA	CHN	8517.6200.00
NX-TS2202	2 Sıcaklık Sensör Girişi, Pt100 (3-kablolu), çözünürlük 0.01°C, 10 ms/ünitesi, 12 mm genişlik	318.70	EC001596	NX020057G	4548583353565	#		HB	HBA	CHN	8517.6200.00
NX-TS2204	2 Sıcaklık Sensör Girişi, Pt100 (3-kablolu), Pt1000 (3-kablolu) çözünürlük 0.001°C, 60 ms/ünitesi, 12 mm genişlik	513.50	EC001596	NX020058E	4548583353572	#		HB	HBA	CHN	8517.6200.00
NX-TS3101	4 Termokupl Giriş, K,J,T,E,L,U,N,R,S,B,WReS-26,PLII, çözünürlük 0.1°C, 250 ms/Ünite, 24 mm genişlik	406.20	EC001596	NX020053D	4548583353527	#		HB	HBA	CHN	8517.6200.00
NX-TS3102	4 Termokupl Giriş, K,J,T,E,L,U,N,R,S,WReS-26,PLII, çözünürlük 0.01°C, 10 ms/ünitesi, 24 mm genişlik	655.50	EC001596	NX020054B	4548583353534	#		HB	HBA	CHN	8517.6200.00
NX-TS3104	4 Termokupl Giriş, K,J,T,E,L,U,N,R,S,WReS-26,PLII, çözünürlük 0.001°C, 60 ms/ünitesi, 24 mm genişlik	655.50	EC001596	NX020055M	4548583353541	#		HB	HBA	CHN	8517.6200.00
NX-TS3201	4 Sıcaklık Sensörü Giriş, RTD Pt100 (3-kablolu), Pt1000, çözünürlük 0.1 °C, 250 ms/Ünite, 24 mm genişlik	406.20	EC001596	NX020059C	4548583353589	#		HB	HBA	CHN	8517.6200.00
NX-TS3202	4 Temperature Sensor Inputs, Pt100 (3-wire), resolution 0.01°C, 10 ms/Unit, screwless push-in connectors, 24 mm wide	655.50	EC001596	NX020060G	4548583353596	#		HB	HBA	CHN	8517.6200.00
NX-TS3204	4 Sıcaklık Sensör Girişi, Pt100 (3-kablolu), Pt1000 (3-kablolu) çözünürlük 0.001°C, 60 ms/ünitesi, 24 mm genişlik	655.50	EC001596	NX020061E	4548583353602	#		HB	HBA	CHN	8517.6200.00

Catalog Description (image)	Item Web Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NX-DA2203	2 Analog Çıkış, 4-20 mA, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	298.70	EC001596	NX020046A	4548583353459	#		HB	HBA	CHN	8517.6200.00
NX-DA2205	2 Analog Çıkış, 4-20 mA, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	375.80	EC001596	NX020047M	4548583353466	#		HB	HBA	CHN	8517.6200.00
NX-DA2603	2 Analog Çıkış, +/- 10 V, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	298.70	EC001596	NX020091F	4549734450447	#		HB	HBA	NLD	8517.6200.00
NX-DA2605	2 Analog Çıkış, +/- 10 V, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	375.80	EC001596	NX020043G	4548583353428	#		HB	HBA	CHN	8517.6200.00
NX-DA3203	4 Analog Çıkış, 4-20 mA, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	342.20	EC001596	NX020902D	4549734450454	#		HB	HBA	NLD	8517.6200.00
NX-DA3205	4 Analog Çıkış, 4-20 mA, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	508.00	EC001596	NX020049F	4548583353480	#		HB	HBA	CHN	8517.6200.00
NX-DA3603	4 Analog Çıkış, +/- 10 V, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	342.20	EC001596	NX020903B	4549734450461	#		HB	HBA	NLD	8517.6200.00
NX-DA3605	4 Analog Çıkış, +/- 10 V, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	508.00	EC001596	NX020045C	4548583353442	#		HB	HBA	CHN	8517.6200.00
NX-EC0112	1 Incremental Encoder NPN Giriş, Faz A ve B: Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik	325.50	EC001601	NX020101H	4548583552104	#		HB	HBA	CHN	8517.6200.00
NX-EC0122	1 Incremental Encoder PNP Giriş, Faz A ve B: Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik	304.10	EC001601	NX020062C	4548583353619	#		HB	HBA	CHN	8517.6200.00
NX-EC0132	1 Incremental Encoder Line driver Giriş, Faz A ve B: Tek-faz 4 MHz (Faz farkı Puls Giriş x4: 1 MHz), Faz Z: 1 MHz, NPN, 24 mm genişlik	508.00	EC001601	NX020103D	4548583552128	#		HB	HBA	CHN	8517.6200.00
NX-EC0142	1 Incremental Encoder Line driver Giriş, Faz A ve B: Tek-faz 4 MHz (Faz farkı Puls Giriş x4: 1 MHz), Faz Z: 1 MHz, PNP, 24 mm genişlik	471.10	EC001601	NX020064M	4548583353633	#		HB	HBA	CHN	8517.6200.00
NX-EC0212	2 Incremental Encoder NPN Giriş, Faz A ve B: Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik	363.50	EC001601	NX020102F	4548583552111	#		HB	HBA	CHN	8517.6200.00
NX-EC0222	2 Incremental Encoder PNP Giriş, Faz A ve B: tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik	338.80	EC001601	NX020063A	4548583353626	#		HB	HBA	CHN	8517.6200.00
NX-ECS112	1 SSI Encoder Giriş, EIA Standart RS-422-A, 32 bits max veri uzunluğu, 12 mm genişlik	428.20	EC001601	NX020065H	4548583353640	#		HB	HBA	CHN	8517.6200.00
NX-ECS212	2 SSI Encoder Giriş, EIA Standart RS-422-A, 32 bits max veri uzunluğu, 12mm genişlik	508.00	EC001601	NX020066F	4548583353657	#		HB	HBA	CHN	8517.6200.00
NX-PG0112	1 Puls Çıkış İleri/geri-yön Puls Çıkış veya puls + yön Çıkış, NPN, 12 mm genişlik	384.30	EC001601	NX020104B	4548583552135	#		HB	HBA	CHN	8517.6200.00
NX-PG0122	1 Puls Çıkış İleri/geri-yön Puls Çıkış veya puls + yön Çıkış, PNP, 12 mm genişlik	358.40	EC001601	NX020067D	4548583353664	#		HB	HBA	CHN	8517.6200.00
NX-PG0232-5	2 x Line Driver Puls Çıkış, NPN, 4 Mpps, 1 x MIL connector, 12 mm genişlik	855.00	EC001601	NX020119M	4548583783461	#		HB	HBA	JPN	8517.6200.00
NX-PG0242-5	2 x Line Driver Puls Çıkış, PNP, 4 Mpps, 1 x MIL connector, 12 mm genişlik	855.00	EC001601	NX020120D	4548583783478	#		HB	HBA	JPN	8517.6200.00
NX-PG0332-5	4 x Line Driver Puls Çıkış, NPN, 4 Mpps, 2 x MIL connectors, 24 mm genişlik	1,221.00	EC001601	NX020117D	4548583783447	#		HB	HBA	JPN	8517.6200.00
NX-PG0342-5	4 x Line Driver Puls Çıkış, PNP, 4 Mpps, 2 x MIL connectors, 24 mm genişlik	1,221.00	EC001601	NX020118B	4548583783454	#		HB	HBA	JPN	8517.6200.00
NX-CIF101	Seri Haberleşme Arayüzü Ünitesi, 1 x RS-232C, bastrımlı terminal, 12 mm genişlik	498.50	EC001604	NX020114M	4548583588653	#		HB	HBA	JPN	8517.6200.00
NX-CIF105	Seri Haberleşme Arayüzü Ünitesi, 1 x RS-422/485C, bastrımlı terminal, 12 mm genişlik	498.50	EC001604	NX020115H	4548583588660	#		HB	HBA	JPN	8517.6200.00
NX-CIF210	Seri Haberleşme Arayüzü Ünitesi, 2 x RS-232C, 9-pin D-sub, 30 mm genişlik	587.00	EC001604	NX020116F	4548583588677	#		HB	HBA	JPN	8517.6200.00
NX-ECT101	NX-series EtherCAT® Slave Unit. High-speed data exchange based on EtherCAT.	855.00	EC001604	NX020171R	4549734754347	#		HB	HBA	CHN	8471.8000.00
NX-EIP201	Expansion EtherNet/IP unit, connects to Left hand side of CPU	2,902.00	EC001604	NX020208A	4550431037961	#		HB	HBA	JPN	8471.8000.00
NX-HTC3510-5	4 loops, Thermocouple/Pt100/Analog input, 4 Voltage outputs (for driving SSR), 4 Linear current outputs, Heating and Cooling Control, Heater burnout alarm, MIL connector	1,194.00	EC001597	NXTC5002B	4549734783637	#		HB	HBA	CHN	8471.6070.00
NX-HTC4505-5	8 loops, Thermocouple/Pt100/Analog input, 8 Voltage outputs (for driving SSR), Heat or Cool control, Heater burnout alarm, MIL connector	1,557.00	EC001597	NXTC5000F	4549734783620	#		HB	HBA	CHN	8471.6070.00
NX-TC2405	2 loops, Thermocouple/Pt100 input, PNP 2 Digital Outputs 24 VDC, 21 mA/point, Heat or Cool control, Heater burnout alarm, Push-in Plus terminals	515.50	EC001597	NXTC1000D	4549734191388	#		HB	HBA	CHN	8471.6070.00
NX-TC2406	2 loops, Thermocouple/Pt100 input, PNP 2 Digital Outputs 24 VDC, 21 mA/point, Heat or Cool control, Push-in Plus terminals	472.20	EC001597	NXTC1001B	4549734191395	#		HB	HBA	CHN	8471.6070.00
NX-TC2407	2 loops, Thermocouple/Pt100 input, PNP 4 Digital Outputs 24 VDC, 21 mA/point, Heat and Cool control, Push-in Plus terminals	485.50	EC001597	NXTC1002M	4549734191401	#		HB	HBA	CHN	8471.6070.00
NX-TC2408	2 loops, Thermocouple/Pt100 input, 2 Analog Outputs, 4 - 20 mA, resolution 1:10000, Heat or Cool control, Push-in Plus terminals	552.00	EC001597	NXTC1003R	4549734191418	#		HB	HBA	CHN	8471.6070.00
NX-TC3405	4 loops, Thermocouple/Pt100 input, PNP 4 Digital Outputs 24 VDC, 21 mA/point, Heat or Cool control, Heater burnout alarm, Push-in Plus terminals	656.00	EC001597	NXTC1004G	4549734191425	#		HB	HBA	CHN	8471.6070.00
NX-TC3406	4 loops, Thermocouple/Pt100 input, PNP 4 Digital Outputs 24 VDC, 21 mA/point, Heat or Cool control, Push-in Plus terminals	590.50	EC001597	NXTC1005E	4549734191432	#		HB	HBA	CHN	8471.6070.00
NX-TC3407	4 loops, Thermocouple/Pt100 input, PNP 8 Digital Outputs 24 VDC, 21 mA/point, Heat and Cool control, Push-in Plus terminals	603.00	EC001597	NXTC1006C	4549734191449	#		HB	HBA	CHN	8471.6070.00
NX-ECC203	Uzak I/O, NX, 2 port EtherCAT Coupler, 125 µs döngü süresi, max I/O akımı 10 A, sonlandırıcı ile birlikte teslim edilir	285.70	EC001603	NX020105M	4548583561939	#		HB	HBA	CHN	8517.6200.00
NX-EIC202	Uzak I/O, NX, EtherNet/IP Coupler, 63 I/O ünitesi, bağımsız güvenli kontrolçüsünü destekler, 10A max	454.80	EC001603	NX020092E	4548583523333	#		HB	HBA	CHN	8517.6200.00
NX-ILM400	NX serisi IO-Link master IP20, 4 kanal	307.70	EC001599	NX021000R	4548583819139	#		HB	HBA	JPN	8517.6200.00
NX-PC0010	NX G/Ç güç bağlantı ünitesi, IOG, 5-24 V DC Giriş, 16 terminal	59.80	EC001600	NX029105M	4549734450584	#		HB	HBA	NLD	8536.9095.00
NX-PC0020	NX G/Ç güç bağlantı ünitesi, IOV, 5-24 V DC Giriş, 16 terminal	59.80	EC001600	NX029106H	4549734450591	#		HB	HBA	NLD	8536.9095.00
NX-PC0030	NX G/Ç güç bağlantı ünitesi, IOV+IOG, 5-24 V DC Giriş, 8 + 8 terminal	59.80	EC001600	NX029107F	4549734450607	#		HB	HBA	NLD	8536.9095.00
NX-PD1000	NX bus ve G/Ç güç besleme, 24 V DC Giriş, non-isolated, 12 mm genişlik	108.30	EC001600	NX029108D	4549734450614	#		HB	HBA	NLD	8504.4060.90
NX-PF0630	NX G/Ç güç besleme ünitesi, 5-24 V DC Giriş, 8 terminal	74.90	EC001600	NX029109B	4549734450621	#		HB	HBA	NLD	8536.9095.00
NX-PF0730	Uzak I/O, NX, güç besleme ünitesi, 10A	66.80	EC001600	NX029110F	4549734450638	#		HB	HBA	NLD	8536.9095.00
NX-PNC202	NX-series PROFINET Coupler, 2 ports, 63 I/O units, max I/O current 10 A, screwless push-in connector, delivered with end cover	626.00	EC001603	NX020169G	4549734710978	#		HB	HBA	CHN	8517.6200.00
NX-TBX01	Ground bağlama terminali, 14 terminal	57.20	EC001600	NX020073R	4548583353725	#		HB	HBA	CHN	8536.9095.00
NX-AUX01	NX-serisi aksesuar, DIN ray montajı ayrıncı, 1 sette 3 adet	27.46	EC002584	NX020078M	4548583364561	#		HB	HBA	JPN	8471.6070.00
NX-AUX02	Terminal blok kodlama pinleri veya 10x NX I/O ünitesiesi (Terminal Blok: 30 pin, ünitesi: 30 pin)	13.81	EC002584	NX020079H	4548583365148	#		HB	HBA	CHN	8471.6070.00
NX-END01	NX I/O serisi için sonlandırma kapağı (yedek amaçlı)	13.52	EC002584	NX020074G	4548583353732	#		HB	HBA	CHN	8471.6070.00
NX-TBA122	Replacement screwless push-in connector with 12 wiring terminals (marked A+B)	12.93	EC002584	NX020086M	4548583476523	#		HB	HBA	CHN	8536.9010.00
NX-TBA162	Replacement screwless push-in connector with 16 wiring terminals (marked A+B)	13.53	EC002584	NX020087R	4548583476530	#		HB	HBA	CHN	8536.9010.00
NX-TBB162	Replacement screwless push-in connector with 16 wiring terminals (marked C+D)	12.93	EC002584	NX020089E	4548583476554	#		HB	HBA	CHN	8536.9010.00
NX-TBC082	Replacement screwless push-in connector with 8 wiring terminals (marked A+B+FG)	12.93	EC002584	NX020090R	4548583476561	#		HB	HBA	CHN	8536.9010.00
NX-TBC162	Replacement screwless push-in connector with 16 wiring terminals (marked A+B+FG)	12.93	EC002584	NX020091G	4548583476578	#		HB	HBA	CHN	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NXR Serisi											
NXR-ILM08C-ECT	NXR Series IO-Link Master Unit IP67, 8 ports, EtherCAT	780.50	EC001599	NXR 0007D	4550431068255	#		HB	HBB	JPN	8471.6070.00
NXR-ILM08C-EIT	NXR Series IO-Link Master Unit IP67, 8 ports, EtherNet/IP	871.00	EC001599	NXR 0001E	4549734605632	#		HB	HBB	JPN	8471.6070.00
NXR-ID166C-IL2	NXR Series IO-Hub IP67, 16 input, 8x M12 connectors	425.90	EC001599	NXR 0003A	4549734605656	#		HB	HBB	JPN	8471.6070.00
NXR-CD166C-IL2	NXR Series IO-Hub IP67, 16 input/output, 8x M12 connectors	526.00	EC001599	NXR 0002C	4549734605649	#		HB	HBB	JPN	8471.6070.00
NX Eminiyet Ürünleri											
NX-SL3300	Güvenlik Kontrolörü, NX, 32 güvenlik master bağlantı, 256 güvenlik I/O ya kadar	407.10	EC000236	NXS32007C	4549734766111	#		HC	HCA	JPN	8471.6070.00
NX-SL3500	NX-serisi I/O, NX Güvenlik kontrolör, 1024 güvenlik I/O ya kadar ve 2Mb hafıza kapasitesi	915.50	EC000236	NXS32008A	4549734766128	#		HC	HCA	JPN	8471.6070.00
NX-SL5500	Safety controller, CIP-S and EtherCAT, 128 safety master connections, up to 1024 safety I/O, 2 MB memory capacity, SD Backup/Restore supported	1,119.00	EC000236	NXS30011M	4549734205702	#		HC	HCA	CHN	8471.6070.00
NX-SL5700	Safety controller, CIP-S and EtherCAT, 254 safety master connections, up to 2032 safety I/O, 4 MB memory capacity, SD Backup/Restore supported	1,527.00	EC000236	NXS30010B	4549734205696	#		HC	HCA	CHN	8471.6070.00
NX-SID800	8 Dijital Güvenlik Girişi, PNP 24 VDC, 12 mm genişlik	505.50	EC001599	NXS36005R	4549734450027	#		HC	HCA	NLD	8471.6070.00
NX-SIH400	4 Dijital Güvenlik Girişi, PNP 24 VDC, yüksek bağlanabilirlik ünite, 12 mm genişlik	391.70	EC001599	NXS36009A	4549734450058	#		HC	HCA	NLD	8471.6070.00
NX-SOD400	4 Dijital Güvenlik Çıkışı, PNP 24 VDC, 0.5 A/nokta, 2.0 A/NX Ünite, 12 mm genişlik	433.40	EC001599	NXS36003B	4549734450010	#		HC	HCA	NLD	8471.6070.00
NX-SOH200	2 Dijital Güvenlik Çıkışı, PNP 24 VDC, 2.0 A/nokta, 4.0 A/NX Ünite, 12 mm genişlik	377.10	EC001599	NXS36006G	4549734450034	#		HC	HCA	NLD	8471.6070.00
NX-CSG320	Safety Gateway for CIP-Safety, SD-Card slot, iBus connection up to 10 A, Interface 1: Ethernet/IP port, Interface 2: CIP-Safety switching ports	1,449.00	EC001604	NXS30012R	4549734205719	#		HC	HCA	CHN	8471.8000.00
OAT Scara											
17211-16000	SCARA Robot eCobra 600 Pro, 5.5 kg taşıma kapasitesi, 600 mm erişim, IP20	28,010.00	EC003245	R6A 6052D	4549734445221			IB	IBA	JPN	8479.5000.00
RL4-1166000	eCobra 600 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	22,970.00	EC003245	R6A 0279F	4549734671156			IB	IBA	JPN	8479.5000.00
RL4-1166010	eCobra 600 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	26,080.00	EC003245	R6A 0280M	4549734671163			IB	IBA	JPN	8479.5000.00
RL4-1168000	eCobra 800 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	28,450.00	EC003245	R6A 0283D	4549734671194			IB	IBA	JPN	8479.5000.00
RL4-1168010	eCobra 800 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	31,590.00	EC003245	R6A 0284B	4549734671200			IB	IBA	JPN	8479.5000.00
RL4-1168030	eCobra 800 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP65, EtherCAT	34,460.00	EC003245	R6A 0285M	4549734671217			IB	IBA	JPN	8479.5000.00
RL4-2166000	eCobra 600 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	28,370.00	EC003245	R6A 0281H	4549734671170			IB	IBA	JPN	8479.5000.00
RL4-2166010	eCobra 600 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	31,520.00	EC003245	R6A 0282F	4549734671187			IB	IBA	JPN	8479.5000.00
RL4-2168000	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	33,210.00	EC003245	R6A 0286R	4549734671224			IB	IBA	JPN	8479.5000.00
RL4-2168010	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	36,420.00	EC003245	R6A 0287G	4549734671231			IB	IBA	JPN	8479.5000.00
RL4-2168030	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP65, EtherCAT	39,290.00	EC003245	R6A 0288E	4549734671248			IB	IBA	JPN	8479.5000.00
RS4-2053002	i4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-ENET	12,610.00	EC003245	R6A 0374A	4549734693011	#		IB	IBA	CHN	8479.5000.00
RS4-2054002	i4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-ENET	14,020.00	EC003245	R6A 0375M	4549734693028	#		IB	IBA	CHN	8479.5000.00
RS4-2054102	i4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-ENET	14,020.00	EC003245	R6A 0379B	4549734693066	#		IB	IBA	CHN	8479.5000.00
RS4-2055002	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-ENET	15,410.00	EC003245	R6A 0376H	4549734693035	#		IB	IBA	CHN	8479.5000.00
RS4-2055004	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Rear Panel, IP20, ICS-ENET	16,800.00	EC003245	R6A 0377F	4549734693042	#		IB	IBA	CHN	8479.5000.00
RS4-2055102	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-ENET	15,410.00	EC003245	R6A 0380F	4549734693073	#		IB	IBA	CHN	8479.5000.00
RS4-2055104	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Bottom Panel, IP20, ICS-ENET	16,630.00	EC003245	R6A 0381D	4549734693080	#		IB	IBA	CHN	8479.5000.00
RS4-2056502	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-ENET	30,430.00	EC003245	R6A 7188G	4549734759557			IB	IBA	NLD	8479.5000.00
RS4-2056504	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-ENET	31,750.00	EC003245	R6A 7191G	4549734759588			IB	IBA	NLD	8479.5000.00
RS4-2056512	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, CR/ESD, ICS-ENET	37,880.00	EC003245	R6A 4429D	4549734769990			IB	IBA	NLD	8479.5000.00
RS4-2056514	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, CR/ESD, ICS-ENET	39,300.00	EC003245	R6A 4430H	4549734770002			IB	IBA	NLD	8479.5000.00
RS4-2056542	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ENET	41,200.00	EC003245	R6A 7190R	4549734759571			IB	IBA	NLD	8479.5000.00
RS4-2056544	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ENET	42,500.00	EC003245	R6A 7193C	4549734759601			IB	IBA	NLD	8479.5000.00
RS4-2056553	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ENET	33,480.00	EC003245	R6A 7189E	4549734759564			IB	IBA	NLD	8479.5000.00
RS4-2056555	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ENET	34,760.00	EC003245	R6A 7192E	4549734759595			IB	IBA	NLD	8479.5000.00
RS4-2056702	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-ENET	30,430.00	EC003245	R6A 7194A	4549734759618			IB	IBA	NLD	8479.5000.00
RS4-2056704	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-ENET	31,750.00	EC003245	R6A 7197F	4549734759649			IB	IBA	NLD	8479.5000.00
RS4-2056712	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, CR/ESD, ICS-ENET	37,880.00	EC003245	R6A 4431F	4549734770019			IB	IBA	NLD	8479.5000.00
RS4-2056714	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, CR/ESD, ICS-ENET	39,300.00	EC003245	R6A 4432D	4549734770026			IB	IBA	NLD	8479.5000.00
RS4-2056742	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ENET	41,200.00	EC003245	R6A 7196H	4549734759632			IB	IBA	NLD	8479.5000.00
RS4-2056744	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ENET	42,500.00	EC003245	R6A 7199B	4549734759663			IB	IBA	NLD	8479.5000.00
RS4-2056753	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ENET	33,480.00	EC003245	R6A 7195M	4549734759625			IB	IBA	NLD	8479.5000.00
RS4-2056755	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ENET	34,760.00	EC003245	R6A 7198D	4549734759656			IB	IBA	NLD	8479.5000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RS4-2057502	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-ENET	31,750.00	EC003245	R6A 7200M	4549734759670			IB	IBA	NLD	8479.5000.00
RS4-2057504	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-ENET	33,090.00	EC003245	R6A 7203D	4549734759700			IB	IBA	NLD	8479.5000.00
RS4-2057512	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, CR/ESD, ICS-ENET	39,300.00	EC003245	R6A 4433B	454973470033			IB	IBA	NLD	8479.5000.00
RS4-2057514	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, CR/ESD, ICS-ENET	40,630.00	EC003245	R6A 4434M	454973470040			IB	IBA	NLD	8479.5000.00
RS4-2057542	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ENET	42,500.00	EC003245	R6A 7202F	4549734759694			IB	IBA	NLD	8479.5000.00
RS4-2057544	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ENET	43,780.00	EC003245	R6A 7205M	4549734759724			IB	IBA	NLD	8479.5000.00
RS4-2057553	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ENET	34,760.00	EC003245	R6A 7201H	4549734759687			IB	IBA	NLD	8479.5000.00
RS4-2057555	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ENET	36,040.00	EC003245	R6A 7204B	4549734759717			IB	IBA	NLD	8479.5000.00
RS4-2057702	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-ENET	31,750.00	EC003245	R6A 7206R	4549734759731			IB	IBA	NLD	8479.5000.00
RS4-2057704	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-ENET	33,090.00	EC003245	R6A 7209C	4549734759762			IB	IBA	NLD	8479.5000.00
RS4-2057712	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, CR/ESD, ICS-ENET	39,300.00	EC003245	R6A 4435R	4549734770057			IB	IBA	NLD	8479.5000.00
RS4-2057714	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, CR/ESD, ICS-ENET	40,630.00	EC003245	R6A 4436G	4549734770064			IB	IBA	NLD	8479.5000.00
RS4-2057742	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ENET	42,500.00	EC003245	R6A 7208E	4549734759755			IB	IBA	NLD	8479.5000.00
RS4-2057744	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ENET	43,780.00	EC003245	R6A 7211E	4549734759786			IB	IBA	NLD	8479.5000.00
RS4-2057753	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ENET	34,760.00	EC003245	R6A 7207G	4549734759748			IB	IBA	NLD	8479.5000.00
RS4-2057755	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ENET	36,040.00	EC003245	R6A 7210G	4549734759779			IB	IBA	NLD	8479.5000.00
RS4-2058502	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-ENET	33,090.00	EC003245	R6A 7212C	4549734759793			IB	IBA	NLD	8479.5000.00
RS4-2058504	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-ENET	34,410.00	EC003245	R6A 7215H	4549734759823			IB	IBA	NLD	8479.5000.00
RS4-2058512	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, CR/ESD, ICS-ENET	40,630.00	EC003245	R6A 4437E	4549734770071			IB	IBA	NLD	8479.5000.00
RS4-2058514	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, CR/ESD, ICS-ENET	41,980.00	EC003245	R6A 4438C	4549734770088			IB	IBA	NLD	8479.5000.00
RS4-2058542	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ENET	43,780.00	EC003245	R6A 7214M	4549734759816			IB	IBA	NLD	8479.5000.00
RS4-2058544	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ENET	45,080.00	EC003245	R6A 7217D	4549734759847			IB	IBA	NLD	8479.5000.00
RS4-2058553	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ENET	36,040.00	EC003245	R6A 7213A	4549734759809			IB	IBA	NLD	8479.5000.00
RS4-2058555	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ENET	37,340.00	EC003245	R6A 7216F	4549734759830			IB	IBA	NLD	8479.5000.00
RS4-2058702	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-ENET	33,090.00	EC003245	R6A 7218B	4549734759854			IB	IBA	NLD	8479.5000.00
RS4-2058704	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-ENET	34,410.00	EC003245	R6A 7221B	4549734759885			IB	IBA	NLD	8479.5000.00
RS4-2058712	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, CR/ESD, ICS-ENET	40,630.00	EC003245	R6A 4439A	4549734770095			IB	IBA	NLD	8479.5000.00
RS4-2058714	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, CR/ESD, ICS-ENET	41,980.00	EC003245	R6A 4440E	4549734770101			IB	IBA	NLD	8479.5000.00
RS4-2058742	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ENET	43,780.00	EC003245	R6A 7220D	4549734759878			IB	IBA	NLD	8479.5000.00
RS4-2058744	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ENET	45,080.00	EC003245	R6A 7223R	4549734759908			IB	IBA	NLD	8479.5000.00
RS4-2058753	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ENET	36,040.00	EC003245	R6A 7219M	4549734759861			IB	IBA	NLD	8479.5000.00
RS4-2058755	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ENET	37,340.00	EC003245	R6A 7222M	4549734759892			IB	IBA	NLD	8479.5000.00
RS4-2063002	i4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-ECAT	12,610.00	EC003245	R6A 0972C	4549734766623			IB	IBA	CHN	8479.5000.00
RS4-2063102	i4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-ECAT	12,610.00	EC003245	R6A 0976F	4549734766661			IB	IBA	CHN	8479.5000.00
RS4-2064002	i4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-ECAT	14,020.00	EC003245	R6A 0973A	4549734766630			IB	IBA	CHN	8479.5000.00
RS4-2064102	i4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-ECAT	14,020.00	EC003245	R6A 0977D	4549734766678			IB	IBA	CHN	8479.5000.00
RS4-2065002	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-ECAT	15,410.00	EC003245	R6A 0974M	4549734766647			IB	IBA	CHN	8479.5000.00
RS4-2065004	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Rear Panel, IP20, ICS-ECAT	16,800.00	EC003245	R6A 0975H	4549734766654			IB	IBA	CHN	8479.5000.00
RS4-2065102	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-ECAT	15,410.00	EC003245	R6A 0978B	4549734766685			IB	IBA	CHN	8479.5000.00
RS4-2065104	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Bottom Panel, IP20, ICS-ECAT	16,800.00	EC003245	R6A 0979M	4549734766692			IB	IBA	CHN	8479.5000.00
RS4-2066502	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-ECAT	30,430.00	EC003245	R6A 0480B	4549734704359			IB	IBA	NLD	8479.5000.00
RS4-2066504	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-ECAT	31,750.00	EC003245	R6A 0481M	4549734704366			IB	IBA	NLD	8479.5000.00
RS4-2066512	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, CR/ESD, ICS-ECAT	37,880.00	EC003245	R6A 4419G	4549734769891			IB	IBA	NLD	8479.5000.00
RS4-2066514	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, CR/ESD, ICS-ECAT	39,300.00	EC003245	R6A 4418R	4549734769884			IB	IBA	NLD	8479.5000.00
RS4-2066542	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ECAT	41,200.00	EC003245	R6A 7108R	4549734738712			IB	IBA	NLD	8479.5000.00
RS4-2066544	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ECAT	42,500.00	EC003245	R6A 7109G	4549734738729			IB	IBA	NLD	8479.5000.00
RS4-2066553	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ECAT	33,480.00	EC003245	R6A 7120H	4549734738835			IB	IBA	NLD	8479.5000.00
RS4-2066555	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ECAT	34,760.00	EC003245	R6A 7121F	4549734738842			IB	IBA	NLD	8479.5000.00
RS4-2066702	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	30,430.00	EC003245	R6A 0482R	4549734704373			IB	IBA	NLD	8479.5000.00
RS4-2066704	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	31,750.00	EC003245	R6A 0483G	4549734704380			IB	IBA	NLD	8479.5000.00
RS4-2066712	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, CR/ESD, ICS-ECAT	37,880.00	EC003245	R6A 4417M	4549734769877			IB	IBA	NLD	8479.5000.00
RS4-2066714	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, CR/ESD, ICS-ECAT	39,300.00	EC003245	R6A 4420M	4549734769907			IB	IBA	NLD	8479.5000.00
RS4-2066742	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ECAT	41,200.00	EC003245	R6A 7102M	4549734738651			IB	IBA	NLD	8479.5000.00
RS4-2066744	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ECAT	42,500.00	EC003245	R6A 7103H	4549734738668			IB	IBA	NLD	8479.5000.00
RS4-2066753	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ECAT	33,480.00	EC003245	R6A 7114C	4549734738774			IB	IBA	NLD	8479.5000.00
RS4-2066755	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ECAT	34,760.00	EC003245	R6A 7115A	4549734738781			IB	IBA	NLD	8479.5000.00
RS4-2067502	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-ECAT	31,750.00	EC003245	R6A 0484E	4549734704397			IB	IBA	NLD	8479.5000.00
RS4-2067504	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-ECAT	33,090.00	EC003245	R6A 0485C	4549734704403			IB	IBA	NLD	8479.5000.00
RS4-2067512	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, CR/ESD, ICS-ECAT	39,300.00	EC003245	R6A 4421R	4549734769914			IB	IBA	NLD	8479.5000.00
RS4-2067514	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, CR/ESD, ICS-ECAT	40,630.00	EC003245	R6A 4422G	4549734769921			IB	IBA	NLD	8479.5000.00
RS4-2067542	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ECAT	42,500.00	EC003245	R6A 7110M	4549734738736			IB	IBA	NLD	8479.5000.00
RS4-2067544	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ECAT	43,780.00	EC003245	R6A 7111R	4549734738743			IB	IBA	NLD	8479.5000.00
RS4-2067553	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ECAT	34,760.00	EC003245	R6A 7122D	4549734738859			IB	IBA	NLD	8479.5000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RS4-2067555	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ECAT	36,040.00	EC003245	R6A 7123B	4549734738866			IB	IBA	NLD	8479.5000.00
RS4-2067702	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	31,750.00	EC003245	R6A 0486A	4549734704410			IB	IBA	NLD	8479.5000.00
RS4-2067704	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	33,090.00	EC003245	R6A 0487M	4549734704427			IB	IBA	NLD	8479.5000.00
RS4-2067712	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, CR/ESD, ICS-ECAT	39,300.00	EC003245	R6A 4423E	4549734769938			IB	IBA	NLD	8479.5000.00
RS4-2067714	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, CR/ESD, ICS-ECAT	40,630.00	EC003245	R6A 4424C	4549734769945			IB	IBA	NLD	8479.5000.00
RS4-2067742	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ECAT	42,500.00	EC003245	R6A 7104F	4549734738675			IB	IBA	NLD	8479.5000.00
RS4-2067744	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ECAT	43,780.00	EC003245	R6A 7105D	4549734738682			IB	IBA	NLD	8479.5000.00
RS4-2067753	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ECAT	34,760.00	EC003245	R6A 7116M	4549734738798			IB	IBA	NLD	8479.5000.00
RS4-2067755	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ECAT	36,040.00	EC003245	R6A 7117H	4549734738804			IB	IBA	NLD	8479.5000.00
RS4-2068502	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-ECAT	33,090.00	EC003245	R6A 0488H	4549734704434			IB	IBA	NLD	8479.5000.00
RS4-2068504	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-ECAT	34,410.00	EC003245	R6A 0489F	4549734704441			IB	IBA	NLD	8479.5000.00
RS4-2068512	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, CR/ESD, ICS-ECAT	40,630.00	EC003245	R6A 4425A	4549734769952			IB	IBA	NLD	8479.5000.00
RS4-2068514	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, CR/ESD, ICS-ECAT	41,980.00	EC003245	R6A 4426M	4549734769959			IB	IBA	NLD	8479.5000.00
RS4-2068542	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ECAT	43,780.00	EC003245	R6A 7112G	4549734738750			IB	IBA	NLD	8479.5000.00
RS4-2068544	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ECAT	45,080.00	EC003245	R6A 7113E	4549734738767			IB	IBA	NLD	8479.5000.00
RS4-2068553	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ECAT	36,040.00	EC003245	R6A 7124M	4549734738873			IB	IBA	NLD	8479.5000.00
RS4-2068555	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ECAT	37,340.00	EC003245	R6A 7125R	4549734738880			IB	IBA	NLD	8479.5000.00
RS4-2068702	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	33,090.00	EC003245	R6A 0490M	4549734704458			IB	IBA	NLD	8479.5000.00
RS4-2068704	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	34,410.00	EC003245	R6A 0491H	4549734704465			IB	IBA	NLD	8479.5000.00
RS4-2068712	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, CR/ESD, ICS-ECAT	40,630.00	EC003245	R6A 4427H	4549734769976			IB	IBA	NLD	8479.5000.00
RS4-2068714	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, CR/ESD, ICS-ECAT	41,980.00	EC003245	R6A 4428F	4549734769983			IB	IBA	NLD	8479.5000.00
RS4-2068742	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ECAT	43,780.00	EC003245	R6A 7106B	4549734738699			IB	IBA	NLD	8479.5000.00
RS4-2068744	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ECAT	45,080.00	EC003245	R6A 7107M	4549734738705			IB	IBA	NLD	8479.5000.00
RS4-2068753	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ECAT	36,040.00	EC003245	R6A 7118F	4549734738811			IB	IBA	NLD	8479.5000.00
RS4-2068755	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ECAT	37,340.00	EC003245	R6A 7119D	4549734738828			IB	IBA	NLD	8479.5000.00
CR_UGDS_XL_15	Delta-5 robot, actions 120p/min, payload 1.5 kg, working range 1300 x 250 mm	67,100.00	EC003245	AA065209G	4549734861113			IB	IBA	NLD	8479.5000.00
OAT Delta											
17203-45604	Hornet 565, Add-On, 3 kg payload, 565mm reach, 360° rotation, 4 axis, 425mm Zaxis, IP20, ePLC	37,110.00	EC003245	R6A 7024D	4549734263740			IB	IBB	NLD	8479.5000.00
17214-26010	Parallel Robot Quattro ePLC650HS P30, 0° döndürme, 15 kg taşıma kapasitesi, 1300 mm erişim çapı, 500 mm Zaxis, IP66 base, IP67 tooling, USDA	60,650.00	EC003245	R6A 7069D	4549734263801			IB	IBB	NLD	8479.5000.00
RX3-2065600	IX3-565, 8 kg payload, 565 mm reach, 0° rotation, 3 axis, 425 mm Zaxis, IP20, ICS-ECAT	33,700.00	EC003245	R6A 6972F	4549734704472			IB	IBB	NLD	8479.5000.00
RX3-2065604	IX3-565, 3 kg payload, 565 mm reach, 360° rotation, 4 axis, 425 mm Zaxis, IP20, ICS-ECAT	39,300.00	EC003245	R6A 6974B	4549734704496			IB	IBB	NLD	8479.5000.00
RX3-2065610	IX3-565, 8 kg payload, 565 mm reach, 0° rotation, 3 axis, 425 mm Zaxis, IP65, ICS-ECAT	35,090.00	EC003245	R6A 6973D	4549734704489			IB	IBB	NLD	8479.5000.00
RX3-2065614	IX3-565, 3 kg payload, 565 mm reach, 360° rotation, 4 axis, 425 mm Zaxis, IP65, ICS-ECAT	40,690.00	EC003245	R6A 6975M	4549734704502			IB	IBB	NLD	8479.5000.00
RX4-2166000	IX4-650H, 15 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-ECAT	51,950.00	EC003245	R6A 6976R	4549734704519			IB	IBB	NLD	8479.5000.00
RX4-2166001	IX4-650H, 6 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-ECAT	51,950.00	EC003245	R6A 6979C	4549734704540			IB	IBB	NLD	8479.5000.00
RX4-2166002	IX4-650H, 6 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-ECAT	51,950.00	EC003245	R6A 6982C	4549734704571			IB	IBB	NLD	8479.5000.00
RX4-2166004	IX4-650H, 6 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-ECAT	51,950.00	EC003245	R6A 6985H	4549734704601			IB	IBB	NLD	8479.5000.00
RX4-2166010	IX4-650HS, 8 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-ECAT	60,450.00	EC003245	R6A 6977G	4549734704526			IB	IBB	NLD	8479.5000.00
RX4-2166011	IX4-650HS, 3 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-ECAT	60,450.00	EC003245	R6A 6980G	4549734704557			IB	IBB	NLD	8479.5000.00
RX4-2166012	IX4-650HS, 3 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-ECAT	60,450.00	EC003245	R6A 6983A	4549734704588			IB	IBB	NLD	8479.5000.00
RX4-2166014	IX4-650HS, 3 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-ECAT	60,450.00	EC003245	R6A 6986F	4549734704618			IB	IBB	NLD	8479.5000.00
RX4-2166020	IX4-650H, 15 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-ECAT	53,300.00	EC003245	R6A 6978E	4549734704533			IB	IBB	NLD	8479.5000.00
RX4-2166021	IX4-650H, 6 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-ECAT	53,300.00	EC003245	R6A 6981E	4549734704564			IB	IBB	NLD	8479.5000.00
RX4-2166022	IX4-650H, 6 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-ECAT	53,300.00	EC003245	R6A 6984M	4549734704595			IB	IBB	NLD	8479.5000.00
RX4-2166024	IX4-650H, 6 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-ECAT	53,300.00	EC003245	R6A 6987D	4549734704625			IB	IBB	NLD	8479.5000.00
RX4-2166300	IX4-800H, 10 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-ECAT	58,950.00	EC003245	R6A 6988B	4549734704632			IB	IBB	NLD	8479.5000.00
RX4-2166301	IX4-800H, 4 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-ECAT	58,950.00	EC003245	R6A 6991B	4549734704663			IB	IBB	NLD	8479.5000.00
RX4-2166302	IX4-800H, 4 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-ECAT	58,950.00	EC003245	R6A 6994G	4549734704694			IB	IBB	NLD	8479.5000.00
RX4-2166304	IX4-800H, 4 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-ECAT	58,950.00	EC003245	R6A 6997A	4549734704724			IB	IBB	NLD	8479.5000.00
RX4-2166310	IX4-800HS, 7 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-ECAT	67,550.00	EC003245	R6A 6989M	4549734704649			IB	IBB	NLD	8479.5000.00
RX4-2166311	IX4-800HS, 1 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-ECAT	67,550.00	EC003245	R6A 6992M	4549734704670			IB	IBB	NLD	8479.5000.00
RX4-2166312	IX4-800HS, 1 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-ECAT	67,550.00	EC003245	R6A 6995E	4549734704700			IB	IBB	NLD	8479.5000.00
RX4-2166314	IX4-800HS, 1 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-ECAT	67,550.00	EC003245	R6A 6998M	4549734704731			IB	IBB	NLD	8479.5000.00
RX4-2166320	IX4-800H, 10 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-ECAT	60,450.00	EC003245	R6A 6990D	4549734704656			IB	IBB	NLD	8479.5000.00
RX4-2166321	IX4-800H, 4 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-ECAT	60,450.00	EC003245	R6A 6993R	4549734704687			IB	IBB	NLD	8479.5000.00
RX4-2166322	IX4-800H, 4 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-ECAT	60,450.00	EC003245	R6A 6996C	4549734704717			IB	IBB	NLD	8479.5000.00
RX4-2166324	IX4-800H, 4 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-ECAT	60,450.00	EC003245	R6A 6999H	4549734704748			IB	IBB	NLD	8479.5000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
OAT Eklemleri											
17211-38000	Articulated Robot Viper ePLC850, 5 kg taşıma kapasitesi, 855 mm erişim, IP40	45,600.00	EC003245	R6A 4171F	4549734783125	#		IB	IBC	JPN	8479.5000.00
RL6-2066000	Viper 650, 5 kg payload, 653 mm reach, 6 axis, IP40, EtherCAT	42,560.00	EC003245	R6A 0360A	4549734685795			IB	IBC	JPN	8479.5000.00
RL6-2066010	Viper 650, 5 kg payload, 653 mm reach, 6 axis, IP65, EtherCAT	47,850.00	EC003245	R6A 0361M	4549734685801			IB	IBC	JPN	8479.5000.00
RL6-2066020	Viper 650, 5 kg payload, 653 mm reach, 6 axis, Cleanroom, EtherCAT	52,250.00	EC003245	R6A 0362H	4549734685818			IB	IBC	JPN	8479.5000.00
RL6-2068000	Viper 850, 5 kg payload, 855 mm reach, 6 axis, IP40, EtherCAT	44,270.00	EC003245	R6A 0363F	4549734685825			IB	IBC	JPN	8479.5000.00
RL6-2068010	Viper 850, 5 kg payload, 855 mm reach, 6 axis, IP65, EtherCAT	52,400.00	EC003245	R6A 0364D	4549734685832			IB	IBC	JPN	8479.5000.00
RL6-2068020	Viper 850, 5 kg payload, 855 mm reach, 6 axis, Cleanroom, EtherCAT	57,150.00	EC003245	R6A 0365B	4549734685849			IB	IBC	JPN	8479.5000.00
OAT Mobil Hafif Görev											
37032-00000	Mobile Robot, LD-60, without Battery	36,240.00	EC000000	R6A 2040R	4549734491303			IB	IBD	JPN	8479.5000.00
37032-00002	Mobile Robot Docking Station Kit, LD-60, Charger, without Battery	39,260.00	EC000000	R6A 2041G	4549734491310			IB	IBD	JPN	8479.5000.00
37032-10004	Mobile Robot Starter Kit, LD-60, with Charger, without Battery, Joystick, Top Plate	41,170.00	EC000000	R6A 2042E	4549734491327			IB	IBD	JPN	8479.5000.00
37032-20000	Mobile Robot, LD-60, ESD, without Battery	42,810.00	EC000000	R6A 2049B	4549734491396			IB	IBD	JPN	8479.5000.00
37032-20002	Mobile Robot Docking Station Kit, LD-60, ESD, Charger, without Battery	45,830.00	EC000000	R6A 2050F	4549734491402			IB	IBD	JPN	8479.5000.00
37032-20004	Mobile Robot Starter Kit, LD-60, ESD, without Battery, with Charger, Joystick, Top Plate	47,740.00	EC000000	R6A 2051D	4549734491419			IB	IBD	JPN	8479.5000.00
37042-00000	Mobile Robot, LD-90, without Battery	36,240.00	EC000000	R6A 2043C	4549734491334			IB	IBD	JPN	8479.5000.00
37042-00002	Mobile Robot Docking Station Kit, LD-90, Charger, without Battery	39,260.00	EC000000	R6A 2044A	4549734491341			IB	IBD	JPN	8479.5000.00
37042-10004	Mobile Robot Starter Kit, LD-90, with Charger, without Battery, Joystick, Top Plate	41,170.00	EC000000	R6A 2045M	4549734491358			IB	IBD	JPN	8479.5000.00
37042-20000	Mobile Robot, LD-90, ESD, without Battery	42,810.00	EC000000	R6A 2052B	4549734491426			IB	IBD	JPN	8479.5000.00
37042-20002	Mobile Robot Docking Station Kit, LD-90, ESD, Charger, without Battery	45,830.00	EC000000	R6A 2053M	4549734491433			IB	IBD	JPN	8479.5000.00
37042-20004	Mobile Robot Starter Kit, LD-90, ESD, without Battery, with Charger, Joystick, Top Plate	47,740.00	EC000000	R6A 2054R	4549734491440			IB	IBD	JPN	8479.5000.00
37062-00000	Mobile Robot, LD-90x, without Battery	41,500.00	EC000000	R6A 2046H	4549734491365			IB	IBD	JPN	8479.5000.00
37062-00002	Mobile Robot Docking Station Kit, LD-90x, Charger, without Battery	44,520.00	EC000000	R6A 2047F	4549734491372			IB	IBD	JPN	8479.5000.00
37062-10004	Mobile Robot Starter Kit, LD-90x, with Charger, without Battery, Joystick, Top Plate	46,430.00	EC000000	R6A 2048D	4549734491389			IB	IBD	JPN	8479.5000.00
37062-20000	Mobile Robot, LD-90x, ESD, without Battery	48,070.00	EC000000	R6A 2055G	4549734491457			IB	IBD	JPN	8479.5000.00
37062-20002	Mobile Robot Docking Station Kit, LD-90x, ESD, Charger, without Battery	52,450.00	EC000000	R6A 2056E	4549734491464			IB	IBD	JPN	8479.5000.00
37062-20004	Mobile Robot Starter Kit, LD-90x, ESD, without Battery, with Charger, Joystick, Top Plate	54,350.00	EC000000	R6A 2057C	4549734491471			IB	IBD	JPN	8479.5000.00
37222-00000	Mobile Robot, LD-250, without Battery	49,380.00	EC000000	R6A 8013D	4549734578646			IB	IBD	JPN	8479.5000.00
37222-00002	Mobile Robot Docking Station Kit, LD-250, with Charger, without Battery	52,450.00	EC000000	R6A 8014B	4549734578653	#		IB	IBD	JPN	8479.5000.00
37222-10004	Mobile Robot Starter Kit, LD-250, with Charger, Joystick, Top Plate, without Battery	54,350.00	EC000000	R6A 8015M	4549734578660			IB	IBD	JPN	8479.5000.00
37222-20000	Mobile Robot, LD-250, ESD, without Battery	58,350.00	EC000000	R6A 2074C	4549734670982			IB	IBD	JPN	8479.5000.00
37222-20002	Mobile Robot Docking Station Kit, LD-250, ESD, with Charger, without Battery	61,350.00	EC000000	R6A 2075A	4549734670999			IB	IBD	JPN	8479.5000.00
37222-20004	Mobile Robot Starter Kit, LD-250, ESD, with Charger, Joystick, Top Plate, without Battery	63,300.00	EC000000	R6A 2076M	4549734671002			IB	IBD	JPN	8479.5000.00
20452-700	Mobile Robot Battery for LD-series	5,080.00	EC000000	R6A 8561F	4549734785655	#		IB	IBD	CHN	8507.6000.90
OAT İşbirlikçi Robotlar											
RT6-0007001	Bundle, Cobot, TMS-700, HW3.2	34,100.00	EC003245	RT6 5000M	4549734596527			IB	IBE	TWN	8479.5000.00
RT6-0007002	Bundle, Cobot, TMS-700, 12 m cable, HW3.2	35,530.00	EC003245	RT6 5001H	4549734596534			IB	IBE	TWN	8479.5000.00
RT6-0007021	Bundle, Cobot, TMS-700, HW3.2, PROFINET & EtherNet/IP	35,540.00	EC003245	RT6 5268A	4549734671354			IB	IBE	TWN	8479.5000.00
RT6-0007022	Bundle, Cobot, TMS-700, 12 m cable, HW3.2, PROFINET & EtherNet/IP	36,960.00	EC003245	RT6 5269M	4549734671361			IB	IBE	TWN	8479.5000.00
RT6-0007031	Bundle, Cobot, TMS-700, HW3.2, Food Grade Grease	37,520.00	EC003245	RT6 5300R	4549734751728			IB	IBE	TWN	8479.5000.00
RT6-0007041	Bundle, Cobot, TMS-700, HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	39,090.00	EC003245	RT6 5308D	4549734751803			IB	IBE	TWN	8479.5000.00
RT6-0009001	Bundle, Cobot, TMS-900, HW3.2	34,100.00	EC003245	RT6 5007G	4549734596596			IB	IBE	TWN	8479.5000.00
RT6-0009002	Bundle, Cobot, TMS-900, 12 m cable, HW3.2	35,530.00	EC003245	RT6 5008E	4549734596602			IB	IBE	TWN	8479.5000.00
RT6-0009021	Bundle, Cobot, TMS-900, HW3.2, PROFINET & EtherNet/IP	35,540.00	EC003245	RT6 5274F	4549734671415			IB	IBE	TWN	8479.5000.00
RT6-0009022	Bundle, Cobot, TMS-900, 12 m cable, HW3.2, PROFINET & EtherNet/IP	36,960.00	EC003245	RT6 5275D	4549734671422			IB	IBE	TWN	8479.5000.00
RT6-0009031	Bundle, Cobot, TMS-900, HW3.2, Food Grade Grease	37,520.00	EC003245	RT6 5301G	4549734751735			IB	IBE	TWN	8479.5000.00
RT6-0009041	Bundle, Cobot, TMS-900, HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	39,090.00	EC003245	RT6 5309B	4549734751810			IB	IBE	TWN	8479.5000.00
RT6-0017001	Bundle, Cobot, TMSX-700 (model without camera), HW3.2	32,680.00	EC003245	RT6 5002F	4549734596541			IB	IBE	TWN	8479.5000.00
RT6-0017002	Bundle, Cobot, TMSX-700 (model without camera), 12 m cable, HW3.2	34,100.00	EC003245	RT6 5003D	4549734596558			IB	IBE	TWN	8479.5000.00
RT6-0017021	Bundle, Cobot, TMSX-700 (model without camera), HW3.2, PROFINET & EtherNet/IP	34,110.00	EC003245	RT6 5270C	4549734671378			IB	IBE	TWN	8479.5000.00
RT6-0017022	Bundle, Cobot, TMSX-700 (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	35,540.00	EC003245	RT6 5271A	4549734671385			IB	IBE	TWN	8479.5000.00
RT6-0017031	Bundle, Cobot, TMSX-700 (model without camera), HW3.2, Food Grade Grease	35,950.00	EC003245	RT6 5302E	4549734751742			IB	IBE	TWN	8479.5000.00
RT6-0017041	Bundle, Cobot, TMSX-700 (model without camera), HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	37,530.00	EC003245	RT6 5310F	4549734751827			IB	IBE	TWN	8479.5000.00
RT6-0019001	Bundle, Cobot, TMSX-900 (model without camera), HW3.2	32,680.00	EC003245	RT6 5010G	4549734596626			IB	IBE	TWN	8479.5000.00
RT6-0019002	Bundle, Cobot, TMSX-900 (model without camera), 12 m cable, HW3.2	34,100.00	EC003245	RT6 5011E	4549734596633			IB	IBE	TWN	8479.5000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RT6-0019021	Bundle, Cobot, TMSX-900 (model without camera), HW3.2, PROFINET & EtherNet/IP	34,110.00	EC003245	RT6 5277M	4549734671446			IB	IBE	TWN	8479.5000.00
RT6-0019022	Bundle, Cobot, TMSX-900 (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	35,540.00	EC003245	RT6 5278R	4549734671453			IB	IBE	TWN	8479.5000.00
RT6-0019031	Bundle, Cobot, TMSX-900 (model without camera), HW3.2, Food Grade Grease	35,950.00	EC003245	RT6 5303C	4549734751759			IB	IBE	TWN	8479.5000.00
RT6-0019041	Bundle, Cobot, TMSX-900 (model without camera), HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	37,530.00	EC003245	RT6 5311D	4549734751834			IB	IBE	TWN	8479.5000.00
RT6-0107001	Bundle, Cobot, TMSM-700, HW3.2	38,360.00	EC003245	RT6 5004B	4549734596565			IB	IBE	TWN	8479.5000.00
RT6-0107011	Bundle, Cobot, TMSM-700, Semi, HW3.2	42,620.00	EC003245	RT6 5005M	4549734596572			IB	IBE	TWN	8479.5000.00
RT6-0107021	Bundle, Cobot, TMSM-700, HW3.2, PROFINET & EtherNet/IP	39,800.00	EC003245	RT6 5272M	4549734671392			IB	IBE	TWN	8479.5000.00
RT6-0109001	Bundle, Cobot, TMSM-900, HW3.2	38,360.00	EC003245	RT6 5009C	4549734596619			IB	IBE	TWN	8479.5000.00
RT6-0109011	Bundle, Cobot, TMSM-900, Semi, HW3.2	42,620.00	EC003245	RT6 5012C	4549734596640			IB	IBE	TWN	8479.5000.00
RT6-0109021	Bundle, Cobot, TMSM-900, HW3.2, PROFINET & EtherNet/IP	39,800.00	EC003245	RT6 5276B	4549734671439			IB	IBE	TWN	8479.5000.00
RT6-0117001	Bundle, Cobot, TMSMX-700 (model without camera), HW3.2	36,950.00	EC003245	RT6 5006R	4549734596589			IB	IBE	TWN	8479.5000.00
RT6-0117021	Bundle, Cobot, TMSMX-700 (model without camera), HW3.2, PROFINET & EtherNet/IP	38,370.00	EC003245	RT6 5273H	4549734671408			IB	IBE	TWN	8479.5000.00
RT6-0119001	Bundle, Cobot, TMSMX-900 (model without camera), HW3.2	36,950.00	EC003245	RT6 5013A	4549734596657			IB	IBE	TWN	8479.5000.00
RT6-0119021	Bundle, Cobot, TMSMX-900 (model without camera), HW3.2, PROFINET & EtherNet/IP	38,370.00	EC003245	RT6 5279G	4549734671460			IB	IBE	TWN	8479.5000.00
RT6-1001301	Bundle, Cobot, TM12, HW3.2	46,890.00	EC003245	RT6 5014M	4549734596664			IB	IBE	TWN	8479.5000.00
RT6-1001302	Bundle, Cobot, TM12, 12 m cable, HW3.2	48,310.00	EC003245	RT6 5015H	4549734596671			IB	IBE	TWN	8479.5000.00
RT6-1001321	Bundle, Cobot, TM12, HW3.2, PROFINET & EtherNet/IP	48,330.00	EC003245	RT6 5280M	4549734671477			IB	IBE	TWN	8479.5000.00
RT6-1001322	Bundle, Cobot, TM12, 12 m cable, HW3.2, PROFINET & EtherNet/IP	49,750.00	EC003245	RT6 5281R	4549734671484			IB	IBE	TWN	8479.5000.00
RT6-1001331	Bundle, Cobot, TM12, HW3.2, Food Grade Grease	51,600.00	EC003245	RT6 5304A	4549734751766			IB	IBE	TWN	8479.5000.00
RT6-1001341	Bundle, Cobot, TM12, HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	53,200.00	EC003245	RT6 5312B	4549734751841			IB	IBE	TWN	8479.5000.00
RT6-1011301	Bundle, Cobot, TM12X (model without camera), HW3.2	45,460.00	EC003245	RT6 5016F	4549734596688			IB	IBE	TWN	8479.5000.00
RT6-1011302	Bundle, Cobot, TM12X (model without camera), 12 m cable, HW3.2	46,890.00	EC003245	RT6 5017D	4549734596695			IB	IBE	TWN	8479.5000.00
RT6-1011321	Bundle, Cobot, TM12X (model without camera), HW3.2, PROFINET & EtherNet/IP	46,910.00	EC003245	RT6 5282G	4549734671491			IB	IBE	TWN	8479.5000.00
RT6-1011322	Bundle, Cobot, TM12X (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	48,330.00	EC003245	RT6 5283E	4549734671507			IB	IBE	TWN	8479.5000.00
RT6-1011331	Bundle, Cobot, TM12X (model without camera), HW3.2, Food Grade Grease	50,050.00	EC003245	RT6 5306H	4549734751780			IB	IBE	TWN	8479.5000.00
RT6-1011341	Bundle, Cobot, TM12X (model without camera), HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	51,600.00	EC003245	RT6 5314R	4549734751865			IB	IBE	TWN	8479.5000.00
RT6-1101301	Bundle, Cobot, TM12M, HW3.2	51,150.00	EC003245	RT6 5018B	4549734596701			IB	IBE	TWN	8479.5000.00
RT6-1101311	Bundle, Cobot, TM12M, Semi, HW3.2	56,850.00	EC003245	RT6 5019M	4549734596718			IB	IBE	TWN	8479.5000.00
RT6-1101321	Bundle, Cobot, TM12M, HW3.2, PROFINET & EtherNet/IP	52,600.00	EC003245	RT6 5284C	4549734671514			IB	IBE	TWN	8479.5000.00
RT6-1111301	Bundle, Cobot, TM12MX (model without camera), HW3.2	49,740.00	EC003245	RT6 5020D	4549734596725			IB	IBE	TWN	8479.5000.00
RT6-1111321	Bundle, Cobot, TM12MX (model without camera), HW3.2, PROFINET & EtherNet/IP	51,200.00	EC003245	RT6 5285A	4549734671521			IB	IBE	TWN	8479.5000.00
RT6-2001101	Bundle, Cobot, TM14, HW3.2	49,740.00	EC003245	RT6 5021B	4549734596732			IB	IBE	TWN	8479.5000.00
RT6-2001102	Bundle, Cobot, TM14, 12 m cable, HW3.2	51,150.00	EC003245	RT6 5022M	4549734596749			IB	IBE	TWN	8479.5000.00
RT6-2001121	Bundle, Cobot, TM14, HW3.2, PROFINET & EtherNet/IP	51,200.00	EC003245	RT6 5286M	4549734671538			IB	IBE	TWN	8479.5000.00
RT6-2001122	Bundle, Cobot, TM14, 12 m cable, HW3.2, PROFINET & EtherNet/IP	52,600.00	EC003245	RT6 5287H	4549734671545			IB	IBE	TWN	8479.5000.00
RT6-2001131	Bundle, Cobot, TM14, HW3.2, Food Grade Grease	54,750.00	EC003245	RT6 5305M	4549734751773			IB	IBE	TWN	8479.5000.00
RT6-2001141	Bundle, Cobot, TM14, HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	56,300.00	EC003245	RT6 5313M	4549734751858			IB	IBE	TWN	8479.5000.00
RT6-2011101	Bundle, Cobot, TM14X (model without camera), HW3.2	48,310.00	EC003245	RT6 5023R	4549734596756			IB	IBE	TWN	8479.5000.00
RT6-2011102	Bundle, Cobot, TM14X (model without camera), 12 m cable, HW3.2	49,740.00	EC003245	RT6 5024G	4549734596763			IB	IBE	TWN	8479.5000.00
RT6-2011121	Bundle, Cobot, TM14X (model without camera), HW3.2, PROFINET & EtherNet/IP	49,750.00	EC003245	RT6 5288F	4549734671552			IB	IBE	TWN	8479.5000.00
RT6-2011122	Bundle, Cobot, TM14X (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	51,200.00	EC003245	RT6 5289D	4549734671569			IB	IBE	TWN	8479.5000.00
RT6-2011131	Bundle, Cobot, TM14X (model without camera), HW3.2, Food Grade Grease	53,150.00	EC003245	RT6 5307F	4549734751797			IB	IBE	TWN	8479.5000.00
RT6-2011141	Bundle, Cobot, TM14X (model without camera), HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	54,750.00	EC003245	RT6 5315G	4549734751872			IB	IBE	TWN	8479.5000.00
RT6-2101101	Bundle, Cobot, TM14M, HW3.2	54,000.00	EC003245	RT6 5025E	4549734596770			IB	IBE	TWN	8479.5000.00
RT6-2101111	Bundle, Cobot, TM14M, Semi, HW3.2	59,750.00	EC003245	RT6 5026C	4549734596787			IB	IBE	TWN	8479.5000.00
RT6-2101121	Bundle, Cobot, TM14M, HW3.2, PROFINET & EtherNet/IP	55,450.00	EC003245	RT6 5290H	4549734671576			IB	IBE	TWN	8479.5000.00
RT6-2111101	Bundle, Cobot, TM14MX (model without camera), HW3.2	52,600.00	EC003245	RT6 5027A	4549734596794			IB	IBE	TWN	8479.5000.00
RT6-2111121	Bundle, Cobot, TM14MX (model without camera), HW3.2, PROFINET & EtherNet/IP	54,050.00	EC003245	RT6 5291F	4549734671583			IB	IBE	TWN	8479.5000.00
RT6-3009001	Bundle, Cobot, TM16, HW3.2	54,050.00	EC003245	RT6 5335A	4549734766531			IB	IBE	TWN	8479.5000.00
RT6-3009021	Bundle, Cobot, TM16, HW3.2, PROFINET & EtherNet/IP	55,500.00	EC003245	RT6 5340H	4549734766586			IB	IBE	TWN	8479.5000.00
RT6-3019001	Bundle, Cobot, TM16X (model without camera), HW3.2	50,200.00	EC003245	RT6 5336M	4549734766548			IB	IBE	TWN	8479.5000.00
RT6-3019021	Bundle, Cobot, TM16X (model without camera), HW3.2, PROFINET & EtherNet/IP	51,600.00	EC003245	RT6 5341F	4549734766593			IB	IBE	TWN	8479.5000.00
RT6-3109001	Bundle, Cobot, TM16M, HW3.2	57,950.00	EC003245	RT6 5337H	4549734766555			IB	IBE	TWN	8479.5000.00
RT6-3109011	Bundle, Cobot, TM16M, Semi, HW3.2	63,100.00	EC003245	RT6 5339D	4549734766579			IB	IBE	TWN	8479.5000.00
RT6-3109021	Bundle, Cobot, TM16M, HW3.2, PROFINET & EtherNet/IP	59,350.00	EC003245	RT6 5342D	4549734766609			IB	IBE	TWN	8479.5000.00
RT6-3119001	Bundle, Cobot, TM16MX (model without camera), HW3.2	55,400.00	EC003245	RT6 5338F	4549734766562			IB	IBE	TWN	8479.5000.00
RT6-3119021	Bundle, Cobot, TM16MX (model without camera), HW3.2, PROFINET & EtherNet/IP	56,800.00	EC003245	RT6 5343B	4549734766616			IB	IBE	TWN	8479.5000.00
RT6-4001301	Bundle, Cobot, TM20, HW3.2	57,000.00	EC003245	RT6 5357B	4550431036988			IB	IBE	TWN	8479.5000.00
RT6-4001302	Bundle, Cobot, TM20, 12 m cable, HW3.2	58,350.00	EC003245	RT6 5358M	4550431036995			IB	IBE	TWN	8479.5000.00
RT6-4001321	Bundle, Cobot, TM20, HW3.2, PROFINET & EtherNet/IP	58,350.00	EC003245	RT6 5363G	4550431037046			IB	IBE	TWN	8479.5000.00
RT6-4001322	Bundle, Cobot, TM20, 12 m cable, HW3.2, PROFINET & EtherNet/IP	59,700.00	EC003245	RT6 5364E	4550431037053			IB	IBE	TWN	8479.5000.00
RT6-4011301	Bundle, Cobot, TM20X (model without camera), HW3.2	55,650.00	EC003245	RT6 5359R	4550431037008			IB	IBE	TWN	8479.5000.00
RT6-4011302	Bundle, Cobot, TM20X (model without camera), 12 m cable, HW3.2	57,000.00	EC003245	RT6 5360B	4550431037015			IB	IBE	TWN	8479.5000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RT6-4011321	Bundle, Cobot, TM20X (model without camera), HW3.2, PROFINET & EtherNet/IP	57,000.00	EC003245	RT6 5365C	4550431037060			IB	IBE	TWN	8479.5000.00
RT6-4011322	Bundle, Cobot, TM20X (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	58,350.00	EC003245	RT6 5366A	4550431037077			IB	IBE	TWN	8479.5000.00
RT6-4101301	Bundle, Cobot, TM20M, HW3.2	61,000.00	EC003245	RT6 5361M	4550431037022			IB	IBE	TWN	8479.5000.00
RT6-4101321	Bundle, Cobot, TM20M, HW3.2, PROFINET & EtherNet/IP	62,300.00	EC003245	RT6 5367M	4550431037084			IB	IBE	TWN	8479.5000.00
RT6-4111301	Bundle, Cobot, TM20MX (model without camera), HW3.2	59,700.00	EC003245	RT6 5362R	4550431037039			IB	IBE	TWN	8479.5000.00
RT6-4111321	Bundle, Cobot, TM20MX (model without camera), HW3.2, PROFINET & EtherNet/IP	61,000.00	EC003245	RT6 5368H	4550431037091			IB	IBE	TWN	8479.5000.00
RT6-0009004	Bundle, Cobot, TM55, HW5.0	33,720.00	EC003245	RT6 5496M	4550431067593	#		IB	IBE	TWN	8479.5000.00
RT6-0009005	Bundle, Cobot, TM55, 12 m cable, HW5.0	34,890.00	EC003245	RT6 5497H	4550431067609			IB	IBE	TWN	8479.5000.00
RT6-0009024	Bundle, Cobot, TM55, HW5.0, PROFINET & EtherNet/IP	35,000.00	EC003245	RT6 5524R	4550431067876			IB	IBE	TWN	8479.5000.00
RT6-0009025	Bundle, Cobot, TM55, 12 m cable, HW5.0, PROFINET & EtherNet/IP	36,160.00	EC003245	RT6 5525G	4550431067883			IB	IBE	TWN	8479.5000.00
RT6-0019004	Bundle, Cobot, TM55-X (model without camera), HW5.0	32,130.00	EC003245	RT6 5498F	4550431067616	#		IB	IBE	TWN	8479.5000.00
RT6-0019005	Bundle, Cobot, TM55-X (model without camera), 12 m cable, HW5.0	33,840.00	EC003245	RT6 5499D	4550431067623			IB	IBE	TWN	8479.5000.00
RT6-0019024	Bundle, Cobot, TM55-X (model without camera), HW5.0, PROFINET & EtherNet/IP	33,480.00	EC003245	RT6 5526E	4550431067890			IB	IBE	TWN	8479.5000.00
RT6-0019025	Bundle, Cobot, TM55-X (model without camera), 12 m cable, HW5.0, PROFINET & EtherNet/IP	35,190.00	EC003245	RT6 5527C	4550431067906			IB	IBE	TWN	8479.5000.00
RT6-0109004	Bundle, Cobot, TM55-M, HW5.0	36,840.00	EC003245	RT6 5500A	4550431067630			IB	IBE	TWN	8479.5000.00
RT6-0109005	Bundle, Cobot, TM55-M, 3 m cable, HW5.0	36,840.00	EC003245	RT6 5501M	4550431067647			IB	IBE	TWN	8479.5000.00
RT6-0109024	Bundle, Cobot, TM55-M, HW5.0, PROFINET & EtherNet/IP	38,110.00	EC003245	RT6 5528A	4550431067913			IB	IBE	TWN	8479.5000.00
RT6-0109025	Bundle, Cobot, TM55-M, 3 m cable, HW5.0, PROFINET & EtherNet/IP	38,110.00	EC003245	RT6 5529M	4550431067920			IB	IBE	TWN	8479.5000.00
RT6-1001304	Bundle, Cobot, TM12S, HW5.0	43,380.00	EC003245	RT6 5510R	4550431067739	#		IB	IBE	TWN	8479.5000.00
RT6-1001305	Bundle, Cobot, TM12S, 12 m cable, HW5.0	44,540.00	EC003245	RT6 5511G	4550431067746			IB	IBE	TWN	8479.5000.00
RT6-1001324	Bundle, Cobot, TM12S, HW5.0, PROFINET & EtherNet/IP	44,650.00	EC003245	RT6 5538R	4550431068019	#		IB	IBE	TWN	8479.5000.00
RT6-1001325	Bundle, Cobot, TM12S, 12 m cable, HW5.0, PROFINET & EtherNet/IP	45,820.00	EC003245	RT6 5539G	4550431068026			IB	IBE	TWN	8479.5000.00
RT6-1011304	Bundle, Cobot, TM12S-X (model without camera), HW5.0	42,210.00	EC003245	RT6 5512E	4550431067753	#		IB	IBE	TWN	8479.5000.00
RT6-1011305	Bundle, Cobot, TM12S-X (model without camera), 12 m cable, HW5.0	43,380.00	EC003245	RT6 5513C	4550431067760			IB	IBE	TWN	8479.5000.00
RT6-1011324	Bundle, Cobot, TM12S-X (model without camera), HW5.0, PROFINET & EtherNet/IP	43,490.00	EC003245	RT6 5540M	4550431068033			IB	IBE	TWN	8479.5000.00
RT6-1011325	Bundle, Cobot, TM12S-X (model without camera), 12 m cable, HW5.0, PROFINET & EtherNet/IP	44,650.00	EC003245	RT6 5541R	4550431068040			IB	IBE	TWN	8479.5000.00
RT6-1101304	Bundle, Cobot, TM12S-M, HW5.0	46,810.00	EC003245	RT6 5514A	4550431067777	#		IB	IBE	TWN	8479.5000.00
RT6-1101305	Bundle, Cobot, TM12S-M, 3m cable, HW5.0	46,810.00	EC003245	RT6 5515M	4550431067784			IB	IBE	TWN	8479.5000.00
RT6-1101314	Bundle, Cobot, TM12S-M, Semi, HW5.0	49,700.00	EC003245	RT6 5516H	4550431067791			IB	IBE	TWN	8479.5000.00
RT6-1101324	Bundle, Cobot, TM12S-M, HW5.0, PROFINET & EtherNet/IP	48,370.00	EC003245	RT6 5542G	4550431068057			IB	IBE	TWN	8479.5000.00
RT6-1101325	Bundle, Cobot, TM12S-M, 3m cable, HW5.0, PROFINET & EtherNet/IP	48,370.00	EC003245	RT6 5543E	4550431068064			IB	IBE	TWN	8479.5000.00
RT6-1101354	Bundle, Cobot, TM12S-M, Semi, HW5.0, PROFINET & EtherNet/IP	51,050.00	EC003245	RT6 5544C	4550431068071			IB	IBE	TWN	8479.5000.00
RT6-2001104	Bundle, Cobot, TM14S, HW5.0	44,310.00	EC003245	RT6 5517F	4550431067807	#		IB	IBE	TWN	8479.5000.00
RT6-2001105	Bundle, Cobot, TM14S, 12 m cable, HW5.0	45,470.00	EC003245	RT6 5518D	4550431067814			IB	IBE	TWN	8479.5000.00
RT6-2001124	Bundle, Cobot, TM14S, HW5.0, PROFINET & EtherNet/IP	45,590.00	EC003245	RT6 5545A	4550431068088			IB	IBE	TWN	8479.5000.00
RT6-2001125	Bundle, Cobot, TM14S, 12 m cable, HW5.0, PROFINET & EtherNet/IP	46,750.00	EC003245	RT6 5546M	4550431068095			IB	IBE	TWN	8479.5000.00
RT6-2011104	Bundle, Cobot, TM14S-X (model without camera), HW5.0	43,150.00	EC003245	RT6 5519B	4550431067821	#		IB	IBE	TWN	8479.5000.00
RT6-2011105	Bundle, Cobot, TM14S-X (model without camera), 12 m cable, HW5.0	44,310.00	EC003245	RT6 5520F	4550431067838			IB	IBE	TWN	8479.5000.00
RT6-2011124	Bundle, Cobot, TM14S-X (model without camera), HW5.0, PROFINET & EtherNet/IP	44,420.00	EC003245	RT6 5547H	4550431068110			IB	IBE	TWN	8479.5000.00
RT6-2011125	Bundle, Cobot, TM14S-X (model without camera), 12 m cable, HW5.0, PROFINET & EtherNet/IP	45,590.00	EC003245	RT6 5548F	4550431068118			IB	IBE	TWN	8479.5000.00
RT6-2101104	Bundle, Cobot, TM14S-M, HW5.0	47,950.00	EC003245	RT6 5521D	4550431067845			IB	IBE	TWN	8479.5000.00
RT6-2101105	Bundle, Cobot, TM14S-M, 3m cable, HW5.0	47,950.00	EC003245	RT6 5522B	4550431067852			IB	IBE	TWN	8479.5000.00
RT6-2101114	Bundle, Cobot, TM14S-M, Semi, HW5.0	53,250.00	EC003245	RT6 5523M	4550431067869			IB	IBE	TWN	8479.5000.00
RT6-2101124	Bundle, Cobot, TM14S-M, HW5.0, PROFINET & EtherNet/IP	49,300.00	EC003245	RT6 5549D	4550431068125			IB	IBE	TWN	8479.5000.00
RT6-2101125	Bundle, Cobot, TM14S-M, 3m cable, HW5.0, PROFINET & EtherNet/IP	49,300.00	EC003245	RT6 5550H	4550431068132			IB	IBE	TWN	8479.5000.00
RT6-2101154	Bundle, Cobot, TM14S-M, Semi, HW5.0, PROFINET & EtherNet/IP	54,600.00	EC003245	RT6 5551F	4550431068149			IB	IBE	TWN	8479.5000.00
RT6-6007004	Bundle, Cobot, TM7S, HW5.0	33,720.00	EC003245	RT6 5503F	4550431067661	#		IB	IBE	TWN	8479.5000.00
RT6-6007005	Bundle, Cobot, TM7S, 12 m cable, HW5.0	34,890.00	EC003245	RT6 5504D	4550431067678			IB	IBE	TWN	8479.5000.00
RT6-6007024	Bundle, Cobot, TM7S, HW5.0, PROFINET & EtherNet/IP	35,000.00	EC003245	RT6 5531A	4550431067944			IB	IBE	TWN	8479.5000.00
RT6-6007025	Bundle, Cobot, TM7S, 12 m cable, HW5.0, PROFINET & EtherNet/IP	36,160.00	EC003245	RT6 5532M	4550431067951			IB	IBE	TWN	8479.5000.00
RT6-6017004	Bundle, Cobot, TM7S-X (model without camera), HW5.0	32,130.00	EC003245	RT6 5505B	4550431067685	#		IB	IBE	TWN	8479.5000.00
RT6-6017005	Bundle, Cobot, TM7S-X (model without camera), 12 m cable, HW5.0	33,840.00	EC003245	RT6 5506M	4550431067692			IB	IBE	TWN	8479.5000.00
RT6-6017024	Bundle, Cobot, TM7S-X (model without camera), HW5.0, PROFINET & EtherNet/IP	33,480.00	EC003245	RT6 5533H	4550431067968			IB	IBE	TWN	8479.5000.00
RT6-6017025	Bundle, Cobot, TM7S-X (model without camera), 12 m cable, HW5.0, PROFINET & EtherNet/IP	35,190.00	EC003245	RT6 5534F	4550431067975			IB	IBE	TWN	8479.5000.00
RT6-6107004	Bundle, Cobot, TM7S-M, HW5.0	36,840.00	EC003245	RT6 5507R	4550431067708			IB	IBE	TWN	8479.5000.00
RT6-6107005	Bundle, Cobot, TM7S-M, 3m cable, HW5.0	36,840.00	EC003245	RT6 5508G	4550431067715			IB	IBE	TWN	8479.5000.00
RT6-6107024	Bundle, Cobot, TM7S-M, HW5.0, PROFINET & EtherNet/IP	38,110.00	EC003245	RT6 5535D	4550431067982			IB	IBE	TWN	8479.5000.00
RT6-6107025	Bundle, Cobot, TM7S-M, 3m cable, HW5.0, PROFINET & EtherNet/IP	38,110.00	EC003245	RT6 5536B	4550431067999			IB	IBE	TWN	8479.5000.00
RT6-7001904	Bundle, Cobot, TM25S, HW5.0	63,850.00	EC003245	RT6 5564H	4550431099686			IB	IBE	TWN	8479.5000.00
RT6-7001905	Bundle, Cobot, TM25S, 12 m cable, HW5.0	65,050.00	EC003245	RT6 5565F	4550431099693			IB	IBE	TWN	8479.5000.00
RT6-7001924	Bundle, Cobot, TM25S, HW5.0, PROFINET & EtherNet/IP	65,150.00	EC003245	RT6 5570B	4550431099747			IB	IBE	TWN	8479.5000.00
RT6-7001925	Bundle, Cobot, TM25S, 12 m cable, HW5.0, PROFINET & EtherNet/IP	66,450.00	EC003245	RT6 5571M	4550431099754			IB	IBE	TWN	8479.5000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RT6-7011904	Bundle, Cobot, TM25S-X (model without camera), HWS.0	60,950.00	EC003245	RT6 5566D	4550431099709			IB	IBE	TWN	8479.5000.00
RT6-7011905	Bundle, Cobot, TM25S-X (model without camera), 12 m cable, HWS.0	62,100.00	EC003245	RT6 5567B	4550431099716			IB	IBE	TWN	8479.5000.00
RT6-7011924	Bundle, Cobot, TM25S-X (model without camera), HWS.0, PROFINET & EtherNet/IP	62,250.00	EC003245	RT6 5572R	4550431099761			IB	IBE	TWN	8479.5000.00
RT6-7011925	Bundle, Cobot, TM25S-X (model without camera), 12 m cable, HWS.0, PROFINET & EtherNet/IP	63,400.00	EC003245	RT6 5573G	4550431099778			IB	IBE	TWN	8479.5000.00
RT6-7101904	Bundle, Cobot, TM25S-M, HWS.0	63,850.00	EC003245	RT6 5568M	4550431099723			IB	IBE	TWN	8479.5000.00
RT6-7101905	Bundle, Cobot, TM25S-M, 3 m cable, HWS.0	64,300.00	EC003245	RT6 5569R	4550431099730			IB	IBE	TWN	8479.5000.00
RT6-7101924	Bundle, Cobot, TM25S-M, HWS.0, PROFINET & EtherNet/IP	65,150.00	EC003245	RT6 5574E	4550431099785			IB	IBE	TWN	8479.5000.00
OR ROBOT KIT	OnRobot Omron TM Robot Kit. Not including tool mounting flange K	1,789.00	EC003245	AA065581R	4549734864251			IB	IBE	DNK	8479.5000.00
Robot Mobil Agir Hizmet											
37350-10000	Mobile Robot, MD-650, without Battery	97,050.00	EC000000	R6A 6186E	4550431068156			IB	IBH	USA	8479.5000.00
37350-10002	Mobile Robot, MD-650, with Charger, without Battery	125,600.00	EC000000	R6A 1020R	4550431104748			IB	IBH	USA	8479.5000.00
37350-10004	Mobile Robot, MD-650, with Charger, Pendant, without Battery	127,200.00	EC000000	R6A 1021G	4550431104755			IB	IBH	USA	8479.5000.00
37370-10000	Mobile Robot, MD-900, without Battery	101,800.00	EC000000	R6A 6130M	4550431092755			IB	IBH	USA	8479.5000.00
37370-10002	Mobile Robot, MD-900, with Charger, without Battery	127,200.00	EC000000	R6A 1022E	4550431104762			IB	IBH	USA	8479.5000.00
37370-10004	Mobile Robot, MD-900, with Charger, Pendant, without Battery	131,900.00	EC000000	R6A 1023C	4550431104779			IB	IBH	USA	8479.5000.00
68330-000	Mobile Robot Battery for HD-1500	20,980.00	EC000000	R6A 7691R	4549734670609			IB	IBH	CHN	8507.6000.90
68910-000	Mobile Robot Charging Station - Docking Target (For MD and HD series)	3,856.00	EC000000	R6A 7694C	4549734670630			IB	IBH	USA	8479.9070.99
68925-010	Mobile Robot HAPS (High Accuracy Positioning System) option HD-1500 - Single Sensor, Magnetic tape, 50 m roll	4,796.00	EC000000	R6A 9349M	4549734764117			IB	IBH	USA	8479.9070.99
68925-020	Mobile Robot HAPS (High Accuracy Positioning System) option HD-1500 - Double Sensor, Magnetic tape, 50 m roll	5,815.00	EC000000	R6A 9350C	4549734764124			IB	IBH	USA	8479.9070.99
68940-000L	Pendant (for MD and HD series)	2,039.00	EC000000	R6A 7690M	4549734670593			IB	IBH	USA	8479.9070.99
68945-010	Side Lasers Kit (includes mounting kit and metal enclosures) - For HD-1500	6,635.00	EC000000	R6A 7689G	4549734670586			IB	IBH	USA	8479.9070.99
68950-000	Top Plate for HD-1500	2,049.00	EC000000	R6A 7692G	4549734670616			IB	IBH	USA	8479.9070.99
68955-000	Wireless Antenna Extension Kit - For HD-1500	138.70	EC000000	R6A 9351A	4549734764131			IB	IBH	TWN	8479.9070.99
73330-100	Mobile Robot Battery for MD-series	5,080.00	EC000000	R6A 9721E	4550431073242			IB	IBH	CHN	8507.6000.90
73925-010	Mobile Robot HAPS (High Accuracy Positioning System) option MD-series - Single Sensor, Magnetic tape, 49 m roll	4,048.00	EC000000	R6A 6194F	4550431068231			IB	IBH	USA	8479.9070.99
73925-020	Mobile Robot HAPS (High Accuracy Positioning System) option MD-series - Double Sensor, Magnetic tape, 49 m roll	5,090.00	EC000000	R6A 6195D	4550431068248			IB	IBH	USA	8479.9070.99
73945-010	Side laser kit (For MD-series)	7,940.00	EC000000	R6A 6193H	4550431068224			IB	IBH	USA	8479.9070.99
73990-000	Mobile Robot Charging Station - Power Supply (For MD and HD series)	15,570.00	EC000000	R6A 6191A	4550431068200			IB	IBH	USA	8479.9070.99
OAT Diğer Robotlar											
2FG7-GRIPPER	2FG7 Gripper OnRobot	4,713.00	EC003554	AA057231M	4549734892759			IB	IBS	DNK	8479.9070.99
3FG15-3-FINGER-GRIPPER	3FG15-3-FINGER-GRIPPER OnRobot	5,435.00	EC003554	AA057198D	4549734892506			IB	IBS	DNK	8479.9070.99
ACC-SPLIT-M12-2:1	Robotiq Gripper - Kit Dual - Cable Splitter	214.30	EC003554	AA021631R	4549734970679	#		IB	IBS	CAN	8479.9070.99
AGC-APL-159-002	Robotiq Gripper - Kit Dual - Adapter plate with a "Y" shape to install 2 grippers at the wrist	587.50	EC003554	AA021637H	4549734970686	#		IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-140	Gripper Robotiq 2F-140 kit	5,320.00	EC003554	AA018368B	4549734967860	#		IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-85	Gripper Robotiq 2F-85 kit	5,145.00	EC003554	AA018365H	4549734967877	#		IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-85-W	Gripper Robotiq 2F-85 kit with Wrist Connect Kit	5,145.00	EC003554	AA055219M	4549734985215			IB	IBS	CAN	8479.9070.99
FTS-300-S-OMRON-KIT	Force Sensor Robotiq FT-300 kit	5,435.00	EC003554	AA058485G	4549734796330	#		IB	IBS	CAN	8479.9070.99
GECKO-SP1-GRIPPER	GECKO-SP1-Gripper OnRobot	996.50	EC003554	AA056878R	4549734889766			IB	IBS	DNK	8479.9070.99
GECKO-SP3-GRIPPER	GECKO-SP3-Gripper OnRobot	996.50	EC003554	AA056879G	4549734889759			IB	IBS	DNK	8479.9070.99
GECKO-SP5-GRIPPER	GECKO-SP5-Gripper OnRobot	996.50	EC003554	AA056880M	4549734889742			IB	IBS	DNK	8479.9070.99
HEX-E-ETHERCAT-FLANGE-A	OnRobot HEX-E w/ EtherCAT Converter & Flange A	6,030.00	EC003554	AA057228M	4549734892780			IB	IBS	HUN	8479.9070.99
HND-OMRON-KIT	Gripper Robotiq Hand-E kit	4,281.00	EC003554	AA018389E	4549734967853	#		IB	IBS	CAN	8479.9070.99
HND-OMRON-KIT-W	Gripper Robotiq Hand-E kit with Wrist Connect Kit	4,281.00	EC003554	AA055218A	4549734985208			IB	IBS	CAN	8479.9070.99
IO-CPL-OMRON-KIT	I/O Coupling Kit	898.00	EC003554	AA055227M	4549734985291			IB	IBS	CAN	8479.9070.99
IO-CPL-OMRON-KIT-DEMO	I/O Coupling Kit DEMO	435.10	EC003554	AA055228R	4549734985307			IB	IBS	CAN	8479.9070.99
MG10	MG10-Gripper OnRobot	2,844.00	EC003554	AA058084C	4549734792417			IB	IBS	DNK	8479.9070.99
ONROBOTSANDER	OnRobot Sander	3,537.00	EC003554	AA057239E	4549734892865			IB	IBS	DNK	8479.9070.99
ONROBOT-SANDER-ACCESSORY-KIT	OnRobot Sander Accessory Kit	1,370.00	EC003554	AA057241G	4549734892872			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-KIT	Quick Changer Kit OnRobot	1,412.00	EC003554	AA056883E	4549734889711			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-KIT-DEMO	Quick Changer Kit OnRobot Demo	1,017.00	EC003554	AA056903C	4549734889864			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-ROBOT-SIDE-NEW	Quick Changer Robot Side OnRobot	672.50	EC003554	AA062555C	4549734836166			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-TOOL-SIDE	Quick Changer Tool Side OnRobot	637.50	EC003554	AA056882G	4549734889728			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-TOOL-SIDE-DEMO	Quick Changer Tool Side OnRobot Demo	508.00	EC003554	AA056902E	4549734889957			IB	IBS	DNK	8479.9070.99
RAIL-M3	OnRobot Rail M3	342.20	EC003554	AA062655M	4549734837019			IB	IBS	JPN	8479.9070.99
RAIL-M4	OnRobot Rail M4	338.70	EC003554	AA057230A	4549734892766			IB	IBS	JPN	8479.9070.99
RG2-FT	RG2-FT Gripper OnRobot	11,590.00	EC003554	AA057196H	4549734892520			IB	IBS	DNK	8479.9070.99
RG2-GRIPPER	RG2-Gripper OnRobot	5,765.00	EC003554	AA056875D	4549734889698			IB	IBS	DNK	8479.9070.99

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RG2-GRIPPER-DEMO	RG2-Gripper OnRobot Demo	4,484.00	EC003554	AA056898C	4549734889919			IB	IBS	DNK	8479.9070.99
RG6-GRIPPER	RG6-Gripper OnRobot	6,905.00	EC003554	AA056876B	4549734889780			IB	IBS	DNK	8479.9070.99
RG6-GRIPPER-DEMO	RG6-Gripper OnRobot Demo	5,380.00	EC003554	AA056899A	4549734889926			IB	IBS	DNK	8479.9070.99
SCREWDRIVER	Screwdriver OnRobot	9,185.00	EC003554	AA057215H	4549734892629			IB	IBS	DNK	8479.9070.99
SCREWDRIVER-ACCESSORY-KIT	Screwdriver Accessory Kit OnRobot	1,558.00	EC003554	AA057232H	4549734892742			IB	IBS	DNK	8479.9070.99
SCREW-FEEDER-M2-M6	OnRobot Screw Feeder M2-M6	2,643.00	EC003554	AA057229H	4549734892773			IB	IBS	DNK	8479.9070.99
SG-A-H	Soft Gripper SG-A-H OnRobot	1,206.00	EC003554	AA057200M	4549734892483			IB	IBS	DNK	8479.9070.99
SG-A-S	Soft Gripper SG-A-S OnRobot	1,206.00	EC003554	AA057201H	4549734892476			IB	IBS	DNK	8479.9070.99
SG-BASE-PART	Soft Gripper Base Part OnRobot	4,876.00	EC003554	AA057199B	4549734892490			IB	IBS	DNK	8479.9070.99
SG-B-H	Soft Gripper SG-B-H OnRobot	1,206.00	EC003554	AA057202F	4549734892469			IB	IBS	DNK	8479.9070.99
VG10-GRIPPER	VG10-Gripper OnRobot	6,485.00	EC003554	AA056877M	4549734889773			IB	IBS	DNK	8479.9070.99
VG10-GRIPPER-DEMO	VG10-Gripper OnRobot Demo	4,673.00	EC003554	AA056900R	4549734889933			IB	IBS	DNK	8479.9070.99
VGC10	VGC10-Gripper OnRobot	3,849.00	EC003554	AA057197F	4549734892513			IB	IBS	DNK	8479.9070.99
VGP20-EXTENDER	VGP20-Extender. Only for Cobots with camera - OnRobot	161.10	EC003554	AA058083E	4549734792424			IB	IBS	DNK	8479.9070.99
VGP20-GRIPPER	VGP20-Gripper OnRobot	6,530.00	EC003554	AA058082G	4549734792431			IB	IBS	DNK	8479.9070.99

OAT İşbirlikçi Aksesuarlar

2FG14-GRIPPER	OnRobot 2-Fingers Gripper 2FG14 - 14 kg payload Stroke 50 mm	7,830.00	EC003554	AA065583E	4549734864275			IB	IBV	DNK	8479.9070.99
3FG25-3-FINGER-GRIPPER	OnRobot 3-Fingers Gripper 3FG25 - 25 kg payload Stroke 5 to 110 mm of diameter	9,210.00	EC003554	AA065582G	4549734864268			IB	IBV	DNK	8479.9070.99
DUAL-QUICK-CHANGER-ONROBOT	Dual Quick Changer OnRobot	2,881.00	EC003554	AA064014E	4549734849692			IB	IBV	DNK	8479.9070.99
RT6-A000002	Accessory, TM, Kit, Calibration Set with Additional Pin	474.10	EC003554	RT6 5029H	4549734488877			IB	IBV	TWN	8479.5000.00
RT6-A000004	Accessory, TM, USB DONGLE	194.30	EC003554	RT6 5299A	4549734488884			IB	IBV	TWN	8471.8000.00
RT6-A000008	Accessory, TM, TM LAND MARK	9.51	EC003554	RT6 5030A	4549734488891	#		IB	IBV	TWN	8479.5000.00
RT6-A000009	Accessory, TM, ROBOT STAND	4,051.00	EC003554	RT6 5031M	4549734488907	#		IB	IBV	TWN	8479.5000.00
RT6-A000020	Omron TM Cobot Teach Pendant HW3.2	3,205.00	EC003554	RT6 3277M	4549734717885	#		IB	IBV	TWN	8479.9070.99
RT6-A000021	Accessory, OMRON LAND MARK	9.40	EC003554	RT6 5293B	4549734715713	#		IB	IBV	TWN	8479.5000.00
RT6-A000022	Accessory, TM, Polarizer Light Module	311.20	EC003554	RT6 5377G	4550431047328			IB	IBV	TWN	8479.9070.99
RT6-A000024	Accessory, TM Screen (Teach Pendant)	1,858.00	EC003554	RT6 5560E	4550431071897			IB	IBV	TWN	8479.9070.99
RT6-A000025	Accessory, TM Polarizer Light Module, S Series	218.00	EC003554	RT6 5559A	4550431071880			IB	IBV	TWN	8479.9070.99
RT6-A000026	License, TM Super Software Bundle with the Dongle	514.00	EC003554	RT6 5561C	4550431072368			IB	IBV	TWN	8479.9070.99
TOOL MOUNTING FLANGE K	Tool mounting flange for OnRobot Lift 100 version K suggested for TM25S	186.90	EC003554	AA065584C	4549734864282			IB	IBV	DNK	8479.9070.99
RT6-S100000	License, Software, TM Identify & Measure	2,940.00	EC003554	RT6 5295R	4549734488969			IB	IBV	TWN	8523.5190.00
RT6-S100002	License, Software, TM External Vision	1,206.00	EC003554	RT6 5296G	4549734488976			IB	IBV	TWN	8523.5190.00
RT6-S100003	License, Software, TM OCR	827.50	EC003554	RT6 5297E	4549734488983			IB	IBV	TWN	8523.5190.00
RT6-S100005	License, Software, TMFlow Editor - Offline AOI	719.50	EC003554	RT6 5298C	4549734488990			IB	IBV	TWN	8523.5190.00
RT6-S100006	License, Software, Omron TM Operator Suite	2,133.00	EC003554	RT6 3271M	4549734711449			IB	IBV	TWN	8523.5190.00
RT6-S100009	License, Software, Omron TM Runtime & Palletizing Wizard	482.70	EC003554	RT6 3274E	4549734711470			IB	IBV	TWN	8523.5190.00
RT6-S200001	License, TMFlow Editor	719.50	EC003554	RT6 5294M	4549734488945			IB	IBV	TWN	8523.5190.00

OAT Mobil Aksesuarlar

12477-000	Mobile Robot Charging Station (For LD-60/90/250)	7,975.00	EC000000	R6A 6430R	4549734189873	#		IB	IBW	JPN	8479.9070.99
12477-050	Mobile Robot Charging Station - Extended Wall mount (For Cart Transporters)	7,975.00	EC000000	R6A 6694H	4549734189880			IB	IBW	JPN	8479.9070.99
12944-000	Top Plate Assembly for LD-60/90	1,502.00	EC000000	R6A 2530C	4549734578356			IB	IBW	JPN	8479.9070.99
13456-000	Side Lasers Bundle (2 lasers, one cable and 2 brackets) - For LD-60/90/250	6,930.00	EC000000	R6A 6156C	4549734123013	#		IB	IBW	MYS	8479.9070.99
13456-100	Side Lasers Kit (2 lasers, 2 painted metal covers, one cable and 2 brackets) - For LD-60/90/250	7,530.00	EC000000	R6A 6157A	4549734133852	#		IB	IBW	MYS	8479.9070.99
13558-000	Joystick (for all LD)	1,386.00	EC000000	R6A 3486H	4549734123655	#		IB	IBW	CAN	8537.1098.99
13660-000	Mobile Robot HAPS (High Accuracy Positioning System) option LD-60/90/CT - Double Sensor, Magnetic tape, 50 m roll	4,938.00	EC000000	R6A 4380H	4549734737814	#		IB	IBW	USA	8479.9070.99
13660-100	Mobile Robot HAPS (High Accuracy Positioning System) option LD-60/90/CT - Single Sensor, Magnetic tape, 50 m roll	4,374.00	EC000000	R6A 4379D	4549734737807			IB	IBW	USA	8479.9070.99
13700-000	Mobile Robot Acuity Option with leveling kit	9,665.00	EC000000	R6A 3690R	4549734133821			IB	IBW	DEU	8479.9070.99
13700-100	Mobile Robot Acuity Option without leveling kit	8,535.00	EC000000	R6A 3691G	4549734133838			IB	IBW	DEU	8479.9070.99
14165-000	DB44HD Breakout cable	544.50	EC000000	R6A 3692E	4549734133845	#		IB	IBW	USA	8544.4290.90
14925-000	Magnetic Tape, 25 mm wide for Track Following Sensor, 50 m Length - For all LD	581.50	EC000000	R6A 8278A	4549734694742			IB	IBW	JPN	8479.9070.99
20458-002	Top Plate Assembly for LD-250	1,303.00	EC000000	R6A 2534F	4549734664516			IB	IBW	JPN	8479.9070.99
21374-000	Mobile Robot HAPS (High Accuracy Positioning System) option LD-250 - Double Sensor, Magnetic tape, 50 m roll	6,110.00	EC000000	R6A 4378F	4549734737791			IB	IBW	USA	8479.9070.99
21374-100	Mobile Robot HAPS (High Accuracy Positioning System) option LD-250 - Single Sensor, Magnetic tape, 50 m roll	5,040.00	EC000000	R6A 4377H	4549734737784			IB	IBW	USA	8479.9070.99
21446-000	Rear Facing Laser Bundle, valid for CAPS target location from the rear - For LD-series	5,090.00	EC000000	R6A 9799A	4550431072405			IB	IBW	DEU	8479.9070.99
23419-802	Mobile Robots, Mobile IO Box	1,358.00	EC000000	R6A 6183M	4549734760768	#		IB	IBW	NLD	8536.6990.99
23419-812	Mobile Robots, Power supply for Mobile IO Box	113.20	EC000000	R6A 6184R	4549734760775	#		IB	IBW	NLD	8536.6990.99

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
OAT Aksesuarlar											
10051-003	ADEPT Cobra 600/800 All Spare_Part T20 Pendant Adapter Cable	615.00	EC003554	R6A 8510A	4549734680370	#		IB	IBZ	CHN	8544.4290.90
18823-100	Cable, USER to Wire Lead, 1.5m	354.40	EC003554	R6A 7324C	4549734770163	#		IB	IBZ	MYS	8544.4290.90
18908-000	Bracket, Camera, Mount, i4H SCARA	838.00	EC003554	R6A 7320M	4549734770125			IB	IBZ	USA	8479.9070.99
19106-100	Tool Flange, i4H, Legacy Mount	378.90	EC003554	R6A 7319G	4549734770118			IB	IBZ	NLD	8479.9070.99
19140-100	Cable, TIO to Wire Lead, 1.5m	305.50	EC003554	R6A 7325A	4549734770170	#		IB	IBZ	MYS	8544.4290.90
19165-000	Solenoid Valve Kit, i4H	1,021.00	EC003554	R6A 7322G	4549734770149			IB	IBZ	JPN	8479.9070.99
19464-003F	Kit, Bellows Add-on, 210mm, i4H	4,033.00	EC003554	R6A 9537R	4549734767910			IB	IBZ	NLD	8479.9070.99
19464-004F	Kit, Bellows Add-on, 410mm, i4H	5,455.00	EC003554	R6A 9538G	4549734767927			IB	IBZ	NLD	8479.9070.99
20089-000	Bracket, Wall Mount, i4H	1,369.00	EC003554	R6A 7323E	4549734770156			IB	IBZ	TWN	8479.9070.99
21636-000	i4H Adapter Plate (available to mount the robot to a mounting surface designed for an eCobra 600/800 robot type).	301.90	EC003554	R6A 0341E	4549734723008			IB	IBZ	USA	8479.9070.99
22295-000	Adapter, Camera, Mount, i4H-SCARA	214.00	EC003554	R6A 7321R	4549734770132			IB	IBZ	USA	8479.9070.99
22839-000	Kit, Bellows, i4L, 180mm Quill	2,580.00	EC003554	R6A 6165B	4549734763936			IB	IBZ	JPN	8479.9070.99
22868-000	Kit, Bellows, i4L, 350mm Quill	3,502.00	EC003554	R6A 6163F	4549734763929			IB	IBZ	JPN	8479.9070.99
22871-000	Kit, i4L Camera Mount	182.20	EC003554	R6A 6159H	4549734763905			IB	IBZ	USA	8479.9070.99
22872-000	Kit, Solenoid Valve, i4L	947.50	EC003554	R6A 6161M	4549734763912			IB	IBZ	JPN	8479.9070.99
23912-000	Kit, 24V DC Supply, 240W, 5 Meter, Fixed Accessories	275.00	EC003554	R6A 6167R	4549734763943			IB	IBZ	IDN	8504.4083.90
23913-000	Kit, 48V DC Supply, 960W, 5 Meter, Fix Accessories	990.50	EC003554	R6A 6169E	4549734763950			IB	IBZ	IDN	8504.4083.90
30240-001	Industrial Feeder iPF-240, red backlight	22,580.00	EC000000	R6A 5604G	4550431062208			IB	IBZ	CHE	8479.9070.99
30240-001F	iPF Accessory: Red backlight for iPF-240	3,052.00	EC000000	R6A 9660M	4550431062567	#		IB	IBZ	CHE	8539.5100.00
30240-002	Industrial Feeder iPF-240, white backlight	22,580.00	EC000000	R6A 5605E	4550431062215			IB	IBZ	CHE	8479.9070.99
30240-002F	iPF Accessory: White backlight for iPF-240	3,052.00	EC000000	R6A 9661H	4550431062574	#		IB	IBZ	CHE	8539.5100.00
30240-003	Industrial Feeder iPF-240, infrared backlight	22,580.00	EC000000	R6A 5606C	4550431062222			IB	IBZ	CHE	8479.9070.99
30240-003F	iPF Accessory: Infrared backlight for iPF-240	3,623.00	EC000000	R6A 9662F	4550431062581	#		IB	IBZ	CHE	8539.5100.00
30240-004	Industrial Feeder iPF-240, without backlight	20,500.00	EC000000	R6A 5607A	4550431062239			IB	IBZ	CHE	8479.9070.99
30240-101	Platform for industrial feeder iPF-240 - Left purge	3,882.00	EC000000	R6A 5608M	4550431062246			IB	IBZ	CHE	8479.9070.99
30240-101F	iPF Accessory: Left purge actuator KIT for iPF-240	2,377.00	EC000000	R6A 9644H	4550431062413	#		IB	IBZ	CHE	8479.9070.99
30240-102	Platform for industrial feeder iPF-240 - Right purge	3,882.00	EC000000	R6A 5609H	4550431062253			IB	IBZ	CHE	8479.9070.99
30240-102F	iPF Accessory: Right purge actuator KIT for iPF-240	2,377.00	EC000000	R6A 9645F	4550431062420	#		IB	IBZ	CHE	8479.9070.99
30240-103	Platform for industrial feeder iPF-240 - Standard frame, Flat	1,137.00	EC000000	R6A 5610A	4550431062260			IB	IBZ	CHE	8479.9070.99
30240-103F	iPF Accessory: Purge actuator for iPF-240	1,007.00	EC000000	R6A 9647B	4550431062444	#		IB	IBZ	KOR	8479.9070.99
30240-104	ESD Platform for industrial feeder iPF-240 - Left purge	4,173.00	EC000000	R6A 5611M	4550431062277			IB	IBZ	CHE	8479.9070.99
30240-104F	iPF Accessory: Platform ONLY, Left purge, flat for iPF-240	1,516.00	EC000000	R6A 9648M	4550431062451	#		IB	IBZ	CHE	8479.9070.99
30240-105	ESD Platform for industrial feeder iPF-240 - Right purge	4,173.00	EC000000	R6A 5612H	4550431062284			IB	IBZ	CHE	8479.9070.99
30240-105F	iPF Accessory: Platform ONLY, Right purge, flat for iPF-240	1,516.00	EC000000	R6A 9649R	4550431062468	#		IB	IBZ	CHE	8479.9070.99
30240-106	ESD Platform for industrial feeder iPF-240 - Standard frame	1,422.00	EC000000	R6A 5613F	4550431062291			IB	IBZ	CHE	8479.9070.99
30240-106F	iPF Accessory: ESD Platform ONLY, Left purge, flat for iPF-240	1,806.00	EC000000	R6A 9650B	4550431062475	#		IB	IBZ	CHE	8479.9070.99
30240-107	Platform for industrial feeder iPF-240 - Standard frame, anti-roll 1	1,495.00	EC000000	R6A 5614D	4550431062307			IB	IBZ	CHE	8479.9070.99
30240-107F	iPF Accessory: ESD Platform ONLY, Right purge, flat for iPF-240	1,806.00	EC000000	R6A 9651M	4550431062482	#		IB	IBZ	CHE	8479.9070.99
30240-108	Platform for industrial feeder iPF-240 - Standard frame, anti-roll 2	1,516.00	EC000000	R6A 5615B	4550431062314			IB	IBZ	CHE	8479.9070.99
30240-108F	iPF Accessory: Screw kit for iPF-240 platform mount	352.90	EC000000	R6A 9653G	4550431062642	#		IB	IBZ	CHE	8479.9070.99
30240-109	iPF Hopper Base - M size	3,519.00	EC000000	R6A 5616M	4550431062321			IB	IBZ	CHE	8479.9070.99
30380-001	Industrial Feeder iPF-380, red backlight	25,690.00	EC000000	R6A 5594F	4550431062109			IB	IBZ	CHE	8479.9070.99
30380-001F	iPF Accessory: Red backlight for iPF-380	3,758.00	EC000000	R6A 9657M	4550431062536	#		IB	IBZ	FRA	8539.5100.00
30380-002	Industrial Feeder iPF-380, white backlight	25,690.00	EC000000	R6A 5595D	4550431062116			IB	IBZ	CHE	8479.9070.99
30380-002F	iPF Accessory: White backlight for iPF-380	3,758.00	EC000000	R6A 9658H	4550431062543	#		IB	IBZ	FRA	8539.5100.00
30380-003	Industrial Feeder iPF-380, infrared backlight	25,690.00	EC000000	R6A 5596B	4550431062123			IB	IBZ	CHE	8479.9070.99
30380-003F	iPF Accessory: Infrared backlight for iPF-380	4,557.00	EC000000	R6A 9659F	4550431062550	#		IB	IBZ	FRA	8539.5100.00
30380-004	Industrial Feeder iPF-380, without backlight	22,580.00	EC000000	R6A 5597M	4550431062130			IB	IBZ	CHE	8479.9070.99
30380-101	Platform frame for industrial feeder iPF-380 - Left purge	2,803.00	EC000000	R6A 5598R	4550431062147			IB	IBZ	CHE	8479.9070.99
30380-101F	iPF Accessory: Purge actuator for iPF-380 and iPF-530	1,007.00	EC000000	R6A 9646D	4550431062437	#		IB	IBZ	KOR	8479.9070.99
30380-102	Platform frame for industrial feeder iPF-380 - Right purge	2,803.00	EC000000	R6A 5599G	4550431062154			IB	IBZ	CHE	8479.9070.99
30380-102F	iPF Accessory: Ball joints set for iPF-380 and iPF-530	347.70	EC000000	R6A 9652R	4550431062499	#		IB	IBZ	CHE	8479.9070.99
30380-103	Platform frame for industrial feeder iPF-380 - Standard	571.00	EC000000	R6A 5600D	4550431062161			IB	IBZ	SVN	8479.9070.99
30380-201	Platform Surface for industrial feeder iPF-380 - Flat	321.80	EC000000	R6A 5601B	4550431062178			IB	IBZ	CHE	8479.9070.99
30380-202	Platform Surface for industrial feeder iPF-380 - Anti-roll 1	882.50	EC000000	R6A 5602M	4550431062185			IB	IBZ	CHE	8479.9070.99
30380-203	Platform Surface for industrial feeder iPF-380 - Anti-roll 2	1,080.00	EC000000	R6A 5603R	4550431062192			IB	IBZ	CHE	8479.9070.99
30530-001	Industrial Feeder iPF-530, red backlight	28,810.00	EC000000	R6A 5584R	4550431062000			IB	IBZ	CHE	8479.9070.99
30530-001F	iPF Accessory: Red backlight for iPF-530	4,453.00	EC000000	R6A 9654E	4550431062505	#		IB	IBZ	FRA	8539.5100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
30530-002	Industrial Feeder IPF-530, white backlight	28,810.00	EC000000	R6A 5585G	4550431062017			IB	IBZ	CHE	8479.9070.99
30530-002F	IPF Accessory: White backlight for IPF-530	4,453.00	EC000000	R6A 9655C	4550431062512	#		IB	IBZ	FRA	8539.5100.00
30530-003	Industrial Feeder IPF-530, infrared backlight	28,810.00	EC000000	R6A 5586E	4550431062024			IB	IBZ	CHE	8479.9070.99
30530-003F	IPF Accessory: Infrared backlight for IPF-530	5,495.00	EC000000	R6A 9656A	4550431062529	#		IB	IBZ	FRA	8539.5100.00
30530-004	Industrial Feeder IPF-530, without backlight	24,650.00	EC000000	R6A 5587C	4550431062031			IB	IBZ	CHE	8479.9070.99
30530-101	Platform frame for industrial feeder IPF-530 - Left purge	2,886.00	EC000000	R6A 5588A	4550431062048			IB	IBZ	CHE	8479.9070.99
30530-102	Platform frame for industrial feeder IPF-530 - Right purge	2,886.00	EC000000	R6A 5589M	4550431062055			IB	IBZ	CHE	8479.9070.99
30530-103	Platform frame for industrial feeder IPF-530 - Standard	571.00	EC000000	R6A 5590C	4550431062062			IB	IBZ	SVN	8479.9070.99
30530-201	Platform Surface for industrial feeder IPF-530 - Flat	321.80	EC000000	R6A 5591A	4550431062079			IB	IBZ	CHE	8479.9070.99
30530-202	Platform Surface for industrial feeder IPF-530 - Anti-roll 1	1,080.00	EC000000	R6A 5592M	4550431062086			IB	IBZ	CHE	8479.9070.99
30530-203	Platform Surface for industrial feeder IPF-530 - Anti-roll 2	1,267.00	EC000000	R6A 5593H	4550431062093			IB	IBZ	CHE	8479.9070.99
30600-001	IPF Hopper Container - 3 L and max 12 kg	633.50	EC000000	R6A 5617R	4550431062338			IB	IBZ	PRT	8479.9070.99
30600-002	IPF Hopper Container - 7 L and max 12 kg	737.00	EC000000	R6A 5618G	4550431062345			IB	IBZ	PRT	8479.9070.99
30600-003	IPF Hopper Container - 14 L and max 19.5 kg	841.00	EC000000	R6A 5620R	4550431062369			IB	IBZ	PRT	8479.9070.99
30600-004	IPF Hopper Base - L size	3,830.00	EC000000	R6A 5619E	4550431062352			IB	IBZ	CHE	8479.9070.99
30600-005	IPF Accessory: Hopper Mounting Kit	872.00	EC000000	R6A 5621G	4550431062376			IB	IBZ	PRT	8479.9070.99
30600-101F	IPF Accessory: Hopper I/O cable, 2 m	77.85	EC000000	R6A 9643M	4550431062406	#		IB	IBZ	CZE	8479.9070.99
30600-240F	IPF Accessory: power cable for IPF-240, 5 m	233.60	EC000000	R6A 9642A	4550431062390	#		IB	IBZ	CHE	8479.9070.99
30600-380F	IPF Accessory: power cable for IPF-380 and IPF-530, 5 m	342.50	EC000000	R6A 9641C	4550431062383	#		IB	IBZ	CHE	8479.9070.99
01056-200	Lens, Camera, 16 mm, F1.4, C-Mount	422.00	EC003554	R6A 7008B	4549734491884	#		IB	IBZ	USA	8479.9070.99
04677-030	IO Blox uzatma kablosu, 3.0M (IO Blox'u robota bağlar)	256.30	EC003554	R6A 0966R	4549734677028	#		IB	IBZ	USA	8544.4290.90
04679-030	IO Blox uzatma kablosu, 3.0M (IO Blox'u IO Blox'a bağlar)	256.30	EC003554	R6A 0965M	4549734677011	#		IB	IBZ	USA	8544.4290.90
09322-000	Lens, Camera, 16 mm	688.00	EC003554	R6A 7009M	4549734491891	#		IB	IBZ	VNM	8479.9070.99
09323-100	Lens, Camera, 35mm, F1.6-16, C-Mount	889.50	EC003554	R6A 7011B	4549734491914	#		IB	IBZ	VNM	8479.9070.99
09443-000	Kablo, Konveyör enkoderi, M12 Dişi, Y-Adapter, 2-enkoder desteği, 3 Metre	249.30	EC003554	R6A 7301D	4549734677172	#		IB	IBZ	CHN	8544.4290.90
09446-050	enkoder uzatma kablosu, M12 Erkek, M12 Dişi, 8pin, 5 Metre	370.50	EC003554	R6A 7302B	4549734677189	#		IB	IBZ	MEX	8544.4290.90
09447-050	Cable, DB50 Male to Female, 5 meter	67.45	EC003554	R6A 7753B	4549734677813	#		IB	IBZ	CHN	8544.4290.90
09742-001	Adept TR-1 Konveyör enkoder Kit IP65	1,235.00	EC003554	R6A 8547M	4549734680738	#		IB	IBZ	USA	8479.9070.99
10046-010	T20 Pendant, 10m Kabolu	2,953.00	EC003554	R6A 7311A	4549734677271	#		IB	IBZ	AUT	8537.1098.99
10048-000	T20 Pendant-Jumper Plug	128.00	EC003554	R6A 7799M	4549734678261	#		IB	IBZ	USA	8536.9010.00
10079-000	T20 Pendant Duvar Montaj Aparatı	194.60	EC003554	R6A 7031G	4549734492072	#		IB	IBZ	AUT	8479.9070.99
11585-000	Kablo, eAIB XSYS Kablosu, 4 m	194.60	EC003554	R6A 7032E	4549734492089	#		IB	IBZ	CHN	8479.9070.99
13323-000	Kablo montajı XSYSTEM Adapter, jampere ile birlikte	194.60	EC003554	R6A 7033C	4549734492096	#		IB	IBZ	CHN	8479.9070.99
13463-000	XBELTIO Kablosu	1,223.00	EC003554	R6A 7034A	4549734492102	#		IB	IBZ	USA	8479.9070.99
19200-000	SmartController EX without Front Panel	5,280.00	EC003554	R6A 0573F	4549734554565	#		IB	IBZ	JPN	8479.9070.99
19300-000	SmartController EX	5,375.00	EC003554	R6A 0970G	4549734677066	#		IB	IBZ	JPN	8479.9070.99
20410-000	ACE Sight Software License (4x)	6,525.00	EC003554	R6A 0955C	4549734524070	#		IB	IBZ	USA	8523.5190.00
20433-000	PackXpert + ACE Sight Software License (4x)	9,440.00	EC003554	R6A 0956A	4549734524087	#		IB	IBZ	USA	8523.5190.00
21857-100	Kit, Small Scanner + 3D Pick Manager License	26,820.00	EC003554	R6A 8026F	4549734605465	#		IB	IBZ	SVK	8479.9070.99
21857-200	Kit, Medium Scanner + 3D Pick Manager License	33,530.00	EC003554	R6A 8027D	4549734605472	#		IB	IBZ	SVK	8479.9070.99
21857-300	Kit, Large Scanner + 3D Pick Manager License	40,220.00	EC003554	R6A 8028B	4549734605489	#		IB	IBZ	SVK	8479.9070.99
21857-900	Calibration Kit 3D Pick Manager	161.10	EC003554	R6A 8029M	4549734605496	#		IB	IBZ	SVK	8479.9070.99
24114-250	Kit, Kamera, GigE PoE, 1600 x 1200, 60 fps, B/W, ACE, 1/1.8" CMOS	1,584.00	EC003554	R6A 7019H	4549734491990	#		IB	IBZ	DEU	8479.9070.99
24114-300	Kit, Kamera, GigE PoE, 2048 x 2048, 25 fps, B/W, ACE, 1" CMOS	4,430.00	EC003554	R6A 7021M	4549734492010	#		IB	IBZ	DEU	8479.9070.99
27400-29006	Lamp, Filmt, W2x4.6D,6V1.2	16.00	EC003554	R6A 7730C	4549734677585	#		IB	IBZ	USA	8539.2998.90
90356-30200	IO Blox 8/IP-8/OP (1st IO Blox - robot'a bağlar)	633.50	EC003554	R6A 7966G	4549734679930	#		IB	IBZ	USA	8536.9010.00
90356-40100	XIO Termination Block, 12/IP-8/OP	633.50	EC003554	R6A 7930F	4549734679572	#		IB	IBZ	USA	8536.9010.00
AC1-152000	IPC Robots, Application Controller	5,380.00	EC003554	AC1 0101M	4549734524056	#		IB	IBZ	NLD	8471.5000.00

Servo Sürücüler 1S-Serisi

R88D-1S010H-ECT-51	1S-51 servo drive with STO, SSI and SLS safety, EtherCAT type, 100 W, 1 or 3 ~ 230 VAC	1,158.00	EC002572	R8D10026D	4550431098603	#		MB	MBA	JPN	8504.4095.90
R88D-1S020H-ECT-51	1S-51 servo drive with STO, SSI and SLS safety, EtherCAT type, 200 W, 1 or 3 ~ 230 VAC	1,411.00	EC002572	R8D10027B	4550431098610	#		MB	MBA	JPN	8504.4095.90
R88D-1S040H-ECT-51	1S-51 servo drive with STO, SSI and SLS safety, EtherCAT type, 400 W, 1 or 3 ~ 230 VAC	1,491.00	EC002572	R8D10028M	4550431098627	#		MB	MBA	JPN	8504.4095.90
R88D-1S060F-ECT-51	1S-51 servo drive with STO, SSI and SLS safety, EtherCAT type, 600 W, 3 ~ 400 VAC	1,528.00	EC002572	R8D10037M	4550431098719	#		MB	MBA	JPN	8504.4095.90
R88D-1S080H-ECT-51	1S-51 servo drive with STO, SSI and SLS safety, EtherCAT type, 750 W, 1 or 3 ~ 230 VAC	1,518.00	EC002572	R8D10029R	4550431098634	#		MB	MBA	JPN	8504.4095.90
R88D-1S100F-ECT-51	1S-51 servo drive with STO, SSI and SLS safety, EtherCAT type, 1 kW, 3 ~ 400 VAC	1,623.00	EC002572	R8D10038H	4550431098726	#		MB	MBA	JPN	8504.4095.90
R88D-1S1150F-ECT-51	1S-51 servo drive with STO, SSI and SLS safety, EtherCAT type, 1.5 kW, 3 ~ 400 VAC	8,670.00	EC002572	R8D10044B	4550431098788	#		MB	MBA	JPN	8504.4095.90
R88D-1S115F-ECT-51	1S-51 servo drive with STO, SSI and SLS safety, EtherCAT type, 1.5 kW, 3 ~ 400 VAC	1,681.00	EC002572	R8D10039F	4550431098733	#		MB	MBA	JPN	8504.4095.90
R88D-1S115H-ECT-51	1S-51 servo drive with STO, SSI and SLS safety, EtherCAT type, 1.5 kW, 1 or 3 ~ 230 VAC	2,143.00	EC002572	R8D10031M	4550431098658	#		MB	MBA	JPN	8504.4095.90
R88D-1S200F-ECT-51	1S-51 servo drive with STO, SSI and SLS safety, EtherCAT type, 2 kW, 3 ~ 400 VAC	2,012.00	EC002572	R8D10040M	4550431098740	#		MB	MBA	JPN	8504.4095.90
R88D-1S300F-ECT-51	1S-51 servo drive with STO, SSI and SLS safety, EtherCAT type, 3 kW, 3 ~ 400 VAC	2,183.00	EC002572	R8D10041H	4550431098757	#		MB	MBA	JPN	8504.4095.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88D-1SN55F-ECT-51	1S-51 servo drive with STO, S51 and SLS safety, EtherCAT type, 5.5 kW, 3~ 400 VAC	3,239.00	EC002572	R8D10042F	4550431098764	#		MB	MBA	PHL	8504.4095.90
R88D-1SN75F-ECT-51	1S-51 servo drive with STO, S51 and SLS safety, EtherCAT type, 7.5 kW, 3~ 400 VAC	5,710.00	EC002572	R8D10043D	4550431098771	#		MB	MBA	PHL	8504.4095.90
R88D-1SN01H-ECT	1S servo sürücü, EtherCAT, 100 W, 1~ 230 VAC	1,023.00	EC002572	R8D10004C	4548583789166	#		MB	MBA	JPN	8504.4095.90
R88D-1SN02H-ECT	1S servo sürücü, EtherCAT, 200 W, 1~ 230 VAC	1,261.00	EC002572	R8D10005A	4548583789173	#		MB	MBA	JPN	8504.4095.90
R88D-1SN04H-ECT	1S servo sürücü, EtherCAT, 400 W, 1~ 230 VAC	1,341.00	EC002572	R8D10006M	4548583789180	#		MB	MBA	JPN	8504.4095.90
R88D-1SN06F-ECT	1S servo sürücü, EtherCAT, 600 W, 3~ 400 VAC	1,377.00	EC002572	R8D10012D	4548583789241	#		MB	MBA	JPN	8504.4095.90
R88D-1SN08H-ECT	1S servo sürücü, EtherCAT, 800 W, 1~ 230 VAC	1,368.00	EC002572	R8D10007H	4548583789197	#		MB	MBA	JPN	8504.4095.90
R88D-1SN10F-ECT	1S servo sürücü, EtherCAT, 1 kW, 3~ 400 VAC	1,473.00	EC002572	R8D10013B	4548583789258	#		MB	MBA	JPN	8504.4095.90
R88D-1SN150F-ECT	1S servo drive, EtherCAT type, 15 kW, 3~ 400 VAC	8,465.00	EC002572	R8D10022A	4549734210041	#		MB	MBA	JPN	8504.4095.90
R88D-1SN15F-ECT	1S servo sürücü, EtherCAT, 1.5 kW, 3~ 400 VAC	1,531.00	EC002572	R8D10014M	4548583789265	#		MB	MBA	JPN	8504.4095.90
R88D-1SN15H-ECT	1S servo sürücü, EtherCAT, 1.5 kW, 1~ 230 VAC	1,992.00	EC002572	R8D10009D	4548583789210	#		MB	MBA	JPN	8504.4095.90
R88D-1SN20F-ECT	1S servo sürücü, EtherCAT, 2 kW, 3~ 400 VAC	1,857.00	EC002572	R8D10015R	4548583789272	#		MB	MBA	JPN	8504.4095.90
R88D-1SN20H-ECT	1S servo drive, EtherCAT type, 2 kW, 3~ 230 VAC	3,651.00	EC002572	R8D10010H	4548583789227	#		MB	MBA	JPN	8504.4095.90
R88D-1SN30F-ECT	1S servo sürücü, EtherCAT, 3 kW, 3~ 400 VAC	2,028.00	EC002572	R8D10016G	4548583789289	#		MB	MBA	JPN	8504.4095.90
R88D-1SN55F-ECT	1S servo drive, EtherCAT type, 5.5 kW, 3~ 400 VAC	3,083.00	EC002572	R8D10020E	4549734210027	#		MB	MBA	PHL	8504.4095.90
R88D-1SN75F-ECT	1S servo drive, EtherCAT type, 7.5 kW, 3~ 400 VAC	5,500.00	EC002572	R8D10021C	4549734210034	#		MB	MBA	PHL	8504.4095.90
R88D-1SAN02H-ECT	1SA servo drive with safety, EtherCAT type, 200 W, 1~ 230 VAC	1,538.00	EC002572	R8D12000A	4549734219419	#		MB	MBA	CHN	8504.4095.90
R88D-1SAN04H-ECT	1SA servo drive with safety, EtherCAT type, 400 W, 1~ 230 VAC	1,638.00	EC002572	R8D12001M	4549734219426	#		MB	MBA	CHN	8504.4095.90
R88D-1SAN08H-ECT	1SA servo drive with safety, EtherCAT type, 800 W, 1~ 230 VAC	1,670.00	EC002572	R8D12002H	4549734219433	#		MB	MBA	CHN	8504.4095.90
R88D-1SAN10F-ECT	1SA servo drive with safety, EtherCAT type, 1 kW, 3~ 400 VAC	1,796.00	EC002572	R8D12007R	4549734219488	#		MB	MBA	CHN	8504.4095.90
R88D-1SAN15F-ECT	1SA servo drive with safety, EtherCAT type, 1.5 kW, 3~ 400 VAC	1,867.00	EC002572	R8D12008G	4549734219495	#		MB	MBA	CHN	8504.4095.90
R88D-1SAN15H-ECT	1SA servo drive with safety, EtherCAT type, 1.5 kW, 1~ 230 VAC	2,430.00	EC002572	R8D12004D	4549734219457	#		MB	MBA	CHN	8504.4095.90
R88D-1SAN20F-ECT	1SA servo drive with safety, EtherCAT type, 2 kW, 3~ 400 VAC	2,266.00	EC002572	R8D12009E	4549734219501	#		MB	MBA	CHN	8504.4095.90
R88D-1SAN30F-ECT	1SA servo drive with safety, EtherCAT type, 3 kW, 3~ 400 VAC	2,474.00	EC002572	R8D12010R	4549734219518	#		MB	MBA	CHN	8504.4095.90

Servo Motorlar 1S-Serisi

R88M-1L1K030C-B52	1S AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder, frenli	2,386.00	EC001851	R8M10061B	4548583789890	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030C-S2	1S AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder	2,034.00	EC001851	R8M10045M	4548583789739	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030H-B52	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, incremental encoder, with brake	2,729.00	EC001851	R8M10266F	4549734172479	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030H-S2	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, incremental encoder	2,259.00	EC001851	R8M10265H	4549734172462	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030T-B52	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder, frenli	2,394.00	EC001851	R8M10056F	4548583789845	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030T-S2	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder	1,981.00	EC001851	R8M10040M	4548583789665	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530C-B52	1S AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder, frenli	2,593.00	EC001851	R8M10062M	4548583789906	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530C-S2	1S AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder	2,082.00	EC001851	R8M10046R	4548583789746	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530H-B52	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, incremental encoder, with brake	3,143.00	EC001851	R8M10268B	4549734172493	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530H-S2	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, incremental encoder	2,561.00	EC001851	R8M10267D	4549734172486	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530T-B52	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder, frenli	2,759.00	EC001851	R8M10057D	4548583789852	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530T-S2	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder	2,248.00	EC001851	R8M10041H	4548583789692	#		MB	MBB	JPN	8501.5220.89
R88M-1L2K030C-B52	1S AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder, frenli	3,087.00	EC001851	R8M10063R	4548583789913	#		MB	MBB	JPN	8501.5220.89
R88M-1L2K030C-S2	1S AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder	2,565.00	EC001851	R8M10047G	4548583789753	#		MB	MBB	JPN	8501.5220.89
R88M-1L3K030C-B52	1S AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder, frenli	3,455.00	EC001851	R8M10064G	4548583789920	#		MB	MBB	JPN	8501.5220.89
R88M-1L3K030C-S2	1S AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder	2,938.00	EC001851	R8M10048E	4548583789760	#		MB	MBB	JPN	8501.5220.89
R88M-1L4K030C-B52	1S AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute encoder, with brake	4,343.00	EC001851	R8M10350F	4549734210669	#		MB	MBB	JPN	8501.5220.89
R88M-1L4K030C-S2	1S AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute encoder	3,616.00	EC001851	R8M10348D	4549734210645	#		MB	MBB	JPN	8501.5220.89
R88M-1L5K030C-B52	1S AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute encoder, with brake	5,355.00	EC001851	R8M10358A	4549734210744	#		MB	MBB	JPN	8501.5220.89
R88M-1L5K030C-S2	1S AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute encoder	4,615.00	EC001851	R8M10356E	4549734210720	#		MB	MBB	JPN	8501.5220.89
R88M-1L75030C-B52	1S AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder, frenli	2,365.00	EC001851	R8M10060D	4548583789883	#		MB	MBB	JPN	8501.5100.90
R88M-1L75030C-S2	1S AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1,935.00	EC001851	R8M10044B	4548583789722	#		MB	MBB	JPN	8501.5100.90
R88M-1M10030H-B52	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, incremental encoder, with brake	1,136.00	EC001851	R8M10258E	4549734172394	#		MB	MBB	PHL	8501.5100.90
R88M-1M10030H-S2	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, incremental encoder	824.00	EC001851	R8M10257G	4549734172387	#		MB	MBB	PHL	8501.5100.90
R88M-1M10030T-B52	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, absolute encoder, frenli	1,418.00	EC001851	R8M10052C	4548583789807	#		MB	MBB	PHL	8501.5100.90
R88M-1M10030T-S2	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, absolute encoder	1,029.00	EC001851	R8M10036A	4548583789647	#		MB	MBB	PHL	8501.5100.90
R88M-1M20030H-B52	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, incremental encoder, with brake	1,208.00	EC001851	R8M10260G	4549734172417	#		MB	MBB	PHL	8501.5100.90
R88M-1M20030H-S2	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, incremental encoder	884.00	EC001851	R8M10259C	4549734172400	#		MB	MBB	PHL	8501.5100.90
R88M-1M20030T-B52	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder, frenli	1,512.00	EC001851	R8M10053A	4548583789814	#		MB	MBB	PHL	8501.5100.90
R88M-1M20030T-S2	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder	1,105.00	EC001851	R8M10037M	4548583789654	#		MB	MBB	PHL	8501.5100.90
R88M-1M40030H-B52	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, incremental encoder, with brake	1,392.00	EC001851	R8M10262C	4549734172431	#		MB	MBB	PHL	8501.5100.90
R88M-1M40030H-S2	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, incremental encoder	1,035.00	EC001851	R8M10261E	4549734172424	#		MB	MBB	PHL	8501.5100.90
R88M-1M40030T-B52	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, frenli	1,737.00	EC001851	R8M10054M	4548583789821	#		MB	MBB	PHL	8501.5100.90
R88M-1M40030T-S2	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder	1,292.00	EC001851	R8M10038H	4548583789661	#		MB	MBB	PHL	8501.5100.90

Image	Catalog Description (Image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
	R88M-1M75030H-B52	15 AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, incremental encoder, with brake	1,606.00	EC001851	R8M10264M	4549734172455	#		MB	MBB	PHL	8501.5100.90
	R88M-1M1K015C-S2	15 AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, incremental encoder	1,206.00	EC001851	R8M10263A	45497342172448	#		MB	MBB	PHL	8501.5100.90
	R88M-1M75030T-B52	15 AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder, frenli	2,001.00	EC001851	R8M10055H	4548583789838	#		MB	MBB	PHL	8501.5100.90
	R88M-1M75030T-S2	15 AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1,510.00	EC001851	R8M10039F	4548583789678	#		MB	MBB	PHL	8501.5100.90
	R88M-1M11K015C-B52	15 AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70.0 Nm, absolute encoder, with brake	7,665.00	EC001851	R8M10390E	4549734211062			MB	MBB	JPN	8501.5230.90
	R88M-1M11K015C-S2	15 AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70.0 Nm, absolute encoder	6,335.00	EC001851	R8M10388C	4549734211048			MB	MBB	JPN	8501.5230.90
	R88M-1M15K015C-B52	15 AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.5 Nm, absolute encoder, with brake	9,335.00	EC001851	R8M10398M	4549734211147			MB	MBB	JPN	8501.5230.90
	R88M-1M15K015C-S2	15 AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.5 Nm, absolute encoder	8,005.00	EC001851	R8M10396D	4549734211123			MB	MBB	JPN	8501.5230.90
	R88M-1M1K020C-B52	15 AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder, frenli	1,991.00	EC001851	R8M11165G	4549734165204	#		MB	MBB	PHL	8501.5220.89
	R88M-1M1K020C-S2	15 AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder	1,416.00	EC001851	R8M11155M	4549734165105	#		MB	MBB	PHL	8501.5220.89
	R88M-1M1K020H-B52	15 AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, incremental encoder, with brake	2,345.00	EC001851	R8M10270D	4549734172516			MB	MBB	PHL	8501.5220.89
	R88M-1M1K020H-S2	15 AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, incremental encoder	1,859.00	EC001851	R8M10269M	4549734172509			MB	MBB	PHL	8501.5220.89
	R88M-1M1K020T-B52	15 AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder, frenli	2,057.00	EC001851	R8M11159B	4549734165143			MB	MBB	PHL	8501.5220.89
	R88M-1M1K020T-S2	15 AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder	1,631.00	EC001851	R8M11149E	4549734165044			MB	MBB	PHL	8501.5220.89
	R88M-1M1K520C-B52	15 AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder, frenli	2,118.00	EC001851	R8M11166E	4549734165211	#		MB	MBB	PHL	8501.5220.89
	R88M-1M1K520C-S2	15 AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder	1,792.00	EC001851	R8M11156H	4549734165112	#		MB	MBB	PHL	8501.5220.89
	R88M-1M1K520H-B52	15 AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, incremental encoder, with brake	2,431.00	EC001851	R8M10272M	4549734172530			MB	MBB	PHL	8501.5220.89
	R88M-1M1K520H-S2	15 AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, incremental encoder	2,014.00	EC001851	R8M10271B	4549734172523			MB	MBB	PHL	8501.5220.89
	R88M-1M1K520T-B52	15 AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder, frenli	2,136.00	EC001851	R8M11160F	4549734165150			MB	MBB	PHL	8501.5220.89
	R88M-1M1K520T-S2	15 AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder	1,768.00	EC001851	R8M11150R	4549734165051	#		MB	MBB	PHL	8501.5220.89
	R88M-1M2K020C-B52	15 AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute (mutlak) encoder, frenli	2,353.00	EC001851	R8M11167C	4549734165228	#		MB	MBB	PHL	8501.5220.89
	R88M-1M2K020C-S2	15 AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute (mutlak) encoder	1,928.00	EC001851	R8M11157F	4549734165129	#		MB	MBB	PHL	8501.5220.89
	R88M-1M3K020C-B52	15 AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, absolute (mutlak) encoder, frenli	2,908.00	EC001851	R8M11168A	4549734165235	#		MB	MBB	PHL	8501.5220.89
	R88M-1M3K020C-S2	15 AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, absolute (mutlak) encoder	2,284.00	EC001851	R8M11158D	4549734165136	#		MB	MBB	PHL	8501.5220.89
	R88M-1M40020C-B52	15 AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute encoder, frenli	1,837.00	EC001851	R8M11163M	4549734165181	#		MB	MBB	PHL	8501.5100.90
	R88M-1M40020C-S2	15 AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute encoder	1,314.00	EC001851	R8M11153C	4549734165082	#		MB	MBB	PHL	8501.5100.90
	R88M-1M4K015C-B52	15 AC servo motor, 4 kW, 400 VAC, 1500 rpm, 25.5 Nm, absolute encoder, with brake	3,414.00	EC001851	R8M10366B	4549734210829	#		MB	MBB	PHL	8501.5220.89
	R88M-1M4K015C-S2	15 AC servo motor, 4 kW, 400 VAC, 1500 rpm, 25.5 Nm, absolute encoder	2,680.00	EC001851	R8M10364F	4549734210805	#		MB	MBB	PHL	8501.5220.89
	R88M-1M5K515C-B52	15 AC servo motor, 5.5 kW, 400 VAC, 1500 rpm, 35.0 Nm, absolute encoder, with brake	3,749.00	EC001851	R8M10374C	4549734210904	#		MB	MBB	PHL	8501.5220.89
	R88M-1M5K515C-S2	15 AC servo motor, 5.5 kW, 400 VAC, 1500 rpm, 35.0 Nm, absolute encoder	3,014.00	EC001851	R8M10372G	4549734210881	#		MB	MBB	PHL	8501.5220.89
	R88M-1M60020C-B52	15 AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, absolute encoder, frenli	1,908.00	EC001851	R8M11164R	4549734165198	#		MB	MBB	PHL	8501.5100.90
	R88M-1M60020C-S2	15 AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, absolute encoder	1,375.00	EC001851	R8M11154A	4549734165099	#		MB	MBB	PHL	8501.5100.90
	R88M-1M7K515C-B52	15 AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute encoder, with brake	6,170.00	EC001851	R8M10382D	4549734210980	#		MB	MBB	PHL	8501.5220.89
	R88M-1M7K515C-S2	15 AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute encoder	5,430.00	EC001851	R8M10380H	4549734210966	#		MB	MBB	PHL	8501.5220.89
	R88M-1M2K010C-B52	15 AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute (mutlak) encoder, frenli	3,462.00	EC001851	R8M11231R	4549734165860			MB	MBB	PHL	8501.5220.89
	R88M-1M2K010C-S2	15 AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute (mutlak) encoder	2,819.00	EC001851	R8M11225D	4549734165808	#		MB	MBB	PHL	8501.5220.89
	R88M-1M3K010C-B52	15 AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.65 Nm, absolute (mutlak) encoder, frenli	4,124.00	EC001851	R8M11232G	4549734165877			MB	MBB	PHL	8501.5220.89
	R88M-1M3K010C-S2	15 AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.65 Nm, absolute (mutlak) encoder	3,534.00	EC001851	R8M11226B	4549734165815			MB	MBB	PHL	8501.5220.89
	R88M-1M90010C-B52	15 AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder, frenli	2,248.00	EC001851	R8M11230M	4549734165853			MB	MBB	PHL	8501.5220.89
	R88M-1M90010C-S2	15 AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder	1,857.00	EC001851	R8M11224F	4549734165792	#		MB	MBB	PHL	8501.5220.89
	R88M-1M90010T-B52	15 AC servo motor, 900 W, 230 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder, frenli	2,345.00	EC001851	R8M11227M	4549734165822			MB	MBB	PHL	8501.5220.89
	R88M-1M90010T-S2	15 AC servo motor, 900 W, 230 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder	1,847.00	EC001851	R8M11221A	4549734165761			MB	MBB	PHL	8501.5220.89
	R88M-1AL1K030C-B52	15A AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake	2,909.00	EC001851	R8M12085M	4549734220378			MB	MBB	JPN	8501.5220.89
	R88M-1AL1K030C-S2	15A AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder	2,481.00	EC001851	R8M12083D	4549734220354			MB	MBB	JPN	8501.5220.89
	R88M-1AL1K030T-B52	15A AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake	2,921.00	EC001851	R8M12029M	4549734219815			MB	MBB	JPN	8501.5220.89
	R88M-1AL1K030T-S2	15A AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder	2,418.00	EC001851	R8M12027C	4549734219792			MB	MBB	JPN	8501.5220.89
	R88M-1AL1K530C-B52	15A AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake	3,165.00	EC001851	R8M12093A	4549734220453			MB	MBB	JPN	8501.5220.89
	R88M-1AL1K530C-S2	15A AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder	2,538.00	EC001851	R8M12091E	4549734220439			MB	MBB	JPN	8501.5220.89
	R88M-1AL1K530T-B52	15A AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake	3,366.00	EC001851	R8M12037M	4549734219891			MB	MBB	JPN	8501.5220.89
	R88M-1AL1K530T-S2	15A AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder	2,739.00	EC001851	R8M12035D	4549734219877			MB	MBB	JPN	8501.5220.89
	R88M-1AL2K030C-B52	15A AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder, with brake	3,764.00	EC001851	R8M12101F	4549734220538			MB	MBB	JPN	8501.5220.89
	R88M-1AL2K030C-S2	15A AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder	3,129.00	EC001851	R8M12099M	4549734220514			MB	MBB	JPN	8501.5220.89
	R88M-1AL3K030C-B52	15A AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder, with brake	4,214.00	EC001851	R8M12109A	4549734220613			MB	MBB	JPN	8501.5220.89
	R88M-1AL3K030C-S2	15A AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder	3,585.00	EC001851	R8M12107E	4549734220590			MB	MBB	JPN	8501.5220.89
	R88M-1AL75030C-B52	15A AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake	2,885.00	EC001851	R8M12077M	4549734220293			MB	MBB	JPN	8501.5100.90
	R88M-1AL75030C-S2	15A AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder	2,360.00	EC001851	R8M12075C	4549734220279			MB	MBB	JPN	8501.5100.90
	R88M-1AM20030T-B52	15A AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder, with brake	1,844.00	EC001851	R8M12005B	4549734219570			MB	MBB	PHL	8501.5100.90
	R88M-1AM20030T-S2	15A AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder	1,349.00	EC001851	R8M12003F	4549734219556			MB	MBB	PHL	8501.5100.90
	R88M-1AM40030T-B52	15A AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, with brake	2,118.00	EC001851	R8M12013C	4549734219655	#		MB	MBB	PHL	8501.5100.90
	R88M-1AM40030T-S2	15A AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder	1,577.00	EC001851	R8M12011G	4549734219631	#		MB	MBB	PHL	8501.5100.90

Image	Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
	R88M-1AM75030T-B52	1SA AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake	2,441.00	EC001851	R8M12021D	4549734219730			MB	MBB	PHL	8501.5100.90
	R88M-1AM75030T-S2	1SA AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1,840.00	EC001851	R8M12019B	4549734219716	#		MB	MBB	PHL	8501.5100.90
	R88M-1AM1K515C-B52	1SA AC servo motor, 1.5 kW, 400 VAC, 1500 rpm, 9.55 Nm, absolute encoder, with brake	2,585.00	EC001851	R8M12117B	4549734220699			MB	MBB	PHL	8501.5220.89
	R88M-1AM1K515C-S2	1SA AC servo motor, 1.5 kW, 400 VAC, 1500 rpm, 9.55 Nm, absolute encoder	2,185.00	EC001851	R8M12115F	4549734220675			MB	MBB	PHL	8501.5220.89
	R88M-1AM1K515T-B52	1SA AC servo motor, 1.5 kW, 230 VAC, 1500 rpm, 9.55 Nm, absolute encoder, with brake	2,606.00	EC001851	R8M12061C	4549734220132			MB	MBB	PHL	8501.5220.89
	R88M-1AM1K515T-S2	1SA AC servo motor, 1.5 kW, 230 VAC, 1500 rpm, 9.55 Nm, absolute encoder	2,156.00	EC001851	R8M12059A	4549734220118			MB	MBB	PHL	8501.5220.89
	R88M-1AM3K015C-B52	1SA AC servo motor, 3 kW, 400 VAC, 1500 rpm, 19.1 Nm, absolute encoder, with brake	3,547.00	EC001851	R8M12125C	4549734220774			MB	MBB	PHL	8501.5220.89
	R88M-1AM3K015C-S2	1SA AC servo motor, 3 kW, 400 VAC, 1500 rpm, 19.1 Nm, absolute encoder	2,786.00	EC001851	R8M12123G	4549734220750			MB	MBB	PHL	8501.5220.89
Servo Aksesuarları -2												
	R88A-CR1A001-5CF-E	1S serisi servo enkoder kablosu, 1.5m, 230V: 50-750W	134.50	EC002615	AA045285C	4548583972438	#		MB	MBZ	ITA	8544.4290.90
	R88A-CR1A003CF-E	1S serisi servo enkoder kablosu, 3m, 230V: 50-750W	141.30	EC002615	AA045278M	4548583972360	#		MB	MBZ	ITA	8544.4290.90
	R88A-CR1A005CF-E	1S serisi servo enkoder kablosu, 5m, 230V: 50-750W	151.10	EC002615	AA045289F	4548583972476	#		MB	MBZ	ITA	8544.4290.90
	R88A-CR1A010CF-E	1S serisi servo enkoder kablosu, 10m, 230V: 50-750W	175.30	EC002615	AA045286A	4548583972445	#		MB	MBZ	ITA	8544.4290.90
	R88A-CR1A015CF-E	1S serisi servo enkoder kablosu, 15m, 230V: 50-750W	205.10	EC002615	AA045290M	4548583972483	#		MB	MBZ	ITA	8544.4290.90
	R88A-CR1A020CF-E	1S serisi servo enkoder kablosu, 20m, 230V: 50-750W	251.20	EC002615	AA045279R	4548583972377	#		MB	MBZ	ITA	8544.4290.90
	R88A-CR1A030CF-E	1S serisi servo enkoder kablosu, 30m, 230V: 50-750W	334.90	EC002615	AA045281M	4548583972391	#		MB	MBZ	ITA	8544.4290.90
	R88A-CR1B001-SNF-E	1S serisi servo enkoder kablosu, 1.5m, 230V: 900W-1.5kW, 400V: 400W-15kW	163.30	EC002615	AA045287M	4548583972452	#		MB	MBZ	ITA	8544.4290.90
	R88A-CR1B003NF-E	1S serisi servo enkoder kablosu, 3m, 230V: 900W-1.5kW, 400V: 400W-15kW	167.60	EC002615	AA045282R	4548583972407	#		MB	MBZ	ITA	8544.4290.90
	R88A-CR1B005NF-E	1S serisi servo enkoder kablosu, 5m, 230V: 900W-1.5kW, 400V: 400W-15kW	175.60	EC002615	AA045284E	4548583972421	#		MB	MBZ	ITA	8544.4290.90
	R88A-CR1B010NF-E	1S serisi servo enkoder kablosu, 10m, 230V: 900W-1.5kW, 400V: 400W-15kW	209.30	EC002615	AA045288H	4548583972469	#		MB	MBZ	ITA	8544.4290.90
	R88A-CR1B015NF-E	1S serisi servo enkoder kablosu, 15m, 230V: 900W-1.5kW, 400V: 400W-15kW	238.70	EC002615	AA045291H	4548583972490	#		MB	MBZ	ITA	8544.4290.90
	R88A-CR1B020NF-E	1S serisi servo enkoder kablosu, 20m, 230V: 900W-1.5kW, 400V: 400W-15kW	292.70	EC002615	AA045292F	4548583972506	#		MB	MBZ	ITA	8544.4290.90
	R88A-CR1B030NF-E	1S serisi servo enkoder kablosu, 30m, 230V: 900W-1.5kW, 400V: 400W-15kW	388.80	EC002615	AA045295M	4548583972537	#		MB	MBZ	ITA	8544.4290.90
	R88A-CA1A001-5BF-E	1S serisi servo fren kablosu, 1.5m, 230V: 100-750W	125.60	EC002615	AA045304C	4548583972629	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1A001-5SF-E	1S serisi servo motor güç kablosu, 1.5m, 230V: 100-750W	192.40	EC002615	AA045324H	4548583972827	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1A003BF-E	1S serisi servo fren kablosu, 3m, 230V: 100-750W	133.90	EC002615	AA045298E	4548583972568	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1A003FR	1S series servo flexible brake cable, 3 m, 230 V: 50 to 750 W, reverse/non-load mounting	75.05	EC002615	R8A11227M	4549734196208	#		MB	MBZ	CHN	8544.4999.00
	R88A-CA1A0035F-E	1S serisi servo motor güç kablosu, 3m, 230V: 100-750W	196.90	EC002615	AA045337M	4548583972957	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1A0035FR	1S series servo motor flexible power cable, 3 m, 230 V: 50 to 750 W, reverse/non-load mounting	125.30	EC002615	R8A11381M	454973422490	#		MB	MBZ	CHN	8544.4290.90
	R88A-CA1A005BF-E	1S serisi servo fren kablosu, 5m, 230V: 100-750W	138.20	EC002615	AA045303E	4548583972612	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1A0055F-E	1S serisi servo motor güç kablosu, 5m, 230V: 100-750W	205.10	EC002615	AA045338H	4548583972964	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1A010BF-E	1S serisi servo fren kablosu, 10m, 230V: 100-750W	159.20	EC002615	AA045300M	4548583972582	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1A010FR	1S series servo flexible brake cable, 10 m, 230 V: 50 to 750 W, reverse/non-load mounting	170.70	EC002615	R8A11229F	4549734196222	#		MB	MBZ	CHN	8544.4999.00
	R88A-CA1A0105F-E	1S serisi servo motor güç kablosu, 10m, 230V: 100-750W	234.60	EC002615	AA045342F	4548583973008	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1A015BF-E	1S serisi servo fren kablosu, 15m, 230V: 100-750W	182.10	EC002615	AA045299C	4548583972575	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1A015FR	1S series servo flexible brake cable, 15 m, 230 V: 50 to 750 W, reverse/non-load mounting	579.00	EC002615	R8A11230M	4549734196239	#		MB	MBZ	CHN	8544.4999.00
	R88A-CA1A0155F-E	1S serisi servo motor güç kablosu, 15m, 230V: 100-750W	292.70	EC002615	AA045309D	4548583972674	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1A020BF-E	1S serisi servo fren kablosu, 20m, 230V: 100-750W	200.80	EC002615	AA045301R	4548583972599	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1A020FR	1S series servo flexible brake cable, 20 m, 230 V: 50 to 750 W, reverse/non-load mounting	847.50	EC002615	R8A11231H	4549734196246	#		MB	MBZ	CHN	8544.4999.00
	R88A-CA1A0205F-E	1S serisi servo motor güç kablosu, 20m, 230V: 100-750W	330.40	EC002615	AA045319A	4548583972773	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1A0205FR	1S series servo motor flexible power cable, 20 m, 230 V: 50 to 750 W, reverse/non-load mounting	986.00	EC002615	R8A11385C	4549734722537	#		MB	MBZ	CHN	8544.4290.90
	R88A-CA1A030BF-E	1S serisi servo fren kablosu, 30m, 230V: 100-750W	242.90	EC002615	AA045297G	4548583972551	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1A0305F-E	1S serisi servo motor güç kablosu, 30m, 230V: 100-750W	401.20	EC002615	AA045321C	4548583972797	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1C001-5SF-E	1S serisi servo motor güç kablosu, 1.5m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	192.40	EC002615	AA045330B	4548583972889	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1C0035F-E	1S serisi servo motor güç kablosu, 3m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	200.80	EC002615	AA045349C	4548583973077	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1C005BF-E	1S serisi servo motor güç kablosu, 5m, frenli, 230V: 900W-1.5kW	309.70	EC002615	AA045311F	4548583972698	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1C0055F-E	1S serisi servo motor güç kablosu, 5m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	221.80	EC002615	AA045306M	4548583972643	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1C010BF-E	1S serisi servo motor güç kablosu, 10m, frenli, 230V: 900W-1.5kW	376.40	EC002615	AA045334E	4548583972926	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1C0105F-E	1S serisi servo motor güç kablosu, 10m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	263.60	EC002615	AA045325F	4548583972834	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1C015BF-E	1S serisi servo motor güç kablosu, 15m, frenli, 230V: 900W-1.5kW	451.70	EC002615	AA045329R	4548583972872	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1C0155F-E	1S serisi servo motor güç kablosu, 15m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	313.70	EC002615	AA045345M	4548583973039	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1C0205F-E	1S serisi servo motor güç kablosu, 20m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	476.40	EC002615	AA045307H	4548583972650	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1C0305F-E	1S serisi servo motor güç kablosu, 30m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	613.00	EC002615	AA045335C	4548583972933	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1E001-5BF-E	1S serisi servo motor güç kablosu, 1.5m, frenli, 400V: 400W-3kW	301.20	EC002615	AA045339F	4548583972971	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1E001-55F-E	1S serisi servo motor güç kablosu, 1.5m, frensiz, 400V: 2kW(1000rpm) & 3kW	226.00	EC002615	AA045336A	4548583972940	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1E003BF-E	1S serisi servo motor güç kablosu, 3m, frenli, 400V: 400W-3kW	326.60	EC002615	AA045305A	4548583972636	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1E0035F-E	1S serisi servo motor güç kablosu, 3m, frensiz, 400V: 2kW(1000rpm) & 3kW	242.90	EC002615	AA045314M	4548583972728	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1E005BF-E	1S serisi servo motor güç kablosu, 5m, frenli, 400V: 400W-3kW	363.80	EC002615	AA045326D	4548583972841	#		MB	MBZ	ITA	8544.4999.00
	R88A-CA1E0055F-E	1S serisi servo motor güç kablosu, 5m, frensiz, 400V: 2kW(1000rpm) & 3kW	263.60	EC002615	AA045340M	4548583972988	#		MB	MBZ	ITA	8544.4999.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CA1E010BF-E	1S serisi servo motor güç kablosu, 10m, frenli, 400V: 400W-3kW	451.70	EC002615	AA045344B	4548583973022	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E010SF-E	1S serisi servo motor güç kablosu, 10m, frensiz, 400V: 2kW(1000rpm) & 3kW	338.90	EC002615	AA045308F	4548583972667	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E015BF-E	1S serisi servo motor güç kablosu, 15m, frenli, 400V: 400W-3kW	560.00	EC002615	AA045332R	4548583972902	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E015SF-E	1S serisi servo motor güç kablosu, 15m, frensiz, 400V: 2kW(1000rpm) & 3kW	418.10	EC002615	AA045310H	4548583972681	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E020BF-E	1S serisi servo motor güç kablosu, 20m, frenli, 400V: 400W-3kW	653.00	EC002615	AA045328M	4548583972865	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E020SF-E	1S serisi servo motor güç kablosu, 20m, frensiz, 400V: 2kW(1000rpm) & 3kW	530.50	EC002615	AA045346R	4548583973046	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E030BF-E	1S serisi servo motor güç kablosu, 30m, frenli, 400V: 400W-3kW	874.50	EC002615	AA045348E	4548583973060	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E040BF-E	1S serisi servo motor güç kablosu, 40m, frenli, 400V: 400W-3kW	1,127.00	EC002615	AA045315R	4548583972735	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1G0035F	1S series servo motor power cable, 3 m, non braked, 400 V: 4 kW to 5.5 kW	306.10	EC002615	R8A19001G	4549734209670	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G005BF	1S series servo motor power cable, 5 m, with brake, 400 V: 4 kW to 5.5 kW	391.70	EC002615	R8A19002E	4549734209762	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G005SF	1S series servo motor power cable, 5 m, non braked, 400 V: 4 kW to 5.5 kW	340.40	EC002615	R8A19003C	4549734209687	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G010BF	1S series servo motor power cable, 10 m, with brake, 400 V: 4 kW to 5.5 kW	514.50	EC002615	R8A19004A	4549734209779	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G010SF	1S series servo motor power cable, 10 m, non braked, 400 V: 4 kW to 5.5 kW	438.90	EC002615	R8A19005M	4549734209694	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G015BF	1S series servo motor power cable, 15 m, with brake, 400 V: 4 kW to 5.5 kW	650.00	EC002615	R8A19006H	4549734209786	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G015SF	1S series servo motor power cable, 15 m, non braked, 400 V: 4 kW to 5.5 kW	532.00	EC002615	R8A19007F	4549734209700	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H020BF	1S series servo motor power cable, 20 m, with brake, 400 V: 4 kW to 5.5 kW	776.50	EC002615	R8A19008D	4549734209793	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G020SF	1S series servo motor power cable, 20 m, non braked, 400 V: 4 kW to 5.5 kW	633.00	EC002615	R8A19009B	4549734209717	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H005BF	1S series servo motor power cable, 5 m, with brake, 400 V: 7.5 kW	559.00	EC002615	R8A19014R	4549734451345	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H005SF	1S series servo motor power cable, 5 m, non braked, 400 V: 7.5 kW	494.40	EC002615	R8A19015G	4549734451291	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H010BF	1S series servo motor power cable, 10 m, with brake, 400 V: 7.5 kW	737.00	EC002615	R8A19016E	4549734451352	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H010SF	1S series servo motor power cable, 10 m, non braked, 400 V: 7.5 kW	704.50	EC002615	R8A19017C	4549734451307	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H015BF	1S series servo motor power cable, 15 m, with brake, 400 V: 7.5 kW	931.00	EC002615	R8A19018A	4549734451369	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H020SF	1S series servo motor power cable, 20 m, with brake, 400 V: 7.5 kW	1,149.00	EC002615	R8A19020C	4549734451376	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H020SF	1S series servo motor power cable, 20 m, non braked, 400 V: 7.5 kW	1,138.00	EC002615	R8A19021A	4549734451321	#		MB	MBZ	POL	8544.4290.90
R88A-CA1HE10BF	1S series servo motor EXTENSION power cable, 10 m, 400 V: 7.5 kW	773.50	EC002615	R8A19022M	4549734451529	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J005SF	1S series servo motor power cable, 5 m, non braked, 400 V: 11 kW & 15 kW	635.50	EC002615	R8A19027M	4549734209847	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J015SF	1S series servo motor power cable, 15 m, non braked, 400 V: 11 kW & 15 kW	1,223.00	EC002615	R8A19031R	4549734209861	#		MB	MBZ	POL	8544.4290.90
R88A-CA1JE20BF	1S series servo motor EXTENSION power cable, 20 m, 400 V: 11 kW & 15 kW	1,729.00	EC002615	R8A19035A	4549734451567	#		MB	MBZ	POL	8544.4290.90
R88A-FI1S103-SE	1S Servo RFI filter; 230 VAC tek-faz, 100 and 200 W drives	91.30	EC002564	AA045209H	4548583971677	#		MB	MBZ	THA	8529.9097.00
R88A-FI1S105-SE	1S Servo RFI filter; 230 VAC tek-faz, 400 W sürücü	97.80	EC002564	AA045210A	4548583971684	#		MB	MBZ	THA	8529.9097.00
R88A-FI1S108-SE	1S Servo RFI filter; 230 VAC tek-faz, 800 W sürücü	104.30	EC002564	AA045208M	4548583971660	#		MB	MBZ	THA	8529.9097.00
R88A-FI1S116-SE	1S Servo RFI filter; 230 VAC tek-faz, 1.5 kW sürücü	132.60	EC002564	AA045212H	4548583971707	#		MB	MBZ	THA	8529.9097.00
R88A-FI1S309-SE	1S Servo RFI filter; 400 VAC, 600 W - 3 kW sürücü	139.30	EC002564	AA045211M	4548583971691	#		MB	MBZ	THA	8529.9097.00
R88A-FI1S330-SE	1S Servo RFI filter; 400 VAC, for 5.5 kW to 7.5 kW drives	270.10	EC002564	AA030750M	4549734975658	#		MB	MBZ	THA	8529.9097.00
R88A-FI1SA108-SE	1SA Servo RFI filter; 230 VAC single-phase, for 200 W to 800 W drives	126.60	EC002564	AA055117G	4549734984287	#		MB	MBZ	THA	8529.9097.00
R88A-FI1SA116-SE	1SA Servo RFI filter; 230 VAC single-phase, for 1.5 kW drives	165.00	EC002564	AA055118E	4549734984294	#		MB	MBZ	THA	8529.9097.00
R88A-FI1SA309-SE	1SA Servo RFI filter; 400 VAC, for 1 kW to 3 kW drives	167.90	EC002564	AA055119C	4549734984300	#		MB	MBZ	THA	8529.9097.00
R88A-CX1A003BF	1SA series servo hybrid cable, 3 m, with brake, 230V: 200-750W	524.00	EC002615	R8A19049A	4549734218931	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A003SF	1SA series servo hybrid cable, 3 m, non braked, 230V: 200-750W	405.40	EC002615	R8A19054H	4549734219013	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A005BF	1SA series servo hybrid cable, 5 m, with brake, 230V: 200-750W	592.00	EC002615	R8A19050E	4549734218948	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A005SF	1SA series servo hybrid cable, 5 m, non braked, 230V: 200-750W	473.00	EC002615	R8A19055F	4549734219020	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A010BF	1SA series servo hybrid cable, 10 m, with brake, 230V: 200-750W	694.50	EC002615	R8A19051C	4549734218955	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A010SF	1SA series servo hybrid cable, 10 m, non braked, 230V: 200-750W	575.00	EC002615	R8A19056D	4549734219037	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A015BF	1SA series servo hybrid cable, 15 m, with brake, 230V: 200-750W	829.50	EC002615	R8A19052A	4549734218962	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A015SF	1SA series servo hybrid cable, 15 m, non braked, 230V: 200-750W	711.00	EC002615	R8A19057B	4549734219044	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A020BF	1SA series servo hybrid cable, 20 m, with brake, 230V: 200-750W	998.00	EC002615	R8A19053M	4549734218979	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A020SF	1SA series servo hybrid cable, 20 m, non braked, 230V: 200-750W	879.50	EC002615	R8A19058M	4549734219051	#		MB	MBZ	POL	8544.4290.90
R88A-CX1BE10BF	1SA series servo EXTENSION hybrid cable, 10 m, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	761.00	EC002615	R8A19091B	4549734451840	#		MB	MBZ	POL	8544.4290.90
R88A-CX1BE20BF	1SA series servo EXTENSION hybrid cable, 20 m, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	1,083.00	EC002615	R8A19092M	4549734451857	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C003BF	1SA series servo hybrid cable, 3 m, with brake, 230V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	575.00	EC002615	R8A19074B	4549734451659	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C003SF	1SA series servo hybrid cable, 3 m, non braked, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	456.20	EC002615	R8A19069F	4549734451604	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C005BF	1SA series servo hybrid cable, 5 m, with brake, 230V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	643.00	EC002615	R8A19075M	4549734451666	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C005SF	1SA series servo hybrid cable, 5 m, non braked, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	524.00	EC002615	R8A19070M	4549734451611	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C010BF	1SA series servo hybrid cable, 10 m, with brake, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	745.00	EC002615	R8A19076R	4549734451673	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C010SF	1SA series servo hybrid cable, 10 m, non braked, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	626.00	EC002615	R8A19071H	4549734451628	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C015BF	1SA series servo hybrid cable, 15 m, with brake, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	879.50	EC002615	R8A19077G	4549734451680	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C015SF	1SA series servo hybrid cable, 15 m, non braked, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	761.00	EC002615	R8A19072F	4549734451635	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C020BF	1SA series servo hybrid cable, 20 m, with brake, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	1,049.00	EC002615	R8A19078E	4549734451697	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C020SF	1SA series servo hybrid cable, 20 m, non braked, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	931.00	EC002615	R8A19073D	4549734451642	#		MB	MBZ	POL	8544.4290.90
R88A-CN101A	1S motor connector (CN) for 230 V, 0.1 to 1 kW	124.00	EC002584	R8A11217B	4548583859623	#		MB	MBZ	JPN	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CN101B	15 Brake interlock connector (CN12)	132.00	EC002584	R8A11218M	4548583859630			MB	MBZ	JPN	8536.9010.00
R88A-CN101C	15 control I/O connector (CN1)	78.60	EC002584	R8A11212A	4548583859579			MB	MBZ	JPN	8536.9010.00
R88A-CN101R	15 connector for encoder cable (drive side)	86.30	EC002584	R8A11208C	4548583789098	#	50	MB	MBZ	CHN	8536.9010.00
R88A-CN102P	15 main circuit connector (CNA) for 230 V, 0.1 to 1 kW	173.90	EC002584	R8A11214H	4548583859593			MB	MBZ	JPN	8536.9010.00
R88A-CN104R	15 connector for encoder cable (motor side); for 400 V and from 900 W, 230 V motors	105.40	EC002584	R8A11209A	4548583789104	#	60	MB	MBZ	CHN	8536.9010.00
R88A-CN111A	15 connector for power cable (motor side); for 100-750 W, 230 V motors	98.15	EC002584	R8A11210E	4548583789111	#		MB	MBZ	CHN	8536.9010.00
R88A-RR12025	External regeneration resistor, capacity: 24 W, 25 Ohm	107.20	EC002615	R8A10021B	4548583786905	#		MB	MBZ	JPN	8533.4090.00
R88A-RR30016	External regeneration resistor, capacity: 60 W, 16 Ohm	313.80	EC002615	R8A12120A	4549734505192			MB	MBZ	JPN	8533.4090.00
R88A-RR30020	External regeneration resistor 60 W, 20 Ω	313.80	EC002615	R8A10026C	4548583786950	#		MB	MBZ	JPN	8533.4090.00
R88A-RR30025	External regeneration resistor, capacity: 60 W, 25 Ohm	313.80	EC002615	R8A10027A	4548583786967	#		MB	MBZ	JPN	8533.4090.00
R88A-RR30033	External regeneration resistor, capacity: 60 W, 33 Ohm	313.80	EC002615	R8A10028M	4548583786974	#		MB	MBZ	JPN	8533.4090.00
R88A-SC0115-E	15 series cable clamp A. Used in 230 V drives up to 750 W	12.40	EC002584	AA047709M	4548583996397	#		MB	MBZ	ITA	8504.5000.90
R88A-SC0215-E	15 series cable clamp B. Used in 400 V drives and 230 V (from 1.5 kW to 3 kW)	13.76	EC002584	AA047710D	4548583996403	#		MB	MBZ	ITA	8504.5000.90
R88A-SC10CA	15 series cable clamp L. Used in 400 V drives (from 5.5 kW to 15 kW)	61.75	EC002584	R8A19048C	4549734540001			MB	MBZ	JPN	8504.5000.90
Endüstriyel PC NY											
NYE2A-20511-07WR1200	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom E3950 CPU, 7 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, black case	2,933.00	EC001414	NYE10002A	4549734777353			NA	NAA	NLD	8471.6070.00
NYE2A-20511-07WR1300	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom E3950 CPU, 7 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, silver case	2,933.00	EC001414	NYE10001C	4549734777346			NA	NAA	NLD	8471.6070.00
NYE2A-20511-09WR1200	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom E3950 CPU, 9 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, black case	3,300.00	EC001414	NYE10004H	4549734777377	#		NA	NAA	NLD	8471.6070.00
NYE2A-20511-09WR1300	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom E3950 CPU, 9 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, silver case	3,300.00	EC001414	NYE10003M	4549734777360			NA	NAA	NLD	8471.6070.00
NYE2A-20511-12WR1200	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom E3950 CPU, 12 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, black case	5,260.00	EC001414	NYE10006D	4549734777391	#		NA	NAA	NLD	8471.6070.00
NYE2A-20511-12WR1300	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom E3950 CPU, 12 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, silver case	5,260.00	EC001414	NYE10005F	4549734777384			NA	NAA	NLD	8471.6070.00
NYE2A-20511-15WR1200	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom E3950 CPU, 15 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, black case	5,750.00	EC001414	NYE10008M	4549734777414	#		NA	NAA	NLD	8471.6070.00
NYE2A-20511-15WR1300	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom E3950 CPU, 15 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, silver case	5,750.00	EC001414	NYE10007B	4549734777407			NA	NAA	NLD	8471.6070.00
NYB13-30000	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option	3,032.00	EC001413	NYB12860M	4550431015938			NA	NAA	NLD	8471.4100.00
NYB13-30510	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option	3,480.00	EC001413	NYB12875H	4550431016089			NA	NAA	NLD	8471.4100.00
NYB13-30514	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, extra DisplayPort++	3,554.00	EC001413	NYB12877D	4550431016102			NA	NAA	NLD	8471.4100.00
NYB13-30516	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, NY Monitor Link	3,737.00	EC001413	NYB12878B	4550431016119			NA	NAA	NLD	8471.4100.00
NYB13-30520	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option	3,441.00	EC001413	NYB12895B	4550431016287			NA	NAA	NLD	8471.4100.00
NYB13-30530	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option	3,654.00	EC001413	NYB12910M	4550431016430			NA	NAA	NLD	8471.4100.00
NYB13-31000	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, No OS, No Storage, No I/F option	3,408.00	EC001413	NYB12925H	4550431016584			NA	NAA	NLD	8471.4100.00
NYB13-315D0	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	3,803.00	EC001413	NYB12985A	4550431017185			NA	NAA	NLD	8471.4100.00
NYB13-315E0	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	3,862.00	EC001413	NYB13000M	4550431017338			NA	NAA	NLD	8471.4100.00
NYB13-315F0	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	3,779.00	EC001413	NYB12940A	4550431016737			NA	NAA	NLD	8471.4100.00
NYB13-315F1	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, RS-232C	3,826.00	EC001413	NYB12941M	4550431016744			NA	NAA	NLD	8471.4100.00
NYB13-315G0	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	3,836.00	EC001413	NYB12955M	4550431016881			NA	NAA	NLD	8471.4100.00
NYB13-315H0	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	3,939.00	EC001413	NYB12970C	4550431017031			NA	NAA	NLD	8471.4100.00
NYB13-315P0	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	4,072.00	EC001413	NYB13015R	4550431017482			NA	NAA	NLD	8471.4100.00
NYB13-32000	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, No OS, No Storage, No I/F option	3,521.00	EC001413	NYB13030B	4550431017635			NA	NAA	NLD	8471.4100.00
NYB13-325D0	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	4,065.00	EC001413	NYB13090F	4550431018236			NA	NAA	NLD	8471.4100.00
NYB13-325E0	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	4,185.00	EC001413	NYB13105H	4550431018380			NA	NAA	NLD	8471.4100.00
NYB13-325F0	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	4,025.00	EC001413	NYB13045M	4550431017789			NA	NAA	NLD	8471.4100.00
NYB13-325G0	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	4,135.00	EC001413	NYB13060D	4550431017932			NA	NAA	NLD	8471.4100.00
NYB13-325H0	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	4,341.00	EC001413	NYB13075B	4550431018083			NA	NAA	NLD	8471.4100.00
NYB13-325P0	Industrial Box PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	4,603.00	EC001413	NYB13120A	4550431018533			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB13-40000	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option	3,102.00	EC001413	NYB12865M	4550431015983			NA	NAA	NLD	8471.4100.00
NYB13-40510	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3D TLC, No I/F option	3,550.00	EC001413	NYB12880D	4550431016133			NA	NAA	NLD	8471.4100.00
NYB13-40520	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3D TLC, No I/F option	3,511.00	EC001413	NYB12900H	4550431016331			NA	NAA	NLD	8471.4100.00
NYB13-40530	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3D TLC, No I/F option	3,720.00	EC001413	NYB12915M	4550431016485			NA	NAA	NLD	8471.4100.00
NYB13-41000	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, No OS, No Storage, No I/F option	3,474.00	EC001413	NYB12930D	4550431016638			NA	NAA	NLD	8471.4100.00
NYB13-415D0	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	3,870.00	EC001413	NYB12990H	4550431017239			NA	NAA	NLD	8471.4100.00
NYB13-415E0	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	3,929.00	EC001413	NYB13005A	4550431017383			NA	NAA	NLD	8471.4100.00
NYB13-415F0	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3D TLC, No I/F option	3,849.00	EC001413	NYB12945H	4550431016782			NA	NAA	NLD	8471.4100.00
NYB13-415G0	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3D TLC, No I/F option	3,906.00	EC001413	NYB12960F	4550431016935			NA	NAA	NLD	8471.4100.00
NYB13-415G6	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3D TLC, NY Monitor Link	4,164.00	EC001413	NYB12963M	4550431016966			NA	NAA	NLD	8471.4100.00
NYB13-415H0	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3D TLC, No I/F option	4,009.00	EC001413	NYB12975D	4550431017086			NA	NAA	NLD	8471.4100.00
NYB13-415P0	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3D TLC, No I/F option	4,138.00	EC001413	NYB13020E	4550431017536			NA	NAA	NLD	8471.4100.00
NYB13-42000	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, No OS, No Storage, No I/F option	3,590.00	EC001413	NYB13035C	4550431017680			NA	NAA	NLD	8471.4100.00
NYB13-425D0	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	4,135.00	EC001413	NYB13095G	4550431018281			NA	NAA	NLD	8471.4100.00
NYB13-425E0	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	4,255.00	EC001413	NYB13110D	4550431018434			NA	NAA	NLD	8471.4100.00
NYB13-425F0	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3D TLC, No I/F option	4,092.00	EC001413	NYB13050G	4550431017833			NA	NAA	NLD	8471.4100.00
NYB13-425G0	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3D TLC, No I/F option	4,205.00	EC001413	NYB13065E	4550431017987			NA	NAA	NLD	8471.4100.00
NYB13-425G4	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3D TLC, extra DisplayPort++	4,274.00	EC001413	NYB13067A	4550431018007			NA	NAA	NLD	8471.4100.00
NYB13-425G6	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3D TLC, NY Monitor Link	4,460.00	EC001413	NYB13068M	4550431018014			NA	NAA	NLD	8471.4100.00
NYB13-425H0	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3D TLC, No I/F option	4,410.00	EC001413	NYB13080R	4550431018137			NA	NAA	NLD	8471.4100.00
NYB13-425P0	Industrial Box PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3D TLC, No I/F option	4,673.00	EC001413	NYB13125B	4550431018588			NA	NAA	NLD	8471.4100.00
NYB13-50000	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option	3,265.00	EC001413	NYB12870G	4550431016034			NA	NAA	NLD	8471.4100.00
NYB13-50510	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3D TLC, No I/F option	3,713.00	EC001413	NYB12885E	4550431016188			NA	NAA	NLD	8471.4100.00
NYB13-50520	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3D TLC, No I/F option	3,673.00	EC001413	NYB12905C	4550431016386			NA	NAA	NLD	8471.4100.00
NYB13-50530	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3D TLC, No I/F option	3,882.00	EC001413	NYB12920G	4550431016539			NA	NAA	NLD	8471.4100.00
NYB13-51000	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, No OS, No Storage, No I/F option	3,637.00	EC001413	NYB12935E	4550431016683			NA	NAA	NLD	8471.4100.00
NYB13-515D0	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	4,032.00	EC001413	NYB12995R	4550431017284			NA	NAA	NLD	8471.4100.00
NYB13-515E0	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	4,092.00	EC001413	NYB13010H	4550431017437			NA	NAA	NLD	8471.4100.00
NYB13-515F0	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3D TLC, No I/F option	4,012.00	EC001413	NYB12950R	4550431016836			NA	NAA	NLD	8471.4100.00
NYB13-515G0	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3D TLC, No I/F option	4,069.00	EC001413	NYB12965G	4550431016980			NA	NAA	NLD	8471.4100.00
NYB13-515H0	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3D TLC, No I/F option	4,172.00	EC001413	NYB12980M	4550431017130			NA	NAA	NLD	8471.4100.00
NYB13-515P0	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3D TLC, No I/F option	4,301.00	EC001413	NYB13025F	4550431017581			NA	NAA	NLD	8471.4100.00
NYB13-52000	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, No OS, No Storage, No I/F option	3,753.00	EC001413	NYB13040M	4550431017734			NA	NAA	NLD	8471.4100.00
NYB13-525D0	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	4,297.00	EC001413	NYB13100G	4550431018335			NA	NAA	NLD	8471.4100.00
NYB13-525E0	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	4,418.00	EC001413	NYB13115E	4550431018489			NA	NAA	NLD	8471.4100.00
NYB13-525F0	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3D TLC, No I/F option	4,255.00	EC001413	NYB13055H	4550431017888			NA	NAA	NLD	8471.4100.00
NYB13-525G0	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3D TLC, No I/F option	4,368.00	EC001413	NYB13070A	4550431018038			NA	NAA	NLD	8471.4100.00
NYB13-525H0	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3D TLC, No I/F option	4,573.00	EC001413	NYB13085M	4550431018182			NA	NAA	NLD	8471.4100.00
NYB13-525P0	Industrial Box PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3D TLC, No I/F option	4,836.00	EC001413	NYB13130R	4550431018632			NA	NAA	NLD	8471.4100.00
NYB13-60510	Industrial Box PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3D TLC, No I/F option	4,032.00	EC001413	NYB12890A	4550431016232			NA	NAA	NLD	8471.4100.00
NYB27-30460	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	6,115.00	EC001413	NYB10565M	4549734687881			NA	NAA	NLD	8471.4100.00
NYB27-30466	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	6,465.00	EC001413	NYB10566R	4549734687898			NA	NAA	NLD	8471.4100.00
NYB27-30470	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	6,500.00	EC001413	NYB10571E	4549734687942			NA	NAA	NLD	8471.4100.00
NYB27-30476	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	6,845.00	EC001413	NYB10572C	4549734687959			NA	NAA	NLD	8471.4100.00
NYB27-314D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,650.00	EC001413	NYB10550H	4549734687737			NA	NAA	NLD	8471.4100.00
NYB27-314D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,650.00	EC001413	NYB10551M	4549734687744			NA	NAA	NLD	8471.4100.00
NYB27-314D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,955.00	EC001413	NYB10552R	4549734687751			NA	NAA	NLD	8471.4100.00
NYB27-314K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,850.00	EC001413	NYB10514F	4549734687379			NA	NAA	NLD	8471.4100.00
NYB27-314K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,850.00	EC001413	NYB10515D	4549734687386			NA	NAA	NLD	8471.4100.00
NYB27-314K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,165.00	EC001413	NYB10516B	4549734687393			NA	NAA	NLD	8471.4100.00
NYB27-314L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,180.00	EC001413	NYB10523E	4549734687461			NA	NAA	NLD	8471.4100.00
NYB27-314L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,180.00	EC001413	NYB10524C	4549734687478			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB27-314L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,490.00	EC001413	NYB10525A	4549734687485			NA	NAA	NLD	8471.4100.00
NYB27-314M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,840.00	EC001413	NYB10532D	4549734687553			NA	NAA	NLD	8471.4100.00
NYB27-314M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,840.00	EC001413	NYB10533B	4549734687560			NA	NAA	NLD	8471.4100.00
NYB27-314M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	8,145.00	EC001413	NYB10534M	4549734687577			NA	NAA	NLD	8471.4100.00
NYB27-314P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,465.00	EC001413	NYB10541C	4549734687645			NA	NAA	NLD	8471.4100.00
NYB27-314P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,465.00	EC001413	NYB10542A	4549734687652			NA	NAA	NLD	8471.4100.00
NYB27-314P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,765.00	EC001413	NYB10543M	4549734687669			NA	NAA	NLD	8471.4100.00
NYB27-324D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,905.00	EC001413	NYB10699A	4549734730518			NA	NAA	NLD	8471.4100.00
NYB27-324D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,905.00	EC001413	NYB10700R	4549734730525			NA	NAA	NLD	8471.4100.00
NYB27-324D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,870.00	EC001413	NYB10701G	4549734730532			NA	NAA	NLD	8471.4100.00
NYB27-324D9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,905.00	EC001413	NYB10702E	4549734730549			NA	NAA	NLD	8471.4100.00
NYB27-324E1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,070.00	EC001413	NYB10711D	4549734730631			NA	NAA	NLD	8471.4100.00
NYB27-324E2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,070.00	EC001413	NYB10712B	4549734730648			NA	NAA	NLD	8471.4100.00
NYB27-324E6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,385.00	EC001413	NYB10713M	4549734730655			NA	NAA	NLD	8471.4100.00
NYB27-324E9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,070.00	EC001413	NYB10714R	4549734730662			NA	NAA	NLD	8471.4100.00
NYB27-324K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,115.00	EC001413	NYB10651G	4549734730037			NA	NAA	NLD	8471.4100.00
NYB27-324K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,115.00	EC001413	NYB10652E	4549734730044			NA	NAA	NLD	8471.4100.00
NYB27-324K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,430.00	EC001413	NYB10653C	4549734730051			NA	NAA	NLD	8471.4100.00
NYB27-324K9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,110.00	EC001413	NYB10654A	4549734730068			NA	NAA	NLD	8471.4100.00
NYB27-324L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,440.00	EC001413	NYB10663M	4549734730150			NA	NAA	NLD	8471.4100.00
NYB27-324L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,440.00	EC001413	NYB10664R	4549734730167			NA	NAA	NLD	8471.4100.00
NYB27-324L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	8,245.00	EC001413	NYB10665G	4549734730174			NA	NAA	NLD	8471.4100.00
NYB27-324L9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,465.00	EC001413	NYB10666E	4549734730181			NA	NAA	NLD	8471.4100.00
NYB27-324M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	8,855.00	EC001413	NYB10675D	4549734730273			NA	NAA	NLD	8471.4100.00
NYB27-324M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	8,855.00	EC001413	NYB10676B	4549734730280			NA	NAA	NLD	8471.4100.00
NYB27-324M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	9,125.00	EC001413	NYB10677M	4549734730297			NA	NAA	NLD	8471.4100.00
NYB27-324M9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	8,895.00	EC001413	NYB10678R	4549734730303			NA	NAA	NLD	8471.4100.00
NYB27-324P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,725.00	EC001413	NYB10687H	4549734730396			NA	NAA	NLD	8471.4100.00
NYB27-324P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,725.00	EC001413	NYB10688F	4549734730402			NA	NAA	NLD	8471.4100.00
NYB27-324P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	8,020.00	EC001413	NYB10689D	4549734730419			NA	NAA	NLD	8471.4100.00
NYB27-324P9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,720.00	EC001413	NYB10690H	4549734730426			NA	NAA	NLD	8471.4100.00
NYB27-40460	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	6,255.00	EC001413	NYB10567G	4549734687904			NA	NAA	NLD	8471.4100.00
NYB27-40466	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	6,615.00	EC001413	NYB10568E	4549734687911			NA	NAA	NLD	8471.4100.00
NYB27-40470	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	6,640.00	EC001413	NYB10573A	4549734687966			NA	NAA	NLD	8471.4100.00
NYB27-40476	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	7,005.00	EC001413	NYB10574M	4549734687973			NA	NAA	NLD	8471.4100.00
NYB27-414D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,800.00	EC001413	NYB10553G	4549734687768			NA	NAA	NLD	8471.4100.00
NYB27-414D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,800.00	EC001413	NYB10554E	4549734687775			NA	NAA	NLD	8471.4100.00
NYB27-414D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,100.00	EC001413	NYB10555C	4549734687782			NA	NAA	NLD	8471.4100.00
NYB27-414K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,005.00	EC001413	NYB10517M	4549734687409			NA	NAA	NLD	8471.4100.00
NYB27-414K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,005.00	EC001413	NYB10518R	4549734687416			NA	NAA	NLD	8471.4100.00
NYB27-414K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,310.00	EC001413	NYB10519G	4549734687423			NA	NAA	NLD	8471.4100.00
NYB27-414L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,320.00	EC001413	NYB10526M	4549734687492			NA	NAA	NLD	8471.4100.00
NYB27-414L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,320.00	EC001413	NYB10527H	4549734687508			NA	NAA	NLD	8471.4100.00
NYB27-414L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,635.00	EC001413	NYB10528F	4549734687515			NA	NAA	NLD	8471.4100.00
NYB27-414M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,445.00	EC001413	NYB10535R	4549734687584			NA	NAA	NLD	8471.4100.00
NYB27-414M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,985.00	EC001413	NYB10536G	4549734687591			NA	NAA	NLD	8471.4100.00

Item Code (Dsheet)	Item Long Description (Web page)	2025 List Price	ETIM Class	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB27-414M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	8,280.00	EC001413	NYB10537E	4549734687607		NA	NAA	NLD	8471.4100.00
NYB27-414P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,600.00	EC001413	NYB10544H	4549734687676		NA	NAA	NLD	8471.4100.00
NYB27-414P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,600.00	EC001413	NYB10545F	4549734687683		NA	NAA	NLD	8471.4100.00
NYB27-414P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,910.00	EC001413	NYB10546D	4549734687690		NA	NAA	NLD	8471.4100.00
NYB27-414P9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT Ent. 2019 LTSC (64-bit), 1 PCIe + 2 drive slots, GigE LAN	8,515.00	EC001413	NYB10964H	4549734758567		NA	NAA	NLD	8471.4100.00
NYB27-424D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,060.00	EC001413	NYB10703C	4549734730556		NA	NAA	NLD	8471.4100.00
NYB27-424D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,060.00	EC001413	NYB10704A	4549734730563		NA	NAA	NLD	8471.4100.00
NYB27-424D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,365.00	EC001413	NYB10705M	4549734730570		NA	NAA	NLD	8471.4100.00
NYB27-424D9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,050.00	EC001413	NYB10706H	4549734730587		NA	NAA	NLD	8471.4100.00
NYB27-424E1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,220.00	EC001413	NYB10715G	4549734730679		NA	NAA	NLD	8471.4100.00
NYB27-424E2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,220.00	EC001413	NYB10716E	4549734730686		NA	NAA	NLD	8471.4100.00
NYB27-424E6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,530.00	EC001413	NYB10717C	4549734730693		NA	NAA	NLD	8471.4100.00
NYB27-424E9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,215.00	EC001413	NYB10718A	4549734730709		NA	NAA	NLD	8471.4100.00
NYB27-424K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,255.00	EC001413	NYB10655M	4549734730075		NA	NAA	NLD	8471.4100.00
NYB27-424K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,255.00	EC001413	NYB10656H	4549734730082		NA	NAA	NLD	8471.4100.00
NYB27-424K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,570.00	EC001413	NYB10657F	4549734730099		NA	NAA	NLD	8471.4100.00
NYB27-424K9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,255.00	EC001413	NYB10658D	4549734730105		NA	NAA	NLD	8471.4100.00
NYB27-424L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,580.00	EC001413	NYB10667C	4549734730198		NA	NAA	NLD	8471.4100.00
NYB27-424L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,580.00	EC001413	NYB10668A	4549734730204		NA	NAA	NLD	8471.4100.00
NYB27-424L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,885.00	EC001413	NYB10669M	4549734730211		NA	NAA	NLD	8471.4100.00
NYB27-424L9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,580.00	EC001413	NYB10670C	4549734730228		NA	NAA	NLD	8471.4100.00
NYB27-424M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	9,130.00	EC001413	NYB10679G	4549734730310		NA	NAA	NLD	8471.4100.00
NYB27-424M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	9,130.00	EC001413	NYB10680M	4549734730327		NA	NAA	NLD	8471.4100.00
NYB27-424M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	9,395.00	EC001413	NYB10681R	4549734730334		NA	NAA	NLD	8471.4100.00
NYB27-424M9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	9,165.00	EC001413	NYB10682G	4549734730341		NA	NAA	NLD	8471.4100.00
NYB27-424P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,865.00	EC001413	NYB10691F	4549734730433		NA	NAA	NLD	8471.4100.00
NYB27-424P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,865.00	EC001413	NYB10692D	4549734730440		NA	NAA	NLD	8471.4100.00
NYB27-424P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	8,170.00	EC001413	NYB10693B	4549734730457		NA	NAA	NLD	8471.4100.00
NYB27-424P9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,865.00	EC001413	NYB10694M	4549734730464		NA	NAA	NLD	8471.4100.00
NYB27-50460	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	6,590.00	EC001413	NYB10569C	4549734687928		NA	NAA	NLD	8471.4100.00
NYB27-50466	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	6,945.00	EC001413	NYB10570G	4549734687935		NA	NAA	NLD	8471.4100.00
NYB27-50470	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	6,990.00	EC001413	NYB10575H	4549734687980		NA	NAA	NLD	8471.4100.00
NYB27-50476	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	7,340.00	EC001413	NYB10576F	4549734687997		NA	NAA	NLD	8471.4100.00
NYB27-514D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,145.00	EC001413	NYB10556A	4549734687799		NA	NAA	NLD	8471.4100.00
NYB27-514D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,145.00	EC001413	NYB10557M	4549734687805		NA	NAA	NLD	8471.4100.00
NYB27-514D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,440.00	EC001413	NYB10558H	4549734687812		NA	NAA	NLD	8471.4100.00
NYB27-514K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,340.00	EC001413	NYB10520M	4549734687430		NA	NAA	NLD	8471.4100.00
NYB27-514K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,340.00	EC001413	NYB10521R	4549734687447		NA	NAA	NLD	8471.4100.00
NYB27-514K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,645.00	EC001413	NYB10522G	4549734687454		NA	NAA	NLD	8471.4100.00
NYB27-514L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,655.00	EC001413	NYB10529D	4549734687522		NA	NAA	NLD	8471.4100.00
NYB27-514L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,655.00	EC001413	NYB10530H	4549734687539		NA	NAA	NLD	8471.4100.00
NYB27-514L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,970.00	EC001413	NYB10531F	4549734687546		NA	NAA	NLD	8471.4100.00
NYB27-514M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	8,315.00	EC001413	NYB10538C	4549734687614		NA	NAA	NLD	8471.4100.00
NYB27-514M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	8,315.00	EC001413	NYB10539A	4549734687621		NA	NAA	NLD	8471.4100.00
NYB27-514M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	8,620.00	EC001413	NYB10540E	4549734687638		NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB27-514P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,945.00	EC001413	NYB10547B	4549734687706			NA	NAA	NLD	8471.4100.00
NYB27-514P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,945.00	EC001413	NYB10548M	4549734687713			NA	NAA	NLD	8471.4100.00
NYB27-514P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	8,260.00	EC001413	NYB10549R	4549734687720			NA	NAA	NLD	8471.4100.00
NYB27-524D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,390.00	EC001413	NYB10707F	4549734730594			NA	NAA	NLD	8471.4100.00
NYB27-524D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,390.00	EC001413	NYB10708D	4549734730600			NA	NAA	NLD	8471.4100.00
NYB27-524D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,700.00	EC001413	NYB10709B	4549734730617			NA	NAA	NLD	8471.4100.00
NYB27-524D9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,385.00	EC001413	NYB10710F	4549734730624			NA	NAA	NLD	8471.4100.00
NYB27-524E1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,570.00	EC001413	NYB10719M	4549734730716			NA	NAA	NLD	8471.4100.00
NYB27-524E2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,570.00	EC001413	NYB10720C	4549734730723			NA	NAA	NLD	8471.4100.00
NYB27-524E6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,880.00	EC001413	NYB10721A	4549734730730			NA	NAA	NLD	8471.4100.00
NYB27-524E9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,570.00	EC001413	NYB10722M	4549734730747			NA	NAA	NLD	8471.4100.00
NYB27-524K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,590.00	EC001413	NYB10659B	4549734730112			NA	NAA	NLD	8471.4100.00
NYB27-524K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,590.00	EC001413	NYB10660F	4549734730129			NA	NAA	NLD	8471.4100.00
NYB27-524K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,900.00	EC001413	NYB10661D	4549734730136			NA	NAA	NLD	8471.4100.00
NYB27-524K9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,590.00	EC001413	NYB10662B	4549734730143			NA	NAA	NLD	8471.4100.00
NYB27-524L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,910.00	EC001413	NYB10671A	4549734730235			NA	NAA	NLD	8471.4100.00
NYB27-524L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,910.00	EC001413	NYB10672M	4549734730242			NA	NAA	NLD	8471.4100.00
NYB27-524L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	8,220.00	EC001413	NYB10673H	4549734730259			NA	NAA	NLD	8471.4100.00
NYB27-524L9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,910.00	EC001413	NYB10674F	4549734730266			NA	NAA	NLD	8471.4100.00
NYB27-524M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	9,400.00	EC001413	NYB10683E	4549734730358			NA	NAA	NLD	8471.4100.00
NYB27-524M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	9,400.00	EC001413	NYB10684C	4549734730365			NA	NAA	NLD	8471.4100.00
NYB27-524M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	9,660.00	EC001413	NYB10685A	4549734730372			NA	NAA	NLD	8471.4100.00
NYB27-524M9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	9,445.00	EC001413	NYB10686M	4549734730389			NA	NAA	NLD	8471.4100.00
NYB27-524P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	8,200.00	EC001413	NYB10695R	4549734730471			NA	NAA	NLD	8471.4100.00
NYB27-524P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	8,200.00	EC001413	NYB10696G	4549734730488			NA	NAA	NLD	8471.4100.00
NYB27-524P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	8,515.00	EC001413	NYB10697E	4549734730495			NA	NAA	NLD	8471.4100.00
NYB27-524P9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	8,200.00	EC001413	NYB10698C	4549734730501			NA	NAA	NLD	8471.4100.00
NYB2A-20450	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,563.00	EC001413	NYB10472G	4549734532761			NA	NAA	NLD	8471.4100.00
NYB2A-20456	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	2,951.00	EC001413	NYB10473E	4549734532778			NA	NAA	NLD	8471.4100.00
NYB2A-20460	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,719.00	EC001413	NYB10474C	4549734532785			NA	NAA	NLD	8471.4100.00
NYB2A-20466	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,108.00	EC001413	NYB10475A	4549734532792			NA	NAA	NLD	8471.4100.00
NYB2A-20470	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	3,047.00	EC001413	NYB10476M	4549734532808			NA	NAA	NLD	8471.4100.00
NYB2A-20476	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,437.00	EC001413	NYB10477H	4549734532815			NA	NAA	NLD	8471.4100.00
NYB2A-30450	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,657.00	EC001413	NYB10480H	4549734532846			NA	NAA	NLD	8471.4100.00
NYB2A-30456	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,047.00	EC001413	NYB10481F	4549734532853			NA	NAA	NLD	8471.4100.00
NYB2A-30460	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,814.00	EC001413	NYB10482D	4549734532860			NA	NAA	NLD	8471.4100.00
NYB2A-30466	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,200.00	EC001413	NYB10483B	4549734532877			NA	NAA	NLD	8471.4100.00
NYB2A-30470	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	3,142.00	EC001413	NYB10484M	4549734532884			NA	NAA	NLD	8471.4100.00
NYB2A-30476	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,530.00	EC001413	NYB10485R	4549734532891			NA	NAA	NLD	8471.4100.00
NYB2C-20450	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,805.00	EC001413	NYB10894C	4549734754712			NA	NAA	NLD	8471.4100.00
NYB2C-20456	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,205.00	EC001413	NYB10895A	4549734754729			NA	NAA	NLD	8471.4100.00
NYB2C-20460	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,973.00	EC001413	NYB10584G	4549734719674			NA	NAA	NLD	8471.4100.00
NYB2C-20466	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,375.00	EC001413	NYB10896M	4549734754736			NA	NAA	NLD	8471.4100.00
NYB2C-20470	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	3,322.00	EC001413	NYB10897H	4549734754743			NA	NAA	NLD	8471.4100.00
NYB2C-20476	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,723.00	EC001413	NYB10898F	4549734754750			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB2C-21491	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,910.00	EC001413	NYB10899D	4549734754767			NA	NAA	NLD	8471.4100.00
NYB2C-21492	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,910.00	EC001413	NYB10900A	4549734754774			NA	NAA	NLD	8471.4100.00
NYB2C-21496	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,485.00	EC001413	NYB10901M	4549734754781			NA	NAA	NLD	8471.4100.00
NYB2C-214C1	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	4,395.00	EC001413	NYB10902H	4549734754798			NA	NAA	NLD	8471.4100.00
NYB2C-214C2	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,395.00	EC001413	NYB10903F	4549734754804			NA	NAA	NLD	8471.4100.00
NYB2C-214C6	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	4,962.00	EC001413	NYB10904D	4549734754811			NA	NAA	NLD	8471.4100.00
NYB2C-214K1	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	4,707.00	EC001413	NYB10905B	4549734754828			NA	NAA	NLD	8471.4100.00
NYB2C-214K2	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,707.00	EC001413	NYB10906M	4549734754835			NA	NAA	NLD	8471.4100.00
NYB2C-214K6	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,280.00	EC001413	NYB10907R	4549734754842			NA	NAA	NLD	8471.4100.00
NYB2C-30450	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	3,010.00	EC001413	NYB10908G	4549734754859			NA	NAA	NLD	8471.4100.00
NYB2C-30456	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,411.00	EC001413	NYB10909E	4549734754866			NA	NAA	NLD	8471.4100.00
NYB2C-30460	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), no PCIe slot, no option port	3,479.00	EC001413	NYB10585E	4549734719681			NA	NAA	NLD	8471.4100.00
NYB2C-30470	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), no PCIe slot, no option port	3,931.00	EC001413	NYB10586C	4549734719698			NA	NAA	NLD	8471.4100.00
NYB2C-30476	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,931.00	EC001413	NYB10910R	4549734754873			NA	NAA	NLD	8471.4100.00
NYB2C-31491	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,045.00	EC001413	NYB10911G	4549734754880			NA	NAA	NLD	8471.4100.00
NYB2C-31492	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,045.00	EC001413	NYB10912E	4549734754897			NA	NAA	NLD	8471.4100.00
NYB2C-31496	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,620.00	EC001413	NYB10913C	4549734754903			NA	NAA	NLD	8471.4100.00
NYB2C-314C1	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	4,521.00	EC001413	NYB10914A	4549734754910			NA	NAA	NLD	8471.4100.00
NYB2C-314C2	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,521.00	EC001413	NYB10915M	4549734754927			NA	NAA	NLD	8471.4100.00
NYB2C-314C6	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,095.00	EC001413	NYB10916H	4549734754934			NA	NAA	NLD	8471.4100.00
NYB2C-314K1	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	4,835.00	EC001413	NYB10917F	4549734754941			NA	NAA	NLD	8471.4100.00
NYB2C-314K2	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,835.00	EC001413	NYB10918D	4549734754958			NA	NAA	NLD	8471.4100.00
NYB2C-314K6	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,410.00	EC001413	NYB10919B	4549734754965			NA	NAA	NLD	8471.4100.00
NYB2C-314L2	Industrial Box PC with Intel® Celeron® 3965U, 8 GB RAM (non-ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2019 (64-bit), 256 GB SSD MLC, extra DVI-D	4,341.00	EC001413	NYB13150C	4550431044747			NA	NAA	NLD	8471.4100.00
NYB2C-40460	Industrial Box PC with Intel® Celeron® 3965U, 16 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,935.00	EC001413	NYB10920F	4549734754972			NA	NAA	NLD	8471.4100.00
NYB2E-315F6	Industrial Box PC with Intel® Xeon® W-11865MRE (incl.fan), 8 GB RAM (non-ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3D TLC, NY Monitor Link	6,205.00	EC001413	NYB11222C	4549734788557			NA	NAA	NLD	8471.4100.00
NYB2E-515G6	Industrial Box PC with Intel® Xeon® W-11865MRE (incl.fan), 32 GB RAM (non-ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3D TLC, NY Monitor Link	6,510.00	EC001413	NYB11282G	4550431000163			NA	NAA	NLD	8471.4100.00
NYB2E-615P0	Industrial Box PC with Intel® Xeon® W-11865MRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3D TLC, No I/F option	7,755.00	EC001413	NYB11483H	4550431002174			NA	NAA	NLD	8471.4100.00
NYB2E-F25H9	Industrial Box PC with Intel® Xeon® W-11865MRE (incl.fan), 64 GB RAM (ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3D TLC, extra Ethernet port	7,415.00	EC001413	NYB11711M	4550431004444			NA	NAA	NLD	8471.4100.00
NYB35-21491	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,690.00	EC001413	NYB10921D	4549734754989			NA	NAA	NLD	8471.4100.00
NYB35-21492	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,690.00	EC001413	NYB10922B	4549734754996			NA	NAA	NLD	8471.4100.00
NYB35-21496	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,260.00	EC001413	NYB10923M	4549734755009			NA	NAA	NLD	8471.4100.00
NYB35-214C1	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,165.00	EC001413	NYB10924R	4549734755016			NA	NAA	NLD	8471.4100.00
NYB35-214C2	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,165.00	EC001413	NYB10925G	4549734755023			NA	NAA	NLD	8471.4100.00
NYB35-214C6	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,740.00	EC001413	NYB10926E	4549734755030			NA	NAA	NLD	8471.4100.00
NYB35-214K1	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,480.00	EC001413	NYB10927C	4549734755047			NA	NAA	NLD	8471.4100.00
NYB35-214K2	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,480.00	EC001413	NYB10928A	4549734755054			NA	NAA	NLD	8471.4100.00
NYB35-214K6	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,055.00	EC001413	NYB10929M	4549734755061			NA	NAA	NLD	8471.4100.00
NYB35-224K1	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,325.00	EC001413	NYB10597R	4549734729499			NA	NAA	NLD	8471.4100.00
NYB35-224K2	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,325.00	EC001413	NYB10598G	4549734729505			NA	NAA	NLD	8471.4100.00
NYB35-224K6	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,610.00	EC001413	NYB10599E	4549734729512			NA	NAA	NLD	8471.4100.00
NYB35-224L1	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,730.00	EC001413	NYB10600B	4549734729529			NA	NAA	NLD	8471.4100.00
NYB35-224L2	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,730.00	EC001413	NYB10601M	4549734729536			NA	NAA	NLD	8471.4100.00
NYB35-224L6	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,000.00	EC001413	NYB10602R	4549734729543			NA	NAA	NLD	8471.4100.00
NYB35-30370	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port	4,208.00	EC001413	NYB10428M	4549734262552			NA	NAA	NLD	8471.4100.00
NYB35-30376	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, NYML port	5,140.00	EC001413	NYB10429H	4549734262569	#		NA	NAA	NLD	8471.4100.00
NYB35-30450	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	4,341.00	EC001413	NYB10930C	4549734755078			NA	NAA	NLD	8471.4100.00
NYB35-30456	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	4,743.00	EC001413	NYB10931A	4549734755085			NA	NAA	NLD	8471.4100.00
NYB35-30460	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	4,508.00	EC001413	NYB10932M	4549734755092			NA	NAA	NLD	8471.4100.00
NYB35-30466	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	4,908.00	EC001413	NYB10933H	4549734755108			NA	NAA	NLD	8471.4100.00
NYB35-30470	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	5,480.00	EC001413	NYB10891R	4549734737449			NA	NAA	NLD	8471.4100.00
NYB35-30476	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	5,940.00	EC001413	NYB10934F	4549734755115			NA	NAA	NLD	8471.4100.00
NYB35-31491	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,825.00	EC001413	NYB10935D	4549734755122			NA	NAA	NLD	8471.4100.00
NYB35-31492	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,825.00	EC001413	NYB10936B	4549734755139			NA	NAA	NLD	8471.4100.00
NYB35-31496	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,390.00	EC001413	NYB10937M	4549734755146			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB35-314C1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,295.00	EC001413	NYB10938R	4549734755153			NA	NAA	NLD	8471.4100.00
NYB35-314C2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,295.00	EC001413	NYB10939G	4549734755160			NA	NAA	NLD	8471.4100.00
NYB35-314C6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,870.00	EC001413	NYB10940M	4549734755177			NA	NAA	NLD	8471.4100.00
NYB35-314K1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,605.00	EC001413	NYB10941R	4549734755184			NA	NAA	NLD	8471.4100.00
NYB35-314K2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,605.00	EC001413	NYB10942G	4549734755191			NA	NAA	NLD	8471.4100.00
NYB35-314K6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,185.00	EC001413	NYB10943E	4549734755207			NA	NAA	NLD	8471.4100.00
NYB35-324D1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,150.00	EC001413	NYB10603G	4549734729550			NA	NAA	NLD	8471.4100.00
NYB35-324D2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,150.00	EC001413	NYB10604E	4549734729567			NA	NAA	NLD	8471.4100.00
NYB35-324D6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,455.00	EC001413	NYB10605C	4549734729574			NA	NAA	NLD	8471.4100.00
NYB35-324E1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,315.00	EC001413	NYB10606A	4549734729581			NA	NAA	NLD	8471.4100.00
NYB35-324E2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,315.00	EC001413	NYB10607M	4549734729598			NA	NAA	NLD	8471.4100.00
NYB35-324E6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,630.00	EC001413	NYB10608H	4549734729604			NA	NAA	NLD	8471.4100.00
NYB35-324K1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,475.00	EC001413	NYB10609F	4549734729611			NA	NAA	NLD	8471.4100.00
NYB35-324K2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,475.00	EC001413	NYB10610M	4549734729628			NA	NAA	NLD	8471.4100.00
NYB35-324K6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,780.00	EC001413	NYB10611H	4549734729635			NA	NAA	NLD	8471.4100.00
NYB35-324L1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,880.00	EC001413	NYB10612F	4549734729642			NA	NAA	NLD	8471.4100.00
NYB35-324L2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,880.00	EC001413	NYB10613D	4549734729659			NA	NAA	NLD	8471.4100.00
NYB35-324L6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,145.00	EC001413	NYB10614B	4549734729666			NA	NAA	NLD	8471.4100.00
NYB35-324M1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,340.00	EC001413	NYB10615M	4549734729673			NA	NAA	NLD	8471.4100.00
NYB35-324M2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,340.00	EC001413	NYB10616R	4549734729680			NA	NAA	NLD	8471.4100.00
NYB35-324M6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,595.00	EC001413	NYB10617G	4549734729697			NA	NAA	NLD	8471.4100.00
NYB35-324P1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,145.00	EC001413	NYB10618E	4549734729703			NA	NAA	NLD	8471.4100.00
NYB35-324P2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,145.00	EC001413	NYB10619C	4549734729710			NA	NAA	NLD	8471.4100.00
NYB35-324P6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,440.00	EC001413	NYB10620G	4549734729727			NA	NAA	NLD	8471.4100.00
NYB35-40360	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port	4,238.00	EC001413	NYB10434D	4549734262613			NA	NAA	NLD	8471.4100.00
NYB35-40450	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	4,721.00	EC001413	NYB10944C	4549734755214			NA	NAA	NLD	8471.4100.00
NYB35-40456	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	5,125.00	EC001413	NYB10945A	4549734755221			NA	NAA	NLD	8471.4100.00
NYB35-40460	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	4,888.00	EC001413	NYB10946M	4549734755238			NA	NAA	NLD	8471.4100.00
NYB35-40466	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	5,295.00	EC001413	NYB10947H	4549734755245			NA	NAA	NLD	8471.4100.00
NYB35-40470	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	5,240.00	EC001413	NYB10948F	4549734755252			NA	NAA	NLD	8471.4100.00
NYB35-40476	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	5,645.00	EC001413	NYB10949D	4549734755269			NA	NAA	NLD	8471.4100.00
NYB35-414D1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,245.00	EC001413	NYB10950H	4549734755276			NA	NAA	NLD	8471.4100.00
NYB35-414D2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,240.00	EC001413	NYB10951F	4549734755283			NA	NAA	NLD	8471.4100.00
NYB35-414D6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,565.00	EC001413	NYB10952D	4549734755290			NA	NAA	NLD	8471.4100.00
NYB35-414E1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,335.00	EC001413	NYB10953B	4549734755306			NA	NAA	NLD	8471.4100.00
NYB35-414E2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,335.00	EC001413	NYB10954M	4549734755313			NA	NAA	NLD	8471.4100.00
NYB35-414E6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,660.00	EC001413	NYB10955R	4549734755320			NA	NAA	NLD	8471.4100.00
NYB35-414K1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 LTSC, 1 PCIe + 2 drive slots, RS-232C	6,010.00	EC001413	NYB10893E	4549734752671			NA	NAA	NLD	8471.4100.00
NYB35-414K2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,460.00	EC001413	NYB10956G	4549734755337			NA	NAA	NLD	8471.4100.00
NYB35-414K6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,785.00	EC001413	NYB10957E	4549734755344			NA	NAA	NLD	8471.4100.00
NYB35-414M1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,810.00	EC001413	NYB10958C	4549734755351			NA	NAA	NLD	8471.4100.00
NYB35-414M2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,845.00	EC001413	NYB10959A	4549734755368			NA	NAA	NLD	8471.4100.00
NYB35-414M6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,145.00	EC001413	NYB10960E	4549734755375			NA	NAA	NLD	8471.4100.00
NYB35-424D1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,335.00	EC001413	NYB10621E	4549734729734			NA	NAA	NLD	8471.4100.00
NYB35-424D2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,335.00	EC001413	NYB10622C	4549734729741			NA	NAA	NLD	8471.4100.00
NYB35-424D6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,640.00	EC001413	NYB10623A	4549734729758			NA	NAA	NLD	8471.4100.00
NYB35-424E1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,505.00	EC001413	NYB10624M	4549734729765			NA	NAA	NLD	8471.4100.00
NYB35-424E2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,505.00	EC001413	NYB10625H	4549734729772			NA	NAA	NLD	8471.4100.00
NYB35-424E6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,815.00	EC001413	NYB10626F	4549734729789			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB35-424K1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,655.00	EC001413	NYB10627D	4549734729796			NA	NAA	NLD	8471.4100.00
NYB35-424K2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,655.00	EC001413	NYB10628B	4549734729802			NA	NAA	NLD	8471.4100.00
NYB35-424K6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,955.00	EC001413	NYB10629M	4549734729819			NA	NAA	NLD	8471.4100.00
NYB35-424L1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,055.00	EC001413	NYB10630D	4549734729826			NA	NAA	NLD	8471.4100.00
NYB35-424L2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,055.00	EC001413	NYB10631B	4549734729833			NA	NAA	NLD	8471.4100.00
NYB35-424L6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,360.00	EC001413	NYB10632M	4549734729840			NA	NAA	NLD	8471.4100.00
NYB35-424M1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,600.00	EC001413	NYB10633R	4549734729857			NA	NAA	NLD	8471.4100.00
NYB35-424M2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,600.00	EC001413	NYB10634G	4549734729864			NA	NAA	NLD	8471.4100.00
NYB35-424M6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,870.00	EC001413	NYB10635E	4549734729871			NA	NAA	NLD	8471.4100.00
NYB35-424P1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,320.00	EC001413	NYB10636C	4549734729888			NA	NAA	NLD	8471.4100.00
NYB35-424P2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,320.00	EC001413	NYB10637A	4549734729895			NA	NAA	NLD	8471.4100.00
NYB35-424P6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,620.00	EC001413	NYB10638M	4549734729901			NA	NAA	NLD	8471.4100.00
NYB35-50460	Industrial Box PC with Intel® Core™ i5-7300U, 32 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	5,155.00	EC001413	NYB10961C	4549734755382			NA	NAA	NLD	8471.4100.00
NYB35-50469	Industrial Box PC with Intel® Core™ i5-7300U, 32 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, 4 EtherNet Ports	7,620.00	EC001413	NYB10966D	4549734772501			NA	NAA	NLD	8471.4100.00
NYB37-30000	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option	4,642.00	EC001413	NYB11865E	4550431005984			NA	NAA	NLD	8471.4100.00
NYB37-30510	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option	5,360.00	EC001413	NYB11885M	4550431006189			NA	NAA	NLD	8471.4100.00
NYB37-30520	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option	5,315.00	EC001413	NYB11905H	4550431006387			NA	NAA	NLD	8471.4100.00
NYB37-30530	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option	5,545.00	EC001413	NYB11925B	4550431006585			NA	NAA	NLD	8471.4100.00
NYB37-31000	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, No OS, No Storage, No I/F option	5,115.00	EC001413	NYB11945G	4550431006783			NA	NAA	NLD	8471.4100.00
NYB37-315D0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	5,720.00	EC001413	NYB12025M	4550431007582			NA	NAA	NLD	8471.4100.00
NYB37-315E0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	5,785.00	EC001413	NYB12045E	4550431007780			NA	NAA	NLD	8471.4100.00
NYB37-315F0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	5,700.00	EC001413	NYB11965A	4550431006981			NA	NAA	NLD	8471.4100.00
NYB37-315G0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	5,755.00	EC001413	NYB11985F	4550431007186			NA	NAA	NLD	8471.4100.00
NYB37-315H0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	5,860.00	EC001413	NYB12005F	4550431007384			NA	NAA	NLD	8471.4100.00
NYB37-315P0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	5,990.00	EC001413	NYB12065M	4550431007988			NA	NAA	NLD	8471.4100.00
NYB37-32000	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, No OS, No Storage, No I/F option	5,235.00	EC001413	NYB12085D	4550431008183			NA	NAA	NLD	8471.4100.00
NYB37-325D0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	5,985.00	EC001413	NYB12165F	4550431008985			NA	NAA	NLD	8471.4100.00
NYB37-325E0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	6,105.00	EC001413	NYB12185M	4550431009180			NA	NAA	NLD	8471.4100.00
NYB37-325F0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	5,945.00	EC001413	NYB12105B	4550431008381			NA	NAA	NLD	8471.4100.00
NYB37-325G0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	6,060.00	EC001413	NYB12125G	4550431008589			NA	NAA	NLD	8471.4100.00
NYB37-325H0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	6,265.00	EC001413	NYB12145A	4550431008787			NA	NAA	NLD	8471.4100.00
NYB37-325P0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	6,550.00	EC001413	NYB12205R	4550431009388			NA	NAA	NLD	8471.4100.00
NYB37-40000	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option	4,712.00	EC001413	NYB11870A	4550431006035			NA	NAA	NLD	8471.4100.00
NYB37-40510	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option	5,430.00	EC001413	NYB11890F	4550431006233			NA	NAA	NLD	8471.4100.00
NYB37-40520	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option	5,390.00	EC001413	NYB11910D	4550431006431			NA	NAA	NLD	8471.4100.00
NYB37-40530	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option	5,615.00	EC001413	NYB11930R	4550431006639			NA	NAA	NLD	8471.4100.00
NYB37-41000	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, No OS, No Storage, No I/F option	5,180.00	EC001413	NYB11950C	4550431006837			NA	NAA	NLD	8471.4100.00
NYB37-415D0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	5,795.00	EC001413	NYB12030G	4550431007636			NA	NAA	NLD	8471.4100.00
NYB37-415E0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	5,850.00	EC001413	NYB12050A	4550431007834			NA	NAA	NLD	8471.4100.00
NYB37-415F0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	5,770.00	EC001413	NYB11970H	4550431007032			NA	NAA	NLD	8471.4100.00
NYB37-415G0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	5,825.00	EC001413	NYB11990B	4550431007230			NA	NAA	NLD	8471.4100.00
NYB37-415G6	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, NY Monitor Link	6,085.00	EC001413	NYB11993G	4550431007261			NA	NAA	NLD	8471.4100.00
NYB37-415H0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	5,930.00	EC001413	NYB12010B	4550431007438			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB37-415P0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	6,060.00	EC001413	NYB12070F	4550431008039			NA	NAA	NLD	8471.4100.00
NYB37-42000	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, No OS, No Storage, No I/F option	5,300.00	EC001413	NYB12090M	4550431008237			NA	NAA	NLD	8471.4100.00
NYB37-425D0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	6,055.00	EC001413	NYB12170B	4550431009036			NA	NAA	NLD	8471.4100.00
NYB37-425E0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	6,175.00	EC001413	NYB12190G	4550431009234			NA	NAA	NLD	8471.4100.00
NYB37-425F0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	6,010.00	EC001413	NYB12110R	4550431008435			NA	NAA	NLD	8471.4100.00
NYB37-425G0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	6,125.00	EC001413	NYB12130C	4550431008633			NA	NAA	NLD	8471.4100.00
NYB37-425H0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	6,340.00	EC001413	NYB12150H	4550431008831			NA	NAA	NLD	8471.4100.00
NYB37-425P0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	6,625.00	EC001413	NYB12210E	4550431009432			NA	NAA	NLD	8471.4100.00
NYB37-50000	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option	4,889.00	EC001413	NYB11875B	4550431006080			NA	NAA	NLD	8471.4100.00
NYB37-50510	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option	5,605.00	EC001413	NYB11895G	4550431006288			NA	NAA	NLD	8471.4100.00
NYB37-50520	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option	5,565.00	EC001413	NYB11915E	4550431006486			NA	NAA	NLD	8471.4100.00
NYB37-50530	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option	5,795.00	EC001413	NYB11935M	4550431006684			NA	NAA	NLD	8471.4100.00
NYB37-51000	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, No OS, No Storage, No I/F option	5,345.00	EC001413	NYB11955D	4550431006882			NA	NAA	NLD	8471.4100.00
NYB37-515D0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	5,955.00	EC001413	NYB12035H	4550431007681			NA	NAA	NLD	8471.4100.00
NYB37-515E0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	6,015.00	EC001413	NYB12055B	4550431007889			NA	NAA	NLD	8471.4100.00
NYB37-515F0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	5,935.00	EC001413	NYB11975R	4550431007087			NA	NAA	NLD	8471.4100.00
NYB37-515G0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	5,990.00	EC001413	NYB11995C	4550431007285			NA	NAA	NLD	8471.4100.00
NYB37-515G6	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, NY Monitor Link	6,250.00	EC001413	NYB11998H	4550431007315			NA	NAA	NLD	8471.4100.00
NYB37-515H0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	6,095.00	EC001413	NYB12015C	4550431007483			NA	NAA	NLD	8471.4100.00
NYB37-515P0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	6,235.00	EC001413	NYB12075G	4550431008084			NA	NAA	NLD	8471.4100.00
NYB37-52000	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, No OS, No Storage, No I/F option	5,460.00	EC001413	NYB12095A	4550431008282			NA	NAA	NLD	8471.4100.00
NYB37-525D0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	6,220.00	EC001413	NYB12175C	4550431009081			NA	NAA	NLD	8471.4100.00
NYB37-525E0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	6,350.00	EC001413	NYB12195H	4550431009289			NA	NAA	NLD	8471.4100.00
NYB37-525F0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	6,180.00	EC001413	NYB12115M	4550431008480			NA	NAA	NLD	8471.4100.00
NYB37-525G0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	6,290.00	EC001413	NYB12135D	4550431008688			NA	NAA	NLD	8471.4100.00
NYB37-525H0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	6,515.00	EC001413	NYB12155R	4550431008886			NA	NAA	NLD	8471.4100.00
NYB37-525H4	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, extra DisplayPort++	6,595.00	EC001413	NYB12157E	4550431008909			NA	NAA	NLD	8471.4100.00
NYB37-525P0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	6,800.00	EC001413	NYB12215F	4550431009487			NA	NAA	NLD	8471.4100.00
NYB37-60000	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), No exp. slots, No OS, No Storage, No I/F option	5,240.00	EC001413	NYB11880R	4550431006134			NA	NAA	NLD	8471.4100.00
NYB37-60510	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option	5,955.00	EC001413	NYB11900G	4550431006332			NA	NAA	NLD	8471.4100.00
NYB37-60520	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option	5,915.00	EC001413	NYB11920A	4550431006530			NA	NAA	NLD	8471.4100.00
NYB37-60530	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option	6,140.00	EC001413	NYB11940F	4550431006738			NA	NAA	NLD	8471.4100.00
NYB37-60534	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, extra DisplayPort++	6,220.00	EC001413	NYB11942B	4550431006752			NA	NAA	NLD	8471.4100.00
NYB37-61000	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, No OS, No Storage, No I/F option	5,670.00	EC001413	NYB11960M	4550431006936			NA	NAA	NLD	8471.4100.00
NYB37-615D0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	6,290.00	EC001413	NYB12040D	4550431007735			NA	NAA	NLD	8471.4100.00
NYB37-615E0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	6,360.00	EC001413	NYB12060R	4550431007933			NA	NAA	NLD	8471.4100.00
NYB37-615F0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	6,270.00	EC001413	NYB11980E	4550431007131			NA	NAA	NLD	8471.4100.00
NYB37-615G0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	6,330.00	EC001413	NYB12000E	4550431007339			NA	NAA	NLD	8471.4100.00
NYB37-615H0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	6,440.00	EC001413	NYB12020M	4550431007537			NA	NAA	NLD	8471.4100.00
NYB37-615P0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	6,580.00	EC001413	NYB12080C	4550431008138			NA	NAA	NLD	8471.4100.00
NYB37-62000	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, Hardware RAID, No OS, No Storage, No I/F option	5,785.00	EC001413	NYB12100A	4550431008336			NA	NAA	NLD	8471.4100.00
NYB37-625D0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	6,565.00	EC001413	NYB12180M	4550431009135			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB37-625E0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	6,695.00	EC001413	NYB12200H	4550431009333			NA	NAA	NLD	8471.4100.00
NYB37-625F0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	6,520.00	EC001413	NYB12120F	4550431008534			NA	NAA	NLD	8471.4100.00
NYB37-625G0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	6,640.00	EC001413	NYB12140M	4550431008732			NA	NAA	NLD	8471.4100.00
NYB37-625H0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	6,865.00	EC001413	NYB12160E	4550431008930			NA	NAA	NLD	8471.4100.00
NYB37-625P0	Industrial Box PC with Intel® Core™ i7-1185GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	7,150.00	EC001413	NYB12220B	4550431009531			NA	NAA	NLD	8471.4100.00
NYB55-30000	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option	3,959.00	EC001413	NYB12225C	4550431009586			NA	NAA	NLD	8471.4100.00
NYB55-30510	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option	4,406.00	EC001413	NYB12245H	4550431009784			NA	NAA	NLD	8471.4100.00
NYB55-30520	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option	4,367.00	EC001413	NYB12265B	4550431009982			NA	NAA	NLD	8471.4100.00
NYB55-30524	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, extra DisplayPort++	4,442.00	EC001413	NYB12267R	4550431010001			NA	NAA	NLD	8471.4100.00
NYB55-30530	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option	4,577.00	EC001413	NYB12285G	4550431010186			NA	NAA	NLD	8471.4100.00
NYB55-31000	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, No OS, No Storage, No I/F option	4,428.00	EC001413	NYB12305E	4550431010384			NA	NAA	NLD	8471.4100.00
NYB55-315D0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	4,823.00	EC001413	NYB12385C	4550431011183			NA	NAA	NLD	8471.4100.00
NYB55-315E0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	4,884.00	EC001413	NYB12405A	4550431011381			NA	NAA	NLD	8471.4100.00
NYB55-315F0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	4,803.00	EC001413	NYB12325M	4550431010582			NA	NAA	NLD	8471.4100.00
NYB55-315G0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	4,859.00	EC001413	NYB12345D	4550431010780			NA	NAA	NLD	8471.4100.00
NYB55-315H0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	4,961.00	EC001413	NYB12365R	4550431010988			NA	NAA	NLD	8471.4100.00
NYB55-315P0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	5,095.00	EC001413	NYB12425F	4550431011589			NA	NAA	NLD	8471.4100.00
NYB55-32000	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, No OS, No Storage, No I/F option	4,544.00	EC001413	NYB12445M	4550431011787			NA	NAA	NLD	8471.4100.00
NYB55-325D0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	5,090.00	EC001413	NYB12525B	4550431012586			NA	NAA	NLD	8471.4100.00
NYB55-325E0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	5,215.00	EC001413	NYB12545G	4550431012784			NA	NAA	NLD	8471.4100.00
NYB55-325F0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	5,050.00	EC001413	NYB12465E	4550431011985			NA	NAA	NLD	8471.4100.00
NYB55-325G0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	5,160.00	EC001413	NYB12485M	4550431012180			NA	NAA	NLD	8471.4100.00
NYB55-325H0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	5,370.00	EC001413	NYB12505H	4550431012388			NA	NAA	NLD	8471.4100.00
NYB55-325P0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	5,635.00	EC001413	NYB12565A	4550431012982			NA	NAA	NLD	8471.4100.00
NYB55-40000	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option	4,027.00	EC001413	NYB12230M	4550431009630			NA	NAA	NLD	8471.4100.00
NYB55-40510	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option	4,475.00	EC001413	NYB12250D	4550431009838			NA	NAA	NLD	8471.4100.00
NYB55-40520	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option	4,435.00	EC001413	NYB12270R	4550431010032			NA	NAA	NLD	8471.4100.00
NYB55-40530	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option	4,646.00	EC001413	NYB12290C	4550431010230			NA	NAA	NLD	8471.4100.00
NYB55-41000	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, No OS, No Storage, No I/F option	4,496.00	EC001413	NYB12310A	4550431010438			NA	NAA	NLD	8471.4100.00
NYB55-415D0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	4,892.00	EC001413	NYB12390M	4550431011237			NA	NAA	NLD	8471.4100.00
NYB55-415E0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	4,952.00	EC001413	NYB12410H	4550431011435			NA	NAA	NLD	8471.4100.00
NYB55-415F0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	4,871.00	EC001413	NYB12330F	4550431010636			NA	NAA	NLD	8471.4100.00
NYB55-415G0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	4,926.00	EC001413	NYB12350M	4550431010834			NA	NAA	NLD	8471.4100.00
NYB55-415G6	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, NY Monitor Link	5,140.00	EC001413	NYB12353E	4550431010865			NA	NAA	NLD	8471.4100.00
NYB55-415H0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	5,030.00	EC001413	NYB12370E	4550431011039			NA	NAA	NLD	8471.4100.00
NYB55-415P0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	5,165.00	EC001413	NYB12430B	4550431011633			NA	NAA	NLD	8471.4100.00
NYB55-42000	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, No OS, No Storage, No I/F option	4,613.00	EC001413	NYB12450G	4550431011831			NA	NAA	NLD	8471.4100.00
NYB55-425D0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	5,160.00	EC001413	NYB12530R	4550431012630			NA	NAA	NLD	8471.4100.00
NYB55-425E0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	5,280.00	EC001413	NYB12550C	4550431012838			NA	NAA	NLD	8471.4100.00
NYB55-425F0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	5,115.00	EC001413	NYB12470A	4550431012036			NA	NAA	NLD	8471.4100.00
NYB55-425G0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	5,230.00	EC001413	NYB12490F	4550431012234			NA	NAA	NLD	8471.4100.00
NYB55-425H0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	5,435.00	EC001413	NYB12510D	4550431012432			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB55-425P0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	5,700.00	EC001413	NYB12570H	4550431013033			NA	NAA	NLD	8471.4100.00
NYB55-50000	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option	4,190.00	EC001413	NYB12235M	4550431009685			NA	NAA	NLD	8471.4100.00
NYB55-50510	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option	4,638.00	EC001413	NYB12255E	4550431009883			NA	NAA	NLD	8471.4100.00
NYB55-50520	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option	4,598.00	EC001413	NYB12275M	4550431010087			NA	NAA	NLD	8471.4100.00
NYB55-50530	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option	4,819.00	EC001413	NYB12295D	4550431010285			NA	NAA	NLD	8471.4100.00
NYB55-51000	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, No OS, No Storage, No I/F option	4,659.00	EC001413	NYB12315B	4550431010483			NA	NAA	NLD	8471.4100.00
NYB55-515D0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	5,055.00	EC001413	NYB12395M	4550431011282			NA	NAA	NLD	8471.4100.00
NYB55-515E0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	5,115.00	EC001413	NYB12415R	4550431011480			NA	NAA	NLD	8471.4100.00
NYB55-515F0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	5,035.00	EC001413	NYB12335G	4550431010681			NA	NAA	NLD	8471.4100.00
NYB55-515G0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	5,090.00	EC001413	NYB12355A	4550431010889			NA	NAA	NLD	8471.4100.00
NYB55-515H0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	5,195.00	EC001413	NYB12375F	4550431011084			NA	NAA	NLD	8471.4100.00
NYB55-515P0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	5,325.00	EC001413	NYB12435C	4550431011688			NA	NAA	NLD	8471.4100.00
NYB55-52000	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, No OS, No Storage, No I/F option	4,776.00	EC001413	NYB12455H	4550431011886			NA	NAA	NLD	8471.4100.00
NYB55-525D0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	5,320.00	EC001413	NYB12535M	4550431012685			NA	NAA	NLD	8471.4100.00
NYB55-525E0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	5,440.00	EC001413	NYB12555D	4550431012883			NA	NAA	NLD	8471.4100.00
NYB55-525F0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	5,280.00	EC001413	NYB12475B	4550431012081			NA	NAA	NLD	8471.4100.00
NYB55-525G0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	5,395.00	EC001413	NYB12495G	4550431012289			NA	NAA	NLD	8471.4100.00
NYB55-525H0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	5,595.00	EC001413	NYB12515E	4550431012487			NA	NAA	NLD	8471.4100.00
NYB55-525P0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	5,860.00	EC001413	NYB12575R	4550431013088			NA	NAA	NLD	8471.4100.00
NYB55-525P6	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, NY Monitor Link	6,120.00	EC001413	NYB12578C	4550431013118			NA	NAA	NLD	8471.4100.00
NYB55-60000	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), No exp. slots, No OS, No Storage, No I/F option	4,510.00	EC001413	NYB12240G	4550431009739			NA	NAA	NLD	8471.4100.00
NYB55-60510	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option	4,981.00	EC001413	NYB12260A	4550431009937			NA	NAA	NLD	8471.4100.00
NYB55-60520	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option	4,939.00	EC001413	NYB12280F	4550431010131			NA	NAA	NLD	8471.4100.00
NYB55-60530	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option	5,170.00	EC001413	NYB12300D	4550431010339			NA	NAA	NLD	8471.4100.00
NYB55-61000	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, No OS, No Storage, No I/F option	4,980.00	EC001413	NYB12320R	4550431010537			NA	NAA	NLD	8471.4100.00
NYB55-615D0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	5,380.00	EC001413	NYB12400M	4550431011336			NA	NAA	NLD	8471.4100.00
NYB55-615E0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	5,440.00	EC001413	NYB12420E	4550431011534			NA	NAA	NLD	8471.4100.00
NYB55-615F0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	5,360.00	EC001413	NYB12340C	4550431010735			NA	NAA	NLD	8471.4100.00
NYB55-615G0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	5,415.00	EC001413	NYB12360H	4550431010933			NA	NAA	NLD	8471.4100.00
NYB55-615H0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	5,520.00	EC001413	NYB12380B	4550431011138			NA	NAA	NLD	8471.4100.00
NYB55-615P0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	5,650.00	EC001413	NYB12440M	4550431011732			NA	NAA	NLD	8471.4100.00
NYB55-62000	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, Hardware RAID, No OS, No Storage, No I/F option	5,095.00	EC001413	NYB12460D	4550431011930			NA	NAA	NLD	8471.4100.00
NYB55-625D0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 500 GB HDD, No I/F option	5,645.00	EC001413	NYB12540F	4550431012739			NA	NAA	NLD	8471.4100.00
NYB55-625E0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB HDD, No I/F option	5,765.00	EC001413	NYB12560M	4550431012937			NA	NAA	NLD	8471.4100.00
NYB55-625F0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option	5,600.00	EC001413	NYB12480R	4550431012135			NA	NAA	NLD	8471.4100.00
NYB55-625G0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option	5,715.00	EC001413	NYB12500G	4550431012333			NA	NAA	NLD	8471.4100.00
NYB55-625H0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option	5,920.00	EC001413	NYB12520A	4550431012531			NA	NAA	NLD	8471.4100.00
NYB55-625P0	Industrial Box PC with Intel® Core™ i5-1145GRE (incl.fan), 64 GB RAM (non-ECC), 1 PCIe + 2 drive slots, Hardware RAID, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option	6,185.00	EC001413	NYB12580E	4550431013132			NA	NAA	NLD	8471.4100.00
NYB65-30516	Industrial Box PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, NY Monitor Link	4,429.00	EC001413	NYB12603H	4550431013361			NA	NAA	NLD	8471.4100.00
NYP13-30000-12WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	5,540.00	EC001414	NYP11826B	4550431024688			NA	NAA	NLD	8471.4100.00
NYP13-30510-12WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	5,995.00	EC001414	NYP11901C	4550431025432			NA	NAA	NLD	8471.4100.00
NYP13-30520-12WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	5,955.00	EC001414	NYP11976E	4550431026187			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP13-30530-12WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,165.00	EC001414	NYP12051H	4550431026934			NA	NAA	NLD	8471.4100.00
NYP13-40000-12WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	5,605.00	EC001414	NYP11851C	4550431024930			NA	NAA	NLD	8471.4100.00
NYP13-40510-12WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,065.00	EC001414	NYP11926R	4550431025685			NA	NAA	NLD	8471.4100.00
NYP13-40520-12WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,020.00	EC001414	NYP12001A	4550431026439			NA	NAA	NLD	8471.4100.00
NYP13-40530-12WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,240.00	EC001414	NYP12076C	4550431027184			NA	NAA	NLD	8471.4100.00
NYP13-50000-12WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	5,775.00	EC001414	NYP11876R	4550431025180			NA	NAA	NLD	8471.4100.00
NYP13-50510-12WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,230.00	EC001414	NYP11951M	4550431025937			NA	NAA	NLD	8471.4100.00
NYP13-50520-12WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,190.00	EC001414	NYP12026G	4550431026682			NA	NAA	NLD	8471.4100.00
NYP13-50530-12WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,405.00	EC001414	NYP12101H	4550431027436			NA	NAA	NLD	8471.4100.00
NYP13-60000-12WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, No OS, No Storage, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,100.00	EC001414	NYP13138B	4550431039439			NA	NAA	NLD	8471.4100.00
NYP13-60510-12WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,555.00	EC001414	NYP13150A	4550431039552			NA	NAA	NLD	8471.4100.00
NYP13-60520-12WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,515.00	EC001414	NYP13162E	4550431039675			NA	NAA	NLD	8471.4100.00
NYP13-60530-12WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,735.00	EC001414	NYP13174R	4550431039798			NA	NAA	NLD	8471.4100.00
NYP27-30000-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,060.00	EC001414	NYP10831C	4549734688000			NA	NAA	NLD	8471.4100.00
NYP27-30006-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,410.00	EC001414	NYP10832A	4549734688017			NA	NAA	NLD	8471.4100.00
NYP27-30460-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,025.00	EC001414	NYP10837B	4549734688062			NA	NAA	NLD	8471.4100.00
NYP27-30466-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,380.00	EC001414	NYP10838M	4549734688079			NA	NAA	NLD	8471.4100.00
NYP27-30470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,405.00	EC001414	NYP10843G	4549734688123			NA	NAA	NLD	8471.4100.00
NYP27-30476-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,750.00	EC001414	NYP10844E	4549734688130			NA	NAA	NLD	8471.4100.00
NYP27-40000-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,210.00	EC001414	NYP10833M	4549734688024			NA	NAA	NLD	8471.4100.00
NYP27-40006-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,560.00	EC001414	NYP10834H	4549734688031			NA	NAA	NLD	8471.4100.00
NYP27-40460-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,170.00	EC001414	NYP10839R	4549734688086			NA	NAA	NLD	8471.4100.00
NYP27-40466-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,520.00	EC001414	NYP10840B	4549734688093			NA	NAA	NLD	8471.4100.00
NYP27-40470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,550.00	EC001414	NYP10845C	4549734688147			NA	NAA	NLD	8471.4100.00
NYP27-40476-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,890.00	EC001414	NYP10846A	4549734688154			NA	NAA	NLD	8471.4100.00
NYP27-50000-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,525.00	EC001414	NYP10835F	4549734688048			NA	NAA	NLD	8471.4100.00
NYP27-50006-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,790.00	EC001414	NYP10836D	4549734688055			NA	NAA	NLD	8471.4100.00
NYP27-50460-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,485.00	EC001414	NYP10841M	4549734688109			NA	NAA	NLD	8471.4100.00
NYP27-50466-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,850.00	EC001414	NYP10842R	4549734688116			NA	NAA	NLD	8471.4100.00
NYP27-50470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,875.00	EC001414	NYP10847M	4549734688161			NA	NAA	NLD	8471.4100.00
NYP27-50476-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	9,230.00	EC001414	NYP10848H	4549734688178			NA	NAA	NLD	8471.4100.00
NYP2A-20460-12WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,317.00	EC001414	NYP10687F	4549734532938			NA	NAA	NLD	8471.4100.00
NYP2C-20360-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 12.1" display with capacitive touchscreen	3,833.00	EC001414	NYP10607H	4549734262712			NA	NAA	NLD	8471.4100.00
NYP2C-20450-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,701.00	EC001414	NYP10985R	4549734755412			NA	NAA	NLD	8471.4100.00
NYP2C-20460-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,870.00	EC001414	NYP10989A	4549734755450			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP2C-20470-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	5,225.00	EC001414	NYP10993M	4549734755498			NA	NAA	NLD	8471.4100.00
NYP2C-21491-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,630.00	EC001414	NYP10997B	4549734755535			NA	NAA	NLD	8471.4100.00
NYP2C-21492-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,630.00	EC001414	NYP10999R	4549734755559			NA	NAA	NLD	8471.4100.00
NYP2C-21496-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	9,260.00	EC001414	NYP11001F	4549734755573			NA	NAA	NLD	8471.4100.00
NYP2C-214C1-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,960.00	EC001414	NYP11003B	4549734755597			NA	NAA	NLD	8471.4100.00
NYP2C-214C2-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,960.00	EC001414	NYP11005R	4549734755610			NA	NAA	NLD	8471.4100.00
NYP2C-214C6-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,595.00	EC001414	NYP11007E	4549734755634			NA	NAA	NLD	8471.4100.00
NYP2C-214K1-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,315.00	EC001414	NYP11009A	4549734755658			NA	NAA	NLD	8471.4100.00
NYP2C-214K2-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,315.00	EC001414	NYP11011C	4549734755672			NA	NAA	NLD	8471.4100.00
NYP2C-214K6-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,940.00	EC001414	NYP11013M	4549734755696			NA	NAA	NLD	8471.4100.00
NYP2C-30450-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,906.00	EC001414	NYP11015F	4549734755719			NA	NAA	NLD	8471.4100.00
NYP2C-30460-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	5,075.00	EC001414	NYP11019R	4549734755757			NA	NAA	NLD	8471.4100.00
NYP2C-30470-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	5,425.00	EC001414	NYP11023G	4549734755795			NA	NAA	NLD	8471.4100.00
NYP2C-31491-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,760.00	EC001414	NYP11026A	4549734755818			NA	NAA	NLD	8471.4100.00
NYP2C-31492-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,760.00	EC001414	NYP11028H	4549734755832			NA	NAA	NLD	8471.4100.00
NYP2C-31496-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	9,395.00	EC001414	NYP11030M	4549734755856			NA	NAA	NLD	8471.4100.00
NYP2C-314C1-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,110.00	EC001414	NYP11032F	4549734755870			NA	NAA	NLD	8471.4100.00
NYP2C-314C2-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,110.00	EC001414	NYP11034B	4549734755894			NA	NAA	NLD	8471.4100.00
NYP2C-314C6-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,745.00	EC001414	NYP11036R	4549734755917			NA	NAA	NLD	8471.4100.00
NYP2C-314K1-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,455.00	EC001414	NYP11038E	4549734755931			NA	NAA	NLD	8471.4100.00
NYP2C-314K2-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,455.00	EC001414	NYP11040G	4549734755955			NA	NAA	NLD	8471.4100.00
NYP2C-314K6-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,095.00	EC001414	NYP11042C	4549734755979			NA	NAA	NLD	8471.4100.00
NYP35-21491-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	9,395.00	EC001414	NYP11044M	4549734755993			NA	NAA	NLD	8471.4100.00
NYP35-21492-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	9,395.00	EC001414	NYP11046F	4549734756013			NA	NAA	NLD	8471.4100.00
NYP35-21496-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	10,020.00	EC001414	NYP11048B	4549734756037			NA	NAA	NLD	8471.4100.00
NYP35-214C1-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,790.00	EC001414	NYP11050D	4549734756051			NA	NAA	NLD	8471.4100.00
NYP35-214C2-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,790.00	EC001414	NYP11052M	4549734756075			NA	NAA	NLD	8471.4100.00
NYP35-214C6-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,375.00	EC001414	NYP11054G	4549734756099			NA	NAA	NLD	8471.4100.00
NYP35-214K1-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,095.00	EC001414	NYP11056C	4549734756112			NA	NAA	NLD	8471.4100.00
NYP35-214K2-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,095.00	EC001414	NYP11058M	4549734756136			NA	NAA	NLD	8471.4100.00
NYP35-214K6-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,710.00	EC001414	NYP11060A	4549734756150			NA	NAA	NLD	8471.4100.00
NYP35-30450-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,250.00	EC001414	NYP11062H	4549734756174			NA	NAA	NLD	8471.4100.00
NYP35-30460-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,405.00	EC001414	NYP11066M	4549734756211			NA	NAA	NLD	8471.4100.00
NYP35-31491-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	9,540.00	EC001414	NYP11074A	4549734756297			NA	NAA	NLD	8471.4100.00
NYP35-31492-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	9,540.00	EC001414	NYP11076H	4549734756310			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP35-31496-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	10,170.00	EC001414	NYP11078D	4549734756334			NA	NAA	NLD	8471.4100.00
NYP35-314C1-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,880.00	EC001414	NYP11080F	4549734756358			NA	NAA	NLD	8471.4100.00
NYP35-314C2-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,880.00	EC001414	NYP11082B	4549734756372			NA	NAA	NLD	8471.4100.00
NYP35-314C6-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,515.00	EC001414	NYP11084R	4549734756396			NA	NAA	NLD	8471.4100.00
NYP35-314K1-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,235.00	EC001414	NYP11086E	4549734756419			NA	NAA	NLD	8471.4100.00
NYP35-314K2-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,235.00	EC001414	NYP11088A	4549734756433			NA	NAA	NLD	8471.4100.00
NYP35-314K6-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,850.00	EC001414	NYP11090C	4549734756457			NA	NAA	NLD	8471.4100.00
NYP35-40450-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,630.00	EC001414	NYP11092M	4549734756471			NA	NAA	NLD	8471.4100.00
NYP35-40460-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,800.00	EC001414	NYP11096B	4549734756518			NA	NAA	NLD	8471.4100.00
NYP35-40470-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,150.00	EC001414	NYP11100D	4549734756556			NA	NAA	NLD	8471.4100.00
NYP3A-20000-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 4 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	4,541.00	EC001414	NYP12426B	4550431030689			NA	NAA	NLD	8471.4100.00
NYP3A-20510-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	4,867.00	EC001414	NYP12501C	4550431031433			NA	NAA	NLD	8471.4100.00
NYP3A-20514-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, extra DisplayPort++, 12.1" (1280x800) capacitive touchscreen, build-in type	4,569.00	EC001414	NYP12503M	4550431031457			NA	NAA	NLD	8471.4100.00
NYP3A-20520-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	4,828.00	EC001414	NYP12576E	4550431032188			NA	NAA	NLD	8471.4100.00
NYP3A-20530-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	5,045.00	EC001414	NYP12651F	4550431032935			NA	NAA	NLD	8471.4100.00
NYP3A-30000-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	4,602.00	EC001414	NYP12451C	4550431030931			NA	NAA	NLD	8471.4100.00
NYP3A-30510-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	4,929.00	EC001414	NYP12526R	4550431031686			NA	NAA	NLD	8471.4100.00
NYP3A-30520-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	4,889.00	EC001414	NYP12601M	4550431032430			NA	NAA	NLD	8471.4100.00
NYP3A-30530-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	5,105.00	EC001414	NYP12676A	4550431033185			NA	NAA	NLD	8471.4100.00
NYP3A-40000-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	4,672.00	EC001414	NYP12476R	4550431031181			NA	NAA	NLD	8471.4100.00
NYP3A-40510-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	4,999.00	EC001414	NYP12551M	4550431031938			NA	NAA	NLD	8471.4100.00
NYP3A-40520-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	4,958.00	EC001414	NYP12626E	4550431032683			NA	NAA	NLD	8471.4100.00
NYP3A-40530-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	5,175.00	EC001414	NYP12701F	4550431033437			NA	NAA	NLD	8471.4100.00
NYP3A-50000-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	4,838.00	EC001414	NYP13234F	4550431040398			NA	NAA	NLD	8471.4100.00
NYP3A-50510-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	5,165.00	EC001414	NYP13246M	4550431040510			NA	NAA	NLD	8471.4100.00
NYP3A-50520-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	5,125.00	EC001414	NYP13258C	4550431040633			NA	NAA	NLD	8471.4100.00
NYP3A-50530-12WC1000	Industrial Panel PC with Intel® Atom™ x6425RE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	5,340.00	EC001414	NYP13270B	4550431040756			NA	NAA	NLD	8471.4100.00
NYP55-30000-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,715.00	EC001414	NYP14025M	4550431107343			NA	NAA	NLD	8471.4100.00
NYP55-30510-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	7,200.00	EC001414	NYP14028D	4550431107374			NA	NAA	NLD	8471.4100.00
NYP55-30520-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	7,245.00	EC001414	NYP14031D	4550431107404			NA	NAA	NLD	8471.4100.00
NYP55-40000-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,795.00	EC001414	NYP14026H	4550431107350			NA	NAA	NLD	8471.4100.00
NYP55-40510-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	7,285.00	EC001414	NYP14029B	4550431107381			NA	NAA	NLD	8471.4100.00
NYP55-40520-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	7,330.00	EC001414	NYP14032B	4550431107411			NA	NAA	NLD	8471.4100.00
NYP55-50000-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,985.00	EC001414	NYP14027F	4550431107367			NA	NAA	NLD	8471.4100.00
NYP55-50510-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	7,475.00	EC001414	NYP14030F	4550431107398			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP55-50520-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	7,520.00	EC001414	NYP14033M	4550431107428			NA	NAA	NLD	8471.4100.00
NYP65-30000-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,300.00	EC001414	NYP11226D	4550431018687			NA	NAA	NLD	8471.4100.00
NYP65-30510-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,760.00	EC001414	NYP11301E	4550431019431			NA	NAA	NLD	8471.4100.00
NYP65-30520-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,715.00	EC001414	NYP11376G	4550431020185			NA	NAA	NLD	8471.4100.00
NYP65-30530-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,930.00	EC001414	NYP11451H	4550431020932			NA	NAA	NLD	8471.4100.00
NYP65-40000-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,370.00	EC001414	NYP11251E	4550431018939			NA	NAA	NLD	8471.4100.00
NYP65-40510-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,825.00	EC001414	NYP11326M	4550431019684			NA	NAA	NLD	8471.4100.00
NYP65-40520-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,785.00	EC001414	NYP11401A	4550431020437			NA	NAA	NLD	8471.4100.00
NYP65-40530-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	7,005.00	EC001414	NYP11476C	4550431021182			NA	NAA	NLD	8471.4100.00
NYP65-50000-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,535.00	EC001414	NYP11276M	4550431019189			NA	NAA	NLD	8471.4100.00
NYP65-50510-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,990.00	EC001414	NYP11351A	4550431019936			NA	NAA	NLD	8471.4100.00
NYP65-50520-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,955.00	EC001414	NYP11426G	4550431020680			NA	NAA	NLD	8471.4100.00
NYP65-50530-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	7,170.00	EC001414	NYP11501H	4550431021434			NA	NAA	NLD	8471.4100.00
NYP65-60000-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, No OS, No Storage, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	6,865.00	EC001414	NYP13026B	4550431038319			NA	NAA	NLD	8471.4100.00
NYP65-60510-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	7,320.00	EC001414	NYP13038F	4550431038432			NA	NAA	NLD	8471.4100.00
NYP65-60520-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	7,285.00	EC001414	NYP13050E	4550431038555			NA	NAA	NLD	8471.4100.00
NYP65-60530-12WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 12.1" (1280x800) capacitive touchscreen, build-in type	7,495.00	EC001414	NYP13062R	4550431038678			NA	NAA	NLD	8471.4100.00
NYP13-30000-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	5,775.00	EC001414	NYP11831R	4550431024732			NA	NAA	NLD	8471.4100.00
NYP13-30000-15WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	6,435.00	EC001414	NYP11836M	4550431024787			NA	NAA	NLD	8471.4100.00
NYP13-30510-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,235.00	EC001414	NYP11906D	4550431025487			NA	NAA	NLD	8471.4100.00
NYP13-30510-15WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	6,935.00	EC001414	NYP11911M	4550431025531			NA	NAA	NLD	8471.4100.00
NYP13-30520-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,195.00	EC001414	NYP11981A	4550431026231			NA	NAA	NLD	8471.4100.00
NYP13-30520-15WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	6,895.00	EC001414	NYP11986B	4550431026286			NA	NAA	NLD	8471.4100.00
NYP13-30530-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,410.00	EC001414	NYP12056R	4550431026989			NA	NAA	NLD	8471.4100.00
NYP13-30530-15WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,110.00	EC001414	NYP12061E	4550431027030			NA	NAA	NLD	8471.4100.00
NYP13-315F0-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,735.00	EC001414	NYP13330M	4550431041357			NA	NAA	NLD	8471.4100.00
NYP13-315G0-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,790.00	EC001414	NYP13332F	4550431041371			NA	NAA	NLD	8471.4100.00
NYP13-315H0-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,895.00	EC001414	NYP13334B	4550431041395			NA	NAA	NLD	8471.4100.00
NYP13-315P0-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,030.00	EC001414	NYP13336R	4550431041418			NA	NAA	NLD	8471.4100.00
NYP13-40000-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	5,845.00	EC001414	NYP11856D	4550431024985			NA	NAA	NLD	8471.4100.00
NYP13-40000-15WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	6,545.00	EC001414	NYP11861M	4550431025036			NA	NAA	NLD	8471.4100.00
NYP13-40510-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,300.00	EC001414	NYP11931E	4550431025739			NA	NAA	NLD	8471.4100.00
NYP13-40510-15WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,010.00	EC001414	NYP11936F	4550431025784			NA	NAA	NLD	8471.4100.00
NYP13-40520-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,260.00	EC001414	NYP12006B	4550431026484			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP13-40520-15WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	6,965.00	EC001414	NYP12011R	4550431026538			NA	NAA	NLD	8471.4100.00
NYP13-40530-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,480.00	EC001414	NYP12081M	4550431027238			NA	NAA	NLD	8471.4100.00
NYP13-40530-15WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,185.00	EC001414	NYP12086M	4550431027283			NA	NAA	NLD	8471.4100.00
NYP13-50000-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,010.00	EC001414	NYP11881E	4550431025234			NA	NAA	NLD	8471.4100.00
NYP13-50000-15WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	6,710.00	EC001414	NYP11886F	4550431025289			NA	NAA	NLD	8471.4100.00
NYP13-50510-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,470.00	EC001414	NYP11956M	4550431025982			NA	NAA	NLD	8471.4100.00
NYP13-50510-15WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,175.00	EC001414	NYP11961G	4550431026033			NA	NAA	NLD	8471.4100.00
NYP13-50520-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,430.00	EC001414	NYP12031C	4550431026736			NA	NAA	NLD	8471.4100.00
NYP13-50520-15WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,135.00	EC001414	NYP12036D	4550431026781			NA	NAA	NLD	8471.4100.00
NYP13-50530-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,645.00	EC001414	NYP12106R	4550431027481			NA	NAA	NLD	8471.4100.00
NYP13-50530-15WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,350.00	EC001414	NYP12111E	4550431027535			NA	NAA	NLD	8471.4100.00
NYP13-60000-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,340.00	EC001414	NYP13140D	4550431039453			NA	NAA	NLD	8471.4100.00
NYP13-60000-15WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,045.00	EC001414	NYP13143R	4550431039484			NA	NAA	NLD	8471.4100.00
NYP13-60510-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,800.00	EC001414	NYP13152H	4550431039576			NA	NAA	NLD	8471.4100.00
NYP13-60510-15WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,500.00	EC001414	NYP13155B	4550431039606			NA	NAA	NLD	8471.4100.00
NYP13-60520-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,760.00	EC001414	NYP13164A	4550431039699			NA	NAA	NLD	8471.4100.00
NYP13-60520-15WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,465.00	EC001414	NYP13167F	4550431039729			NA	NAA	NLD	8471.4100.00
NYP13-60530-15WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,975.00	EC001414	NYP13176E	4550431039811			NA	NAA	NLD	8471.4100.00
NYP13-60530-15WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,675.00	EC001414	NYP13179M	4550431039842			NA	NAA	NLD	8471.4100.00
NYP27-30000-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,330.00	EC001414	NYP10849F	4549734688185			NA	NAA	NLD	8471.4100.00
NYP27-30006-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,695.00	EC001414	NYP10850M	4549734688192			NA	NAA	NLD	8471.4100.00
NYP27-30460-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,305.00	EC001414	NYP10855M	4549734688246			NA	NAA	NLD	8471.4100.00
NYP27-30466-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,655.00	EC001414	NYP10856R	4549734688253			NA	NAA	NLD	8471.4100.00
NYP27-30470-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,685.00	EC001414	NYP10861E	4549734688307			NA	NAA	NLD	8471.4100.00
NYP27-30476-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,025.00	EC001414	NYP10862C	4549734688314			NA	NAA	NLD	8471.4100.00
NYP27-40000-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,480.00	EC001414	NYP10851H	4549734688208			NA	NAA	NLD	8471.4100.00
NYP27-40006-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,830.00	EC001414	NYP10852F	4549734688215			NA	NAA	NLD	8471.4100.00
NYP27-40460-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,445.00	EC001414	NYP10857G	4549734688260			NA	NAA	NLD	8471.4100.00
NYP27-40466-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,795.00	EC001414	NYP10858E	4549734688277			NA	NAA	NLD	8471.4100.00
NYP27-40470-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,825.00	EC001414	NYP10863A	4549734688321			NA	NAA	NLD	8471.4100.00
NYP27-40476-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,165.00	EC001414	NYP10864M	4549734688338			NA	NAA	NLD	8471.4100.00
NYP27-50000-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,810.00	EC001414	NYP10853D	4549734688222			NA	NAA	NLD	8471.4100.00
NYP27-50006-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,150.00	EC001414	NYP10854B	4549734688239			NA	NAA	NLD	8471.4100.00
NYP27-50460-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,765.00	EC001414	NYP10859C	4549734688284			NA	NAA	NLD	8471.4100.00
NYP27-50466-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,125.00	EC001414	NYP10860G	4549734688291			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP27-50470-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,150.00	EC001414	NYP10865H	4549734688345			NA	NAA	NLD	8471.4100.00
NYP27-50476-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,500.00	EC001414	NYP10866F	4549734688352			NA	NAA	NLD	8471.4100.00
NYP2A-20460-15WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	4,566.00	EC001414	NYP10696E	4549734533027			NA	NAA	NLD	8471.4100.00
NYP2C-20350-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen	3,989.00	EC001414	NYP10604C	4549734262682			NA	NAA	NLD	8471.4100.00
NYP2C-20450-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5,065.00	EC001414	NYP10986G	4549734755429			NA	NAA	NLD	8471.4100.00
NYP2C-20460-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5,065.00	EC001414	NYP10990E	4549734755467			NA	NAA	NLD	8471.4100.00
NYP2C-20470-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5,580.00	EC001414	NYP10994H	4549734755504			NA	NAA	NLD	8471.4100.00
NYP2C-21491-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,670.00	EC001414	NYP10998M	4549734755542			NA	NAA	NLD	8471.4100.00
NYP2C-21492-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,670.00	EC001414	NYP11000H	4549734755566			NA	NAA	NLD	8471.4100.00
NYP2C-21496-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,285.00	EC001414	NYP11002D	4549734755580			NA	NAA	NLD	8471.4100.00
NYP2C-214C1-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,020.00	EC001414	NYP11004M	4549734755603			NA	NAA	NLD	8471.4100.00
NYP2C-214C2-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,020.00	EC001414	NYP11006G	4549734755627			NA	NAA	NLD	8471.4100.00
NYP2C-214C6-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,650.00	EC001414	NYP11008C	4549734755641			NA	NAA	NLD	8471.4100.00
NYP2C-214K1-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,375.00	EC001414	NYP11010E	4549734755665			NA	NAA	NLD	8471.4100.00
NYP2C-214K2-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,375.00	EC001414	NYP11012A	4549734755689			NA	NAA	NLD	8471.4100.00
NYP2C-214K6-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,995.00	EC001414	NYP11014H	4549734755702			NA	NAA	NLD	8471.4100.00
NYP2C-30360-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen	4,280.00	EC001414	NYP10612D	4549734262767			NA	NAA	NLD	8471.4100.00
NYP2C-30450-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5,275.00	EC001414	NYP11016D	4549734755726			NA	NAA	NLD	8471.4100.00
NYP2C-30460-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5,435.00	EC001414	NYP11020B	4549734755764			NA	NAA	NLD	8471.4100.00
NYP2C-30470-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5,785.00	EC001414	NYP11024E	4549734755801			NA	NAA	NLD	8471.4100.00
NYP2C-31491-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,815.00	EC001414	NYP11027M	4549734755825			NA	NAA	NLD	8471.4100.00
NYP2C-31492-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,815.00	EC001414	NYP11029F	4549734755849			NA	NAA	NLD	8471.4100.00
NYP2C-31496-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,425.00	EC001414	NYP11031H	4549734755863			NA	NAA	NLD	8471.4100.00
NYP2C-314C1-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,160.00	EC001414	NYP11033D	4549734755887			NA	NAA	NLD	8471.4100.00
NYP2C-314C2-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,160.00	EC001414	NYP11035M	4549734755900			NA	NAA	NLD	8471.4100.00
NYP2C-314C6-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,790.00	EC001414	NYP11037G	4549734755924			NA	NAA	NLD	8471.4100.00
NYP2C-314K1-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,510.00	EC001414	NYP11039C	4549734755948			NA	NAA	NLD	8471.4100.00
NYP2C-314K2-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,510.00	EC001414	NYP11041E	4549734755962			NA	NAA	NLD	8471.4100.00
NYP2C-314K6-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,135.00	EC001414	NYP11043A	4549734755986			NA	NAA	NLD	8471.4100.00
NYP35-21491-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,425.00	EC001414	NYP11045H	4549734756006			NA	NAA	NLD	8471.4100.00
NYP35-21492-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,425.00	EC001414	NYP11047D	4549734756020			NA	NAA	NLD	8471.4100.00
NYP35-21496-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,745.00	EC001414	NYP11049M	4549734756044			NA	NAA	NLD	8471.4100.00
NYP35-214C1-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,745.00	EC001414	NYP11051B	4549734756068			NA	NAA	NLD	8471.4100.00
NYP35-214C2-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,790.00	EC001414	NYP11053R	4549734756082			NA	NAA	NLD	8471.4100.00
NYP35-214C6-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,405.00	EC001414	NYP11055E	4549734756105			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP35-214K1-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,135.00	EC001414	NYP11057A	4549734756129			NA	NAA	NLD	8471.4100.00
NYP35-214K2-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,135.00	EC001414	NYP11059H	4549734756143			NA	NAA	NLD	8471.4100.00
NYP35-214K6-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,745.00	EC001414	NYP11061M	4549734756167			NA	NAA	NLD	8471.4100.00
NYP35-30360-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen	5,320.00	EC001414	NYP10620E	4549734262842			NA	NAA	NLD	8471.4100.00
NYP35-30450-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,590.00	EC001414	NYP11063F	4549734756181			NA	NAA	NLD	8471.4100.00
NYP35-30460-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,760.00	EC001414	NYP11067R	4549734756228			NA	NAA	NLD	8471.4100.00
NYP35-30470-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,110.00	EC001414	NYP11070R	4549734756259			NA	NAA	NLD	8471.4100.00
NYP35-30470-15WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type, Ni plating	7,510.00	EC001414	NYP11071G	4549734756266			NA	NAA	NLD	8471.4100.00
NYP35-31491-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,565.00	EC001414	NYP11075M	4549734756303			NA	NAA	NLD	8471.4100.00
NYP35-31492-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,565.00	EC001414	NYP11077F	4549734756327			NA	NAA	NLD	8471.4100.00
NYP35-31496-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	10,180.00	EC001414	NYP11079B	4549734756341			NA	NAA	NLD	8471.4100.00
NYP35-314C1-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,935.00	EC001414	NYP11081D	4549734756365			NA	NAA	NLD	8471.4100.00
NYP35-314C2-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,935.00	EC001414	NYP11083M	4549734756389			NA	NAA	NLD	8471.4100.00
NYP35-314C6-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,550.00	EC001414	NYP11085G	4549734756402			NA	NAA	NLD	8471.4100.00
NYP35-314K1-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,270.00	EC001414	NYP11087C	4549734756426			NA	NAA	NLD	8471.4100.00
NYP35-314K2-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,270.00	EC001414	NYP11089M	4549734756440			NA	NAA	NLD	8471.4100.00
NYP35-314K6-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,885.00	EC001414	NYP11091A	4549734756464			NA	NAA	NLD	8471.4100.00
NYP35-40450-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,965.00	EC001414	NYP11093H	4549734756488			NA	NAA	NLD	8471.4100.00
NYP35-40460-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,140.00	EC001414	NYP11097M	4549734756525			NA	NAA	NLD	8471.4100.00
NYP35-40470-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,500.00	EC001414	NYP11101B	4549734756563			NA	NAA	NLD	8471.4100.00
NYP3A-20000-15WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 4 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	4,740.00	EC001414	NYP12431R	4550431030733			NA	NAA	NLD	8471.4100.00
NYP3A-20000-15WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 4 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	5,445.00	EC001414	NYP12436M	4550431030788			NA	NAA	NLD	8471.4100.00
NYP3A-20510-15WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	5,070.00	EC001414	NYP12506D	4550431031488			NA	NAA	NLD	8471.4100.00
NYP3A-20510-15WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	5,770.00	EC001414	NYP12511M	4550431031532			NA	NAA	NLD	8471.4100.00
NYP3A-20520-15WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	5,030.00	EC001414	NYP12581A	4550431032232			NA	NAA	NLD	8471.4100.00
NYP3A-20520-15WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	5,730.00	EC001414	NYP12586B	4550431032287			NA	NAA	NLD	8471.4100.00
NYP3A-20530-15WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	5,245.00	EC001414	NYP12656G	4550431032980			NA	NAA	NLD	8471.4100.00
NYP3A-20530-15WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	5,945.00	EC001414	NYP12661C	4550431033031			NA	NAA	NLD	8471.4100.00
NYP3A-30000-15WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	4,802.00	EC001414	NYP12456D	4550431030986			NA	NAA	NLD	8471.4100.00
NYP3A-30000-15WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	5,505.00	EC001414	NYP12461M	4550431031037			NA	NAA	NLD	8471.4100.00
NYP3A-30510-15WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	5,130.00	EC001414	NYP12531E	4550431031730			NA	NAA	NLD	8471.4100.00
NYP3A-30510-15WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	5,830.00	EC001414	NYP12536F	4550431031785			NA	NAA	NLD	8471.4100.00
NYP3A-30520-15WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	5,090.00	EC001414	NYP12606M	4550431032485			NA	NAA	NLD	8471.4100.00
NYP3A-30520-15WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	5,795.00	EC001414	NYP12611G	4550431032539			NA	NAA	NLD	8471.4100.00
NYP3A-30530-15WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	5,305.00	EC001414	NYP12681H	4550431033239			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP3A-30530-15WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	6,005.00	EC001414	NYP12686R	4550431033284			NA	NAA	NLD	8471.4100.00
NYP3A-40000-15WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	4,872.00	EC001414	NYP12481E	4550431031235			NA	NAA	NLD	8471.4100.00
NYP3A-40000-15WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	5,575.00	EC001414	NYP12486F	4550431031280			NA	NAA	NLD	8471.4100.00
NYP3A-40510-15WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	5,200.00	EC001414	NYP12556M	4550431031983			NA	NAA	NLD	8471.4100.00
NYP3A-40510-15WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	5,905.00	EC001414	NYP12561G	4550431032034			NA	NAA	NLD	8471.4100.00
NYP3A-40520-15WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	5,160.00	EC001414	NYP12631A	4550431032737			NA	NAA	NLD	8471.4100.00
NYP3A-40520-15WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	5,860.00	EC001414	NYP12636B	4550431032782			NA	NAA	NLD	8471.4100.00
NYP3A-40530-15WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	5,380.00	EC001414	NYP12706G	4550431033482			NA	NAA	NLD	8471.4100.00
NYP3A-40530-15WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	6,075.00	EC001414	NYP12711C	4550431033536			NA	NAA	NLD	8471.4100.00
NYP3A-50000-15WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	5,040.00	EC001414	NYP13236B	4550431040411			NA	NAA	NLD	8471.4100.00
NYP3A-50000-15WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	5,740.00	EC001414	NYP13239G	4550431040442			NA	NAA	NLD	8471.4100.00
NYP3A-50510-15WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	5,370.00	EC001414	NYP13248F	4550431040534			NA	NAA	NLD	8471.4100.00
NYP3A-50510-15WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	6,070.00	EC001414	NYP13251F	4550431040565			NA	NAA	NLD	8471.4100.00
NYP3A-50520-15WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	5,325.00	EC001414	NYP13260E	4550431040657			NA	NAA	NLD	8471.4100.00
NYP3A-50520-15WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	6,025.00	EC001414	NYP13263M	4550431040688			NA	NAA	NLD	8471.4100.00
NYP3A-50530-15WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	5,545.00	EC001414	NYP13272R	4550431040770			NA	NAA	NLD	8471.4100.00
NYP3A-50530-15WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	6,245.00	EC001414	NYP13275C	4550431040800			NA	NAA	NLD	8471.4100.00
NYP55-30000-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,975.00	EC001414	NYP14043H	4550431107527			NA	NAA	NLD	8471.4100.00
NYP55-30510-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,465.00	EC001414	NYP14046B	4550431107558			NA	NAA	NLD	8471.4100.00
NYP55-30520-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,510.00	EC001414	NYP14049G	4550431107589			NA	NAA	NLD	8471.4100.00
NYP55-40000-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,060.00	EC001414	NYP14044F	4550431107534			NA	NAA	NLD	8471.4100.00
NYP55-40510-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,540.00	EC001414	NYP14047M	4550431107565			NA	NAA	NLD	8471.4100.00
NYP55-40520-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,595.00	EC001414	NYP14050M	4550431107596			NA	NAA	NLD	8471.4100.00
NYP55-50000-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,250.00	EC001414	NYP14045D	4550431107541			NA	NAA	NLD	8471.4100.00
NYP55-50510-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,740.00	EC001414	NYP14048R	4550431107572			NA	NAA	NLD	8471.4100.00
NYP55-50520-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,785.00	EC001414	NYP14051R	4550431107602			NA	NAA	NLD	8471.4100.00
NYP65-30000-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,520.00	EC001414	NYP11231M	4550431018731			NA	NAA	NLD	8471.4100.00
NYP65-30000-15WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,200.00	EC001414	NYP11236A	4550431018786			NA	NAA	NLD	8471.4100.00
NYP65-30510-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,955.00	EC001414	NYP11306F	4550431019486			NA	NAA	NLD	8471.4100.00
NYP65-30510-15WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,655.00	EC001414	NYP11311B	4550431019530			NA	NAA	NLD	8471.4100.00
NYP65-30516-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, NY Monitor Link, 15.4" (1280x800) capacitive touchscreen, build-in type	7,220.00	EC001414	NYP11309M	4550431019516			NA	NAA	NLD	8471.4100.00
NYP65-30519-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, extra Ethernet port, 15.4" (1280x800) capacitive touchscreen, build-in type	7,050.00	EC001414	NYP11310D	4550431019523			NA	NAA	NLD	8471.4100.00
NYP65-30520-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,920.00	EC001414	NYP11381C	4550431020239			NA	NAA	NLD	8471.4100.00
NYP65-30520-15WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,615.00	EC001414	NYP11386D	4550431020284			NA	NAA	NLD	8471.4100.00
NYP65-30530-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,135.00	EC001414	NYP11456R	4550431020987			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP65-30530-15WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,835.00	EC001414	NYP11461E	4550431021038			NA	NAA	NLD	8471.4100.00
NYP65-315F0-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,455.00	EC001414	NYP13122F	4550431039279			NA	NAA	NLD	8471.4100.00
NYP65-315F1-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 128 GB SSD 3DTLC, RS-232C, 15.4" (1280x800) capacitive touchscreen, build-in type	7,495.00	EC001414	NYP13123D	4550431039286			NA	NAA	NLD	8471.4100.00
NYP65-315G0-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 256 GB SSD 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,505.00	EC001414	NYP13124B	4550431039293			NA	NAA	NLD	8471.4100.00
NYP65-315H0-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 512 GB SSD 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,615.00	EC001414	NYP13126R	4550431039316			NA	NAA	NLD	8471.4100.00
NYP65-315P0-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), 1 PCIe + 2 drive slots, WIN 10 IoT 2021 (64-bit), 1 TB SSD 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,750.00	EC001414	NYP13128E	4550431039330			NA	NAA	NLD	8471.4100.00
NYP65-40000-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,570.00	EC001414	NYP11256F	4550431018984			NA	NAA	NLD	8471.4100.00
NYP65-40000-15WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,265.00	EC001414	NYP11261B	4550431019035			NA	NAA	NLD	8471.4100.00
NYP65-40510-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,030.00	EC001414	NYP11331G	4550431019738			NA	NAA	NLD	8471.4100.00
NYP65-40510-15WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,725.00	EC001414	NYP11336H	4550431019783			NA	NAA	NLD	8471.4100.00
NYP65-40520-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,985.00	EC001414	NYP11406B	4550431020482			NA	NAA	NLD	8471.4100.00
NYP65-40520-15WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,690.00	EC001414	NYP11411R	4550431020536			NA	NAA	NLD	8471.4100.00
NYP65-40530-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,200.00	EC001414	NYP11481M	4550431021236			NA	NAA	NLD	8471.4100.00
NYP65-40530-15WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,900.00	EC001414	NYP11486M	4550431021281			NA	NAA	NLD	8471.4100.00
NYP65-50000-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	6,740.00	EC001414	NYP11281G	4550431019233			NA	NAA	NLD	8471.4100.00
NYP65-50000-15WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,435.00	EC001414	NYP11286H	4550431019288			NA	NAA	NLD	8471.4100.00
NYP65-50510-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,195.00	EC001414	NYP11356B	4550431019981			NA	NAA	NLD	8471.4100.00
NYP65-50510-15WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,890.00	EC001414	NYP11361R	4550431020031			NA	NAA	NLD	8471.4100.00
NYP65-50520-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,155.00	EC001414	NYP11431C	4550431020734			NA	NAA	NLD	8471.4100.00
NYP65-50520-15WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,855.00	EC001414	NYP11436D	4550431020789			NA	NAA	NLD	8471.4100.00
NYP65-50530-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,365.00	EC001414	NYP11506R	4550431021489			NA	NAA	NLD	8471.4100.00
NYP65-50530-15WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	8,065.00	EC001414	NYP11511E	4550431021533			NA	NAA	NLD	8471.4100.00
NYP65-60000-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,065.00	EC001414	NYP13028R	4550431038333			NA	NAA	NLD	8471.4100.00
NYP65-60000-15WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, No OS, No Storage, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	7,760.00	EC001414	NYP13031R	4550431038364			NA	NAA	NLD	8471.4100.00
NYP65-60510-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,520.00	EC001414	NYP13040H	4550431038456			NA	NAA	NLD	8471.4100.00
NYP65-60510-15WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	8,215.00	EC001414	NYP13043B	4550431038487			NA	NAA	NLD	8471.4100.00
NYP65-60520-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,480.00	EC001414	NYP13052A	4550431038579			NA	NAA	NLD	8471.4100.00
NYP65-60520-15WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	8,180.00	EC001414	NYP13055F	4550431038609			NA	NAA	NLD	8471.4100.00
NYP65-60530-15WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type	7,695.00	EC001414	NYP13064E	4550431038692			NA	NAA	NLD	8471.4100.00
NYP65-60530-15WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 15.4" (1280x800) capacitive touchscreen, build-in type, Ni plating	8,395.00	EC001414	NYP13067M	4550431038722			NA	NAA	NLD	8471.4100.00
NYP13-30000-19WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	6,705.00	EC001414	NYP11841F	4550431024831			NA	NAA	NLD	8471.4100.00
NYP13-30000-19WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	7,025.00	EC001414	NYP11846G	4550431024886			NA	NAA	NLD	8471.4100.00
NYP13-30510-19WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,165.00	EC001414	NYP11916A	4550431025586			NA	NAA	NLD	8471.4100.00
NYP13-30510-19WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	7,525.00	EC001414	NYP11921H	4550431025630			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP13-30520-19WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,120.00	EC001414	NYP11991R	4550431026330			NA	NAA	NLD	8471.4100.00
NYP13-30520-19WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	7,490.00	EC001414	NYP11996M	4550431026385			NA	NAA	NLD	8471.4100.00
NYP13-30530-19WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,340.00	EC001414	NYP12066F	4550431027085			NA	NAA	NLD	8471.4100.00
NYP13-30530-19WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	7,705.00	EC001414	NYP12071B	4550431027139			NA	NAA	NLD	8471.4100.00
NYP13-40000-19WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	7,140.00	EC001414	NYP11871H	4550431025135			NA	NAA	NLD	8471.4100.00
NYP13-40510-19WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,235.00	EC001414	NYP11941B	4550431025838			NA	NAA	NLD	8471.4100.00
NYP13-40510-19WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	7,600.00	EC001414	NYP11946C	4550431025883			NA	NAA	NLD	8471.4100.00
NYP13-40520-19WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,195.00	EC001414	NYP12016M	4550431026583			NA	NAA	NLD	8471.4100.00
NYP13-40520-19WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	7,560.00	EC001414	NYP12021F	4550431026637			NA	NAA	NLD	8471.4100.00
NYP13-40530-19WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,415.00	EC001414	NYP12091G	4550431027337			NA	NAA	NLD	8471.4100.00
NYP13-40530-19WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	7,775.00	EC001414	NYP12096H	4550431027382			NA	NAA	NLD	8471.4100.00
NYP13-50000-19WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	6,940.00	EC001414	NYP11891B	4550431025333			NA	NAA	NLD	8471.4100.00
NYP13-50000-19WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	7,310.00	EC001414	NYP11896C	4550431025388			NA	NAA	NLD	8471.4100.00
NYP13-50510-19WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,400.00	EC001414	NYP11966H	4550431026088			NA	NAA	NLD	8471.4100.00
NYP13-50510-19WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	7,765.00	EC001414	NYP11971D	4550431026132			NA	NAA	NLD	8471.4100.00
NYP13-50520-19WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,360.00	EC001414	NYP12041M	4550431026835			NA	NAA	NLD	8471.4100.00
NYP13-50520-19WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	7,725.00	EC001414	NYP12046A	4550431026880			NA	NAA	NLD	8471.4100.00
NYP13-50530-19WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,580.00	EC001414	NYP12116F	4550431027580			NA	NAA	NLD	8471.4100.00
NYP13-50530-19WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	7,940.00	EC001414	NYP12121B	4550431027634			NA	NAA	NLD	8471.4100.00
NYP13-60000-19WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,275.00	EC001414	NYP13146C	4550431039514			NA	NAA	NLD	8471.4100.00
NYP13-60000-19WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	7,635.00	EC001414	NYP13148M	4550431039538			NA	NAA	NLD	8471.4100.00
NYP13-60510-19WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,730.00	EC001414	NYP13158G	4550431039637			NA	NAA	NLD	8471.4100.00
NYP13-60510-19WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,095.00	EC001414	NYP13160R	4550431039651			NA	NAA	NLD	8471.4100.00
NYP13-60520-19WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,690.00	EC001414	NYP13170F	4550431039750			NA	NAA	NLD	8471.4100.00
NYP13-60520-19WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,055.00	EC001414	NYP13172B	4550431039774			NA	NAA	NLD	8471.4100.00
NYP13-60530-19WC1000	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,905.00	EC001414	NYP13182M	4550431039873			NA	NAA	NLD	8471.4100.00
NYP13-60530-19WC1100	Industrial Panel PC with Intel® Core™ i3-1115GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,270.00	EC001414	NYP13184F	4550431039897			NA	NAA	NLD	8471.4100.00
NYP27-30000-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,135.00	EC001414	NYP10867D	4549734688369			NA	NAA	NLD	8471.4100.00
NYP27-30000-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,440.00	EC001414	NYP10885B	4549734688543			NA	NAA	NLD	8471.4100.00
NYP27-30006-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,475.00	EC001414	NYP10868B	4549734688376			NA	NAA	NLD	8471.4100.00
NYP27-30006-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,780.00	EC001414	NYP10886M	4549734688550			NA	NAA	NLD	8471.4100.00
NYP27-30460-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,100.00	EC001414	NYP10873R	4549734688420			NA	NAA	NLD	8471.4100.00
NYP27-30460-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,400.00	EC001414	NYP10891G	4549734688604			NA	NAA	NLD	8471.4100.00
NYP27-30466-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,440.00	EC001414	NYP10874G	4549734688437			NA	NAA	NLD	8471.4100.00
NYP27-30466-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,745.00	EC001414	NYP10892E	4549734688611			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP27-30470-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,480.00	EC001414	NYP10879H	4549734688482			NA	NAA	NLD	8471.4100.00
NYP27-30470-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,775.00	EC001414	NYP10897F	4549734688666			NA	NAA	NLD	8471.4100.00
NYP27-30476-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,825.00	EC001414	NYP10880A	4549734688499			NA	NAA	NLD	8471.4100.00
NYP27-30476-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	10,130.00	EC001414	NYP10898D	4549734688673			NA	NAA	NLD	8471.4100.00
NYP27-40000-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,270.00	EC001414	NYP10869M	4549734688383			NA	NAA	NLD	8471.4100.00
NYP27-40000-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,575.00	EC001414	NYP10887R	4549734688567			NA	NAA	NLD	8471.4100.00
NYP27-40006-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,620.00	EC001414	NYP10870D	4549734688390			NA	NAA	NLD	8471.4100.00
NYP27-40006-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,925.00	EC001414	NYP10888G	4549734688574			NA	NAA	NLD	8471.4100.00
NYP27-40460-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,235.00	EC001414	NYP10875E	4549734688444			NA	NAA	NLD	8471.4100.00
NYP27-40460-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,540.00	EC001414	NYP10893C	4549734688628			NA	NAA	NLD	8471.4100.00
NYP27-40466-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,580.00	EC001414	NYP10876C	4549734688451			NA	NAA	NLD	8471.4100.00
NYP27-40466-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,890.00	EC001414	NYP10894A	4549734688635			NA	NAA	NLD	8471.4100.00
NYP27-40470-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,615.00	EC001414	NYP10881M	4549734688505			NA	NAA	NLD	8471.4100.00
NYP27-40470-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,915.00	EC001414	NYP10899B	4549734688680			NA	NAA	NLD	8471.4100.00
NYP27-40476-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,970.00	EC001414	NYP10882H	4549734688512			NA	NAA	NLD	8471.4100.00
NYP27-40476-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	10,270.00	EC001414	NYP10900M	4549734688697			NA	NAA	NLD	8471.4100.00
NYP27-50000-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,600.00	EC001414	NYP10871B	4549734688406			NA	NAA	NLD	8471.4100.00
NYP27-50000-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,895.00	EC001414	NYP10889E	4549734688581			NA	NAA	NLD	8471.4100.00
NYP27-50006-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,955.00	EC001414	NYP10872M	4549734688413			NA	NAA	NLD	8471.4100.00
NYP27-50006-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,260.00	EC001414	NYP10890R	4549734688598			NA	NAA	NLD	8471.4100.00
NYP27-50460-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,565.00	EC001414	NYP10877A	4549734688468			NA	NAA	NLD	8471.4100.00
NYP27-50460-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,860.00	EC001414	NYP10895M	4549734688642			NA	NAA	NLD	8471.4100.00
NYP27-50466-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,915.00	EC001414	NYP10878M	4549734688475			NA	NAA	NLD	8471.4100.00
NYP27-50466-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	10,220.00	EC001414	NYP10896H	4549734688659			NA	NAA	NLD	8471.4100.00
NYP27-50470-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,950.00	EC001414	NYP10883F	4549734688529			NA	NAA	NLD	8471.4100.00
NYP27-50470-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	10,250.00	EC001414	NYP10901H	4549734688703			NA	NAA	NLD	8471.4100.00
NYP27-50476-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	10,300.00	EC001414	NYP10884D	4549734688536			NA	NAA	NLD	8471.4100.00
NYP27-50476-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	10,600.00	EC001414	NYP10902F	4549734688710			NA	NAA	NLD	8471.4100.00
NYP2A-20460-19WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5,265.00	EC001414	NYP10789R	4549734539555			NA	NAA	NLD	8471.4100.00
NYP2C-20450-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5,840.00	EC001414	NYP10987E	4549734755436			NA	NAA	NLD	8471.4100.00
NYP2C-20450-19WC1100	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6,260.00	EC001414	NYP10988C	4549734755443			NA	NAA	NLD	8471.4100.00
NYP2C-20460-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5,990.00	EC001414	NYP10991C	4549734755474			NA	NAA	NLD	8471.4100.00
NYP2C-20460-19WC1100	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6,410.00	EC001414	NYP10992A	4549734755481			NA	NAA	NLD	8471.4100.00
NYP2C-20470-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6,315.00	EC001414	NYP10995F	4549734755511			NA	NAA	NLD	8471.4100.00
NYP2C-20470-19WC1100	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6,815.00	EC001414	NYP10996D	4549734755528			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP2C-30370-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6,430.00	EC001414	NYP10727R	4549734538886			NA	NAA	NLD	8471.4100.00
NYP2C-30450-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5,960.00	EC001414	NYP11017B	4549734755733			NA	NAA	NLD	8471.4100.00
NYP2C-30450-19WC1100	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6,405.00	EC001414	NYP11018M	4549734755740			NA	NAA	NLD	8471.4100.00
NYP2C-30460-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6,115.00	EC001414	NYP11021M	4549734755771			NA	NAA	NLD	8471.4100.00
NYP2C-30460-19WC1100	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6,405.00	EC001414	NYP11022R	4549734755788			NA	NAA	NLD	8471.4100.00
NYP2C-30470-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6,430.00	EC001414	NYP10983B	4549734717847			NA	NAA	NLD	8471.4100.00
NYP3S-30370-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,935.00	EC001414	NYP10742B	4549734539036			NA	NAA	NLD	8471.4100.00
NYP3S-30370-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,260.00	EC001414	NYP10750C	4549734539111			NA	NAA	NLD	8471.4100.00
NYP3S-30450-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,435.00	EC001414	NYP11064D	4549734756198			NA	NAA	NLD	8471.4100.00
NYP3S-30450-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,790.00	EC001414	NYP11065B	4549734756204			NA	NAA	NLD	8471.4100.00
NYP3S-30460-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,620.00	EC001414	NYP11068G	4549734756235			NA	NAA	NLD	8471.4100.00
NYP3S-30460-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,940.00	EC001414	NYP11069E	4549734756242			NA	NAA	NLD	8471.4100.00
NYP3S-30470-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,935.00	EC001414	NYP11072E	4549734756273			NA	NAA	NLD	8471.4100.00
NYP3S-30470-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,260.00	EC001414	NYP11073C	4549734756280			NA	NAA	NLD	8471.4100.00
NYP3S-40000-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,460.00	EC001414	NYP10745G	4549734539067			NA	NAA	NLD	8471.4100.00
NYP3S-40450-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,700.00	EC001414	NYP11094F	4549734756495			NA	NAA	NLD	8471.4100.00
NYP3S-40450-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,065.00	EC001414	NYP11095D	4549734756501			NA	NAA	NLD	8471.4100.00
NYP3S-40460-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,840.00	EC001414	NYP11098R	4549734756532			NA	NAA	NLD	8471.4100.00
NYP3S-40460-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,210.00	EC001414	NYP11099G	4549734756549			NA	NAA	NLD	8471.4100.00
NYP3S-40470-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,165.00	EC001414	NYP11102M	4549734756570			NA	NAA	NLD	8471.4100.00
NYP3S-40470-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,620.00	EC001414	NYP11103R	4549734756587			NA	NAA	NLD	8471.4100.00
NYP3A-20000-19WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 4 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	5,670.00	EC001414	NYP12441F	4550431030832			NA	NAA	NLD	8471.4100.00
NYP3A-20000-19WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 4 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	6,030.00	EC001414	NYP12446G	4550431030887			NA	NAA	NLD	8471.4100.00
NYP3A-20510-19WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	5,995.00	EC001414	NYP12516A	4550431031587			NA	NAA	NLD	8471.4100.00
NYP3A-20510-19WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	6,360.00	EC001414	NYP12521H	4550431031631			NA	NAA	NLD	8471.4100.00
NYP3A-20520-19WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	5,955.00	EC001414	NYP12591R	4550431032331			NA	NAA	NLD	8471.4100.00
NYP3A-20520-19WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	6,320.00	EC001414	NYP12596M	4550431032386			NA	NAA	NLD	8471.4100.00
NYP3A-20530-19WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	6,175.00	EC001414	NYP12666D	4550431033086			NA	NAA	NLD	8471.4100.00
NYP3A-20530-19WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	6,535.00	EC001414	NYP12671M	4550431033130			NA	NAA	NLD	8471.4100.00
NYP3A-30000-19WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	5,730.00	EC001414	NYP12466A	4550431031082			NA	NAA	NLD	8471.4100.00
NYP3A-30000-19WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	6,095.00	EC001414	NYP12471H	4550431031136			NA	NAA	NLD	8471.4100.00
NYP3A-30510-19WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	6,060.00	EC001414	NYP12541B	4550431031839			NA	NAA	NLD	8471.4100.00
NYP3A-30510-19WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	6,420.00	EC001414	NYP12546C	4550431031884			NA	NAA	NLD	8471.4100.00
NYP3A-30520-19WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	6,015.00	EC001414	NYP12616H	4550431032584			NA	NAA	NLD	8471.4100.00
NYP3A-30520-19WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	6,380.00	EC001414	NYP12621D	4550431032638			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP3A-30530-19WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	6,235.00	EC001414	NYP12691E	4550431033338			NA	NAA	NLD	8471.4100.00
NYP3A-30530-19WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	6,595.00	EC001414	NYP12696F	4550431033383			NA	NAA	NLD	8471.4100.00
NYP3A-40000-19WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	5,800.00	EC001414	NYP12491B	4550431031334			NA	NAA	NLD	8471.4100.00
NYP3A-40000-19WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	6,160.00	EC001414	NYP12496C	4550431031389			NA	NAA	NLD	8471.4100.00
NYP3A-40510-19WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	6,125.00	EC001414	NYP12566H	4550431032089			NA	NAA	NLD	8471.4100.00
NYP3A-40510-19WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	6,490.00	EC001414	NYP12571D	4550431032133			NA	NAA	NLD	8471.4100.00
NYP3A-40520-19WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	6,090.00	EC001414	NYP12641R	4550431032836			NA	NAA	NLD	8471.4100.00
NYP3A-40520-19WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	6,455.00	EC001414	NYP12646M	4550431032881			NA	NAA	NLD	8471.4100.00
NYP3A-40530-19WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	6,300.00	EC001414	NYP12716D	4550431033581			NA	NAA	NLD	8471.4100.00
NYP3A-40530-19WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	6,665.00	EC001414	NYP12721M	4550431033635			NA	NAA	NLD	8471.4100.00
NYP3A-50000-19WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	5,970.00	EC001414	NYP13242G	4550431040473			NA	NAA	NLD	8471.4100.00
NYP3A-50000-19WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	6,330.00	EC001414	NYP13244C	4550431040497			NA	NAA	NLD	8471.4100.00
NYP3A-50510-19WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	6,290.00	EC001414	NYP13254M	4550431040596			NA	NAA	NLD	8471.4100.00
NYP3A-50510-19WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	6,655.00	EC001414	NYP13256G	4550431040619			NA	NAA	NLD	8471.4100.00
NYP3A-50520-19WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	6,255.00	EC001414	NYP13266D	4550431040718			NA	NAA	NLD	8471.4100.00
NYP3A-50520-19WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	6,620.00	EC001414	NYP13268M	4550431040732			NA	NAA	NLD	8471.4100.00
NYP3A-50530-19WC1000	Industrial Panel PC with Intel® Atom™-x6425RE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	6,470.00	EC001414	NYP13278H	4550431040831			NA	NAA	NLD	8471.4100.00
NYP3A-50530-19WC1100	Industrial Panel PC with Intel® Atom™-x6425RE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	6,830.00	EC001414	NYP13280M	4550431040855			NA	NAA	NLD	8471.4100.00
NYP55-30000-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,895.00	EC001414	NYP14061F	4550431107701			NA	NAA	NLD	8471.4100.00
NYP55-30510-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	8,385.00	EC001414	NYP14064M	4550431107732			NA	NAA	NLD	8471.4100.00
NYP55-30520-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	8,430.00	EC001414	NYP14067E	4550431107763			NA	NAA	NLD	8471.4100.00
NYP55-40000-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,980.00	EC001414	NYP14062D	4550431107718			NA	NAA	NLD	8471.4100.00
NYP55-40510-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	8,460.00	EC001414	NYP14065R	4550431107749			NA	NAA	NLD	8471.4100.00
NYP55-40520-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	8,510.00	EC001414	NYP14068C	4550431107770			NA	NAA	NLD	8471.4100.00
NYP55-50000-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	8,170.00	EC001414	NYP14063B	4550431107725			NA	NAA	NLD	8471.4100.00
NYP55-50510-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	8,655.00	EC001414	NYP14066G	4550431107756			NA	NAA	NLD	8471.4100.00
NYP55-50520-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE (incl.fan), 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	8,705.00	EC001414	NYP14069A	4550431107787			NA	NAA	NLD	8471.4100.00
NYP65-30000-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,430.00	EC001414	NYP11241H	4550431018830			NA	NAA	NLD	8471.4100.00
NYP65-30000-19WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	7,785.00	EC001414	NYP11246R	4550431018885			NA	NAA	NLD	8471.4100.00
NYP65-30510-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,885.00	EC001414	NYP11316C	4550431019585			NA	NAA	NLD	8471.4100.00
NYP65-30510-19WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,245.00	EC001414	NYP11321M	4550431019639			NA	NAA	NLD	8471.4100.00
NYP65-30520-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,845.00	EC001414	NYP11391M	4550431020338			NA	NAA	NLD	8471.4100.00
NYP65-30520-19WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,205.00	EC001414	NYP11396A	4550431020383			NA	NAA	NLD	8471.4100.00
NYP65-30530-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	8,055.00	EC001414	NYP11466F	4550431021083			NA	NAA	NLD	8471.4100.00
NYP65-30530-19WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 8 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,420.00	EC001414	NYP11471B	4550431021137			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP65-40000-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,495.00	EC001414	NYP11266C	4550431019080			NA	NAA	NLD	8471.4100.00
NYP65-40000-19WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	7,860.00	EC001414	NYP11271M	4550431019134			NA	NAA	NLD	8471.4100.00
NYP65-40510-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,950.00	EC001414	NYP11341D	4550431019837			NA	NAA	NLD	8471.4100.00
NYP65-40510-19WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,315.00	EC001414	NYP11346E	4550431019882			NA	NAA	NLD	8471.4100.00
NYP65-40520-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,910.00	EC001414	NYP11416M	4550431020581			NA	NAA	NLD	8471.4100.00
NYP65-40520-19WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,275.00	EC001414	NYP11421F	4550431020635			NA	NAA	NLD	8471.4100.00
NYP65-40530-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	8,130.00	EC001414	NYP11491G	4550431021335			NA	NAA	NLD	8471.4100.00
NYP65-40530-19WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 16 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,485.00	EC001414	NYP11496H	4550431021380			NA	NAA	NLD	8471.4100.00
NYP65-50000-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,660.00	EC001414	NYP11291D	4550431019332			NA	NAA	NLD	8471.4100.00
NYP65-50000-19WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,025.00	EC001414	NYP11296E	4550431019387			NA	NAA	NLD	8471.4100.00
NYP65-50510-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	8,120.00	EC001414	NYP11366M	4550431020086			NA	NAA	NLD	8471.4100.00
NYP65-50510-19WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,480.00	EC001414	NYP11371F	4550431020130			NA	NAA	NLD	8471.4100.00
NYP65-50520-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	8,075.00	EC001414	NYP11441M	4550431020833			NA	NAA	NLD	8471.4100.00
NYP65-50520-19WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,440.00	EC001414	NYP11446A	4550431020888			NA	NAA	NLD	8471.4100.00
NYP65-50530-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	8,295.00	EC001414	NYP11516F	4550431021588			NA	NAA	NLD	8471.4100.00
NYP65-50530-19WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 32 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,660.00	EC001414	NYP11521B	4550431021632			NA	NAA	NLD	8471.4100.00
NYP65-60000-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	7,990.00	EC001414	NYP13034C	4550431038395			NA	NAA	NLD	8471.4100.00
NYP65-60000-19WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, No OS, No Storage, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,350.00	EC001414	NYP13036M	4550431038418			NA	NAA	NLD	8471.4100.00
NYP65-60510-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	8,445.00	EC001414	NYP13046G	4550431038517			NA	NAA	NLD	8471.4100.00
NYP65-60510-19WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,810.00	EC001414	NYP13048C	4550431038531			NA	NAA	NLD	8471.4100.00
NYP65-60520-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	8,405.00	EC001414	NYP13058M	4550431038630			NA	NAA	NLD	8471.4100.00
NYP65-60520-19WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 256 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,765.00	EC001414	NYP13060B	4550431038654			NA	NAA	NLD	8471.4100.00
NYP65-60530-19WC1000	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type	8,620.00	EC001414	NYP13070M	4550431038753			NA	NAA	NLD	8471.4100.00
NYP65-60530-19WC1100	Industrial Panel PC with Intel® Core™ i5-1145GRE, 64 GB RAM (non-ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 512 GB CFast 3DTLC, No I/F option, 18.5" (1920x1080) capacitive touchscreen, build-in type, Ni plating	8,985.00	EC001414	NYP13072F	4550431038777			NA	NAA	NLD	8471.4100.00
NYS12-1300-0XX44576X	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (Non-ECC), 256 GB CFast MLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, NYML Port	9,635.00	EC001413	NYS10282B	4549734598712			NA	NAA	NLD	8471.4100.00
NYS32-1300-012443600	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 8 GB RAM (non ECC), 128 GB CFast MLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, 15.4" display with capacitive touchscreen	10,940.00	EC001414	NYS10309H	4549734598989			NA	NAA	NLD	8471.4100.00
NYS12-2300-1XX445T1X	AI Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-IMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232	18,200.00	EC001413	NYS10382R	4549734695558			NA	NAA	NLD	8471.4100.00
NYS12-2400-1XX445T1X	AI Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-IMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232	18,810.00	EC001413	NYS10383G	4549734695565			NA	NAA	NLD	8471.4100.00
NYS12-2500-1XX445T1X	AI Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-IMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232	19,730.00	EC001413	NYS10384E	4549734695572			NA	NAA	NLD	8471.4100.00
NYS32-2300-112445T10	AI Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-IMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232, 15.4" display with capacitive touchscreen	19,440.00	EC001414	NYS10388H	4549734695619			NA	NAA	NLD	8471.4100.00
NYS32-2400-112445T10	AI Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-IMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232, 15.4" display with capacitive touchscreen	20,070.00	EC001414	NYS10389F	4549734695626			NA	NAA	NLD	8471.4100.00
NYS32-2500-112445T10	AI Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-IMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232, 15.4" display with capacitive touchscreen	20,960.00	EC001414	NYS10390M	4549734695633			NA	NAA	NLD	8471.4100.00
NYE2A-20511-12WR1200	Basic Industrial Panel PC with Intel® Atom™ E3940, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3DTLC, RS-232C, 12.1" (1280x800) resistive touchscreen, build-in type, Black	2,216.00	EC001414	NYE10009R	4550431094216	#		NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYE2A-20511-12WR1300	Basic Industrial Panel PC with Intel® Atom™-E3940, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3D TLC, RS-232C, 12.1" (1280x800) resistive touchscreen, build-in type, Silver	2,216.00	EC001414	NYE10013G	4550431094254			NA	NAA	NLD	8471.4100.00
NYE2A-20511-15WR1200	Basic Industrial Panel PC with Intel® Atom™-E3940, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3D TLC, RS-232C, 15.4" (1280x800) resistive touchscreen, build-in type, Black	2,591.00	EC001414	NYE10010B	4550431094223	#		NA	NAA	NLD	8471.4100.00
NYE2A-20511-15WR1300	Basic Industrial Panel PC with Intel® Atom™-E3940, 4 GB RAM (non ECC), No exp. slots, WIN 10 IoT 2021 (64-bit), 128 GB CFast 3D TLC, RS-232C, 15.4" (1280x800) resistive touchscreen, build-in type, Silver	2,591.00	EC001414	NYE10014E	4550431094261			NA	NAA	NLD	8471.4100.00
NYE2A-20F11-12WR1200	Touch screen HMI Panel PC with FHV7 Viewer, Windows 10 IOT 2021, Intel Atom E3950 CPU, 12 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, black case	2,320.00	EC001414	NYE10011M	4550431094230			NA	NAA	NLD	8471.4100.00
NYE2A-20F11-12WR1300	Touch screen HMI Panel PC with FHV7 Viewer, Windows 10 IOT 2021, Intel Atom E3950 CPU, 12 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, silver case	2,320.00	EC001414	NYE10015C	4550431094278			NA	NAA	NLD	8471.4100.00
NYE2A-20F11-15WR1200	Touch screen HMI Panel PC with FHV7 Viewer, Windows 10 IOT 2021, Intel Atom E3950 CPU, 15 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, black case	2,695.00	EC001414	NYE10012R	4550431094247			NA	NAA	NLD	8471.4100.00
NYE2A-20F11-15WR1300	Touch screen HMI Panel PC with FHV7 Viewer, Windows 10 IOT 2021, Intel Atom E3950 CPU, 15 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, silver case	2,695.00	EC001414	NYE10016A	4550431094285			NA	NAA	NLD	8471.4100.00
NYE2A-20N11-07WR1200	Touch screen HMI Panel PC with Soft NA, Windows 10 IOT 2021, Intel Atom E3950 CPU, 7 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, black case	3,166.00	EC001414	NYE10021H	4550431099440			NA	NAA	NLD	8471.4100.00
NYE2A-20N11-07WR1300	Touch screen HMI Panel PC with Soft NA, Windows 10 IOT 2021, Intel Atom E3950 CPU, 7 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, silver case	3,166.00	EC001414	NYE10017M	4550431099402			NA	NAA	NLD	8471.4100.00
NYE2A-20N11-09WR1200	Touch screen HMI Panel PC with Soft NA, Windows 10 IOT 2021, Intel Atom E3950 CPU, 9 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, black case	3,316.00	EC001414	NYE10022F	4550431099457			NA	NAA	NLD	8471.4100.00
NYE2A-20N11-09WR1300	Touch screen HMI Panel PC with Soft NA, Windows 10 IOT 2021, Intel Atom E3950 CPU, 9 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, silver case	3,316.00	EC001414	NYE10018H	4550431099419			NA	NAA	NLD	8471.4100.00
NYE2A-20N11-12WR1200	Touch screen HMI Panel PC with Soft NA, Windows 10 IOT 2021, Intel Atom E3950 CPU, 12 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, black case	3,773.00	EC001414	NYE10023D	4550431099464			NA	NAA	NLD	8471.4100.00
NYE2A-20N11-12WR1300	Touch screen HMI Panel PC with Soft NA, Windows 10 IOT 2021, Intel Atom E3950 CPU, 12 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, silver case	3,773.00	EC001414	NYE10019F	4550431099426			NA	NAA	NLD	8471.4100.00
NYE2A-20N11-15WR1200	Touch screen HMI Panel PC with Soft NA, Windows 10 IOT 2021, Intel Atom E3950 CPU, 15 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, black case	4,411.00	EC001414	NYE10024B	4550431099471			NA	NAA	NLD	8471.4100.00
NYE2A-20N11-15WR1300	Touch screen HMI Panel PC with Soft NA, Windows 10 IOT 2021, Intel Atom E3950 CPU, 15 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFast, 24 VDC, silver case	4,411.00	EC001414	NYE10020M	4550431099433			NA	NAA	NLD	8471.4100.00
NYM12W-C1060	Endüstriyel Monitör, kapasitif dokunmatik ekranlı 12.1 "ekran, Yerleşik montaj, NYML bağlantı noktası	2,679.00	EC001428	NYM10003F	4549734158268			NA	NAA	NLD	8528.5291.00
NYM15W-C1000	Endüstriyel Monitor, 15.4", kapasitif multitouch ekran, DVI-D	2,401.00	EC001428	NYM10002H	4548583813038			NA	NAA	NLD	8528.5291.00
NYM19W-C1000	Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting, DVI-D port	3,124.00	EC001428	NYM10005B	4549734279239			NA	NAA	NLD	8528.5291.00
NY000-AT04-NS	CFast 128GB, with NS-Runtime (spare part)	439.10	EC002584	NY000041M	4549734778442			NA	NAA	NLD	8471.7098.00
NY000-AT05	CFast 3D TLC, Capacity: 128 GB	329.00	EC002584	NY000047R	4550431036735			NA	NAA	NLD	8471.7098.00
NY000-AT06	CFast 3D TLC, Capacity: 256 GB	400.70	EC002584	NY000048G	4550431036742			NA	NAA	NLD	8471.7098.00
NY000-AT07	CFast 3D TLC, Capacity: 512 GB	712.00	EC002584	NY000050R	4550431041524			NA	NAA	NLD	8471.7098.00
NY000-AB00	Box PC için duvar tipi montaj aparatı	79.75	EC002584	NY000001M	4548583873308	#		NA	NAA	NLD	8471.8000.00
NY000-AB01	Box PC için kitap tipi montaj aparatı	72.20	EC002584	NY000002R	4548583873315			NA	NAA	NLD	8471.8000.00
NY000-AB04	Book mount bracket for following PC Models: NYB35-*0*, NYB2C-*0*, NYB2A-*0*	81.65	EC002584	NY000024M	4549734262972	#		NA	NAA	NLD	8473.3080.00
Yazılım HMI											
NA-RTLD01	Soft-NA, for Windows 10 Pro 64 bit, 1 x USB Dongle License	2,029.00	EC001435	NAR69000D	4549734592536	#		OA	OAB	CHN	8523.5190.00
Scada Yazılımı											
RTC4	MOVICON NEXT V4 Run Time Client	2,067.00	EC001435	AA056944M	4549734890243			OB	OBA	ITA	8523.5190.00
RTCS4-F-10K-O	Movicon Pro Runtime Scada 10,000 Tags + OPC-UA Server	7,050.00	EC001435	AA065105H	4549734860093			OB	OBA	ITA	8523.5190.00
RTCS4-F-20K	Movicon Pro Runtime Scada 20,000 Tags	8,265.00	EC001435	AA056940H	4549734890281			OB	OBA	ITA	8523.5190.00
RTCS4-F-20K-1W	Movicon Next Pro RunTime Client Server 20,000 tags 1x Web Client Option	9,360.00	EC001435	AA056920C	4549734890175			OB	OBA	ITA	8523.5190.00
RTCS4-F-20K-SW-A-M	Movicon Pro Runtime Scada 20,000 Tags, 5 Web Clients, Alarm Dispatcher (SMS, Email, VOIP), Multidriver Pack.	13,690.00	EC001435	AA062886B	4549734839242			OB	OBA	ITA	8523.5190.00
RTCS4-F-40K	Movicon Pro Runtime Scada 40,000 Tags	9,505.00	EC001435	AA056941F	4549734890274			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K	Movicon Pro Runtime Scada 5,000 Tags	6,060.00	EC001435	AA056942D	4549734890267			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-1W	Movicon Pro SCADA. Client/Server 5000 tag + 1 Web client	7,030.00	EC001435	AA056943B	4549734890250			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-1W-O	Movicon Pro Runtime Scada 5,000 Tags + 1 x Movicon Web Client+ OPC-UA Server Option	8,130.00	EC001435	AA057435E	4549734894593			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-SW-A	Movicon Next Pro RunTime Client Server 5000 tags 5x Web Client Option +Alarm Dispatcher	11,980.00	EC001435	AA056921A	4549734890168			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-SW-AS	Movicon Pro SCADA. Client/Server 5000 tag + 5 Web client + Alarm Dispatcher + Alarm Statistics	11,160.00	EC001435	AA063990B	4549734849517			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-SW-O-AS-3D	Movicon Pro SCADA. Client/Server 5000 tag + 5 Web client + OPC-UA Server + Alarm Dispatcher + Alarm Statistics + 3D Visualization	14,060.00	EC001435	AA056922M	4549734890113			OB	OBA	ITA	8523.5190.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RTC54-F-5K-A	Movicon Next Pro RunTime Client Server 5000 tags +Alarm Dispatcher	7,060.00	EC001435	AA056939D	4549734890298			OB	OBA	ITA	8523.5190.00
RTC54-F-5K-M	Movicon Next Pro RunTime Client Server 5000 tags +Multidriver (32) option	7,060.00	EC001435	AA056938F	4549734890304			OB	OBA	ITA	8523.5190.00
RTC54-F-5K-O	Movicon Pro Runtime Scada 5,000 Tags + OPC-UA Server Option	7,165.00	EC001435	AA057476B	4549734895019			OB	OBA	ITA	8523.5190.00

Scada Yazılımı (OEM ve aksesua)

DEV4	Movicon Next V4 SCADA Editor, 1 License	2,615.00	EC001435	AA056762F	4549734999595			OB	OZB	ITA	8523.5190.00
DEV403L	Movicon 4 SCADA Editor 3 Licenses package	3,657.00	EC001435	AA056820G	4549734889230			OB	OZB	ITA	8523.5190.00
DEV410L	Movicon 4 SCADA Editor 10 Licenses package	7,325.00	EC001435	AA056821E	4549734889223			OB	OZB	ITA	8523.5190.00
RTH4-2K-0W-0	MOVICON 4 RunTime Client-Server 2000 tag OEM	2,067.00	EC001435	AA056799E	4549734999922	#		OB	OZB	ITA	8523.5190.00
RTH4-2K-0W-0-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+3D Option	2,298.00	EC001435	AA056796M	4549734999939	#		OB	OZB	ITA	8523.5190.00
RTH4-2K-0W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM with Historian and Dataloger option	2,752.00	EC001435	AA056798G	4549734999946	#		OB	OZB	ITA	8523.5190.00
RTH4-2K-0W-H-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+Historian and Data logger+3D Option	2,986.00	EC001435	AA056797R	4549734999953	#		OB	OZB	ITA	8523.5190.00
RTH4-2K-1W-0	MOVICON 4 RunTime Client-Server 2000 tag OEM with 1 webclient option	2,408.00	EC001435	AA056801M	4549734999960	#		OB	OZB	ITA	8523.5190.00
RTH4-2K-1W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM with Historian and Dataloger option with 1 webclient option	3,095.00	EC001435	AA056800B	4549734999977	#		OB	OZB	ITA	8523.5190.00
RTH4-2K-1W-H-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+1xWeb Client Option+Historian and Data logger+3D Option	3,328.00	EC001435	AA056795B	4549734999984	#		OB	OZB	ITA	8523.5190.00
RTH4-2K-5W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM+ 5x Web Clients Option+Historian and Data logger	4,467.00	EC001435	AA056802R	4549734889001	#		OB	OZB	ITA	8523.5190.00
RTH4-4K-0W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM	2,700.00	EC001435	AA056809F	4549734889018	#		OB	OZB	ITA	8523.5190.00
RTH4-4K-0W-0-3D	MOVICON 4 RunTime Client-Server 4000 tag OEM+3D Option	2,933.00	EC001435	AA056807M	4549734889025	#		OB	OZB	ITA	8523.5190.00
RTH4-4K-0W-H	MOVICON 4 RunTime Client-Server 4000 tag OEM with Historian and Dataloger option	3,387.00	EC001435	AA056808H	4549734889032	#		OB	OZB	ITA	8523.5190.00
RTH4-4K-0W-H-3D	MOVICON 4 RunTime Client-Server 4000 tag OEM+Historian and Data logger+3D Option	3,619.00	EC001435	AA056806A	4549734889056	#		OB	OZB	ITA	8523.5190.00
RTH4-4K-1W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM with 1 webclient option	3,047.00	EC001435	AA056811H	4549734889070	#		OB	OZB	ITA	8523.5190.00
RTH4-4K-1W-H	MOVICON 4 RunTime Client-Server 4000 tag OEM with Historian and Dataloger option with 1 webclients option	3,732.00	EC001435	AA056810M	4549734889087	#		OB	OZB	ITA	8523.5190.00
RTH4-4K-2W-H	Movicon OEM Runtime Client-Server 4000 tags + Movicon SCADA OEM Historian+Data Logger+ Reports Option+ 2 Web Clients Option	4,077.00	EC001435	AA057538F	4549734895620	#		OB	OZB	ITA	8523.5190.00
RTH4-4K-2W-H-IDRV	Movicon OEM Runtime Client-Server 4000 tags + 2 Web Clients + Historian+Data Logger + Reports Option + 1 Additional Automation Driver	4,308.00	EC001435	AA057089R	4549734891479	#		OB	OZB	ITA	8523.5190.00
RTH4-4K-5W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM+5xWeb Client Option	4,353.00	EC001435	AA056805C	4549734889094	#		OB	OZB	ITA	8523.5190.00

Mobil Diğer lisanslar

20271-701	EM2100 - FLOW IQ license, 1 year	1,132.00	EC000000	R6A 4230E	4549734750929			OC	OCB	USA	4821.1090.00
20271-705	EM2100 - FLOW IQ license, 5 years	6,780.00	EC000000	R6A 4231C	4549734750936			OC	OCB	USA	4821.1090.00
20271-800	EM2100 - FLOW Core License for Primary EM2100, 1 year license, mandatory renewal up to 5 years, one license per AMR connected to the fleet is required	1,132.00	EC000000	R6A 2509E	4549734511254		11	OC	OCB	USA	4821.1090.00
20271-802	EM2100 - FLOW Core License for Secondary EM2100, 1 year license, mandatory renewal up to 5 years, one license per fleet is required	1,132.00	EC000000	R6A 2511G	4549734511278			OC	OCB	USA	4821.1090.00
20271-804	EM2100 - Fleet Simulator License, Perpetual, for existing EM2100	10,580.00	EC000000	R6A 2513C	4549734511292			OC	OCB	USA	4821.1090.00
20271-805	Mobile Robot License, Cell Alignment Positioning System (CAPS), Perpetual, valid for all AMR models	2,846.00	EC000000	R6A 2514A	4549734511308			OC	OCB	USA	4821.1090.00
20271-806	EM2100 - FLOW Core License for Primary EM2100, 5 years license, one license per AMR connected to the fleet is required	7,075.00	EC000000	R6A 2528A	4549734547475			OC	OCB	USA	4821.1090.00
20271-807	EM2100 - FLOW Core License for Secondary EM2100, 5 years license, one license per fleet is required	7,075.00	EC000000	R6A 2529M	4549734547482			OC	OCB	USA	4821.1090.00
30271-001	Virtual Fleet Manager - Additional 1 x AMR FLOW Core License	3,114.00	EC000000	R6A 2540M	4550431073594			OC	OCB	USA	4821.1090.00
30271-105	Virtual Fleet Manager - Up to 5 x AMR FLOW Core License, allows 3 Year FLOW Core upgrades	12,460.00	EC000000	R6A 2541R	4550431073600			OC	OCB	USA	4821.1090.00
30271-110	Virtual Fleet Manager - Up to 10 x AMR FLOW Core License, allows 3 Year FLOW Core upgrades	23,880.00	EC000000	R6A 2542G	4550431073617			OC	OCB	USA	4821.1090.00
30271-115	Virtual Fleet Manager - Up to 15 x AMR FLOW Core License, allows 3 Year FLOW Core upgrades	34,250.00	EC000000	R6A 2543E	4550431073624			OC	OCB	USA	4821.1090.00
30271-120	Virtual Fleet Manager - Up to 20 x AMR FLOW Core License, allows 3 Year FLOW Core upgrades	43,590.00	EC000000	R6A 2544C	4550431073631			OC	OCB	USA	4821.1090.00
30271-125	Virtual Fleet Manager - Up to 25 x AMR FLOW Core License, allows 3 Year FLOW Core upgrades	54,000.00	EC000000	R6A 2545A	4550431073648			OC	OCB	USA	4821.1090.00
30271-130	Virtual Fleet Manager - Up to 30 x AMR FLOW Core License, allows 3 Year FLOW Core upgrades	62,300.00	EC000000	R6A 2546M	4550431073655			OC	OCB	USA	4821.1090.00
30271-150	Virtual Fleet Manager - More than 30 AMR FLOW Core License, allows 3 Year FLOW Core upgrades	77,850.00	EC000000	R6A 2547H	4550431073662			OC	OCB	USA	4821.1090.00
30271-701	Virtual Fleet Manager - FLOW IQ license, 1 year	2,180.00	EC000000	R6A 2575C	4550431073945			OC	OCB	USA	4821.1090.00
30271-703	Virtual Fleet Manager - FLOW IQ license, 3 years	6,230.00	EC000000	R6A 2576A	4550431073952			OC	OCB	USA	4821.1090.00

İzleme Ürünü K6

K6CM-CI2MA-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Current Analysis model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP/Modbus, applicable in environment with inverters	934.50	EC002613	K6CM0017H	4549734605182			RA	RAA	JPN	9030.3370.00
K6CM-CI2MD-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Current Analysis model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP/Modbus, applicable in environment with inverters	934.50	EC002613	K6CM0018F	4549734605199			RA	RAA	JPN	9030.3370.00
K6CM-İSMA-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Insulation resistance model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	986.00	EC002613	K6CM0005D	4549734178716			RA	RAA	JPN	9030.3370.00
K6CM-İSMD-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Insulation resistance model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	986.00	EC002613	K6CM0006B	4549734178723			RA	RAA	JPN	9030.3370.00
K6CM-VBMA-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Vibration & temperature model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	675.00	EC002613	K6CM0001A	4549734178679			RA	RAA	JPN	9030.8900.00
K6CM-VBMD-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Vibration & Temperature model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	675.00	EC002613	K6CM0002M	4549734178686			RA	RAA	JPN	9030.8900.00
K6PM-THMD-EIP	Thermal condition monitoring device for control cabinets and panels, 24 VDC, transistor control output, Push-in Plus, LCD display, EtherNet/IP and Modbus TCP	726.50	EC000601	K6PM0001F	4549734500920			RA	RAA	JPN	9031.8080.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K7GE-MGMA	Insulation Resistance Monitoring Device for 3-phase & servo motors, pumps and heaters, 100 to 240 VAC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	778.50	EC002498	K7GE0001R	4549734673921			RA	RAA	JPN	9030.3370.00
K7GE-MGMD	Insulation Resistance Monitoring Device for 3-phase & servo motors, pumps and heaters, 24 VAC/VDC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	778.50	EC002498	K7GE0002G	4549734673938			RA	RAA	JPN	9030.3370.00
K7T Condition Monitoring Controller											
K7TM-A2MA	Heater resistance monitoring device, 100 to 240 VAC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1,420.00	EC002498	K7TM0001M	4549734725385			RA	RAB	JPN	9030.3370.00
K7TM-A2MD	Heater resistance monitoring device, 24 VAC/VDC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1,420.00	EC002498	K7TM0002H	4549734725392			RA	RAB	JPN	9030.3370.00
K7DD-PQMA	Advanced Motor Condition Monitoring Device, 100 to 240 VAC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1,972.00	EC002498	K7DD0001C	4549734776646			RA	RAB	JPN	9030.3370.00
K7DD-PQMD	Advanced Motor Condition Monitoring Device, 24 VDC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1,972.00	EC002498	K7DD0002A	4549734776653			RA	RAB	JPN	9030.3370.00
İzleme Ürünü Aksesuarı K6											
K6CM-CICB005	CT sensor for Current analysis model K6CM-CIM, K7TM, and K7DD, 5A rated primary-side current	83.05	EC002048	K6CM0008R	4549734178747			RA	RAZ	JPN	9030.3370.00
K6CM-CICB025	CT sensor for Current analysis model K6CM-CIM, K7TM, and K7DD, 25A rated primary-side current	83.05	EC002048	K6CM0009G	4549734178754			RA	RAZ	JPN	9030.3370.00
K6CM-CICB100	CT sensor for Current analysis model K6CM-CIM, K7TM, and K7DD, 100A rated primary-side current	88.25	EC002048	K6CM0010M	4549734178761			RA	RAZ	JPN	9030.3370.00
K6CM-CICB200	CT sensor for Current analysis model K6CM-CIM, K7TM, and K7DD, 200A rated primary-side current	88.25	EC002048	K6CM0011R	4549734178778			RA	RAZ	JPN	9030.3370.00
K6CM-CICB400	CT sensor for Current analysis model K6CM-CIM, K7TM, and K7DD, 400A rated primary-side current	98.60	EC002048	K6CM0012G	4549734178785			RA	RAZ	JPN	9030.3370.00
K6CM-CICB600	CT sensor for Current analysis model K6CM-CIM and K7TM, 600A rated primary-side current	98.60	EC002048	K6CM0013E	4549734178792			RA	RAZ	JPN	9030.3370.00
K6CM-İSZBİS2	ZCT sensor for Insulation Resistance model K6CM-İSM, 200 to 480 VAC, 52mm dia. Through hole	882.50	EC002615	K6CM0014C	4549734178808			RA	RAZ	JPN	9030.3370.00
K6CM-VBS1	Sensor head & Pre-amplifier for Vibration & temperature model K6CM-VBS1, M6 screw attachment part also included	623.00	EC002615	K6CM0007M	4549734178730			RA	RAZ	JPN	9030.8900.00
K6CM-VBSAT1	Adhesive attachment for the vibration and temperature sensor K6CM-VBS1	54.55	EC002615	K6CM0016M	4549734489058			RA	RAZ	JPN	9030.8900.00
K6CM-VBSAT2	Magnet mounting attachment for vibration sensor	158.80	EC002615	K6CM0025R	4549734753272			RA	RAZ	JPN	9030.8900.00
K6PM-THS3232	Infrared thermal sensor for K6PM-THMD-EIP, 24 VDC, 0°C - 200°C, 1,024 pixels, FOV 90° x 90°	519.00	EC001195	K6PM0011C	4549734500937			RA	RAZ	JPN	9031.8080.00
K7GE-MG1	Probe unit for Insulation Resistance Monitoring Device K7GE-MGM	207.60	EC002498	K7GE0003E	4549734673945			RA	RAZ	JPN	9030.3370.00
Kablosuz Kumanda Butonu A2W											
A2W-AT25-WC1	High-sensitivity magnetic-base antenna, all frequencies supported, cable length 2.5 m	28.44	EC002024	A2W 0129M	4549734188821	#		RB	RBA	JPN	8529.1069.00
A2W-H-WC1	Slave button holder	28.44	EC002024	A2W 0130D	4549734188838			RB	RBA	JPN	8536.5011.90
A2W-RBP-WC1 EU	Master unit receiver, EU frequency 868.3 MHz, 8 PNP transistor outputs, 24 VDC	241.90	EC002024	A2W 0006E	4549734187756	#		RB	RBA	JPN	8536.5019.90
A2W-TB-WC1 EU1GB	Wireless Mushroom button, dia. 40 mm, EU frequency 868.3 MHz, Button/flange colors green-black	170.80	EC000221	A2W 0032D	4549734187992	#		RB	RBA	JPN	8536.5011.90
A2W-TB-WC1 EU1RB	Wireless Mushroom button, dia. 40 mm, EU frequency 868.3 MHz, Button/flange colors red-black	170.80	EC000221	A2W 0031F	4549734187985			RB	RBA	JPN	8536.5011.90
A2W-TB-WC1 EU2AB	Wireless Full guard button, dia. 34.4 mm, EU frequency 868.3 MHz, Button/flange colors blue-black	163.70	EC000221	A2W 0090A	4549734188500			RB	RBA	JPN	8536.5011.90
A2W-TB-WC1 EU2GB	Wireless Full guard button, dia. 34.4 mm, EU frequency 868.3 MHz, Button/flange colors green-black	163.70	EC000221	A2W 0088M	4549734188487	#		RB	RBA	JPN	8536.5011.90
A2W-TB-WC1 EU2RB	Wireless Full guard button, dia. 34.4 mm, EU frequency 868.3 MHz, Button/flange colors red-black	163.70	EC000221	A2W 0087A	4549734188470			RB	RBA	JPN	8536.5011.90
Endüstriyel Kameralar											
STC-HD213DV	Area Scan Camera (cased type), DVI over HDMI, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, C Mount, cased	713.50	EC004672	3Z457457G	4549734667029	#		SA	SAA	JPN	8525.8900.00
STC-HD213DV-CS	Area Scan Camera (cased type), DVI over HDMI, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, CS Mount, cased	713.50	EC004672	3Z457459C	4549734667043			SA	SAA	JPN	8525.8900.00
STC-HD213SDI	HD SDI, Area Scan Camera, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, C Mount, Cased	828.00	EC004672	3Z457458E	4549734667036			SA	SAA	JPN	8525.8900.00
STC-HD213SDI-CS	HD SDI, Area Scan Camera, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, CS Mount, Cased	828.00	EC004672	3Z457460G	4549734667050			SA	SAA	JPN	8525.8900.00
31940-010-E	Kit, camera, GigE, POE, 720 x 540, 1/2.9", 282.2 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,194.00	EC004672	AA057037F	4549734891349			SA	SAA	JPN	9031.9000.00
31940-011-E	Kit, camera, GigE, POE, 720 x 540, 1/2.9", 282.2 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,194.00	EC004672	AA057038D	4549734891332			SA	SAA	JPN	9031.9000.00
31940-100-E	Kit, camera, GigE, POE, 3856 x 2764, 1/2.3", 10.3 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,243.00	EC004672	AA057051A	4549734891226			SA	SAA	JPN	9031.9000.00
31940-120-E	Kit, camera, GigE, POE, 4000 x 3000, 1/1.7", 9.2 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,322.00	EC004672	AA057052M	4549734891219			SA	SAA	JPN	9031.9000.00
31940-121-E	Kit, camera, GigE, POE, 4000 x 3000, 1/1.7", 9.2 fps, Color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,322.00	EC004672	AA057053H	4549734891202			SA	SAA	JPN	9031.9000.00
31940-130-E	Kit, camera, GigE, POE, 1280 x 1024, 1/1.8", 61 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,219.00	EC004672	AA057039B	4549734891325			SA	SAA	JPN	9031.9000.00
31940-131-E	Kit, camera, GigE, POE, 1280 x 1024, 1/1.8", 61 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,219.00	EC004672	AA057040F	4549734891318			SA	SAA	JPN	9031.9000.00
31940-160-E	Kit, camera, GigE, POE, 1440 x 1088, 1/2.9", 70.7 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,237.00	EC004672	AA057041D	4549734891301			SA	SAA	JPN	9031.9000.00
31940-161-E	Kit, camera, GigE, POE, 1440 x 1088, 1/2.9", 70.7 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,237.00	EC004672	AA057042B	4549734891295			SA	SAA	JPN	9031.9000.00
31940-200-E	Kit, camera, GigE, POE, 1624 x 1240, 1/1.7", 54.6 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,338.00	EC004672	AA057043M	4549734891288			SA	SAA	JPN	9031.9000.00
31940-201-E	Kit, camera, GigE, POE, 1624 x 1240, 1/1.7", 54.6 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,338.00	EC004672	AA057044R	4549734891271			SA	SAA	JPN	9031.9000.00
31940-240-E	Kit, camera, GigE, POE, 5472 x 3648, 1", 5.5 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,389.00	EC004672	AA057054F	4549734891126			SA	SAA	JPN	9031.9000.00
31940-241-E	Kit, camera, GigE, POE, 5472 x 3648, 1", 5.5 fps, Color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,389.00	EC004672	AA057055D	4549734891189			SA	SAA	JPN	9031.9000.00
31940-320-E	Kit, camera, GigE, 3.2M, POE, 2048 x 1536 Pixels, 1/1.8", 34.9 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,406.00	EC004672	AA057045G	4549734891264			SA	SAA	JPN	9031.9000.00
31940-321-E	Kit, camera, GigE, 3.2M, POE, 2048 x 1536 Pixels, 1/1.8", 34.9 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,406.00	EC004672	AA057046E	4549734891257			SA	SAA	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
STC-BC5502U3V-VF096	Board level camera, 5 MP, Color, 70.85 fps, 2448 pixels x 2048 pixels, 1/1.8" sensor, IMX568, Global shutter, USB 3.0, 9.6mm Liquid lens	955.00	EC004672	3Z457672C	4550431090058			SA	SAA	JPN	9031.9000.00
STC-BC5642U3V	Board Level Camera, 6.4Mpix, Colour, 29.5 fps, 3072x2048, 1/1.8 Sensor, 2.4x2.4, IMX178, Rolling Shutter, No Mount, USB3.0	404.80	EC004672	3Z457600F	4549734767811			SA	SAA	JPN	9031.9000.00
STC-BC5642U3V-BC	Board Level Camera, 6.4Mpix, Colour, 29.5 fps, 3072x2048, 1/1.8 Sensor, 2.4x2.4, IMX178, Rolling Shutter, C mount, USB3.0	435.90	EC004672	3Z457599R	4549734767804			SA	SAA	JPN	9031.9000.00
STC-BC5642U3V-BCS	Board Level Camera, 6.4Mpix, Colour, 29.5 fps, 3072x2048, 1/1.8 Sensor, 2.4x2.4, IMX178, Rolling Shutter, CS mount, USB3.0	435.90	EC004672	3Z457601D	4549734767828			SA	SAA	JPN	9031.9000.00
STC-BC5642U3V-BL	Board Level Camera, 6.4Mpix, Colour, 29.5 fps, 3072x2048, 1/1.8 Sensor, 2.4x2.4, IMX178, Rolling Shutter, 5-mount, USB3.0	435.90	EC004672	3Z457603M	4549734767842			SA	SAA	JPN	9031.9000.00
STC-MB570BU3V	USB 3.0 Area Scan Camera, 7.1 MP, Monochrome, CMOS Sony IMX428, 1.1", 4.5 µm, 51.2 fps, Global Shutter, C Mount, Cased	2,694.00	EC004672	3Z457381C	4549734609814			SA	SAA	JPN	8525.8900.00
STC-MCS70BU3V	USB 3.0 Area Scan Camera, 7.1 MP, Color, CMOS Sony IMX428, 1.1", 4.5 µm, 51.2 fps, Global Shutter, C Mount, Cased	2,694.00	EC004672	3Z457382A	4549734609920			SA	SAA	JPN	8525.8900.00
STC-CMB120AOPQ	Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, M42 Mount, 1x QSFP + Optical connector, 40Gbps	7,150.00	EC004672	3Z457383M	4549734609937			SA	SAA	JPN	9031.9000.00
STC-CMB120AOPQ-F	Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount, 1x QSFP + Optical connector, 40Gbps	7,150.00	EC004672	3Z457384H	4549734609944			SA	SAA	JPN	9031.9000.00
STC-CMB120AOPT-F	Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount,	7,150.00	EC004672	3Z457095D	4549734199544			SA	SAA	JPN	9031.9000.00
STC-CMC120AOPQ	Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, M42 Mount, 1x QSFP + Optical connector, 40Gbps	7,150.00	EC004672	3Z457385F	4549734609951			SA	SAA	JPN	9031.9000.00
STC-CMC120AOPQ-F	Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount, 1x QSFP + Optical connector, 40Gbps	7,150.00	EC004672	3Z457386D	4549734609968			SA	SAA	JPN	9031.9000.00
STC-CMC120AOPT-F	Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount,	7,150.00	EC004672	3Z457096B	4549734199551			SA	SAA	JPN	9031.9000.00
STC-CMC401PCL	Camera Link Area Scan Camera, 4 MP, Color, CMOS CMOSIS CMV4000, 1", 5.5 µm, 180 fps, Global Shutter, C Mount, Cased, POCL	1,531.00	EC004672	3Z457064D	4549734197540			SA	SAA	JPN	8525.8900.00
STC-OSB250CL	Camera Link Area Scan Camera, 25 MP, Monochrome, Python 25K, APS-H, 4.5 µm, 32 fps, Global Shutter, M42 Mount, Cased	6,800.00	EC004672	3Z457379A	4549734609890			SA	SAA	JPN	9031.9000.00
STC-OSB250CL-F	Camera Link Area Scan Camera, 25 MP, Monochrome, Python 25K, APS-H, 4.5 µm, 32 fps, Global Shutter, F Mount, Cased	6,800.00	EC004672	3Z457380E	4549734609906			SA	SAA	JPN	8525.8900.00
STC-SPB202PCL	Camera Link Area Scan Camera, 2.0 MP, Monochrome, CMOS Sony IMX430, 1/1.7", 4.5 µm, 89.1 fps, Global Shutter, C Mount, Cased, POCL	926.50	EC004672	3Z457389R	4549734609999			SA	SAA	JPN	9031.9000.00
STC-SPB52PCL	Camera Link Area Scan Camera, 0.5 MP, Monochrome, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POCL	636.50	EC004672	3Z457387B	4549734609975			SA	SAA	JPN	9031.9000.00
STC-SPC202PCL	Camera Link Area Scan Camera, 2.0 MP, Color, CMOS Sony IMX430, 1/1.7", 4.5 µm, 89.1 fps, Global Shutter, C Mount, Cased, POCL	926.50	EC004672	3Z457390B	4549734610001			SA	SAA	JPN	9031.9000.00
STC-SPC52PCL	Camera Link Area Scan Camera, 0.5 MP, Color, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POCL	637.50	EC004672	3Z457388M	4549734609982			SA	SAA	JPN	9031.9000.00
FS-B2KU7DGES-C	GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, C-Mount, POE	1,969.00	EC004672	3Z457469M	4549734667142			SA	SAA	JPN	8525.8900.00
FS-B2KU7DGES-F	GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, F-Mount, POE	2,021.00	EC004672	3Z457470D	4549734667159			SA	SAA	JPN	9031.9000.00
FS-B2KU7DGES-M42	GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, M42-Mount, POE	1,996.00	EC004672	3Z457471B	4549734667166			SA	SAA	JPN	9031.9000.00
FS-C4KU7DGES-F	GigE Dual Line Scan Camera, 2x 4K, color, CMOS AWAIBA DR-2X4K-7-inver-RGB, 7.0 µm, 13 kHz, F-Mount, POE	2,436.00	EC004672	3Z457477A	4549734669887			SA	SAA	JPN	8525.8900.00
FS-C4KU7DGES-M42	GigE Dual Line Scan Camera, 2x 4K, color, CMOS AWAIBA DR-2X4K-7-inver-RGB, 7.0 µm, 13 kHz, M42-Mount, POE	2,436.00	EC004672	3Z457478M	4549734669894			SA	SAA	JPN	9031.9000.00
Endüstriyel Kameralar için Aksesuar											
CAB-USB3-02	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 2 m	48.33	EC003015	3Z457421F	4549734667180			SA	SAB	PHL	8544.4290.90
CAB-USB3-02-RB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 2 m	113.50	EC003015	3Z457426G	4549734667234			SA	SAB	PHL	8544.4290.90
CAB-USB3-03	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 3 m	58.05	EC003015	3Z457422D	4549734667197			SA	SAB	PHL	8544.4290.90
CAB-USB3-03-RB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 3 m	141.20	EC003015	3Z457427E	4549734667241			SA	SAB	PHL	8544.4290.90
CAB-USB3-05	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 5 m	67.75	EC003015	3Z457423B	4549734667203			SA	SAB	PHL	8544.4290.90
CAB-USB3-05-RB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 5 m	207.20	EC003015	3Z457428C	4549734667258			SA	SAB	PHL	8544.4290.90
CAB-USB3-07	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 7 m	145.30	EC003015	3Z457424M	4549734667210			SA	SAB	PHL	8544.4290.90
CAB-USB3-07-RB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 7 m	345.20	EC003015	3Z457429A	4549734667265			SA	SAB	PHL	8544.4290.90
CAB-USB3-10	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 10 m	262.30	EC003015	3Z457425R	4549734667227			SA	SAB	PHL	8544.4290.90
CAB-KWA-IEA	Converter, 6-pin connector to 5 Series pin assignment	76.00	EC003015	3Z457420H	4549734667173			SA	SAB	JPN	9031.9000.00
RC-HD133	Remote Control Unit for all DVI/SDI camera models	172.90	EC003015	3Z457810F	4549734200035			SA	SAB	JPN	9031.9000.00
TP-JQA	Tripod Mount for Cube Camera	41.43	EC003015	3Z457451H	4549734667487			SA	SAB	CHN	9031.9000.00
TP-KWA2	Tripod Mount for M-Series Camera	41.43	EC003015	3Z457450M	4549734667470			SA	SAB	CHN	9031.9000.00
Barkod Okuyucular / Kamera Ürünleri											
V420-F000L12M-NNP	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,143.00	EC002999	V4205275R	4549734573733			SB	SBA	JPN	9031.9000.00
V420-F000L12M-NNX	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,833.00	EC002999	V4205276G	4549734573740			SB	SBA	JPN	9031.9000.00
V420-F000L12M-SRP	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, Red light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,281.00	EC002999	V4205277E	4549734573757			SB	SBA	JPN	9031.9000.00
V420-F000L12M-SRX	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,623.00	EC002999	V4205278C	4549734573764			SB	SBA	JPN	9031.9000.00
V420-F000L12M-SWP	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,281.00	EC002999	V4205279A	4549734573771			SB	SBA	JPN	9031.9000.00
V420-F000L12M-SWX	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,971.00	EC002999	V4205280E	4549734573788			SB	SBA	JPN	9031.9000.00
V420-F000M03M-NNP	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,730.00	EC002999	V4205231G	4549734573290			SB	SBA	MY5	9031.9000.00
V420-F000M03M-NNX	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,419.00	EC002999	V4205232E	4549734573306			SB	SBA	MY5	9031.9000.00
V420-F000M03M-SRP	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,868.00	EC002999	V4205233C	4549734573313			SB	SBA	MY5	9031.9000.00
V420-F000M03M-SRX	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,210.00	EC002999	V4205234A	4549734573320			SB	SBA	MY5	9031.9000.00
V420-F000M03M-SWP	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,868.00	EC002999	V4205235M	4549734573337			SB	SBA	MY5	9031.9000.00
V420-F000M03M-SWX	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,557.00	EC002999	V4205236H	4549734573344			SB	SBA	MY5	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V420-F000M12M-NNP	V420 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,143.00	EC002999	V4205243M	4549734573412			SB	SBA	JPN	9031.9000.00
V420-F000M12M-NNX	V420 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,833.00	EC002999	V4205244R	4549734573429			SB	SBA	JPN	9031.9000.00
V420-F000M12M-SRP	V420 Code Reader, 1.2 MP Monochrome, Medium view, autofocus 50-300 mm, white light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,281.00	EC002999	V4205245G	4549734573436			SB	SBA	JPN	9031.9000.00
V420-F000M12M-SRX	V420 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,623.00	EC002999	V4205246E	4549734573443	#		SB	SBA	JPN	9031.9000.00
V420-F000M12M-SWP	V420 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,281.00	EC002999	V4205247C	4549734573450			SB	SBA	JPN	9031.9000.00
V420-F000M12M-SWX	V420 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,971.00	EC002999	V4205248A	4549734573467			SB	SBA	JPN	9031.9000.00
V420-F000M50C-NNP	V420 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,868.00	EC002999	V4205253H	4549734573511			SB	SBA	JPN	9031.9000.00
V420-F000M50C-NNX	V420 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,557.00	EC002999	V4205254F	4549734573528			SB	SBA	JPN	9031.9000.00
V420-F000M50C-SWP	V420 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,006.00	EC002999	V4205255D	4549734573535			SB	SBA	JPN	9031.9000.00
V420-F000M50C-SWX	V420 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,695.00	EC002999	V4205256B	4549734573542			SB	SBA	JPN	9031.9000.00
V420-F000N12M-NNP	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,143.00	EC002999	V4205269D	4549734573672			SB	SBA	JPN	9031.9000.00
V420-F000N12M-NNX	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,833.00	EC002999	V4205270H	4549734573689			SB	SBA	JPN	9031.9000.00
V420-F000N12M-SRP	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,281.00	EC002999	V4205271F	4549734573696			SB	SBA	JPN	9031.9000.00
V420-F000N12M-SRX	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,971.00	EC002999	V4205272D	4549734573702			SB	SBA	JPN	9031.9000.00
V420-F000N12M-SWP	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,281.00	EC002999	V4205273B	4549734573719			SB	SBA	JPN	9031.9000.00
V420-F000N12M-SWX	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,971.00	EC002999	V4205274M	4549734573726			SB	SBA	JPN	9031.9000.00
V420-F000M03M-NNP	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,730.00	EC002999	V4205225B	4549734573238			SB	SBA	MYN	9031.9000.00
V420-F000M03M-NNX	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,419.00	EC002999	V4205226M	4549734573245			SB	SBA	MYN	9031.9000.00
V420-F000M03M-SRP	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,868.00	EC002999	V4205227R	4549734573252			SB	SBA	MYN	9031.9000.00
V420-F000M03M-SRX	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,210.00	EC002999	V4205228G	4549734573269			SB	SBA	MYN	9031.9000.00
V420-F000M03M-SWP	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,868.00	EC002999	V4205229E	4549734573276			SB	SBA	MYN	9031.9000.00
V420-F000M03M-SWX	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,557.00	EC002999	V4205230R	4549734573283			SB	SBA	MYN	9031.9000.00
V420-F000W12M-NNP	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,143.00	EC002999	V4205237F	4549734573351			SB	SBA	JPN	9031.9000.00
V420-F000W12M-NNX	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,833.00	EC002999	V4205238D	4549734573368			SB	SBA	JPN	9031.9000.00
V420-F000W12M-SRP	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,281.00	EC002999	V4205239B	4549734573375			SB	SBA	JPN	9031.9000.00
V420-F000W12M-SRX	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,623.00	EC002999	V4205240F	4549734573382			SB	SBA	JPN	9031.9000.00
V420-F000W12M-SWP	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,281.00	EC002999	V4205241D	4549734573399			SB	SBA	JPN	9031.9000.00
V420-F000W12M-SWX	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,971.00	EC002999	V4205242B	4549734573405			SB	SBA	JPN	9031.9000.00
V420-F000W50C-NNP	V420 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,868.00	EC002999	V4205249M	4549734573474			SB	SBA	JPN	9031.9000.00
V420-F000W50C-NNX	V420 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,557.00	EC002999	V4205250C	4549734573481			SB	SBA	JPN	9031.9000.00
V420-F000W50C-SWP	V420 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,006.00	EC002999	V4205251A	4549734573498			SB	SBA	JPN	9031.9000.00
V420-F000W50C-SWX	V420 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,695.00	EC002999	V4205252M	4549734573504			SB	SBA	JPN	9031.9000.00
V430-F000L12M-DRX	V430 Code Reader, 1.2 MP monochrome, Long Range, Autofocus 75-2000 mm, High brightness red diffused ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,062.00	EC002999	V4305541G	4550431093257			SB	SBA	JPN	9031.9000.00
V430-F000L12M-HRX	V430 Code Reader, 1.2 MP monochrome, Long Range, Autofocus 75-2000 mm, High brightness red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,751.00	EC002999	V4305537R	4550431093219	#		SB	SBA	JPN	9031.9000.00
V430-F000L12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,557.00	EC002999	V4305374M	4549734576536			SB	SBA	JPN	9031.9000.00
V430-F000L12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,247.00	EC002999	V4305375R	4549734576543			SB	SBA	JPN	9031.9000.00
V430-F000L12M-SRP	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,695.00	EC002999	V4305376G	4549734576550			SB	SBA	JPN	9031.9000.00
V430-F000L12M-SRX	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,038.00	EC002999	V4305377E	4549734576567	#		SB	SBA	JPN	9031.9000.00
V430-F000L12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,695.00	EC002999	V4305378C	4549734576574			SB	SBA	JPN	9031.9000.00
V430-F000L12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,384.00	EC002999	V4305379A	4549734576581			SB	SBA	JPN	9031.9000.00
V430-F000M03M-NNP	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,143.00	EC002999	V4305330R	4549734576093			SB	SBA	MYN	9031.9000.00
V430-F000M03M-NNX	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,833.00	EC002999	V4305331G	4549734576109			SB	SBA	MYN	9031.9000.00
V430-F000M03M-SRP	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,281.00	EC002999	V4305332E	4549734576116			SB	SBA	MYN	9031.9000.00
V430-F000M03M-SRX	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,623.00	EC002999	V4305333C	4549734576123	#		SB	SBA	MYN	9031.9000.00
V430-F000M03M-SWP	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,281.00	EC002999	V4305334A	4549734576130			SB	SBA	MYN	9031.9000.00
V430-F000M03M-SWX	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,971.00	EC002999	V4305335M	4549734576147			SB	SBA	MYN	9031.9000.00
V430-F000M12M-DRX	V430 Code Reader, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, High brightness red diffused ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,062.00	EC002999	V4305539E	4550431093233	#		SB	SBA	JPN	9031.9000.00
V430-F000M12M-HRX	V430 Code Reader, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, High brightness red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,751.00	EC002999	V4305535B	4550431093196	#		SB	SBA	JPN	9031.9000.00
V430-F000M12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,557.00	EC002999	V4305342B	4549734576215			SB	SBA	JPN	9031.9000.00
V430-F000M12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,247.00	EC002999	V4305343M	4549734576222			SB	SBA	JPN	9031.9000.00
V430-F000M12M-RRX	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, Red ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,729.00	EC002999	V4305380E	4549734576598	#		SB	SBA	JPN	9031.9000.00
V430-F000M12M-RWX	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, White ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,073.00	EC002999	V4305381C	4549734576604			SB	SBA	JPN	9031.9000.00
V430-F000M12M-SRP	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,695.00	EC002999	V4305344R	4549734576239			SB	SBA	JPN	9031.9000.00
V430-F000M12M-SRX	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,038.00	EC002999	V4305345G	4549734576246	#		SB	SBA	JPN	9031.9000.00
V430-F000M12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,695.00	EC002999	V4305346E	4549734576253			SB	SBA	JPN	9031.9000.00
V430-F000M12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,384.00	EC002999	V4305347C	4549734576260	#		SB	SBA	JPN	9031.9000.00
V430-F000M50C-NNP	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,281.00	EC002999	V4305352M	4549734576314			SB	SBA	JPN	9031.9000.00
V430-F000M50C-NNX	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,971.00	EC002999	V4305353H	4549734576321			SB	SBA	JPN	9031.9000.00
V430-F000M50C-SWP	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,419.00	EC002999	V4305354F	4549734576338			SB	SBA	JPN	9031.9000.00
V430-F000M50C-SWX	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,109.00	EC002999	V4305355D	4549734576345	#		SB	SBA	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V430-F000N12M-DRX	V430 Code Reader, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, High brightness red diffused ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,062.00	EC002999	V4305540R	4550431093240			SB	SBA	JPN	9031.9000.00
V430-F000N12M-HRX	V430 Code Reader, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, High brightness red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,751.00	EC002999	V4305536M	4550431093202			SB	SBA	JPN	9031.9000.00
V430-F000N12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,557.00	EC002999	V4305368F	4549734576475			SB	SBA	JPN	9031.9000.00
V430-F000N12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,247.00	EC002999	V4305369D	4549734576482			SB	SBA	JPN	9031.9000.00
V430-F000N12M-RRX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,073.00	EC002999	V4305382A	4549734576611			SB	SBA	JPN	9031.9000.00
V430-F000N12M-RWX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,073.00	EC002999	V4305383M	4549734576628			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SRP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,695.00	EC002999	V4305370H	4549734576499			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SRX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,384.00	EC002999	V4305371F	4549734576505			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,695.00	EC002999	V4305372D	4549734576512			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,384.00	EC002999	V4305373B	4549734576529			SB	SBA	JPN	9031.9000.00
V430-F000W03M-NNP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,143.00	EC002999	V4305324D	4549734576031			SB	SBA	MYS	9031.9000.00
V430-F000W03M-NNX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,833.00	EC002999	V4305325B	4549734576048			SB	SBA	MYS	9031.9000.00
V430-F000W03M-SRP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,281.00	EC002999	V4305326M	4549734576055			SB	SBA	MYS	9031.9000.00
V430-F000W03M-SRX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,623.00	EC002999	V4305327R	4549734576062			SB	SBA	MYS	9031.9000.00
V430-F000W03M-SWP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,281.00	EC002999	V4305328G	4549734576079			SB	SBA	MYS	9031.9000.00
V430-F000W03M-SWX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,971.00	EC002999	V4305329E	4549734576086			SB	SBA	MYS	9031.9000.00
V430-F000W12M-DRX	V430 Code Reader, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, High brightness red diffused ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,062.00	EC002999	V4305538G	4550431093226			SB	SBA	JPN	9031.9000.00
V430-F000W12M-HRX	V430 Code Reader, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, High brightness red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,751.00	EC002999	V4305534D	4550431093189	#		SB	SBA	JPN	9031.9000.00
V430-F000W12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,557.00	EC002999	V4305336H	4549734576154			SB	SBA	JPN	9031.9000.00
V430-F000W12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,247.00	EC002999	V4305337F	4549734576161			SB	SBA	JPN	9031.9000.00
V430-F000W12M-SRP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,695.00	EC002999	V4305338D	4549734576178			SB	SBA	JPN	9031.9000.00
V430-F000W12M-SRX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,038.00	EC002999	V4305339B	4549734576185	#		SB	SBA	JPN	9031.9000.00
V430-F000W12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,695.00	EC002999	V4305340F	4549734576192			SB	SBA	JPN	9031.9000.00
V430-F000W12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,384.00	EC002999	V4305341D	4549734576208			SB	SBA	JPN	9031.9000.00
V430-F000W50C-NNP	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,281.00	EC002999	V4305348A	4549734576277			SB	SBA	JPN	9031.9000.00
V430-F000W50C-NNX	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,971.00	EC002999	V4305349M	4549734576284			SB	SBA	JPN	9031.9000.00
V430-F000W50C-SWP	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,419.00	EC002999	V4305350C	4549734576291			SB	SBA	JPN	9031.9000.00
V430-F000W50C-SWX	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,109.00	EC002999	V4305351A	4549734576307			SB	SBA	JPN	9031.9000.00
V440-FXXXY50M-NNX	V440-F, no optics, 5 MP, mono, C-Mount, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET	2,930.00	EC002999	V4405002H	4549734702874			SB	SBA	JPN	9031.9000.00
V320-F050M12M-NNP	V320 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, No outer light, 1D/2D decoder, RS-232, Ethernet via USB, IP40	1,313.00	EC002999	V3205055C	4549734569064			SB	SBA	JPN	9031.9000.00
FIS-0003-0001G	MS-3 Barcode Reader, Single Line, Low Density	1,671.00	EC002999	3Z4U4378F				SB	SBA	JPN	8471.6070.00
FIS-0003-0003G	MS-3 Barcode Reader, Raster, Low Density	1,763.00	EC002999	3Z4U4380H	4549734216531	#		SB	SBA	JPN	8471.6070.00
FIS-0830-1004G	QX-830 Industrial Barcode Reader, Raster Line, Low Density, Serial+Ethernet	3,189.00	EC002999	3Z4U4367M	4549734733120			SB	SBA	USA	8471.6070.00
FIS-0830-1005G	QX-830 Scanner, Raster Line, MD, Serial & Ethernet	3,189.00	EC002999	3Z4U4368R	4549734733137	#		SB	SBA	USA	8471.6070.00
FIS-0830-1006G	QX-830 Scanner, Raster Line, HD, Serial & Ethernet	2,670.00	EC002999	3Z4U4369G	4549734733144			SB	SBA	USA	8471.6070.00
V450-HDS3608-0001	Code reader, handheld, DPM (Direct part mark), Wired	2,321.00	EC002999	V4505001C	4549734576635			SB	SBA	TWN	8471.6070.00
V450-HDS3678-0001	Code reader, handheld, DPM (Direct part mark), Wireless	3,137.00	EC002999	V4505002A	4549734576642			SB	SBA	TWN	8471.6070.00
V460-H0PX	Code reader, handheld, DPM, PoE Wired	2,382.00	EC002999	V4605001G	4549734736046	#		SB	SBA	JPN	8471.6070.00
V410-HDS4608HC	V410-H HC Handheld Reader, white, wired	529.50	EC002999	V4105002G	4549734570930			SB	SBA	MEX	8471.6070.00
V410-HDS4608SR	V410-H SR Handheld Reader, black grey, wired	466.80	EC002999	V4105001R	4549734570923	#		SB	SBA	MEX	8471.6070.00
V410-HDS4608XD	V410-H XD Handheld Reader, black grey, wired, with X-Mode	778.00	EC002999	V4105003E	4549734570947	#		SB	SBA	MEX	8471.6070.00
Barkod Doğrulama Ürünleri											
9510-5-3.0	LVS-9510 Verifier, 3" FoV	10,460.00	EC000000	3Z4U4254B	4549734217255	#		SB	SBB	USA	9031.9000.00
9510-5-4.0	LVS-9510 Verifier, 4" FoV	10,460.00	EC000000	3Z4U4255M	4549734217262	#		SB	SBB	USA	9031.9000.00
9510-5-6.250	LVS-9510 Verifier, 6.25" FoV	10,460.00	EC000000	3Z4U4257G	4549734217286	#		SB	SBB	USA	9031.9000.00
9580-C-3	LVS-9580 Handheld, 1D & 2D Barcode Verification	9,845.00	EC000000	3Z4U4258E	4549734217293	#		SB	SBB	USA	9031.9000.00
9580-DPM-HD	LVS-9585 Handheld, 1D, 2D & DPM Dome and 30 degree lighting, high density	8,980.00	EC000000	3Z4U4260G	4549734217316			SB	SBB	USA	9031.9000.00
9585-DPM	LVS-9585 Handheld, 1D, 2D & DPM Dome and 30 degree lighting	12,270.00	EC000000	3Z4U4261E	4549734217323	#		SB	SBB	USA	9031.9000.00
Barkod Okuyucular											
F420-F000L12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,247.00	EC004672	F4205317E	4549734565073			SB	SBC	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F420-F000L12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,143.00	EC004672	F4205316G	4549734565066			SB	SBC	JPN	9031.9000.00
F420-F000L12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,936.00	EC004672	F4205318C	4549734565080			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,384.00	EC004672	F4205320E	4549734565103			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,281.00	EC004672	F4205319A	4549734565097			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	4,073.00	EC004672	F4205321C	4549734565110			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,384.00	EC004672	F4205323M	4549734565134			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,281.00	EC004672	F4205322A	4549734565127			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,729.00	EC004672	F4205324H	4549734565141			SB	SBC	JPN	9031.9000.00
F420-F000M03M-NNA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,833.00	EC004672	F4205251R	4549734564410			SB	SBC	MYS	9031.9000.00
F420-F000M03M-NNS	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,730.00	EC004672	F4205250M	4549734564403			SB	SBC	MYS	9031.9000.00
F420-F000M03M-NNV	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,522.00	EC004672	F4205252G	4549734564427			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SRA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,971.00	EC004672	F4205254C	4549734564441			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SRS	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,868.00	EC004672	F4205253E	4549734564434			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SRV	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,660.00	EC004672	F4205255A	4549734564458			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SWA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,971.00	EC004672	F4205257H	4549734564472			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SWS	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,868.00	EC004672	F4205256M	4549734564465			SB	SBC	MYS	9031.9000.00
F420-F000M12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,247.00	EC004672	F4205269A	4549734564595			SB	SBC	JPN	9031.9000.00
F420-F000M12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,143.00	EC004672	F4205268C	4549734564588			SB	SBC	JPN	9031.9000.00
F420-F000M12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,936.00	EC004672	F4205270E	4549734564601			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,384.00	EC004672	F4205272A	4549734564625			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,281.00	EC004672	F4205271C	4549734564618			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	4,073.00	EC004672	F4205273M	4549734564632			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,384.00	EC004672	F4205275F	4549734564656			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,281.00	EC004672	F4205274H	4549734564649			SB	SBC	JPN	9031.9000.00
F420-F000M50C-NNA	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,971.00	EC004672	F4205284E	4549734564748			SB	SBC	JPN	9031.9000.00
F420-F000M50C-NNS	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,868.00	EC004672	F4205283G	4549734564731			SB	SBC	JPN	9031.9000.00
F420-F000M50C-NNV	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,660.00	EC004672	F4205285C	4549734564755			SB	SBC	JPN	9031.9000.00
F420-F000M50C-SWA	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,109.00	EC004672	F4205287M	4549734564779			SB	SBC	JPN	9031.9000.00
F420-F000M50C-SWS	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,006.00	EC004672	F4205286A	4549734564762			SB	SBC	JPN	9031.9000.00
F420-F000M50C-SWV	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,452.00	EC004672	F4205288H	4549734564786			SB	SBC	JPN	9031.9000.00
F420-F000N12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,247.00	EC004672	F4205308F	4549734564984			SB	SBC	JPN	9031.9000.00
F420-F000N12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,143.00	EC004672	F4205307H	4549734564977			SB	SBC	JPN	9031.9000.00
F420-F000N12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,936.00	EC004672	F4205309D	4549734564991			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,384.00	EC004672	F4205311F	4549734565011			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,281.00	EC004672	F4205310H	4549734565004			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	4,073.00	EC004672	F4205312D	4549734565028			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,384.00	EC004672	F4205314M	4549734565042			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,281.00	EC004672	F4205313B	4549734565035			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	4,073.00	EC004672	F4205315R	4549734565059			SB	SBC	JPN	9031.9000.00
F420-F000W03M-NNA	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,833.00	EC004672	F4205242M	4549734564328			SB	SBC	MYS	9031.9000.00
F420-F000W03M-NNS	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,730.00	EC004672	F4205241A	4549734564311			SB	SBC	MYS	9031.9000.00
F420-F000W03M-NNV	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,522.00	EC004672	F4205243H	4549734564335			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SRA	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,971.00	EC004672	F4205245D	4549734564359			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SRS	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,868.00	EC004672	F4205244F	4549734564342			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SRV	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,660.00	EC004672	F4205246B	4549734564366			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SWA	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,971.00	EC004672	F4205248R	4549734564380			SB	SBC	MYS	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F420-F000W03M-SWS	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,868.00	EC004672	F420S247M	4549734564373			SB	SBC	MYS	9031.9000.00
F420-F000W12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,247.00	EC004672	F420S260H	4549734564502			SB	SBC	JPN	9031.9000.00
F420-F000W12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,143.00	EC004672	F420S259D	4549734564496			SB	SBC	JPN	9031.9000.00
F420-F000W12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,936.00	EC004672	F420S261F	4549734564519			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,384.00	EC004672	F420S263B	4549734564533			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,281.00	EC004672	F420S262D	4549734564526			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	4,073.00	EC004672	F420S264M	4549734564540			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,384.00	EC004672	F420S266G	4549734564564			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,281.00	EC004672	F420S265R	4549734564557			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,729.00	EC004672	F420S267E	4549734564571			SB	SBC	JPN	9031.9000.00
F420-F000W50C-NNA	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,971.00	EC004672	F420S278M	4549734564687			SB	SBC	JPN	9031.9000.00
F420-F000W50C-NNS	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,868.00	EC004672	F420S277B	4549734564670			SB	SBC	JPN	9031.9000.00
F420-F000W50C-NNV	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,660.00	EC004672	F420S279R	4549734564694			SB	SBC	JPN	9031.9000.00
F420-F000W50C-SWA	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,109.00	EC004672	F420S281M	4549734564717			SB	SBC	JPN	9031.9000.00
F420-F000W50C-SWS	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,006.00	EC004672	F420S280B	4549734564700			SB	SBC	JPN	9031.9000.00
F430-F000L12M-DRA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, High brightness red ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,529.00	EC004672	F430S374H	4550431094131			SB	SBC	JPN	9031.9000.00
F430-F000L12M-HRA	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, High brightness red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,114.00	EC004672	F430S370E	4550431094094			SB	SBC	JPN	9031.9000.00
F430-F000L12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,660.00	EC004672	F430S317R	4549734568319			SB	SBC	JPN	9031.9000.00
F430-F000L12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,557.00	EC004672	F430S316M	4549734568302			SB	SBC	JPN	9031.9000.00
F430-F000L12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,351.00	EC004672	F430S318G	4549734568326			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SRA	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,798.00	EC004672	F430S320R	4549734568340			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SRS	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,695.00	EC004672	F430S319E	4549734568333			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,489.00	EC004672	F430S321G	4549734568357			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,798.00	EC004672	F430S323C	4549734568371			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,143.00	EC004672	F430S324A	4549734568388			SB	SBC	JPN	9031.9000.00
F430-F000M03M-NNA	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,247.00	EC004672	F430S251B	4549734567657			SB	SBC	MYS	9031.9000.00
F430-F000M03M-NNS	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,143.00	EC004672	F430S250D	4549734567640			SB	SBC	MYS	9031.9000.00
F430-F000M03M-NNV	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,936.00	EC004672	F430S252M	4549734567664			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SRA	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,384.00	EC004672	F430S254G	4549734567688			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SRS	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,281.00	EC004672	F430S253R	4549734567671			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SRV	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,073.00	EC004672	F430S255E	4549734567695			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWA	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,384.00	EC004672	F430S257A	4549734567718			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWS	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,934.00	EC004672	F430S256C	4549734567701			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWV	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,729.00	EC004672	F430S258M	4549734567725			SB	SBC	MYS	9031.9000.00
F430-F000M12M-DRA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, High brightness red ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,529.00	EC004672	F430S372A	4550431094117			SB	SBC	JPN	9031.9000.00
F430-F000M12M-HRA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, High brightness red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,114.00	EC004672	F430S368C	4550431094070			SB	SBC	JPN	9031.9000.00
F430-F000M12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,660.00	EC004672	F430S269E	4549734567831			SB	SBC	JPN	9031.9000.00
F430-F000M12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,557.00	EC004672	F430S268G	4549734567824			SB	SBC	JPN	9031.9000.00
F430-F000M12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,351.00	EC004672	F430S270R	4549734567848			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RRA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,489.00	EC004672	F430S326H	4549734568401			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RRS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,384.00	EC004672	F430S325M	4549734568395			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RRV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	5,180.00	EC004672	F430S327F	4549734568418			SB	SBC	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F430-F000M12M-RWA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,489.00	EC004672	F4305329B	4549734568432			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,384.00	EC004672	F4305328D	4549734568425			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RVW	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,833.00	EC004672	F4305330F	4549734568449			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SRA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,798.00	EC004672	F4305272E	4549734567862			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SRS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,695.00	EC004672	F4305271G	4549734567855			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,489.00	EC004672	F4305273C	4549734567879			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,798.00	EC004672	F4305275M	4549734567893	#		SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,348.00	EC004672	F4305274A	4549734567886	#		SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,143.00	EC004672	F4305276H	4549734567909	#		SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNA	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,384.00	EC004672	F4305284R	4549734567985			SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNS	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,281.00	EC004672	F4305283M	4549734567978			SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNV	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,073.00	EC004672	F4305285G	4549734567992			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWA	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,522.00	EC004672	F4305287C	4549734568012			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWS	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,419.00	EC004672	F4305286E	4549734568005			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWV	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,213.00	EC004672	F4305288A	4549734568029			SB	SBC	JPN	9031.9000.00
F430-F000M12M-DRA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, High brightness red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,529.00	EC004672	F4305373M	4550431094124			SB	SBC	JPN	9031.9000.00
F430-F000M12M-HRA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, High brightness red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,114.00	EC004672	F4305369A	4550431094087			SB	SBC	JPN	9031.9000.00
F430-F000M12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,660.00	EC004672	F4305308M	4549734568227			SB	SBC	JPN	9031.9000.00
F430-F000M12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,557.00	EC004672	F4305307A	4549734568210			SB	SBC	JPN	9031.9000.00
F430-F000M12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,351.00	EC004672	F4305309H	4549734568234			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RRA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,489.00	EC004672	F4305332B	4549734568463			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RRS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,384.00	EC004672	F4305331D	4549734568456			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RRV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	5,180.00	EC004672	F4305333M	4549734568470			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,489.00	EC004672	F4305335G	4549734568494			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,384.00	EC004672	F4305334R	4549734568487			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RVW	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	5,180.00	EC004672	F4305336E	4549734568500			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SRA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,798.00	EC004672	F4305311M	4549734568258			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SRS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,695.00	EC004672	F4305310A	4549734568241			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,489.00	EC004672	F4305312H	4549734568265			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,798.00	EC004672	F4305314D	4549734568289			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,695.00	EC004672	F4305313F	4549734568272			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,489.00	EC004672	F4305315B	4549734568296			SB	SBC	JPN	9031.9000.00
F430-F000W03M-NNA	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,247.00	EC004672	F4305242C	4549734567565			SB	SBC	MYS	9031.9000.00
F430-F000W03M-NNS	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,143.00	EC004672	F4305241E	4549734567558			SB	SBC	MYS	9031.9000.00
F430-F000W03M-NNV	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,936.00	EC004672	F4305243A	4549734567572			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SRA	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,384.00	EC004672	F4305245H	4549734567596			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SRS	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,281.00	EC004672	F4305244M	4549734567589			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SRV	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,073.00	EC004672	F4305246F	4549734567602			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SWA	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,384.00	EC004672	F4305248B	4549734567626			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SWS	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,934.00	EC004672	F4305247D	4549734567619			SB	SBC	MYS	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F430-F000W03M-SVV	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,729.00	EC004672	F4305249M	4549734567633			SB	SBC	MYS	9031.9000.00
F430-F000W12M-DRA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, High brightness red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,529.00	EC004672	F4305371C	4550431094100			SB	SBC	JPN	9031.9000.00
F430-F000W12M-HRA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, High brightness red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,114.00	EC004672	F4305367E	4550431094063			SB	SBC	JPN	9031.9000.00
F430-F000W12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,660.00	EC004672	F4305260A	4549734567749			SB	SBC	JPN	9031.9000.00
F430-F000W12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,557.00	EC004672	F4305259H	4549734567732			SB	SBC	JPN	9031.9000.00
F430-F000W12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,351.00	EC004672	F4305261M	4549734567756			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SRA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,798.00	EC004672	F4305263F	4549734567770			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SRS	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,695.00	EC004672	F4305262H	4549734567763			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,489.00	EC004672	F4305264D	4549734567787			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,798.00	EC004672	F4305266M	4549734567800	#		SB	SBC	JPN	9031.9000.00
F430-F000W12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,348.00	EC004672	F4305265B	4549734567794			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SVV	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,143.00	EC004672	F4305267R	4549734567817			SB	SBC	JPN	9031.9000.00
F430-F000W50C-NNA	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,384.00	EC004672	F4305278D	4549734567923			SB	SBC	JPN	9031.9000.00
F430-F000W50C-NNS	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,281.00	EC004672	F4305277F	4549734567916			SB	SBC	JPN	9031.9000.00
F430-F000W50C-NNV	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,073.00	EC004672	F4305279B	4549734567930			SB	SBC	JPN	9031.9000.00
F430-F000W50C-SWA	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,522.00	EC004672	F4305281D	4549734567954			SB	SBC	JPN	9031.9000.00
F430-F000W50C-SWS	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,419.00	EC004672	F4305280F	4549734567947			SB	SBC	JPN	9031.9000.00
F430-F000W50C-SVV	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,213.00	EC004672	F4305282B	4549734567961			SB	SBC	JPN	9031.9000.00
F440-FXXXY50M-NNA	Smart camera, no Optics, 5 MP, mono, no light, AutoVISION + Verification	4,407.00	EC004672	F4405001G	4549734782548			SB	SBC	JPN	8525.8900.00
F440-FXXXY50M-NNS	Smart camera, no Optics, 5 MP, mono, no light, AutoVISION Sensor	3,338.00	EC004672	F4405000R	4549734782531	#		SB	SBC	JPN	8525.8900.00
F440-FXXXY50M-NNV	Smart camera, no Optics, 5 MP, mono, no light, AutoVISION + Verification + Visionscape	5,090.00	EC004672	F4405002E	4549734782555			SB	SBC	JPN	8525.8900.00
F320-F102W50C-NNA	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 102 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	2,143.00	EC004672	F3205131M	4549734559614			SB	SBC	JPN	9031.9000.00
Kamera Aksesuarları											
CBA-RF2-CO9ZAR	Serial interface cable for V410/V450 to EA3600 gateway, 2 m	103.90	EC003015	AA057472M	4549734894968			SB	SBZ	USA	9031.9000.00
EA3600-R1CP-11	EtherNet/IP gateway for V410-H & V450-H	1,026.00	EC001604	AA057474F	4549734894982			SB	SBZ	USA	9031.9000.00
EA3600-51CP-11	PROFINET gateway for V410-H & V450-H	1,026.00	EC001604	AA057473H	4549734894975			SB	SBZ	USA	9031.9000.00
12-9000937-01	Cradle / Charger, HDS-3678, V450-H	415.10	EC003015	3Z4U4329H	4549734218214			SB	SBZ	CHN	9031.9000.00
12-9000942-01	Cable, USB, Shielded, 2 m, Ext. 12 V, HDS-3600 / V450-H *** Power Supply Required ***	40.27	EC001681	3Z4U4330A	4549734218238			SB	SBZ	CHN	8544.4210.00
12-9000943-01	Cable, USB, Shielded, 4.6 m, Ext. 12 V, HDS-3600/V450-H *** Power Supply Required ***	90.00	EC001681	3Z4U4331M	4549734218245			SB	SBZ	CHN	8544.4210.00
12-9000946-01	Cable, USB, Shielded, 2 m, HDS-3600/V450-H	62.35	EC001681	3Z4U4332H	4549734218252			SB	SBZ	CHN	8544.4210.00
12-9000953-01	Cable, RS-232, DB9 female, 2 m, straight, HDS-3600 / V450-H	57.50	EC001681	3Z4U4345M	4549734440905			SB	SBZ	CHN	8544.4290.90
98-9000045-03	V/F 4X0-F Red high brightness standard LED installation kit	189.50	EC003015	3Z4U4194E	4549734722889			SB	SBZ	USA	9031.9000.00
98-9000181-01	Kit, Power supply for cradle / charger, HDS-3678/V450-H, AC Power Cord Required	56.60	EC003015	3Z4U4338G	4549734218313			SB	SBZ	CHN	9031.9000.00
98-9000186-01	Stand, Intelligent, HS-360X, V450-H	82.80	EC003015	3Z4U4341G	4549734218344			SB	SBZ	USA	9031.9000.00
98-9000200-01	LVS-9580/9585 Adjustable Stand Mounting for use with AMSCOPE BSS-140	487.10	EC003015	3Z4U4263A	4549734217347			SB	SBZ	USA	9031.9000.00
98-9000224-01	Battery, HDS-3678, V450-H	57.50	EC003015	3Z4U4348D	4549734444132			SB	SBZ	CHN	9031.9000.00
V330-AF1	V/F 3X0-F Diffuser Kit, Peel and Stick Accessory, Exterior to unit	41.43	EC003015	V3305121R	4549734583268			SB	SBZ	USA	9031.9000.00
V330-AF2	V/F 3X0-F Polarizer Kit, Peel and Stick Accessory, Exterior to unit	41.43	EC003015	V3305122G	4549734583275			SB	SBZ	USA	9031.9000.00
V410-AC0-1	V410-H AC Power supply 5.2 VDC, 1.1 A	75.25	EC003015	V4105004C	4549734570954			SB	SBZ	CHN	8471.6070.00
V410-AS0	Presentation stand, hands free operation, V410-H	81.55	EC003015	V4105005A	4549734570961	#		SB	SBZ	MEX	9031.9000.00
V410-WR-2M	RS-232 interface cable, DB9 connector, 2 m	58.05	EC001681	V4105007H	4549734570985	#		SB	SBZ	CHN	8544.4210.00
V410-WUB-2M	USB interface cable, 2 m	58.05	EC001681	V4105006M	4549734570978	#		SB	SBZ	CHN	8544.4210.00
V420-AC0	V/F 420-F Kit; RS-232 Breakout (DB-15) Cable plus Power Supply	159.20	EC003015	V4205293G	4549734555708			SB	SBZ	USA	9031.9000.00
V420-AC1	V/F 420-F Kit; USB Breakout Cable plus Power Supply	159.20	EC003015	V4205294E	4549734555715			SB	SBZ	USA	9031.9000.00
V420-AC2	V/F 420-F Kit; USB, IO, and Power Breakout Cable plus Power Supply	241.90	EC003015	V4205295C	4549734555722			SB	SBZ	USA	9031.9000.00
V420-WRUX-1M	V/F 420-F Cable, RS-232, USB, IO, and Power Breakout, 1 m	241.90	EC003015	V4205292R	4549734555692			SB	SBZ	USA	8544.4290.90
V420-WRXY-1M	V/F 420-F Cable, RS-232 Breakout (DB-15) and External Power Input, 1 m	279.20	EC003015	V4205290B	4549734555678			SB	SBZ	USA	8544.4290.90
V420-WUX-1M	V/F 420-F Cable, USB, IO, and Power Breakout, 1 m	221.00	EC003015	V4205291M	4549734555685			SB	SBZ	USA	8544.4290.90
V420-WUB-1M	V/F 420-F Cable, USB Breakout, 1 m	92.90	EC003015	V4205288M	4549734555654	#		SB	SBZ	USA	8471.9000.00
V420-WUX-1M	V/F 420-F Cable, USB Breakout with External Power Input, 1 m	114.10	EC003015	V4205289R	4549734555661			SB	SBZ	USA	8471.9000.00
V430-AF0R	V/F 430-F Ringlight Front Window Installation Kit	114.10	EC003015	V4305439R	4549734555852			SB	SBZ	USA	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V430-AF10	Front Window Installation Kit for V/F4X0-FXXXXXX-XXX	62.20	EC003015	V4305449F	4549734600989	#		SB	SBZ	USA	9031.9000.00
V430-AF11	Diffuser Installation Kit for V/F4X0-FXXXXXX-XXX	76.00	EC003015	V4305450M	4549734600996			SB	SBZ	USA	9031.9000.00
V430-AF12	Polarizer Installation Kit for V/F4X0-FXXXXXX-XXX	116.10	EC003015	V4305451H	4549734601009	#		SB	SBZ	USA	9031.9000.00
V430-AF1R	V/F 4x0-F Ringlight Diffuser Installation Kit	251.40	EC003015	V4305440B	4549734555869			SB	SBZ	USA	9031.9000.00
V430-AF1RH	V430-F Ring Light Window with Heavy Diffuser Kit(Creates very uniform lighting for Direct Part Mark Reading). Pair withV430-ALRRH for best results.)	243.90	EC003015	V4305532H	4550431091475			SB	SBZ	JPN	9031.9000.00
V430-AF2R	V/F 4x0-F Ringlight Polarizer Installation Kit	251.40	EC003015	V4305441M	4549734555876			SB	SBZ	USA	9031.9000.00
V430-AF3	V/F 4x0-F Right angle mirror	241.90	EC003015	V4305022R	45497341919175	#		SB	SBZ	USA	9031.9000.00
V430-AF4	Kit, YAG Filter, F/V43XX	355.40	EC003015	V4305435F	4549734555814			SB	SBZ	USA	9031.9000.00
V430-AF5	Kit, ESD Window, F/V4XX	116.10	EC003015	V4305436D	4549734555821			SB	SBZ	USA	9031.9000.00
V430-AF6	V/F 4x0-F Standard Red filter Installation Kit	114.10	EC003015	V4305437B	4549734555838			SB	SBZ	USA	9031.9000.00
V430-AF7	V/F 4x0-F Standard Blue filter Installation Kit	114.10	EC003015	V4305438M	4549734555845			SB	SBZ	USA	9031.9000.00
V430-ALB	V/F 4x0-F Blue Standard Light Installation Kit	189.40	EC003015	V4305430E	4549734555760			SB	SBZ	USA	9031.9000.00
V430-ALBR	V/F 430-F Blue Ring Light Installation Kit	280.60	EC003015	V4305434H	4549734555807			SB	SBZ	USA	9031.9000.00
V430-ALI	V/F 4x0-F IR Standard Light Installation Kit	189.40	EC003015	V4305429A	4549734555753			SB	SBZ	USA	9031.9000.00
V430-ALIR	V/F 430-F IR Ring Light Installation Kit	280.60	EC003015	V4305433M	4549734555791			SB	SBZ	USA	9031.9000.00
V430-ALR	V/F 4x0-F Red Standard Light Installation Kit	189.40	EC003015	V4305427E	4549734555739			SB	SBZ	USA	9031.9000.00
V430-ALRH	High Bright RED Light Installation Kit	189.50	EC003015	V4305530A	4550431091451			SB	SBZ	JPN	9031.9000.00
V430-ALRR	V/F 430-F Red Ring Light Installation Kit	280.60	EC003015	V4305431C	4549734555777			SB	SBZ	USA	9031.9000.00
V430-ALRRH	High Bright Red Ring Light Installation Kit	281.10	EC003015	V4305531M	4550431091468			SB	SBZ	JPN	9031.9000.00
V430-ALW	V/F 4x0-F White Standard Light Installation Kit	189.40	EC003015	V4305428C	4549734555746			SB	SBZ	USA	9031.9000.00
V430-ALWR	V/F 430-F White Ring Light Installation Kit	280.60	EC003015	V4305432A	4549734555784			SB	SBZ	USA	9031.9000.00
V430-AM0	V/F 4x0-F L Bracket Adjustable Angle Mounting Kit	62.20	EC003015	V4305023G	4549734191982	#		SB	SBZ	USA	9031.9000.00
V430-AM1	V/F 4x0-F 1/4-20 Camera Tripod Mounting Block Kit	62.20	EC003015	V4305024E	4549734191999	#		SB	SBZ	USA	9031.9000.00
V430-AM2	V/F 4x0-F 4" (102 mm) Ram Mount Stand	125.90	EC003015	V4305442R	4549734555883			SB	SBZ	USA	9031.9000.00
V430-AM3	V/F 4x0-F APG Pan and Tilt Camera Mount	156.40	EC003015	V4305443G	4549734555890	#		SB	SBZ	USA	9031.9000.00
V430-AM4	V/F 4x0-F Nylon Screw and Washer Electrical Isolation Mounting Kit	46.95	EC003015	V4305444E	4549734555906			SB	SBZ	USA	9031.9000.00
V430-AM5	V/F 4x0-F MS-4 / MINI to V/F4XX-F Adapter Plate	143.90	EC003015	V4305445C	4549734555913			SB	SBZ	USA	9031.9000.00
V430-AM6	V/F 4x0-F Smart Ring Light to V/F4XX-F Mounting Bracket	117.50	EC003015	V4305446A	4549734555920			SB	SBZ	USA	9031.9000.00
V430-AM7	V/F 4x0-F QX / Vision HAWK to V/F4XX-F Adapter Plate	157.70	EC003015	V4305447M	4549734555937			SB	SBZ	USA	9031.9000.00
V430-W8-10M-E	V/F 430-F M12 to Flying Leads Cable, 10 m	214.90	EC003015	AA062220A	4549734833103	#		SB	SBZ	ITA	8544.4290.90
V430-W8-15M-E	V/F 430-F M12 to flying leads cable, 15 m	247.40	EC003015	AA062227R	4549734833189			SB	SBZ	ITA	8544.4290.90
V430-W8-20M-E	V/F 430-F M12 to Flying Leads Cable, 20 m	267.00	EC003015	AA062221M	4549734833110			SB	SBZ	ITA	8544.4290.90
V430-W8-3M	V/F 430-F M12 to Flying Leads Cable, 3 m	173.00	EC003015	V4305011C	4549734191869	#		SB	SBZ	USA	8544.4290.90
V430-W8-5M	V/F 430-F M12 to Flying Leads Cable, 5 m	217.90	EC003015	V4305013M	4549734191883	#		SB	SBZ	USA	8544.4290.90
V430-W8LD-10M-E	V/F 430-F M12 to flying leads cable, right angle down, 10 m	214.90	EC003015	AA062250C	4549734833431			SB	SBZ	ITA	8544.4290.90
V430-W8LD-15M-E	V/F 430-F M12 to flying leads cable, right angle down, 15 m	247.40	EC003015	AA062251A	4549734833424			SB	SBZ	ITA	8544.4290.90
V430-W8LD-20M-E	V/F 430-F M12 to flying leads cable, right angle down, 20 m	267.00	EC003015	AA062252M	4549734833417			SB	SBZ	ITA	8544.4290.90
V430-W8LD-3M	V/F 430-F M12 to Flying Leads Cable, right angle down, 3 m	186.80	EC003015	V4305015F	4549734191906	#		SB	SBZ	USA	8544.4290.90
V430-W8LD-5M-E	V/F 430-F M12 to flying leads cable, right angle down, 5 m	182.60	EC003015	AA062253H	4549734833400			SB	SBZ	ITA	8544.4290.90
V430-W8LU-10M-E	V/F 430-F M12 to flying leads cable, right angle up, 10 m	214.90	EC003015	AA062254F	4549734833479			SB	SBZ	ITA	8544.4290.90
V430-W8LU-15M-E	V/F 430-F M12 to flying leads cable, right angle up, 15 m	247.40	EC003015	AA062255D	4549734833462			SB	SBZ	ITA	8544.4290.90
V430-W8LU-20M-E	V/F 430-F M12 to flying leads cable, right angle up, 20 m	267.00	EC003015	AA062256B	4549734833455			SB	SBZ	ITA	8544.4290.90
V430-W8LU-3M	V/F 430-F M12 to Flying Leads Cable, right angle up, 3 m	186.80	EC003015	V4305016D	4549734191913			SB	SBZ	USA	8544.4290.90
V430-W8LU-5M-E	V/F 430-F M12 to flying leads cable, right angle up, 5 m	182.60	EC003015	AA062257M	4549734833448			SB	SBZ	ITA	8544.4290.90
V430-WE-10M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 10 m	214.90	EC002599	AA062218M	4549734833080	#		SB	SBZ	ITA	8544.4210.00
V430-WE-15M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 15 m	247.40	EC002599	AA062219H	4549734833097			SB	SBZ	ITA	8544.4210.00
V430-WE-1M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 1 m	127.30	EC002599	V4305426G	4549734555647			SB	SBZ	USA	8544.4210.00
V430-WE-20M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 20 m	267.00	EC002599	AA062217A	4549734833073			SB	SBZ	ITA	8544.4210.00
V430-WE-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 3 m	174.10	EC002599	V4305010E	4549734191852	#		SB	SBZ	USA	8544.4210.00
V430-WE-5M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 5 m	217.90	EC002599	V4305014H	4549734191890	#		SB	SBZ	USA	8544.4210.00
V430-WELD-10M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 10 m	214.90	EC002599	AA062235M	4549734833257			SB	SBZ	ITA	8544.4210.00
V430-WELD-15M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 15 m	247.40	EC002599	AA062237F	4549734833271			SB	SBZ	ITA	8544.4210.00
V430-WELD-1M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 1 m	127.30	EC002599	AA062247C	4549734833370			SB	SBZ	ITA	8544.4210.00
V430-WELD-20M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 20 m	267.00	EC002599	AA062245G	4549734833356			SB	SBZ	ITA	8544.4210.00
V430-WELD-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle down, 3 m	174.10	EC002599	V4305017B	4549734191920	#		SB	SBZ	USA	8544.4210.00
V430-WELD-5M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 5 m	182.60	EC002599	AA062249M	4549734833394	#		SB	SBZ	ITA	8544.4210.00
V430-WELU-10M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up, 10 m	214.90	EC002599	AA062233C	4549734833240			SB	SBZ	ITA	8544.4210.00
V430-WELU-15M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up, 15 m	247.40	EC002599	AA062236H	4549734833264			SB	SBZ	ITA	8544.4210.00
V430-WELU-1M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up, 1 m	127.30	EC002599	AA062246E	4549734833363			SB	SBZ	ITA	8544.4210.00
V430-WELU-20M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up, 20 m	267.00	EC002599	AA062232E	4549734833233			SB	SBZ	ITA	8544.4210.00
V430-WELU-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up, 3 m	174.10	EC002599	V4305018M	4549734191937	#		SB	SBZ	USA	8544.4210.00
V430-WELU-5M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up, 5 m	182.60	EC002599	AA062248A	4549734833387			SB	SBZ	ITA	8544.4210.00
V430-WPLC-2M	Vision Accessory, RS-232C cable for connecting Omron's CS/CJ/NJ controller, 2 m	155.70	EC003015	V4305484D	4549734754149			SB	SBZ	USA	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V430-WQ-1M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 1 m	138.00	EC003015	V4305421F	4549734555593			SB	SBZ	USA	8544.4290.90
V430-WQ-3M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 3 m	173.00	EC003015	V4305422D	4549734555609			SB	SBZ	USA	8544.4290.90
V430-WQ-5M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 5 m	207.20	EC003015	V4305423B	4549734555616			SB	SBZ	USA	8544.4290.90
V430-WQK-3M	V/F 430-F Camera to QX-1 interconnect cable with USB keyboard wedge breakout, 2.7 m	622.00	EC003015	V4305425R	4549734555630			SB	SBZ	USA	8544.4290.90
V430-WQR-3M	V/F 430-F Camera to QX-1 interconnect cable with RS-232 breakout, 2.7 m	345.20	EC003015	V4305424M	4549734555623			SB	SBZ	USA	8544.4290.90
V430-WR-1M	V/F 430-F Cable, M12 socket to RS-232 DB9 socket, 1 m	138.00	EC003015	V4305419D	4549734555579			SB	SBZ	USA	8544.4290.90
V430-WR-3M	V/F 430-F Cable, M12 socket to RS-232 DB9 socket, 3 m	143.90	EC003015	V4305420H	4549734555586			SB	SBZ	USA	8544.4290.90
V440-AM1	R-70 Smart series ring light mounting kit	84.65	EC003015	V4405005B	4549734702904			SB	SBZ	USA	9031.9000.00
V440-AM2	R-100 Smart series ring light mounting kit	97.70	EC003015	V4405006M	4549734702911			SB	SBZ	USA	9031.9000.00
V460-WESP-5M-E	V460-H Spiral Ethernet cable M12 plug to RJ45 connector, extended length 5 m, relaxed length 1.5 m	171.30	EC002599	AA064436A	4549734853743	#		SB	SBZ	ITA	8544.4210.00
Görsel Denetim Sistemleri FH											
FHV7X-C004-C	FH Vision Smart Camera, high performance, color type, 0.4 Mpix resolution, 6.9 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40, W10 IoT Enterprise LTSC 2019 64bit	5,025.00	EC004672	FHV72001R	4549734746779	#		SC	SCA	JPN	9031.8080.00
FHV7X-C016-C	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40, W10 IoT Enterprise LTSC 2019 64bit	5,715.00	EC004672	FHV72023M	4549734746991	#		SC	SCA	JPN	9031.8080.00
FHV7X-C016-S12-MC	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, motorized lens module, focal length 12 mm, multi color illuminator, 24 VDC, IP67, pre-assembled, W10 IoT Enterprise LTSC 2019 64bit	9,380.00	EC004672	FHV72037M	4549734747134			SC	SCA	JPN	9031.8080.00
FHV7X-C016-S12-W	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, motorized lens module, focal length 12 mm, white illuminator, 24 VDC, IP67, pre-assembled	7,535.00	EC004672	FHV72038H	4549734747141			SC	SCA	JPN	9031.8080.00
FHV7X-C032-C	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, C-mount, 24 VDC, IP40, W10 IoT Enterprise LTSC 2019 64bit	6,695.00	EC004672	FHV72046R	4549734747226	#		SC	SCA	JPN	9031.8080.00
FHV7X-C032-S12-MC	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, motorized lens module, focal length 12 mm, multi color illuminator, 24 VDC, IP67, pre-assembled, W10 IoT Enterprise LTSC 2019 64bit	9,490.00	EC004672	FHV72060D	4549734747363			SC	SCA	JPN	9031.8080.00
FHV7X-C050-C	FH Vision Smart Camera, high performance, color type, 5.0 Mpix resolution, 3.45 µm pixel size, 2/3" chip size, global shutter, C-mount, 24 VDC, IP40, W10 IoT Enterprise LTSC 2019 64bit	7,730.00	EC004672	FHV72068M	4549734747448	#		SC	SCA	JPN	9031.8080.00
FHV7X-C063R-C	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, C-mount, 24 VDC, IP40, W10 IoT Enterprise LTSC 2019 64bit	5,715.00	EC004672	FHV72069H	4549734747455	#		SC	SCA	JPN	9031.8080.00
FHV7X-C063R-S06	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 6 mm, 24 VDC, IP40, pre-assembled, W10 IoT Enterprise LTSC 2019 64bit	7,505.00	EC004672	FHV72076M	4549734747523			SC	SCA	JPN	9031.8080.00
FHV7X-C063R-S06-W	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 6 mm, white illuminator, 24 VDC, IP40, pre-assembled, W10 IoT Enterprise LTSC 2019 64bit	8,215.00	EC004672	FHV72078G	4549734747547			SC	SCA	JPN	9031.8080.00
FHV7X-C063R-S12-MC	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 12 mm, multi color illuminator, 24 VDC, IP40, pre-assembled, W10 IoT 64bit	9,380.00	EC004672	FHV72083C	4549734747592			SC	SCA	JPN	9031.8080.00
FHV7X-C120R-C	FH Vision Smart Camera, high performance, color type, 12.0 Mpix resolution, 1.85 µm pixel size, 1/1.7" chip size, rolling shutter, C-mount, 24 VDC, IP40, W10 IoT Enterprise LTSC 2019 64bit	6,695.00	EC004672	FHV72091D	4549734747677	#		SC	SCA	JPN	9031.8080.00
FHV7X-M004-C	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution, 6.9 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40, W10 IoT Enterprise LTSC 2019 64bit	5,025.00	EC004672	FHV72092B	4549734747684	#		SC	SCA	JPN	9031.8080.00
FHV7X-M016-C	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40, W10 IoT Enterprise LTSC 2019 64bit	5,715.00	EC004672	FHV72128G	4549734748049	#		SC	SCA	JPN	9031.8080.00
FHV7X-M032-C	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, C-mount, 24 VDC, IP40, W10 IoT Enterprise LTSC 2019 64bit	6,695.00	EC004672	FHV72166M	4549734748421	#		SC	SCA	JPN	9031.8080.00
FHV7X-M050-C	FH Vision Smart Camera, high performance, monochrome type, 5.0 Mpix resolution, 3.45 µm pixel size, 2/3" chip size, global shutter, C-mount, 24 VDC, IP40, W10 IoT Enterprise LTSC 2019 64bit	7,730.00	EC004672	FHV72203H	4549734748797	#		SC	SCA	JPN	9031.8080.00
FHV7X-M063R-C	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, C-mount, 24 VDC, IP40, W10 IoT Enterprise LTSC 2019 64bit	5,715.00	EC004672	FHV72204F	4549734748803	#		SC	SCA	JPN	9031.8080.00
FHV7X-M120R-C	FH Vision Smart Camera, high performance, monochrome type, 12.0 Mpix resolution, 1.85 µm pixel size, 1/1.7" chip size, rolling shutter, C-mount, 24 VDC, IP40, W10 IoT Enterprise LTSC 2019 64bit	6,695.00	EC004672	FHV72240B	4549734749169	#		SC	SCA	JPN	9031.8080.00
FHV-VDB2 10M	FHV7 Power / IO Cable, straight 10 m, M12 connector	689.50	EC003015	FHV 2069F	4549734780889	#		SC	SCA	CHN	8544.4290.90
FHV-VDB2 20M	FHV7 Power / IO Cable, straight 20 m, M12 connector	1,142.00	EC003015	FHV 2070M	4549734780896	#		SC	SCA	CHN	8544.4290.90
FHV-VDB2 2M	FHV7 Power / IO Cable, straight 2 m, M12 connector	209.40	EC003015	FHV 2066A	4549734780858	#		SC	SCA	CHN	8544.4290.90
FHV-VDB2 3M	FHV7 Power / IO Cable, straight 3 m, M12 connector	268.70	EC003015	FHV 2067M	4549734780865	#		SC	SCA	CHN	8544.4290.90
FHV-VDB2 5M	FHV7 Power / IO Cable, straight 5 m, M12 connector	391.70	EC003015	FHV 2068H	4549734780872	#		SC	SCA	CHN	8544.4290.90
FHV-VDBX2 10M	FHV7 Power / IO Cable, straight, super bend resistant, 10 m, M12 connector	1,716.00	EC003015	FHV 2091B	4549734781107			SC	SCA	CHN	8544.4290.90
FHV-VDBX2 5M	FHV7 Power / IO Cable, straight, super bend resistant, 5 m, M12 connector	1,024.00	EC003015	FHV 2090D	4549734781091			SC	SCA	CHN	8544.4290.90
FHV-VDLB2 10M	FHV7 Power / IO Cable, right angle 10 m, M12 connector	689.50	EC003015	FHV 2074B	4549734780933			SC	SCA	CHN	8544.4290.90
FHV-VDLB2 20M	FHV7 Power / IO Cable, right angle 20 m, M12 connector	1,142.00	EC003015	FHV 2075M	4549734780940			SC	SCA	CHN	8544.4290.90
FHV-VDLB2 2M	FHV7 Power / IO Cable, right angle 2 m, M12 connector	209.40	EC003015	FHV 2071H	4549734780902			SC	SCA	CHN	8544.4290.90
FHV-VDLB2 3M	FHV7 Power / IO Cable, right angle 3 m, M12 connector	268.70	EC003015	FHV 2072F	4549734780919			SC	SCA	CHN	8544.4290.90
FHV-VDLB2 5M	FHV7 Power / IO Cable, right angle 5 m, M12 connector	391.70	EC003015	FHV 2073D	4549734780926	#		SC	SCA	CHN	8544.4290.90
FHV-VDLB2 10M	FHV7 Power / IO Cable, right angle, super bend resistant, 10 m, M12 connector	1,716.00	EC003015	FHV 2093R	4549734781121			SC	SCA	CHN	8544.4290.90
FHV-VDLB2 5M	FHV7 Power / IO Cable, right angle, super bend resistant, 5 m, M12 connector	1,024.00	EC003015	FHV 2092M	4549734781114			SC	SCA	CHN	8544.4290.90
FHV-VNB2 10M	FHV7 Ethernet cable, straight 10 m, M12 connector	496.20	EC002599	FHV 2059R	4549734780780	#		SC	SCA	CHN	8544.4210.00
FHV-VNB2 20M	FHV7 Ethernet cable, straight 20 m, M12 connector	951.50	EC002599	FHV 2060B	4549734780797			SC	SCA	CHN	8544.4210.00
FHV-VNB2 2M	FHV7 Ethernet cable, straight 2 m, M12 connector	199.10	EC002599	FHV 2056D	4549734780759			SC	SCA	CHN	8544.4210.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FHV-VNB2 3M	FHV7 Ethernet cable, straight 3 m, M12 connector	246.10	EC002599	FHV 2057B	4549734780766			SC	SCA	CHN	8544.4210.00
FHV-VNB2 5M	FHV7 Ethernet cable, straight 5 m, M12 connector	317.90	EC002599	FHV 2058M	4549734780773	#		SC	SCA	CHN	8544.4210.00
FHV-VNB-2M-E	FHV7 Ethernet cable, straight 2 m, M12 connector	199.10	EC002599	AA062516B	4549734835787	#		SC	SCA	ITA	8544.4210.00
FHV-VNBX2 5M	FHV7 Ethernet cable, straight, super bend resistant, 5 m, M12 connector	1,226.00	EC002599	FHV 2086F	4549734781053	#		SC	SCA	CHN	8544.4210.00
FHV-VNLB2 10M	FHV7 Ethernet cable, right angle 10 m, M12 connector	496.20	EC002599	FHV 2064E	4549734780834			SC	SCA	CHN	8544.4210.00
FHV-VNLB2 20M	FHV7 Ethernet cable, right angle 20 m, M12 connector	951.50	EC002599	FHV 2065C	4549734780841			SC	SCA	CHN	8544.4210.00
FHV-VNLB2 2M	FHV7 Ethernet cable, right angle 2 m, M12 connector	199.10	EC002599	FHV 2061M	4549734780803			SC	SCA	CHN	8544.4210.00
FHV-VNLB2 3M	FHV7 Ethernet cable, right angle 3 m, M12 connector	246.10	EC002599	FHV 2062R	4549734780810			SC	SCA	CHN	8544.4210.00
FHV-VNLB2 5M	FHV7 Ethernet cable, right angle 5 m, M12 connector	317.90	EC002599	FHV 2063G	4549734780827			SC	SCA	CHN	8544.4210.00
FHV-VNLB2 10M	FHV7 Ethernet cable, right angle, 10 m, super bend resistant, M12 connector	2,114.00	EC002599	FHV 2089M	4549734781084			SC	SCA	CHN	8544.4210.00
FHV-VNLB2 5M	FHV7 Ethernet cable, right angle, super bend resistant, 5 m, M12 connector	1,226.00	EC002599	FHV 2088B	4549734781077			SC	SCA	CHN	8544.4210.00
FHV-VUB2 10M	Smart Camera data unit cable, bend resistant, 10 m	890.00	EC003015	FHV 2079C	4549734780988			SC	SCA	CHN	8544.4290.90
FHV-VUB2 20M	Smart Camera data unit cable, bend resistant, 20 m	1,480.00	EC003015	FHV 2080G	4549734780995			SC	SCA	CHN	8544.4290.90
FHV-VUB2 2M	Smart Camera data unit cable, bend resistant, 2 m	258.40	EC003015	FHV 2076R	4549734780957			SC	SCA	CHN	8544.4290.90
FHV-VUB2 3M	Smart Camera data unit cable, bend resistant, 3 m	330.20	EC003015	FHV 2077G	4549734780964			SC	SCA	CHN	8544.4290.90
FHV-VUB2 5M	Smart Camera data unit cable, bend resistant, 5 m	466.40	EC003015	FHV 2078E	4549734780971	#		SC	SCA	CHN	8544.4290.90
FHV-VUB2 10M	Smart Camera data unit cable, super bend resistant, 10 m	2,089.00	EC003015	FHV 2095E	4549734781145			SC	SCA	CHN	8544.4290.90
FHV-VUB2 5M	Smart Camera data unit cable, super bend resistant, 5 m	1,244.00	EC003015	FHV 2094G	4549734781138			SC	SCA	CHN	8544.4290.90
FHV-VULB2 10M	Smart Camera data unit cable, bend resistant, right angle, 10 m	890.00	EC003015	FHV 2084M	4549734781039			SC	SCA	CHN	8544.4290.90
FHV-VULB2 20M	Smart Camera data unit cable, bend resistant, right angle, 20 m	1,480.00	EC003015	FHV 2085H	4549734781046			SC	SCA	CHN	8544.4290.90
FHV-VULB2 2M	Smart Camera data unit cable, bend resistant, right angle, 2 m	258.40	EC003015	FHV 2081E	4549734781008			SC	SCA	CHN	8544.4290.90
FHV-VULB2 3M	Smart Camera data unit cable, bend resistant, right angle, 3 m	330.20	EC003015	FHV 2082C	4549734781015			SC	SCA	CHN	8544.4290.90
FHV-VULB2 5M	Smart Camera data unit cable, bend resistant, right angle, 5 m	466.40	EC003015	FHV 2083A	4549734781022			SC	SCA	CHN	8544.4290.90
FHV-VULB2 10M	Smart Camera data unit cable, super bend resistant, right angle, 10 m	2,089.00	EC003015	FHV 2097A	4549734781169			SC	SCA	CHN	8544.4290.90
FHV-VULB2 5M	Smart Camera data unit cable, super bend resistant, right angle, 5 m	1,244.00	EC003015	FHV 2096C	4549734781152			SC	SCA	CHN	8544.4290.90
FHV-LEM-H06	FHV7 Liquid lens module, 6 mm focal length	1,826.00	EC003015	FHV 0001F	4549734282512			SC	SCA	JPN	9031.9000.00
FHV-LEM-H19	FHV7 Liquid lens module, 19 mm focal length	1,826.00	EC003015	FHV 0002D	4549734282529			SC	SCA	JPN	9031.9000.00
FHV-LEM-S06	FHV7 lens module, 6 mm focal length	1,049.00	EC003015	FHV 0003B	4549734282536	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S09	FHV7 lens module, 9 mm focal length	1,049.00	EC003015	FHV 0004M	4549734282543	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S12	FHV7 lens module, 12 mm focal length	1,049.00	EC003015	FHV 0005R	4549734282550	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S16	FHV7 lens module, 16 mm focal length	1,049.00	EC003015	FHV 0006G	4549734282567	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S25	FHV7 lens module, 25 mm focal length	1,049.00	EC003015	FHV 0007E	4549734282574	#		SC	SCA	CHN	9031.9000.00
FHV-LTM-IR	FHV7 illumination module, IR, includes protection window	1,193.00	EC003015	FHV 0010E	4549734282604			SC	SCA	JPN	9031.9000.00
FHV-LTM-MC	FHV7 illumination module, multi color Red Green Blue, IR, includes protection window	2,318.00	EC003015	FHV 0011C	4549734282611	#		SC	SCA	JPN	9031.9000.00
FHV-LTM-R	FHV7 illumination module, red, includes protection window	1,161.00	EC003015	FHV 0008C	4549734282581			SC	SCA	JPN	9031.9000.00
FHV-LTM-W	FHV7 illumination module, white, includes protection window	1,161.00	EC003015	FHV 0009A	4549734282598	#		SC	SCA	JPN	9031.9000.00
FHV-SDU10	FHV7 extended data unit, Parallel interface	689.50	EC003015	FHV 1001A	4549734496117			SC	SCA	JPN	9031.9000.00
FHV-SDU30	FHV7 extended data unit, EtherCAT interface	848.50	EC003015	FHV 1002M	4549734496124	#		SC	SCA	JPN	9031.9000.00
Görsel Denetim Sistemleri Aksesuarları FH											
FHV-XCV	FHV7 Replacement Lighting cover	163.90	EC003015	FHV 3004G	4549734451970			SC	SCZ	JPN	9031.9000.00
FHV-XDF	FHV7 Diffusion filter	686.50	EC003015	FHV 3001B	4549734451949			SC	SCZ	JPN	9031.9000.00
FHV-XFC-C	Facing cover for C-mount Lens, 1 cover, 5 screws	20.11	EC003015	FHV 3016M	4549734496483			SC	SCZ	JPN	9031.9000.00
FHV-XFC-LEM-H	Facing cover for Liquid Lens Modules, 1 cover, 5 screws	20.11	EC003015	FHV 3018G	4549734496506			SC	SCZ	JPN	9031.9000.00
FHV-XFC-LEM-S	Facing cover for Lens Modules, 1 cover, 5 screws	20.11	EC003015	FHV 3017R	4549734496490			SC	SCZ	JPN	9031.9000.00
FHV-XHD-L	FHV7 Waterproof hood, long, for 3Z45-LE SV-H series	241.00	EC003015	FHV 3006C	4549734451994	#		SC	SCZ	JPN	9031.9000.00
FHV-XHD-LEM	FHV7 Waterproof hood, for motorized lens modules	276.90	EC003015	FHV 3007A	4549734452007			SC	SCZ	JPN	9031.9000.00
FHV-XHD-S	FHV7 Waterproof hood, short, for 3Z45-LE SV-V series	246.10	EC003015	FHV 3005E	4549734451987			SC	SCZ	JPN	9031.9000.00
FHV-XLS-LTM	FHV7 lighting shielding sheet	19.16	EC003015	FHV 3015B	4549734452083			SC	SCZ	JPN	9031.9000.00
FHV-XMT-7	Fixture for FHV7	84.40	EC003015	FHV 3008M	4549734452014	#		SC	SCZ	CHN	9031.9000.00
FHV-XMT-7-TCC	Lighting controller fixture for FHV7	51.95	EC003015	FHV 3009H	4549734452021			SC	SCZ	CHN	9031.9000.00
FHV-XPL	FHV7 Polarization filter, for visible light	288.80	EC003015	FHV 3002M	4549734451956	#		SC	SCZ	JPN	9031.9000.00
FHV-XPL-IR	Polarized Light Filter, for visible and IR light	819.50	EC003015	FHV 3003R	4549734451963			SC	SCZ	JPN	9031.9000.00
Omron Harici Aksesuar Denetleme											
V430-W8-2M-E	V/F 430-F M12 to flying leads cable, 2 m	119.40	EC003015	AA064240G	4549734851930	#		SZ	SZZ	ITA	8544.4290.90
V430-WE-2M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 2 m	123.60	EC002599	AA064241E	4549734851947	#		SZ	SZZ	ITA	8544.4210.00
98-9000311-01	Single Port PoE Injector, 30W, IEEE802.3at Compliant, 2 x RJ45 Connector, 90 to 264VAC (suggested for standalone PC use)	145.30	EC003015	3Z4U4390E	4549734785457	#		SZ	SZZ	VNM	8517.6200.00
RAP-450U	Power-Grip™ XL universal scanner gun holder for V460-H reader	106.90	EC003015	AA064648H	4549734855709	#		SZ	SZZ	USA	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Satış Sonrası Hizmetler											
ROBOT AS HOUR FEE	After Sales Robotic Services - Hourly Rate for Working Days (local office working hours)	117.30		AA020903G				YA	YAA	NLD	
ROBOT AS HOUR FEE OVT	After Sales Robotic Services - Hourly Rate for Working Days (overtime, outside local office working hours)	137.70		AA020906A				YA	YAA	NLD	
ENGINEERING - LINEAR PROTOTYPE	Engineering for a customer specific mechanical design or a prototype. Hourly rate for one time service fee.	76.50		AA062955R				YA	YAA	NLD	
ROBOTS DAY ONE SERVICE	Field service visit upon robot delivery, Unboxing, Initial Startup & Registration	1,066.00		AA062962A				YA	YAA	NLD	
SVC TRAVELLING HOUR	Hourly rate for travel.	56.10		AA063552D				YA	YAA	NLD	
Eğitim Servisleri											
ROBOT VIRTUAL ASSISTANCE	After Sales Robot Services - Virtual Assistance Service via Augmented Reality, value for each 30 minutes	30.60		AA057130E				YA	YAB	NLD	
Dokümantasyon Servisleri											
DELIVERY CHARGE ANYFEEDER	Price of Delivery for ANYFEEDER	357.00		AA052358M				YA	YAD	NLD	
DELIVERY CHARGE COBOT	Price of Delivery for Cobot (from/ to OMRON - Customer)	280.50		AA054375A				YA	YAD	NLD	
DELIVERY CHARGE COBRA 450	Price of Delivery for COBRA 450 (from/ to OMRON - Customer)	234.60		AA053235M				YA	YAD	NLD	
DELIVERY CHARGE COBRA 500	Price of Delivery for COBRA 500 (from/ to OMRON - Customer)	234.60		AA054578R				YA	YAD	NLD	
DELIVERY CHARGE COBRA 600/800	Price of Delivery for COBRA 600/800 (from/ to OMRON - Customer)	234.60		AA048442R				YA	YAD	NLD	
DELIVERY CHARGE COBRA 650	Price of Delivery for COBRA 650 (from/ to OMRON - Customer)	234.60		AA020103F				YA	YAD	NLD	
DELIVERY CHARGE COBRA S350	Price of Delivery for COBRA 350 (from/ to OMRON - Customer)	234.60		AA048441M				YA	YAD	NLD	
DELIVERY CHARGE EXPRESS SERVICE	Price of Express Delivery, when the customer requested delivery within 24 hours	56.10		AA048437B				YA	YAD	NLD	
DELIVERY CHARGE FEEDER	Price of Delivery for feeder. (from/ to OMRON - Customer)	280.50		AA063787M				YA	YAD	NLD	
DELIVERY CHARGE FEEDER ACCS	Price of Delivery for feeder accessories. (from/ to OMRON - Customer)	158.10		AA063788H				YA	YAD	NLD	
DELIVERY CHARGE HD	Price of Delivery for HD Mobile Robots	648.00		AA056670M				YA	YAD	NLD	
DELIVERY CHARGE HD BATTERY	Price of Delivery for HD Mobile Robot battery	280.50		AA056671R				YA	YAD	NLD	
DELIVERY CHARGE HORNET	Price of Delivery for HORNET (from/ to OMRON - Customer)	234.60		AA048422D				YA	YAD	NLD	
DELIVERY CHARGE I4-L/I4-H	Price of Delivery for Robot - I4-L/I4-H Scara (from/ to OMRON - Customer)	234.60		AA057364B				YA	YAD	NLD	
DELIVERY CHARGE INV 160KW	Price of Delivery for High Power Inverter, SX-series, 160 to 629 kW (from/to OMRON - Customer)	423.30		AA054585A				YA	YAD	NLD	
DELIVERY CHARGE INV 45KW	Price of Delivery for High Power Inverter, SX-series, IP54, 45 to 159 kW (from/to OMRON - Customer)	117.30		AA054586M				YA	YAD	NLD	
DELIVERY CHARGE INV 630KW	Price of Delivery for High Power Inverter, SX-series, IP54, 630 kW or larger (from/to OMRON - Customer)	709.00		AA054584C				YA	YAD	NLD	
DELIVERY CHARGE IX3	Price of Delivery for Robot - IX3 Delta (from/ to OMRON - Customer)	280.50		AA057727C				YA	YAD	NLD	
DELIVERY CHARGE IX4	Price of Delivery for Robot - IX4 Delta (from/ to OMRON - Customer)	280.50		AA057728A				YA	YAD	NLD	
DELIVERY CHARGE LS LARGE	Price of Delivery for Linear Systems fitting on three or more pallets / special cases	423.30		AA026164M				YA	YAD	NLD	
DELIVERY CHARGE LS MEDIUM	Price of Delivery for Linear Systems fitting on two pallets	306.00		AA026163B				YA	YAD	NLD	
DELIVERY CHARGE LS SMALL	Price of Delivery for Linear Systems fitting on a single pallet	158.10		AA026162D				YA	YAD	NLD	
DELIVERY CHARGE MD	Price of Delivery for MD Mobile Robots	535.50		AA064270R				YA	YAD	NLD	
DELIVERY CHARGE MD BATTERY	Price of Delivery for MD Mobile Robot battery	280.50		AA064300D				YA	YAD	NLD	
DELIVERY CHARGE MD HD DOCK	Price of Delivery for MD-HD Mobile Robots charging station, docking target	357.00		AA064301B				YA	YAD	NLD	
DELIVERY CHARGE MD HD DOCK PWR	Price of Delivery for MD-HD Mobile Robots charging station, power supply	188.70		AA064302M				YA	YAD	NLD	
DELIVERY CHARGE MOBILE	Price of Delivery for LD60 LD90 or LD250 Mobile Robot	423.30		AA051321F				YA	YAD	NLD	
DELIVERY CHARGE MOBILE BATTERY	Price of Delivery for LD60 LD90 or LD250 Mobile Robot battery	280.50		AA052515M				YA	YAD	NLD	
DELIVERY CHARGE QUATTRO	Price of Delivery for QUATTRO (from/ to OMRON - Customer)	306.00		AA048446A				YA	YAD	NLD	
DELIVERY CHARGE ROBOT X-SERIES	Price of Delivery for Robot, X-series (from/ to OMRON - Customer)	306.00		AA054089B				YA	YAD	NLD	
DELIVERY CHARGE VIPER 650/850	Price of Delivery for VIPER 650/850 (from/ to OMRON - Customer)	234.60		AA048443G				YA	YAD	NLD	
Product Care											
FAST REPLACEMENT SERVICE FEE	Service to replace a failing product with an exchange unit without going through the standard repair process.			AA057135F				YA	YAE	NLD	
REPAIR IN-HOUSE HMI	In-house Repairs for HMI			AA062624M				YA	YAE	NLD	
REPAIR IN-HOUSE CONTROLLERS	In-house Repairs for Controllers			AA062625H				YA	YAE	NLD	
REPAIR IN-HOUSE IO UNITS	In-house Repairs for IO Units			AA062626F				YA	YAE	NLD	
REPAIR IN-HOUSE SERVO SYSTEM	In-house Repairs for Servo System			AA062627D				YA	YAE	NLD	
REPAIR IN-HOUSE INVERTERS	In-house Repairs for Inverters			AA062628B				YA	YAE	NLD	

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
REPAIR IN-HOUSE IA NON-PROD	In-house Repairs for IA Non-Prod			AA062629M				YA	YAE	NLD	
REPAIR IN-HOUSE OTHERS	In-house Repairs Other Products			AA062630D				YA	YAE	NLD	
ROBOT AS IN-HOUSE REMOTE ASSIS	After Sales Robotic Services - In House Remote Assistance Phone / Team Viewer, value for each 30 minutes			AA048418F				YA	YAE	NLD	
ROBOT IN-HOUSE PRE-INSPECT	After Sales Robotic Services - Pre-Inspection In-House Analysis			AA051912E				YA	YAE	NLD	
ROBOT IN-HOUSE REPAIR	After Sales Robotic Services - In House Repair	30.60		AA049180H				YA	YAE	NLD	
Training											
TCDD11 ROBOT PACK I	In House Training Pack for Robotics - eV+ programming, Vision ACESight 4 and Anyfeeder programming (5.0 days, price per person)			AA056110E				YA	YAF	NLD	
TCDD12 ROBOT PACK II	In House Training Pack for Robotics - eV+ programming, Vision ACESight 4 and Conveyor Tracking with Vision (5.0 days, price per person)			AA056111C				YA	YAF	NLD	
TCDD26 PROG PACKEXPERT	In House Training Course for Robot Programming - PackExpert (5 days, price per person)	2,826.00		AA052625C				YA	YAF	NLD	
TCDD31 ACE SIGHT 3 BASICS	In House Training Course for Robotics - ACESight 3 Vision Basics (1.0 days, price per person)	2,826.00		AA052158H				YA	YAF	NLD	
TCDD32 ACE SIGHT 3 CONV TRACK	In House Training Course for Robotics - ACESight 3 Conveyor Tracking (1.0 days, price per person)	2,545.00		AA052093M				YA	YAF	NLD	
TCDD33 ACE SIGHT 3 VISION	In House Training Course for Robotics - ACESight 3 Vision (3.0 days, price per person)	566.50		AA052152R				YA	YAF	NLD	
TCDD34 ACE SIGHT 3 PROG ANYFEED	In House Training Course for Robotics - ACESight 3 Programming AnyFeeder (1.0 days, price per person)	566.50		AA052160M				YA	YAF	NLD	
TCDD35 ACE4 ACESIGHT4 INT	In House Training Course for Robotics - Introduction to ACE4/ACESight 4	1,694.00		AA056109A				YA	YAF	NLD	
TCDD36 ACESIGHT4 CONV TRACK	In House Training Course for Robotics - ACESight 4 Conveyor Tracking (1.0 days, price per person)	566.50		AA056113M				YA	YAF	NLD	
TCDD37 ACESIGHT4 VISION	In House Training Course for Robotics - ACESight 4 Vision (3.0 days, price per person)	852.00		AA056112A				YA	YAF	NLD	
TCDD38 ACESIGHT4 PROG ANYFEED	In House Training Course for Robotics - ACESight 4 Programming AnyFeeder (1.0 days, price per person)	566.50		AA056114H				YA	YAF	NLD	
TC01 PLC BASIC	Training Course PLC - Basic			AA052124C				YA	YAF	NLD	
TC02 PLC ADV	Training Course PLC - Advanced			AA052112M				YA	YAF	NLD	
TC03 PLC PROF	Training Course PLC - Professional (price per person, per day)	367.20		AA052104R				YA	YAF	NLD	
TC04 PLC STRUCTURED TEXT	Training Course PLC - Structured text	392.70		AA052133B				YA	YAF	NLD	
TC05 PLC SFC PROGRAMMING	Training Course PLC - Sequential Function Chart Programming	367.20		AA052161H				YA	YAF	NLD	
TC06 PLC FUNCTION BLOCKS INT	Training Course PLC - Function Blocks Introduction	474.30		AA052141C				YA	YAF	NLD	
TC07 PLC INT	Training Course PLC - Introduction (price per person, per day)	474.30		AA057668D				YA	YAF	NLD	
TC11 HMI BASIC	Training Course HMI - Basic programming for NS HMIs	474.30		AA052126M				YA	YAF	NLD	
TC12 HMI ADV	Training Course HMI - Advanced programming for NS HMIs	367.20		AA052143M				YA	YAF	NLD	
TC13 HMI NB	Training Course HMI - NB	474.30		AA052156A				YA	YAF	NLD	
TC131 PMAC ADV	Training Course PMAC - Technology and Advanced Motion (price per person/day): IDE introduction • Basic setup of PMAC motors and I/O • PLC programming • Trajectories and motion programs • Data Gathering • Subroutines & G-codes • Tuning • Other topics	474.30		AA053022F				YA	YAF	NLD	
TC21 SCADA CX-SUPERVISOR	Training Course SCADA - CX-Supervisor	474.30		AA052125A				YA	YAF	NLD	
TC22 SCADA CX-SUPERVISOR ADV	Training Course SCADA - CX-Supervisor Advanced (price per person, per day)			AA052145F				YA	YAF	NLD	
TC23 SCADA CX-SUPERVISOR PROF	Training Course SCADA - CX-Supervisor Professional (price per person, per day)	392.70		AA052099R				YA	YAF	NLD	
TC25 VAR SPEED DRIVES BASIC	Training Course Inverters - Variable Speed Drives Basic			AA052108A				YA	YAF	NLD	
TC26 VAR SPEED DRIVES ADV	Training Course Inverters - Variable Speed Drives Advanced (price per person, per day)			AA052097B				YA	YAF	NLD	
TC27 SERVO MOTORS DRIVES INT	Training Course Servo Motors and Drives - Introduction (price per person, per day)	188.70		AA052162F				YA	YAF	NLD	
TC31 COMPONENTS BASIC	Training Course Components - Basic (price per person, per day)	474.30		AA052106E				YA	YAF	NLD	
TC34 PANEL BUILDING WORKSHOP	Training Course Panel Building - Technology Workshop (price per person, per day)	474.30		AA052149R				YA	YAF	NLD	
TC37 TEMP CONTROL BASIC	Training Course Temperature Control - Basic (price per person, per day)	474.30		AA052129D				YA	YAF	NLD	
TC38 TEMP CONTROL ADV	Training Course Temperature Control - Advanced (price per person, per day)	474.30		AA052090E				YA	YAF	NLD	
TC46 SENSORS BASIC	Training Course Sensors - Basic (price per person, per day)	474.30		AA052122G				YA	YAF	NLD	
TC47 SENSORS ADV	Training Course Sensors - Advanced (price per person, per day)	474.30		AA052134M				YA	YAF	NLD	
TC51 SYSMAC CONTROL BASIC	Training Course Sysmac Machine Control Basic (1 day, price/person)	474.30		AA052147B				YA	YAF	NLD	
TC52 SYSMAC CONTROL ADV	Training Course Sysmac Studio - Advanced	474.30		AA052138C				YA	YAF	NLD	
TC53 SYSMAC NX I/O AND SAFETY	Training Course Sysmac NX I/O and Safety (1 days, price/person)	367.20		AA052101D				YA	YAF	NLD	
TC54 SYSMAC MOTION CONTROL	Training Course Sysmac Studio - Motion Control	392.70		AA052116B				YA	YAF	NLD	
TC55 SYSMAC NA HMI	Training Course Sysmac Studio - Basic programming for NA HMIs	392.70		AA052117M				YA	YAF	NLD	
TC56 SYSMAC SQL	Training Course Sysmac Studio - SQL Database Connectivity	474.30		AA052137E				YA	YAF	NLD	
TC57 SYSMAC STRUCTURED TEXT	Training Course Sysmac Studio - Structured Text	316.20		AA052696B				YA	YAF	NLD	
TC58 SYSMAC CNC	Training Course Sysmac Studio - CNC (price per person, per day)	474.30		AA052102B				YA	YAF	NLD	
TC60 SYSMAC CIP SAFETY	Training Course Sysmac Studio - CIP Safety	372.30		AA064299G				YA	YAF	NLD	
TC61 SYSMAC HMI ADV	Training Course Sysmac Studio - Advanced programming for NA HMIs	474.30		AA027830F				YA	YAF	NLD	
TC62 SYSMAC MOTION ADV	Training Course Sysmac Studio - Motion Control Advanced (price per person, per day)			AA027831D				YA	YAF	NLD	
TC63 SYSMAC I/O AND SAFETY ADV	Training Course Sysmac Studio - I/O and Safety Advanced (price per person, per day)			AA038298G				YA	YAF	NLD	
TC91 NETW FIELDBUS AND EIP	Training Course Networks - Field Bus and Industrial Ethernet	505.00		AA052103M				YA	YAF	NLD	
TC93 NETW DEVICENET	Training Course Networks - DeviceNet (price per person, per day)			AA052123E				YA	YAF	NLD	
TC95 NETW INDUSTRIAL NETW INT	Training Course Networks - Introduction to Industrial Networks (price per person, per day)	474.30		AA052135R				YA	YAF	NLD	
TC101 CUSTOMISED ONE-TO-ONE	Training Course Customised - One-to-One	474.30		AA052140E				YA	YAF	NLD	
TC102 CUSTOMISED ONE-TO-N	Training Course Customised - One-to-N			AA052146D				YA	YAF	NLD	

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
TC121 MNT SYSMAC	Training Course Maintenance - Sysmac Studio. Ideally suited for maintenance personnel	688.50		AA054473A				YA	YAF	NLD	
TC122 MNT FIXED ROBOTS	Training Course Maintenance - Fixed Robotics in pick and place applications. Ideally suited for maintenance personnel	627.50		AA054474M				YA	YAF	NLD	
TC114 ROBOTICS COBOT BASIC	Training Course Robotics - Collaborative Robots	474.30		AA055251C				YA	YAF	NLD	
TCD21 PROG E V+ PROF	In House Training Course for Robot Programming - eV+ Professional			AA052113H				YA	YAF	NLD	
TCD22 PROG VIPER	In House Training Course for Robot Programming - Viper (0.5 days, price per person)			AA052098M				YA	YAF	NLD	
TCD23 PROG ACE OPERATORS	In House Training Course for Robot Programming - ACE for Operators (2.0 days, price per person)	2,545.00		AA052155C				YA	YAF	NLD	
TCD24 PROG MOBILE ROBOTS	In House Training Course for Robot Programming - Mobile Robots	285.60		AA052105G				YA	YAF	NLD	
TCD25 PROG ENTERPRISE MGR	In House Training Course for Robot Programming - Enterprise Manager	1,133.00		AA052109M				YA	YAF	NLD	
TCD27 PROG COBOT	In House Training Course for Robot Programming - Cobot Basics (2.0 days, price per person)	2,260.00		AA056859B				YA	YAF	NLD	
TC81 SAFETY SENSORS	Training Course Safety - Sensors (price per person, per day)	566.50		AA052128F				YA	YAF	NLD	
TC82 SAFETY STANDALONE CTR	Training Course Safety - Standalone Controllers (price per person, per day)	1,260.00		AA052111A				YA	YAF	NLD	
TC83 SAFETY DIR 2006 42 EC	Training Course Safety - The Machinery Directive 2006/42/EC (price per person, per day)	474.30		AA052114F				YA	YAF	NLD	
TC84 SAFETY MACHINE SYSTEM	Training Course Safety - Machine Control Systems	474.30		AA052159F				YA	YAF	NLD	
TC85 SAFETY CEI EN60204-1	Training Course Safety - Electrical Equipment of Machines - CEI EN60204-1 (price per person, per day)	474.30		AA052121R				YA	YAF	NLD	
TC86 SAFETY RISK ASSESSMENT	Training Course Safety - Machine Risk Assessment (price per person, per day)	474.30		AA052115D				YA	YAF	NLD	
TC87 SAFETY BASICS CIP SAFETY	Training Course Safety - Safety Basics and CIP Safety (price per person, per day)	474.30		AA057087B				YA	YAF	NLD	
TC41 VISION SENSOR BASIC	Training Course Vision - Sensor Basics	474.30		AA052153G				YA	YAF	NLD	
TC42 VISION SYSTEMS BASIC	Training Course Vision - Systems Basic	474.30		AA052150B				YA	YAF	NLD	
TC43 VISION INT	Training Course Maintenance - Vision. Ideally suited for maintenance personnel (price per person, per day)	474.30		AA052914G				YA	YAF	NLD	
TC01R PLC BASIC	Remote Training Course PLC - Basic (price per person)			AA057409F				YA	YAF	NLD	
TC02R PLC ADV	Remote Training Course PLC - Advanced (price per person)			AA057410M				YA	YAF	NLD	
TC101R CUSTOMISED ONE TO ONE	Remote Training Course Customised - One-to-One (price per person)	367.20		AA057418E				YA	YAF	NLD	
TC102R CUSTOMISED TO GROUP	Remote Training Course Customised - One-to-N (price per person, per day, training course for a group)	392.70		AA057419C				YA	YAF	NLD	
TC114R ROBOTICS COBOT BASIC	Remote Training Course Robotics - Collaborative Robots (price per person)	688.50		AA057420G				YA	YAF	NLD	
TC42R VISION SYSTEMS BASIC	Remote Training Course Vision - Systems Basic (price per person)			AA057411H				YA	YAF	NLD	
TC51R SYSMAC BASIC	Remote Training Course Sysmac Studio - Basic (price per person)			AA057412F				YA	YAF	NLD	
TC52R SYSMAC ADV	Remote Training Course Sysmac Studio - Advanced (price per person)	474.30		AA057413D				YA	YAF	NLD	
TC53R SYSMAC NX IO AND SAFETY	Remote Training Course Sysmac Studio - NX I/O and Safety (price per person)	367.20		AA057414B				YA	YAF	NLD	
TC54R SYSMAC MOTION CONTROL	Remote Training Course Sysmac Studio - Motion Control (price per person)	392.70		AA057415M				YA	YAF	NLD	
TC55R SYSMAC NA HMI	Remote Training Course Sysmac Studio - Basic programming for NA HMIs (price per person)	392.70		AA057416R				YA	YAF	NLD	
TC84R SAFETY MACHINE SYSTEM	Remote Training Course Safety - Machine Control Systems (price per person)	474.30		AA057417G				YA	YAF	NLD	
TC103 CUSTOMISED ON-SITE	Training Course Customised - On-site Training at Customer's Site	316.20		AA052110C				YA	YAF	NLD	
ELEARNING SAFETY ESSENTIALS	OMRON eLearning. Safety Essentials course offers an outline of legal framework and functional safety standards related to European machinery directive. License is active for one (1) calendar year	1,260.00		AA063652M				YA	YAF	NLD	
Maintenance Contracts											
ROBOT MNT CONT COBOT BRONZE	Maintenance Contract for Cobots - Bronze - Price per robot and per year, travelling cost to be added for qty under 4pcs. https://industrial.omron.eu/en/services-support/robotic-services			AA030752G				YA	YAG	NLD	
ROBOT MNT CONT COBOT GOLD	Maintenance Contract for Cobots - Gold - Price per robot and per year, spare parts included, minimum 3 year contract time. https://industrial.omron.eu/en/services-support/robotic-services	903.00		AA030754C				YA	YAG	NLD	
ROBOT MNT CONT COBOT SILVER	Maintenance Contract for Cobots - Silver - Price per robot and per year. https://industrial.omron.eu/en/services-support/robotic-services			AA030753E				YA	YAG	NLD	
ROBOT MNT CONT FIXED BRONZE	Maintenance Contract for Fixed Robots - Bronze - Price per robot and per year, travelling cost to be added for qty under 4pcs. https://industrial.omron.eu/en/services-support/robotic-services	5,655.00		AA054515M				YA	YAG	NLD	
ROBOT MNT CONT FIXED GOLD	Maintenance Contract for Fixed Robots - Gold - Price per robot and per year, spare parts included, minimum 3 year contract time. https://industrial.omron.eu/en/services-support/robotic-services	903.00		AA054517G				YA	YAG	NLD	
ROBOT MNT CONT FIXED SILVER	Maintenance Contract for Fixed Robots - Silver - Price per robot and per year. https://industrial.omron.eu/en/services-support/robotic-services			AA054516R				YA	YAG	NLD	
ROBOT MNT CONT LD250 BRONZE	Maintenance Contract for LD250 - Bronze - Price per robot and per year, travelling cost to be added for qty under 4pcs. https://industrial.omron.eu/en/services-support/robotic-services	22,040.00		AA056683B				YA	YAG	NLD	
ROBOT MNT CONT LD250 CUSTOM	Maintenance Contract for LD250 - Customised - Price per robot and per year. https://industrial.omron.eu/en/services-support/robotic-services	9,605.00		AA056686G				YA	YAG	NLD	
ROBOT MNT CONT LD250 GOLD	Maintenance Contract for LD250 - Gold - Price per robot and per year, spare parts included, minimum 3 year contract time. https://industrial.omron.eu/en/services-support/robotic-services	2,826.00		AA056685R				YA	YAG	NLD	
ROBOT MNT CONT LD250 SILVER	Maintenance Contract for LD250 - Silver - Price per robot and per year. https://industrial.omron.eu/en/services-support/robotic-services			AA056684M				YA	YAG	NLD	
ROBOT MNT CONT MOBILE BRONZE	Maintenance Contract for LD60 -90 - Bronze - Price per robot and per year, travelling cost to be added for qty under 4pcs. https://industrial.omron.eu/en/services-support/robotic-services	14,130.00		AA054520G				YA	YAG	NLD	
ROBOT MNT CONT MOBILE GOLD	Maintenance Contract for LD60 -90 - Gold - Price per robot and per year, spare parts included, minimum 3 year contract time. https://industrial.omron.eu/en/services-support/robotic-services	1,694.00		AA054522C				YA	YAG	NLD	
ROBOT MNT CONT MOBILE SILVER	Maintenance Contract for LD60 -90 - Silver - Price per robot and per year. https://industrial.omron.eu/en/services-support/robotic-services			AA054521E				YA	YAG	NLD	

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Warranty Extensions											
ROBOT 6MTH WRTY EXT LB COBOT	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor Collaborative Robot (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	8,480.00		AA028227C				YA	YAH	NLD	
ROBOT 6MTH WRTY EXT LB ECOBRA	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor eCobra Robot (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	3,953.00		AA048381C				YA	YAH	NLD	
ROBOT 6MTH WRTY EXT LB HORNET	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor Hornet Robot (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	546.00		AA048380E				YA	YAH	NLD	
ROBOT 6MTH WRTY EXT LB QUATTRO	After Sales Robotic Services - 6 Months Warranty Extension Package for Labour Quattro Robot	1,133.00		AA048379A				YA	YAH	NLD	
ROBOT 6MTH WRTY EXT LB VIPER	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor Viper Robot (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	734.50		AA048378C				YA	YAH	NLD	
ROBOT 6MTH WRTY EXT SP COBOT	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts Collaborative Robot (Warranty extension package requires Basic and/or Registered warranty)	546.00		AA028228A				YA	YAH	NLD	
ROBOT 6MTH WRTY EXT SP ECOBRA	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts eCobra Robot (Warranty extension package requires Basic and/or Registered warranty)	546.00		AA048377E				YA	YAH	NLD	
ROBOT 6MTH WRTY EXT SP HORNET	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts Hornet Robot (Warranty extension package requires Basic and/or Registered warranty)	1,316.00		AA048376G				YA	YAH	NLD	
ROBOT 6MTH WRTY EXT SP QUATTRO	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts Quattro Robot (Warranty extension package requires Basic and/or Registered warranty)	2,826.00		AA048375R				YA	YAH	NLD	
ROBOT 6MTH WRTY EXT SP VIPER	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts Viper Robot	1,694.00		AA048374M				YA	YAH	NLD	
Other Services											
ROBOT AS HOUR FEE WKD	After Sales Robotic Services - Hourly Rate for Weekends / Public Holidays	163.20		AA020917G				YA	YAI	NLD	
SVC TRAVEL DAILY ALLOWANCE	Daily allowance - per diem payments.			AA063550H				YA	YAI	NLD	
SVC TRAVEL DISTANCE FEE	Mileage allowance - value per kilometer.			AA063546M				YA	YAI	NLD	
SVC TRAVEL EXPENSES	Value for the tickets, tolls, parking, car rentals, taxi.	66.30		AA063547H				YA	YAI	NLD	
SVC TRAVEL HOTEL COST	Value for the hotel costs.			AA063549D				YA	YAI	NLD	
VAL BARCODES ON DELIVERY NOTE	Value Added Logistics - Barcodes on delivery note. Only a setup fee for registration and administration, no recurring costs.			AA058190D				YA	YAI	NLD	
VAL BOX CONTENT LIST	Value Added Logistics - Box content list, price per box.	214.20		AA058186F				YA	YAI	NLD	
VAL BOX LABELLING	Value Added Logistics - Box labelling, price per box.	56.10		AA058188B				YA	YAI	NLD	
VAL ITEM LABELLING	Value Added Logistics - Item labelling, price per item.			AA058187D				YA	YAI	NLD	
VAL MAX PALLET HEIGHT	Value Added Logistics - Maximum pallet height, price per pallet.			AA058189M				YA	YAI	NLD	
VALUE ADDED LOGISTS SETUP FEE	Value Added Logistics - Registration and administration fee of the VAL service.	5.10		AA056125C				YA	YAI	NLD	
LOANED ACCS WEEK SERVICE FEE	Price of Loaned Robot or Cobot accessories; Service Fee for a week, Delivery cost included - 2 ways (Handling, delivery and return costs of the loan of the product)	40.80		AA062581B				YA	YAI	NLD	
FB SMARTCONVEYOR V1.1 10L	Function Block SmartConveyor Library V1.1 - 10 Licenses.	3,060.00		AA063994E				YA	YAI	NLD	
FB SMARTCONVEYOR V1.1 15L	Function Block SmartConveyor Library V1.1 - 15 Licenses.	4,590.00		AA063995C				YA	YAI	NLD	
FB SMARTCONVEYOR V1.1 1L	Function Block SmartConveyor Library V1.1 - 1 License.	306.00		AA063992R				YA	YAI	NLD	
FB SMARTCONVEYOR V1.1 5L	Function Block SmartConveyor Library V1.1 - 5 Licenses.	1,530.00		AA063993G				YA	YAI	NLD	
LICENCE FB 15 POSITIONING	Function block: The 15 PP Positioning FB contains essential functions for moving a 1S Servo Drive using PP (Profile Position), PV (Profile Velocity), or HM (Homing Mode).	102.00		AA065627M				YA	YAI	NLD	
LICENCE FB ANTISWAY	Function block, Antisway. FB for indoor crane sway suppression. Provides sway suppression in both speed and position control modes.	408.00		AA065624F				YA	YAI	NLD	
LICENCE FB CRANK	Function block, Crank. FB designed to address applications involving a crank mechanism, enabling it to behave 'linearly'.	204.00		AA065625D				YA	YAI	NLD	
LICENCE FB FULL CLOSE LOOP	Function block, Full closed loop. The FB implements position control for devices that are not capable of it, such as devices that only have speed control capabilities.	102.00		AA065622M				YA	YAI	NLD	
LICENCE FB IEC ROB PKG NJR	Function Block, IEC Sysmac Library for Robotics Packaging applications with NJ-R CPU.	1,632.00		AA065629G				YA	YAI	NLD	
LICENCE FB IEC ROB PKG NXG-12R	Function Block, IEC Sysmac Library for Robotics Packaging applications with NXG CPU (12 Robots max).	2,040.00		AA065632G				YA	YAI	NLD	
LICENCE FB IEC ROB PKG NXG-16R	Function Block, IEC Sysmac Library for Robotics Packaging applications with NXG CPU (16 Robots max).	2,244.00		AA065633E				YA	YAI	NLD	
LICENCE FB IEC ROB PKG NXG-4R	Function Block, IEC Sysmac Library for Robotics Packaging applications with NXG CPU (4 Robots max).	1,632.00		AA065630M				YA	YAI	NLD	
LICENCE FB IEC ROB PKG NXG-8R	Function Block, IEC Sysmac Library for Robotics Packaging applications with NXG CPU (8 Robots max).	1,836.00		AA065631R				YA	YAI	NLD	
LICENCE FB PALLETIZER	Function block, Palletizer. One FB license for a SYSMAC controller.	408.00		AA065616E				YA	YAI	NLD	
LICENCE FB PATH CONTROL FULL	Function block: Path control full. One FB license for a SYSMAC controller. The FB generates 3D trajectory movements at a constant speed, maintaining control over axis acceleration and jerk.	408.00		AA065614R				YA	YAI	NLD	
LICENCE FB PATHCONTROL LIGHT	Function Block, PathControl Light.	306.00		AA065623H				YA	YAI	NLD	
LICENCE FB RACETRACK	Function block, The Racetrack provides a solution for systems with belts sharing the same path, commonly used in the packaging industry.	408.00		AA065628R				YA	YAI	NLD	
LICENCE FB SAFE AMR GATE	Function block, Safe AMR GATE. Time-of-flight muting function.	2,132.00		AA065615G				YA	YAI	NLD	
LICENCE FB SMARTCONVEYOR 10L	Function Block SmartConveyor Library V1.1 - 10 Licenses.	3,060.00		AA065619M				YA	YAI	NLD	
LICENCE FB SMARTCONVEYOR 15L	Function Block SmartConveyor Library V1.1 - 15 Licenses.	4,590.00		AA065620C				YA	YAI	NLD	
LICENCE FB SMARTCONVEYOR 1L	Function Block SmartConveyor Library V1.1 - 1 License.	306.00		AA065617C				YA	YAI	NLD	
LICENCE FB SMARTCONVEYOR 5L	Function Block SmartConveyor Library V1.1 - 5 Licenses.	1,530.00		AA065618A				YA	YAI	NLD	

Catalog Description (image)	Item Long Description (Web page)	2025 List Price	ETIM Class	Item Code (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
LICENCE FB TRAVERSE	Function block, Traverse. FB designed to provide a solution for traverse winding applications, offering control of the traverse axis.	255.00		AA065626B				YA	YAI	NLD	
LICENCE FB WELDING	Function block, Welding. One FB license for a SYSMAC controller.	408.00		AA065621A				YA	YAI	NLD	
LICENCE FB WINDING	Function block, Winding. One FB license for a SYSMAC controller.	357.00		AA065613M				YA	YAI	NLD	
FH-DIGIMARC	Digimarc license for FH controller or FHV7X smart camera., digital license key	1,683.00	EC003015	AA065262C				YA	YAI	ESP	
Satış Öncesi Hizmetler											
FB PATH CONTROL FULL	Function block - Path Control Full. One FB library license for a Sysmac controller. FB library generates 3D trajectory movements at constant speed keeping axes acceleration and jerk under control. License key is provided after the order confirmation	408.00		AA058832A				YB	YBA	NLD	
Cross Border Support											
SVC CONSULTATION DESK SI/3RD	Services and support for Cross-border requests. System integrator services and solutions related to OMRON turn-key projects. Provided by the OMRON Consultation desk.	96.90		AA064002A				YB	YBC	NLD	
Proof of Concept											
ROBOT FEASIBILITY STUDY	Pre Sales Robotic Services - Feasibility Study contains an On-site Study, Analysis of the viability and Case Description of a Potential Robotics solution(s).			AA052919H				YB	YBD	NLD	
Other Technical Support											
FB WINDING LIBRARY	Function block - Winding library license for a Sysmac controller. License key is provided after the order confirmation	357.00		AA058355R				YB	YBE	NLD	
Training											
ELEARNING GROUP LICENSE	eLearning through OmronLearning.com. Yearly payment to create a closed environment for group(s) with 2 levels of access rights. Includes creation of the accounts, courses selection and reports. License is active for a year and limited for 100 users.	1,005.00		AA056310H				YB	YBF	NLD	
ELEARNING TEST LICENSE	eLearning through OmronLearning.com. One-shot payment to create a closed environment for group(s) with 2 levels of access rights. Includes creation of the accounts, courses selection and reports. Test license is active for a calendar week.	1,005.00		AA056311F				YB	YBF	NLD	
Industry Solution Service											
OPSE 3RD PARTY SOLUTIONS	System integrator services and solutions related to OMRON turn-key projects.			AA063785C				YB	YBH	NLD	
OPSE AUTOMATION PROJECT	Project Service for Turn-Key Solution.			AA063786A				YB	YBH	NLD	
OPSE PROJECT MANAGEMENT	Project Management. Day fee.	602.00		AA063784E				YB	YBH	NLD	
Robot Yedek Parçaları											
ROBOT RE-PAINT	After Sales Robotic Services : Robot re-paint	693.00		AA053189C				YR	YRA	NLD	
Servis Hizmetleri											
RT100-4GM3010-G	RT1-series SiteManager 4G Global, 10 Device Agents, 3x Ethernet Ports, 1x Micro SD slot, 1x USB port	802.00	EC001478	RT1 1002F	4550431068422	#		Z2	Z20	CZE	8517,6200.00

Fiyatlarımızda herhangi bir ihbara gerek duymaksızın deęişiklik yapma hakkımız mahfuzdur.

İçeride görülen resim ve teknik deęerler genel bilgi amaçlıdır. Cihaz ölçüleri, montaj ve işletme verileri için, cihazla birlikte verilen işletme talimatını esas alınız.

Ürünlerimiz, prospektüslerinde belirtilen şartlar altında kullanıldığında, imalat hatalarına karşı bir yıl garantilidir. Aksi halde garanti kapsamı dışındadır.

Fiyat listemizde yer alan fiyat, ürün gibi bilgilerde yazım hataları söz konusu olduğunda, Omron Electronics Ltd.Şti.'deki bilgi ve fiyatlar geçerli olacaktır.

Fiyat listemizde bulunmayan ürünlerimiz için lütfen yetkili bayilerimiz ya da genel merkezimiz ile iletişime geçiniz.

Daha fazlasını öğrenmek ister misiniz?

OMRON TÜRKİYE

+90 (216) 556 51 30

industrial.omron.com.tr

Satış & Destek Ofisleri

Almanya

Tel: +49 (0) 2173 680 00
industrial.omron.de

Finlandiya

Tel: +358 (0) 207 464 200
industrial.omron.fi

İspanya

Tel: +34 913 777 902
industrial.omron.es

Norveç

Tel: +47 22 65 75 00
industrial.omron.no

Avusturya

Tel: +43 (0) 2236 377 800
industrial.omron.at

Fransa

Tel: +33 (0) 1 56 63 70 00
industrial.omron.fr

İsveç

Tel: +46 (0) 8 632 35 00
industrial.omron.se

Polonya

Tel: +48 22 458 66 66
industrial.omron.pl

Belçika

Tel: +32 (0) 2 466 24 80
industrial.omron.be

Güney Afrika

Tel: +27 (0)11 579 2600
industrial.omron.co.za

İsviçre

Tel: +41 (0) 41 748 13 13
industrial.omron.ch

Portekiz

Tel: +351 21 942 94 00
industrial.omron.pt

Çek Cumhuriyeti

Tel: +420 234 602 602
industrial.omron.cz

Hollanda

Tel: +31 (0) 23 568 11 00
industrial.omron.nl

İtalya

Tel: +39 02 326 81
industrial.omron.it

Danimarka

Tel: +45 43 44 00 11
industrial.omron.dk

İngiltere

Tel: +44 (0) 1908 258 258
industrial.omron.co.uk

Macaristan

Tel: +36 1 399 30 50
industrial.omron.hu

Diğer Omron Temsilcileri

industrial.omron.eu